A104 A194/A194M

- A104 Withdrawn 1939; Methods of Chemical Analysis of Ferro-Alloys; Replaced by E31
 A105/A105M-13 Specification for Carbon Steel Forgings for Piping
- Applications, 01.01
- A106/A106M-13 Specification for Seamless Carbon Steel Pipe for High-Temperature Service, 01.01
- A107 Withdrawn 1968; Specification for Hot-Rolled Carbon Steel Bars; Replaced by A575, A576
- A108-13 Specification for Steel Bar, Carbon and Alloy, Cold-Finished, 01.05
 A109M Withdrawn 1998; Replaced by A109/A109M
 A109/A109M-13 Specification for Steel, Strip, Carbon (0.25 Maximum
- Percent), Cold-Rolled, 01.03
- A110 Withdrawn 1936; Test Method for Weight of Coating on Zinc-Coated (Galvanized) Iron or Steel Articles; Replaced by A90
- A111-99a(2009) Specification for Zinc-Coated (Galvanized) "Iron" Telephone and Telegraph Line Wire, 01.06
- A112 Withdrawn 1990; Specification for Zinc-Coated (Galvanized) Steel Tie Wires
- A113 Withdrawn 1979; Specification for Structural Steel for Locomotives and Cars
- A114 Withdrawn 1940; Specification for Marine Boiler Steel Plates A115 Withdrawn 1937; Specification for Alloy Tool Steel
- A116-11 Specification for Metallic-Coated, Steel-Woven Wire Fence Fabric, 01.06
- Withdrawn 1956; Specification for Zinc-Coated Iron or Steel Chain-Link Fence Fabric Galvanized After Wearing; Replaced by A392
- A118 Withdrawn 1933; Specification for Zinc-Coated Iron or Steel Chain-Link Fence Fabric Galvanized Before Wearing
- A119 Withdrawn 1943; Definitions of Terms Relating to Heat Treatment
- Metals; Replaced by E44 A120 Withdrawn 1987; Specification for Pipe, Steel, Black and Hot-Dipped Zinc-Coated (Galvanized) Welded and Seamless for Ordinary Uses;
- Replaced by A53
 A121-13 Specification for Metallic-Coated Carbon Steel Barbed Wire. 01.06 A122 Withdrawn 1963; Specification for Zinc-Coated Steel Wire Strand (Galvanized) and Class A Extra Galvanized; Replaced by A475
- A123/A123M-13 Specification for Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products, 01.06
- A124 Withdrawn 1940; Specification for Arbitration Test Bar and Tension Test
- Specimen for Cast Iron
 A125-96(2013)^{c1} Specification for Steel Springs, Helical, Heat-Treated, 01.05 A126-04(2009) Specification for Gray Iron Castings for Valves, Flanges, and
- Pipe Fittings, **01.02**A127 Withdrawn 1949; Definitions of Terms Relating to Magnetic Testing;Redesignated A340
- A128/A128M-93(2012) Specification for Steel Castings, Austenitic Manganese, 01.02
- Withdrawn 1969; Specification for Open-Hearth Iron Plates for Pressure Vessels
- A130 Withdrawn 1937; Methods for Chemical Analysis of Steel Cast Iron, Open-Hearth Iron, and Wrought Iron; Replaced by E30
- A131/A131M-13 Specification for Structural Steel for Ships, 01.04
 A132-04(2009) Specification for Ferromolybdenum, 01.02
 A133 Withdrawn 1941; Specification for Alloy-Steel Forgings for Locomotives
- and Cars; Replaced by A237, A238

 A134-96(2012) Specification for Pipe, Steel, Electric-Fusion (Arc)-Welded (Sizes NPS 16 and Over), 01.01
- A135/A135M-09 Specification for Electric-Resistance-Welded Steel Pipe, 01.01
- A136 Withdrawn 1945; Specification for Forge-Welded Steel Pipe
- A137 Withdrawn 1943; Specification for Lock-Bar Steel Pipe A138 Withdrawn 1945; Specification for Riveted Steel and Wrought-Iron Pipe A139/A139M-04(2010) Specification for Electric-Fusion (Arc)-Welded Steel Pipe (NPS 4 and Over), 01.01
- A140 Withdrawn 1935; Specification for Steel for Bridges and Buildings
 A141 Withdrawn 1967; Specification for Structural Rivet Steel; Replaced by
- A142 Withdrawn 1977; Specification for Cast Iron Culvert Pipe; Replaced by
- A143/A143M-07 Practice for Safeguarding Against Embrittlement of Hot-Dip Galvanized Structural Steel Products and Procedure for Detecting
- Embrittlement, **01.06 A144-04(2009)** Specification for Ferrotungsten, **01.02**
- A145 Withdrawn 1940; Specification for Low-Carbon Ferromolybdenum; Replaced by A132
 A146-04(2009) Specification for Molybdenum Oxide Products, 01.02
- A147 Withdrawn 1984; Specification for Heat-Treated Steel Leaf Springs
- A148/A148M-08 Specification for Steel Castings, High Strength, for Structural Purposes, 01.02
- Withdrawn 1940; Specification for High Tensile Strength Carbon-Steel Plates for Boilers and Other Pressure Vessel Plates (2 in.); Replaced by
- Withdrawn 1940; Specification for High Tensile Strength Carbon-Silicon Steel Plates for Boilers and Other Pressure Vessel; Replaced by A212
- A151 Withdrawn 1938; Specification for Steel Suitable for Fusion Welding Withdrawn 1972; Specification for Wrought Iron Rivets and Rivet A152 Rounds
- A153/A153M-09 Specification for Zinc Coating (Hot-Dip) on Iron and Steel Hardware, 01.06
- Withdrawn 1936; Specification for Mild-to-Medium-Strength Carbon-Steel

- Castings for General Application; Replaced by A27, A180
- A155 Withdrawn 1978; Specification for Electric-Fusion Welded Steel Pipe for High-Pressure Service; Replaced by A671, A672, A691
- A156 Withdrawn 1936; Specification for Molybdenum Salts and Compounds; Combined with A 146
- Withdrawn 1953; Specification for Alloy-Steel Castings for Pressure A157 Containing Parts Suitable for High-Temperature Service; Replaced by A217, A351
- A158 Withdrawn 1953; Specification for Seamless Ferritic Alloy-Steel Pipe for High-Temperature Service; Replaced by A335
- A159-83(2011) Specification for Automotive Gray Iron Castings, 01.02
 A160 Withdrawn 1969; Specification for Axle-Steel Bars for Concrete Reinforcement; Replaced by A617
- Withdrawn 1999; Specification for Seamless Low-Carbon and Carbon-Molybdenum Steel Still Tubes for Refinery Service; Replaced by A192, A209
- Withdrawn 1973; Specification for Uncoated Wrought Iron Sheets A163 Withdrawn 1972; Specification for Zinc-Coated (Galvanized) Wrought
- Iron Sheets A164 Withdrawn 1981; Specification for Electrodeposited Coatings of Zinc on Steel; Replaced by B633
 A165 Withdrawn 1988; Specification for Electrodeposited Coatings of Cadmium on Steel; Replaced by B766
 A166 Withdrawn 1968; Specification for Electrodeposited Coatings of Nickel
- and Chromium on Steel; Replaced by B456
- A167-99(2009) Specification for Stainless and Heat-Resisting Chromium-Nickel Steel Plate, Sheet, and Strip, 01.03
- A168 Withdrawn 1947; Specification for Corrosion-Resistant Iron-Chromium and Iron-Chromium-Nickel Alloy Castings for General Application;
- Replaced by A296, A297
 A169 Withdrawn 1947; Specification for Corrosion-Resistant Iron-Chromium and Iron-Chromium-Nickel Alloy Castings for General Application;
- Replaced by A296, A297 A170 Withdrawn 1947; Specification for Corrosion-Resistant Iron-Chromium and Iron-Chromium-Nickel Alloy Castings for General Application; Replaced by A296, A297
- A171 Withdrawn 1947; Specification for Corrosion-Resistant Iron-Chromium and Iron-Chromium-Nickel Alloy Castings for General Application; Replaced by A296, A297
- A172 Withdrawn 1947; Specification for Corrosion-Resistant Iron-Chromium and Iron-Chromium-Nickel Alloy Castings for General Application; Replaced by A296, A297
- A173 Withdrawn 1954; Specification for Corrosion-Resistant Iron-Chromium and Iron-Chromium-Nickel Alloy Castings for General Application; Replaced by A296, A297
- A174 Withdrawn 1940; Specification for Corrosion-Resistant Iron-Chromium and Iron-Chromium-Nickel Alloy Castings for General Application; Replaced by A296, A297
- A175 Withdrawn 1947; Specification for Corrosion-Resistant Iron-Chromium and Iron-Chromium-Nickel Alloy Castings for General Application; Replaced by A296, A297
- A176-99(2009) Specification for Stainless and Heat-Resisting Chromium Steel
- Plate, Sheet, and Strip, 01.03

 A177 Withdrawn 1989; Specification for High-Strength Stainless and Chromium-Nickel Steel Sheet and Strip; Replaced by A666

 A178/A178M-02(2012) Specification for Electric-Resistance-Welded Carbon Steel and Carbon-Manganese Steel Boiler and Superheater Tubes, 01.01
- A179/A179M-90a(2012) Specification for Seamless Cold-Drawn Low-Carbon Steel Heat-Exchanger and Condenser Tubes, 01.01
- A180 Withdrawn 1937; Specification for Mild-to-Medium-Strength Carbon-Steel Castings for General Application; Replaced by A27
- A181/A181M-13 Specification for Carbon Steel Forgings, for General-Purpose
- Piping, 01.01
 A182/A182M-13a Specification for Forged or Rolled Alloy and Stainless Steel Pipe Flanges, Forged Fittings, and Valves and Parts for High-Temperature Service, **01.01**
- A183-03(2009) Specification for Carbon Steel Track Bolts and Nuts, 01.04
 A184/A184M-06(2011) Specification for Welded Deformed Steel Bar Mats for Concrete Reinforcement, 01.04
- A185/A185M Withdrawn 2013; Specification for Steel Welded Wire Reinforcement, Plain, for Concrete; Replaced by A1064 A186 Withdrawn 1966; Specification for One-Wear Wrought Steel Wheels;
- Replaced by A504
- Withdrawn 1943; Specification for Seamless Cold-Drawn Alloy-Steel (4 to 6 Percent Chromium) Heat Exchanger and Condenser Tubes
- A188 Withdrawn 1943; Specification for Seamless Alloy-Steel (4 to 6 Percent Chromium) Still Tubes for Refinery Service
- A189 Withdrawn 1972; Specification for Single and Double Refined Wrought Iron Bars
- A190 Withdrawn 1962; Specification for Lght Weight and Thin-Sectioned Gray Iron Castings A191 Withdrawn 1942; Test Method for Uniformity of Coatlng by the Preece
- Test (Copper Sulfate Dip) on Zinc-Coated (Galvanized) Iron or Steel Articles; Replaced by A239
- A192/A192M-02(2012) Specification for Seamless Carbon Steel Boiler Tubes for High-Pressure Service, 01.01
 A193/A193M-12b Specification for Alloy-Steel and Stainless Steel Bolting for
- High Temperature or High Pressure Service and Other Special Purpose Applications, **01.01**
- A194/A194M-13 Specification for Carbon and Alloy Steel Nuts for Bolts for

A194/A194M A284/A284M

- High Pressure or High Temperature Service, or Both, 01.01
- A195 Withdrawn; Specification for High-Strength Strucutural Rivet Steel; Replaced by A502
- A196 Withdrawn 1962; Guidelines for Cast Iron
- A197M Withdrawn 1998; Replaced by A197/A197M
- A197/A197M-00(2011) Specification for Cupola Malleable Iron, 01.02
 A198 Withdrawn 1947; Specification for Corrosion-Resistant Iron-Chromium and Iron-Chromium-Nickel Alloy Castings for General Application; Replaced by A296, A297
- A199/A199M Withdrawn 1995: Specification for Seamless Cold-Drawn Intermediate Alloy-Steel Heat-Exchanger and Condenser Tubes; Replaced bv A213
- Withdrawn 1999; Specification for Seamless Intermediate Alloy-Steel Still
- Tubes for Refinery Service; Replaced by A213/A213M
 A201 Withdrawn 1967; Specification for Carbon-Silicon Steel Plates of Intermediate Tensile Ranges for Fusion-Welded Boilers and Other Pressure Vessels; Replaced by A515, A516
- A202/A202M Withdrawn 2004; Specification for Pressure Vessel Plates, Alloy Steel, Chromium-Manganese-Silicon
- A203/A203M-12 Specification for Pressure Vessel Plates, Alloy Steel, Nickel, 01.04
- A204/A204M-12 Specification for Pressure Vessel Plates, Alloy Steel,
- Molybdenum, 01.04

 Withdrawn 1967; Specification for Iron and Steel Filler Metal (Arc-Welding Electrodes and Gas-Welding Rods); Replaced by A233,
- A206 Withdrawn 1953; Specification for Seamless Ferritic Alloy-Steel Pipe for HIgh-Temperature Service; Replaced by A335
- A207 Withdrawn 1972; Specification for Rolled Wrought Iron Shapes and Bars
 A208 Withdrawn 1941; Method of Test for Uniformity of Coating by the Preece
 Test (Copper Sulfate Dip) on Zinc or Steel Articles; Replaced by A239
 A209/A209M-03(2012) Specification for Seamless Carbon-Molybdenum
- Alloy-Steel Boiler and Superheater Tubes, 01.01

 A210/A210M-02(2012) Specification for Seamless Medium-Carbon Steel
- Boiler and Superheater Tubes, 01.01
- Withdrawn 1993; Specification for Spiral-Welded Steel or Iron Pipe A212 Withdrawn 1967; Specification for High Tensile Strength Carbon-Silicon Steel Plates for Boilers and Other Pressure Vessels; Replaced by A515, A516
- A213/A213M-13 Specification for Seamless Ferritic and Austenitic Alloy-Steel Boiler, Superheater, and Heat-Exchanger Tubes, 01.01
- A214/A214M-96(2012) Specification for Electric-Resistance-Welded Carbon
- Steel Heat-Exchanger and Condenser Tubes, 01.01

 A215 Withdrawn 1947; Specification for Mild-to-Medium-Strength Carbon-Steel Castings for General Application; Replaced by A27
- A216/A216M-12 Specification for Steel Castings, Carbon, Suitable for Fusion Welding, for High-Temperature Service, 01.02
- A217/A217M-12 Specification for Steel Castings, Martensitic Stainless and Alloy, for Pressure-Containing Parts, Suitable for High-Temperature Service, **01.02**
- Withdrawn 1963; Specification for Zinc-Coated Steel Wire Strand (Class A218
- A210 Withdrawn 1963, Specification for Zinc-Coated Steel Wire Strand (Class B and Class C Coatings); Replaced by A475

 A219 Withdrawn 1972; Methods of Test for Local Thickness of Electrodeposited Coatings; Replaced by B244, B487, B499, B504, B529, B530

 A220M Withdrawn 1999; Replaced by A220/A220M

 A220M-99(2009) Specification for Pearlitic Malleable Iron, 01.02

 A221 Withdrawn 1947; Specification for Corrosion-Resistant Iron-Chromium
- and Iron-Chromium-Nickel Alloy Castings for General Application; Replaced by A296, A297
- Withdrawn 1947; Specification for Corrosion-Resistant Iron-Chromium and Iron-Chromium-Nickel Alloy Castings for General Application;
- Replaced by A296, A297 Withdrawn 1947; Specification for Corrosion-Resistant Iron-Chromium and Iron-Chromium-Nickel Alloy Castings for General Application; Replaced by A296, A297
- A224 Withdrawn 1969; Recommended Practice for Conducting Plant Corrosion Tests; Replaced by G4
- A225/A225M-12 Specification for Pressure Vessel Plates, Alloy Steel, Manganese-Vanadium-Nickel, 01.04
- A226/A226M Withdrawn 1997; Specification for Electric-Resistance-Welded Carbon Steel Boiler and Superheater Tubes for High-Pressure Service A227/A227M-06(2011) Specification for Steel Wire, Cold-Drawn for Mechanical Springs, 01.03
- Specification for Steel Wire, Music Spring Quality, 01.03 A228/A228M-07 A229/A229M-12 Specification for Steel Wire, Quenched and Tempered for Mechanical Springs, **01.03 A230/A230M-05(2011)** Specification for Steel Wire, Oil-Tempered Carbon
- Valve Spring Quality, 01.03

 A231/A231M-10 Specification for Chromium-Vanadium Alloy Steel Spring
- Wire. 01.03
- A232/A232M-05(2011)^{c1} Specification for Chromium-Vanadium Alloy Steel Valve Spring Quality Wire, 01.03
- A233 Withdrawn 1970; Specification for Mild Steel Covered Arc-Welding Electrodes
- A234/A234M-13 Specification for Piping Fittings of Wrought Carbon Steel and Alloy Steel for Moderate and High Temperature Service, 01.01

 A235 Withdrawn 1975; Specification for Carbon Steel Forgings for General Industrial Use; Replaced by A668
- Withdrawn 1981; Specification for Carbon Steel Forgings for Railway A236

- A237 Withdrawn 1975; Specification for Alloy Steel Forgings for General Industrial Use: Replaced by A668
- Withdrawn 1989; Specification for Forgings, Alloy Steel, for Railway Use;
- Replaced by A730

 A239-95(2009)^{c1} Practice for Locating the Thinnest Spot in a Zinc (Galvanized) Coating on Iron or Steel Articles, 01.06
- A240/A240M-13c Specification for Chromium and Chromium-Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels and for General
- Applications, **01.03**Withdrawn 1979: Specification for Hot-Worked High-Carbon Steel Tie Plates; Replaced by A67
- A242/A242M-13 Specification for High-Strength Low-Alloy Structural Steel, 01.04
- Withdrawn 1975; Specification for Carbon and Alloy Steel Ring, Hollow Cylinder, and Disk Forgings for General Industrial Use; Replaced by A668
- Withdrawn 1947; Specification for Multiple-Wear Wrought Steel Wheels; Replaced by A504
- A245 Withdrawn 1972; Specification for Flat-Rolled Carbon Steel Sheets of
- Structural Quality; Replaced by A570, A611

 A246 Withdrawn 1958; Specification for Light Gage Structural Quality Flat
 Rolled Carbon-Steel Sheets; Replaced by A245

 A247-10 Test Method for Evaluating the Microstructure of Graphite in Iron
- Castings, 01.02
- A248 Withdrawn 1972; Specification for Carbon-Steel and Alloy-Steel Blooms, Billets, and Slabs for Forgings; Replaced by A273, A274
- A249/A249M-10a Specification for Welded Austenitic Steel Boiler, Superheater, Heat-Exchanger, and Condenser Tubes, 01.01
- A250/A250M-05(2009) Specification for Electric-Resistance-Welded Ferritic Alloy-Steel Boiler and Superheater Tubes, 01.01
- A251 Withdrawn 1970; Specification for Iron and Steel Gas-Welding Rods; Replaced by A251
- A252-10 Specification for Welded and Seamless Steel Pipe Piles, 01.01
 A253 Withdrawn 1962; Specification for Welded and Seamless Open-Hearth Iron Pipe
- A254/A254M-12 Specification for Copper-Brazed Steel Tubing, 01.01
 A255-10 Test Methods for Determining Hardenability of Steel, 01.05
- A256 Withdrawn 1990; Method of Compression Testing of Cast Iron
- Withdrawn 1945; Methods of Permeability and Core Loss of Flat-Rolled
- Magnetic Materials using 28 cm Specimen; Replaced by A34 A258 Withdrawn 1945; Methods of Testing Magnetic Materials; Replaced by
- A259 Withdrawn 1945; Methods of Testing Magnetic Materials; Replaced by
- A260 Withdrawn 1966: Recommended Practice for Torsion Tests of Cast Iron Withdrawn 1959; Specification for Heat-Treated Carbon-Steel Bolting A261 Material
- A262-13 Practices for Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, 01.03
- Specification for Stainless Chromium Steel-Clad Plate, 01.04
- Specification for Stainless Chromium-Nickel Steel-Clad Plate, 01.04 Specification for Nickel and Nickel-Base Alloy-Clad Steel Plate, 01.04
- A266/A266M-11 Specification for Carbon Steel Forgings for Pressure Vessel Components, 01.05
- Withdrawn 1954; Specification for Lead Coating (Hot-Dip) on Iron or Steel Hardware
- A268/A268M-10 Specification for Seamless and Welded Ferritic and Martensitic Stainless Steel Tubing for General Service, 01.01
- A269-13 Specification for Seamless and Welded Austenitic Stainless Steel Tubing for General Service, 01.01
- A270/A270M-10 Specification for Seamless and Welded Austenitic and Ferritic/Austenitic Stainless Steel Sanitary Tubing, 01.01
- A271 Withdrawn 1999; Specification for Seamless Austenitic Chromium-Nickel Steel Still Tubes for Refinery Service; Replaced by A213/A213M

 A272 Withdrawn 1945; Method of Magnetic Particle Testing and Inspection of Commercial Steel Castings; Replaced by E109

 A273 Withdrawn 1975; Specification for Carbon-Steel Blooms, Billets, and
- Slabs for Forgings; Replaced by A711
- A274 Withdrawn 1975; Specification for Alloy-Steel Blooms, Billets, and Slabs for Forgings; Replaced by A711

 A275/A275M-08(2013) Practice for Magnetic Particle Examination of Steel
- Forgings, 01.05
- A276-13a Specification for Stainless Steel Bars and Shapes, 01.03
 A277 Withdrawn 1952; Specification for Malleable Iron Flanges, Pipe Fittings, and Valve Parts for Railroad, Marine and Other Heavy Duty Service; Replaced by A338
- Withdrawn 2001; Replaced by A278/A278M
- A278M Witndrawn 2001; Replaced by A276/A276M

 A278/A278M-01(2011) Specification for Gray Iron Castings for PressureContaining Parts for Temperatures Up to 650°F (350°C), 01.02

 A279 Withdrawn 1945; Method of Total Immersion Corrosion Test of Stainless
 Steels; Replaced by G31
- Withdrawn 1953; Specification for Seamless Ferritic Alloy-Steel Pipe for Service at High Temperatures; Replaced by A335
- Withdrawn 1947; Specification for Mild to Medium Strength Carbon-Steel Castings for General Application; Replaced by A27
- A282 Withdrawn 1945; Specification for High-Strength Steel Castings for Structural Purposes; Replaced by A148

 A283/A283M-13 Specification for Low and Intermediate Tensile Strength Carbon Steel Plates, 01.04
- A284/A284M Withdrawn 1992; Specification for Low and Intermediate Tensile Strength Carbon-Silicon Steel Plates for Machine Parts and General

A284/A284M A371

- Construction; Replaced by A283/A283M
- A285/A285M-12 Specification for Pressure Vessel Plates, Carbon Steel, Lowand Intermediate-Tensile Strength, 01.04
- Withdrawn 1960; Specification for Heat-Treated Alloy-Steel Bars; Replaced by A434
- A287 Withdrawn 1955; Specification for Rolled Carbon-Steel Locomotive Frames
- A288-91(2013) Specification for Carbon and Alloy Steel Forgings for Magnetic
- A289/A289M-97(2013) Specification for Carbon and Alloy Steel Forgings for Magnetic Retaining Rings for Turbine Generators, 01.05

 A289/A289M-97(2013) Specification for Alloy Steel Forgings for Nonmagnetic Retaining Rings for Generators, 01.05

 A290/A290M-05(2010) Specification for Carbon and Alloy Steel Forgings for
- Rings for Reduction Gears, 01.05
- A291/A291M-05(2010) Specification for Steel Forgings, Carbon and Alloy, for Pinions, Gears and Shafts for Reduction Gears, 01.05
- A292 Withdrawn 1968; Specification for Carbon and Alloy Steel Forgings for Turbine Generator Rotors and Shafts; Replaced by A469
- A293 Withdrawn 1984; Specification for Steel Forgings, Carbon and Alloy, for Turbine Generator Rotors and Shafts; Replaced by A470
 A294 Withdrawn 1988; Specification for Alloy Steel Forgings for Turbine Wheels and Disks; Replaced by A471
 A295/A295M-09 Specification for High-Carbon Anti-Friction Bearing Steel,
- 01.05
- Withdrawn 1980; Specification for Corrosion-Resistant Iron-Chromium and Iron-Chromium Nickel and Nickel-B Alloy Castings; Replaced by
- A297/A297M-10 Specification for Steel Castings, Iron-Chromium and Iron-Chromium-Nickel, Heat Resistant, for General Application, 01.02
- A298 Withdrawn 1970; Specification for Corrosion-Resistant Chromium and Chromium-Nickel Steel Covered Welding Electrodes; Replaced by A298
 A299/A299M-09 Specification for Pressure Vessel Plates, Carbon Steel,
- Manganese-Silicon, 01.04

 A300 Withdrawn 1975; Specification for Notch Toughness Requirements for Normalized Steel Plates for Pressure Vessels
- A301 Withdrawn 1956; Specification for Chromium-Molybdenum Steel Plates for Boilers and Other Pressure Vessels; Replaced by A387
- A302/A302M-12 Specification for Pressure Vessel Plates, Alloy Steel Manganese-Molybdenum and Manganese-Molybdenum-Nickel, 01.04 Withdrawn 1970; Specification for Hot-Rolled Carbon Steel Strip of
- Structural Quality; Replaced by A570
 A304-11 Specification for Carbon and Alloy Steel Bars Subject to End-Quench
- Hardenability Requirements, **01.05**5 Withdrawn 1968; Specification for Minimum Requirements for the Deformations of Deformed Steel Bars for Concrete Reinforcement; A305 Replaced by A615, A616, A617
- A306 Withdrawn 1975; Specification for Carbon Steel Bars Subject to Mechanical Property Requirements; Replaced by A663, A675
- A307-12 Specification for Carbon Steel Bolts, Studs, and Threaded Rod 60 000 PSI Tensile Strength, 01.08
- A308/A308M-10 Specification for Steel Sheet, Terne (Lead-Tin Alloy) Coated by the Hot-Dip Process, 01.06
- A309-01(2012) Test Method for Weight and Composition of Coating on Terne Sheet by the Triple-Spot Test, 01.06
 A310 Withdrawn 1949; Specification for Flat-Rolled Electrical Steel;
- Redesignated A345

 A311/A311M-04(2010) Specification for Cold-Drawn, Stress-Relieved Carbon Steel Bars Subject to Mechanical Property Requirements, 01.05

 A312/A312M-13b Specification for Seamless, Welded, and Heavily Cold
- Worked Austenitic Stainless Steel Pipes, 01.01
- A313/A313M-13 Specification for Stainless Steel Spring Wire, 01.03
- A314-13a Specification for Stainless Steel Billets and Bars for Forging, 01.03 A315 Withdrawn 1952; Specification for Seamless Ferritic Alloy-Steel Pipe for Service at High Temperatures; Replaced by A335 A316 Withdrawn 1969; Specification for Low-Alloy Steel Covered Filler Metal
- Arc-Welding Electrodes
 A317 Withdrawn 1975; Method of Macroetch Testing and Inspection of Steel
- Forgings; Replaced by E381
- A318 Withdrawn 1976; Method of Tension Testing and Inspection of Steel Spring Wire; Replaced by A370
- A319-71(2011) Specification for Gray Iron Castings for Elevated Temperatures for Non-Pressure Containing Parts, 01.02

 A320/A320M-11a Specification for Alloy-Steel and Stainless Steel Bolting for Low-Temperature Service, 01.01
- A321 Withdrawn 2007; Specification for Steel Bars, Carbon, Quenched and Tempered
- A322-13 Specification for Steel Bars, Alloy, Standard Grades, 01.05 A322-13 Spec A323-05(2010)

- A323-05(2010) Specification for Ferroboron, 01.02
 A324-08(2013) Specification for Ferrobranium, 01.02
 A325-10^{c1} Specification for Structural Bolts, Steel, Heat Treated, 120/105 ksi Minimum Tensile Strength, 01.08
 A325M-13 Specification for Structural Bolts, Steel, Heat Treated 830 MPa
- Minimum Tensile Strength (Metric), 01.08
- A326 Withdrawn 1990; Specification for Zinc-Coated (Galvanized) High Tensile Steel Telephone and Telegraph Line Wire
- A327M Withdrawn 2011; Test Methods for Impact Testing of Cast Irons (Metric); Replaced by A327, 01.02
 A327/A327M-11 Test Methods for Impact Testing of Cast Irons, 01.02
 A328/A328M-13a Specification for Steel Sheet Piling, 01.04
 A329 Withdrawn 1965; Specification for Heat-Treated Steel Tires; Replaced by

A330 Withdrawn 1954; Methods and Definition for Mechanical Testing of Steel Products: Replaced by A370

- Withdrawn 2004; Specification for Steel Bars, Alloy, Cold-Finished
- Withdrawn 1965; Specification for Nickel-Chromium-Molybdenum Steel Bars for Springs; Replaced by A689
- A333/A333M-13 Specification for Seamless and Welded Steel Pipe for Low-Temperature Service and Other Applications with Required Notch Toughness, 01.01
- A334/A334M-04a(2010) Specification for Seamless and Welded Carbon and Alloy-Steel Tubes for Low-Temperature Service, 01.01
- A335/A335M-11 Specification for Seamless Ferritic Alloy-Steel Pipe for High-Temperature Service, 01.01
- A336/A336M-10a Specification for Alloy Steel Forgings for Pressure and
- High-Temperature Parts, 01.05

 Withdrawn 1955; Specification for Zinc-Coated Iron or Steel Chain-link Fence Fabric Galvanized before Weaving: Replaced by A392

 A338-84(2009) Specification for Malleable Iron Flanges, Pipe Fittings, and
- Valve Parts for Railroad, Marine, and Other Heavy Duty Service at Temperatures Up to 650F (345C), 01.02
- Withdrawn 1965; Specification for Iron Castings; Replaced by A536 A340-03a(2011) Terminology of Symbols and Definitions Relating to Magnetic
- Testing, 03.04
 A341/A341M-00(2011)^{c1} Test Method for Direct Current Magnetic Properties of Materials Using D-C Permeameters and the Ballistic Test Methods, 03.04
- A342/A342M-04(2012) Test Methods for Permeability of Feebly Magnetic Materials, 03.04
- A343/A343M-03(2008) Test Method for Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method and 25-cm Epstein Test Frame, 03.04
- A344 Withdrawn 1977; Methods of Electrical and Mechanical Properties of Magnetic Materials; Replaced by A370, A712, A717, A718, A719, A720
- A345-09 Specification for Flat-Rolled Electrical Steels for Magnetic Applications, 03.04
- Withdrawn 1998; Test Method for Alternating-Current Magnetic Performance of Laminated Core Specimens Using the Dieterly Bridge Method
- Withdrawn 1996; Alternating Current Magnetic Properties of Materials Using the Dieterly Bridge Method with 25-cm Epstein Frame
- A348/A348M-05(2011) Test Method for Alternating Current Magnetic
 Properties of Materials Using the Wattmeter-Ammeter-Voltmeter Method, 100 to 10 000 Hz and 25-cm Epstein Frame, **03.04**
- Withdrawn 1984; Test Methods for Alternating-Current Magnetic Properties of Materials Using the Wattmeter-Ammeter-Voltmeter Method, 50 to 60 Hz and 50 cm Epstein Frame
- A350/A350M-13 Specification for Carbon and Low-Alloy Steel Forgings, Requiring Notch Toughness Testing for Piping Components, 01.01
- A351/A351M-13a Specification for Castings, Austenitic, for Pressure-Containing Parts, 01.02
- A352/A352M-06(2012) Specification for Steel Castings, Ferritic and Martensitic, for Pressure-Containing Parts, Suitable for Low-Temperature Service. 01.02
- A353/A353M-09 Specification for Pressure Vessel Plates, Alloy Steel, Double-Normalized and Tempered 9 % Nickel, 01.04
- A354-11 Specification for Quenched and Tempered Alloy Steel Bolts, Studs, and Other Externally Threaded Fasteners, 01.08
- A355-89(2012) Specification for Steel Bars, Alloys, for Nitriding, 01.05
 A356/A356M-11 Specification for Steel Castings, Carbon, Low Alloy, and Stainless Steel, Heavy-Walled for Steam Turbines, 01.02
- A357 Withdrawn 1973; Specification for Pressure Vessel Plates, Alloy Steel, Five Percent Chromium, 0.5 percent Molybdenum; Replaced by A387
- A358/A358M-12 Specification for Electric-Fusion-Welded Austenitic Chromium-Nickel Stainless Steel Pipe for High-Temperature Service and
- General Applications, **01.01**A359 Withdrawn 1954; Methods and Definitions for Mechanical Testing of Structural Steel; Replaced by A370 A360 Withdrawn 1993; Method of Testing Chilled and White Iron Castings
- Withdrawn 1993; Method of Testing Chilled and White Iron Castings
- A361/A361M Withdrawn 1995; Specification for Steel Sheet, Zinc-Coated (Galvanized) by the Hot-Dip Process for Roofing and Siding
- Withdrawn 1977; Specification for Iron-Chromium and Iron-Chromium-Nickel Alloy Tubular Centrifugal Castings for General Applications

 A363-03(2009)^{c1} Specification for Zinc-Coated (Galvanized) Steel Overhead
- A365 Withdrawn 1968; Specification for Cold-Rolled Carbon Steel, Drawing

 A365 Withdrawn 1968; Specification for Cold-Rolled Carbon Steel, Drawing
- Quality, and Special Killed; Replaced by A619, A620
- A366/A366M Withdrawn 2000; Specification for Commercial Steel (CS) Sheet, Carbon, (0.15 Maximum Percent) Cold-Rolled; Replaced by A1008/ A1008M
- A367-11 Test Methods of Chill Testing of Cast Iron, 01.02
- A368-95a(2013) Specification for Stainless Steel Wire Strand, 01.03
 A369/A369M-11 Specification for Carbon and Ferritic Alloy Steel Forged and Bored Pipe for High-Temperature Service, 01.01

 A370-12a Test Methods and Definitions for Mechanical Testing of Steel
- Products, 01.01, 01.02, 01.03, 01.04, 01.05

 A371 Withdrawn 1969; Specification for Corrosion-Resisting Chromium and
- Chromium-Nickel Steel Welding Rods and Bare Electrodes

A372/A372M A461

- A372/A372M-13 Specification for Carbon and Alloy Steel Forgings for Thin-Walled Pressure Vessels, 01.05
- Withdrawn 1966; Specification for Structural Steel for Welding; Combined with A 36
- A374 Withdrawn 1971; Specification for High-Strength Low-Alloy Cold-Rolled Steel Sheets and Strip; Replaced by A606, A607
- Withdrawn 1971; Specification for High-Strength Low-Alloy Hot-Rolled Steel Sheets and Strip; Replaced by A606, A607
- A376/A376M-13 Specification for Seamless Austenitic Steel Pipe for High-Temperature Service, 01.01
 A377-03(2008)^{c1} Index of Specifications for Ductile-Iron Pressure Pipe, 01.02
- A378 Withdrawn 1955; Specification for Flat-Rolled Electrical Steel; Replaced by A345
- Withdrawn 1955; Specification for Flat-Rolled Electrical Steel; Replaced A379 by A345
- A380/A380M-13 Practice for Cleaning, Descaling, and Passivation of Stainless Steel Parts, Equipment, and Systems, 01.03
- A381-96(2012) Specification for Metal-Arc-Welded Steel Pipe for Use With High-Pressure Transmission Systems, 01.01
- A382 Withdrawn 1971; Specification for Cold-Drawn Wrought Iron Heat-Exchanger and Condenser Tubes
- A383 Withdrawn 1996; Specification for Axles, Railway, Carbon Steel, Untreated for Export and General Industrial Use
- A384/A384M-07(2013) Practice for Safeguarding Against Warpage and Distortion During Hot-Dip Galvanizing of Steel Assemblies, 01.06
- A385/A385M-11 Practice for Providing High-Quality Zinc Coatings (Hot-Dip),
- A386 Withdrawn 1984; Specification for Zinc Coating (Hot-Dip) on Assembled Steel Products; Combined with A 123
- A387/A387M-11 Specification for Pressure Vessel Plates, Alloy Steel, Chromium-Molybdenum, 01.04
- A388/A388M-11 Practice for Ultrasonic Examination of Steel Forgings, 01.05 A389/A389M-13 Specification for Steel Castings, Alloy, Specially Heat-Treated, for Pressure-Containing Parts, Suitable for High-Temperature Service, **01.02**
- A390-06(2011) Specification for Zinc-Coated (Galvanized) Steel Poultry Fence Fabric (Hexagonal and Straight Line), 01.06
 A391/A391M-07(2012) Specification for Grade 80 Alloy Steel Chain, 01.05
- A392-11a Specification for Zinc-Coated Steel Chain-Link Fence Fabric, 01.06 A393 Withdrawn 1974; Recommended Practice for Conducting Acidified Copper Sulfate Test for Intergranular Attack in Austenitic Stainless Steel; Replaced by A262
- A394-08^{c1} Specification for Steel Transmission Tower Bolts, Zinc-Coated and Bare, 01.08
- A395M Withdrawn 1988; Replaced by A395/A395M
- A395/A395M-99(2009) Specification for Ferritic Ductile Iron Pressure-Retaining Castings for Use at Elevated Temperatures, 01.02
- Withdrawn 1965; Specification for High-Strength Ductile Iron Castings; Replaced by A536
- Withdrawn 1958; Specification for High Tensile Strength Carbon-Manganeses Steel Plates for Unfired Pressure Vessels Withdrawn 1969; Specification for Welding Rods and Covered A397
- A398 Electrodes for Welding Cast Iron
- A399 Withdrawn 1969; Specification for Surfacing Welding Rods and Electrodes
- A400-69(2012) Practice for Steel Bars, Selection Guide, Composition, and Mechanical Properties, 01.05
- A401/A401M-10 Specification for Steel Wire, Chromium-Silicon Alloy, 01.03 Withdrawn 1958; Specification for Forged or Rolled Alloy Steel Pipe Flanges, Forged Fittings, and Valves and Parts Specially Heat Treated for High-Temperature Service
- A403/A403M-13a Specification for Wrought Austenitic Stainless Steel Piping Fittings, 01.01

 A404 Withdrawn 1975; Specification for Forged or Rolled Alloy Steel Pipe
- Flanges, Forged Fittings, and Valves and Parts Specially Heat Treated for High-Temperature Service
- A405 Withdrawn 1995; Specification for Seamless Ferritic Alloy-Steel Pipe Specially Heat Treated for High-Temperature Service
- A406 Withdrawn 1965; Specification for High-Strength Structural Alloy Rivet
- A407-07(2013) Specification for Steel Wire, Cold-Drawn, for Coiled-Type Springs, 01.03
 A407M Withdrawn 1989; Specification for Steel Wire, Cold-Drawn, for
- Coiled-Type Springs [Metric] Withdrawn 1968; Specification for Special Large Size Deformed Billet-Steel Bars for Concrete Reinforcement; Replaced by A615
- A409/A409M-13 Specification for Welded Large Diameter Austenitic Steel Pipe for Corrosive or High-Temperature Service, 01.01
- A410 Withdrawn 1976; Specification for Pressure Vessel Plates, Alloy Steel, Chromium-Copper-Nickel-Aluminum
- A411-08(2013) Specification for Zinc-Coated (Galvanized) Low-Carbon Steel Armor Wire, 01.06
- A412 Withdrawn 1989; Specification for Stainless and Heat-Resisting
 Chromium-Nickel-Manganese Steel Plate, Sheet, and Strip
 A413/A413M-07(2012) Specification for Carbon Steel Chain, 01.05
 A414/A414M-13 Specification for Steel, Sheet, Carbon, and High-Strength,
- Low-Alloy for Pressure Vessels, 01.03
- Withdrawn 1970; Specification for Hot-Rolled Carbon Steel Sheets, Commercial Quality; Replaced by A569

A416/A416M-12a Specification for Steel Strand, Uncoated Seven-Wire for Prestressed Concrete, 01.04

- Withdrawn 2008; Specification for Steel Wire, Cold-Drawn, for Zig-Zag, Square-Formed, and Sinuous-Type Upholstery Spring Units
- A417M Withdrawn 1989; Specification for Steel Wire, Cold-Drawn, for Zig-Zag Square-Formed, and Sinuous-Type Upholstery Spring Units [Metric]
- A418/A418M-10 Practice for Ultrasonic Examination of Turbine and Generator Steel Rotor Forgings, 01.05
- A419 Withdrawn 1971; Specification for Electric-Fusion (Arc)- Welded Wrought Iron Plate pipe
- A420/A420M-13 Specification for Piping Fittings of Wrought Carbon Steel and Alloy Steel for Low-Temperature Service, 01.01
- A421/A421M-10 Specification for Uncoated Stress-Relieved Steel Wire for Prestressed Concrete, 01.04
- A422 Withdrawn 1994; Specification for Butt Welds in Still Tubes for Refinery Service
- A423/A423M-09 Specification for Seamless and Electric-Welded Low-Alloy Steel Tubes, 01.01
- A424/A424M-09a Specification for Steel, Sheet, for Porcelain Enameling, 01.03
- Withdrawn 1970; Specification for Hot-Rolled Carbon Steel Strip, Commercial Quality; Replaced by A569
- A426/A426M-13 Specification for Centrifugally Cast Ferritic Alloy Steel Pipe for High-Temperature Service, 01.01, 01.02
- A427/A427M-10 Specification for Wrought Alloy Steel Rolls for Cold and Hot Reduction, 01.05
- A428/A428M-10 Test Method for Weight Mass of Coating on Aluminum-Coated Iron or Steel Articles, 01.06
- A429 Withdrawn 1976; Specification for Hot- and Cold-Finished Bars of Stainless and Heat-Resisting Chromium-Nickel-Manganese Steel; Replaced by A276
- A430/A430M Withdrawn 1995; Specification for Austenitic Steel Forged and Bored Pipe for High-Temperature Service; Replaced by A312/A312M

 A431 Withdrawn 1968; Specification for High-Strength Deformed Billet-Steel Bars for Concrete Reinforcement with 75,000 psi Minimum Yield Strength; Replaced by A615
- A432 Withdrawn 1968; Specification for Deformed Billet Steel Bars for Concrete Reinforcement with 60,000 psi Minimum Yield Point; Replaced bv A615
- A433 Withdrawn 1972; Specification for Leaded, Carbon Steel Plates for Pressure Vessels
- A434-06(2012) Specification for Steel Bars, Alloy, Hot-Wrought or Cold-Finished, Quenched and Tempered, 01.05
- A435/A435M-90(2012) Specification for Straight-Beam Ultrasonic Examination of Steel Plates, 01.04
- A436-84(2011) Specification for Austenitic Gray Iron Castings, 01.02 A437/A437M-12 Specification for Stainless and Alloy-Steel Turbine-Type
- A43/M-12 Specification for Stainless and Alloy-Steel Turbine-Type
 Bolting Specially Heat Treated for High-Temperature Service, 01.01

 A438 Withdrawn 2003; Test Method for Transverse Testing of Gray Cast Iron

 A439-83(2009) Specification for Austenitic Ductile Iron Castings, 01.02

 A440 Withdrawn 1979; Specification for High-Strength Structural Steel

 A441/A441M Withdrawn 1989; Specification for High-Strength Low-Alloy

 Structural Manganese Vanadium Steel; Replaced by A572/A572M
- A442/A442M Withdrawn 1991; Specification for Pressure Vessel Plates, Carbon Steel, Improved Transition Properties
- Withdrawn 1966; Method of Notch Toughness of Turbine and Generator
- Steel Forgings; Combined with A 370
 A444/A444M Withdrawn 1995; Specification for Steel Sheet, Zinc-Coated (Galvanized) by the Hot-Dip Process for Storm Sewer and Drainage Pipe;
- (Galvanized) by the Hot-Dip Process for Storm Sewer and Drainage Pipe, Replaced by A929/A929M

 A445 Withdrawn 1974; Specification for Ferritic Iron Castings for Valves, Flanges, Pipe Fittings, and Other Piping Components; Replaced by A395

 A447/A447M-11 Specification for Steel Castings, Chromium-Nickel-Iron Alloy (25-12 Class), for High-Temperature Service, 01.02

 A448 Withdrawn 1976; Specification for Nickel-Chromium-Iron Alloy Castings
- (35-15 Class) for High-Temperature Service
- A449-10 Specification for Hex Cap Screws, Bolts and Studs, Steel, Heat Treated, 120/105/90 ksi Minimum Tensile Strength, General Use, 01.08
- A450/A450M-10 Specification for General Requirements for Carbon and Low Alloy Steel Tubes, 01.01
 A451/A451M-06(2010) Specification for Centrifugally Cast Austenitic Steel

- Pipe for High-Temperature Service, 01.01, 01.02

 A452 Withdrawn 1995; Specification for Centrifugally Cast Austenitic Steel
 Cold-Wrought Pipe for High-Temperature Service

 A453/A453M-12 Specification for High-Temperature Bolting, with Expansion
 Coefficients Comparable to Austenitic Stainless Steels, 01.01
- A454 Withdrawn 1980; Specification for Steel Conveyor Chain A455/A455M-12a Specification for Pressure Vessel Plates, Carbon Steel,
- High-Strength Manganese, 01.04
- A456/A456M-08(2013) Specification for Magnetic Particle Examination of Large Crankshaft, 01.05
- Withdrawn 1990; Specification for Hot-Worked, Hot-Cold-Worked, and Cold-Worked Alloy Steel Plate, Sheet, and Strip for High Strength at Elevated Temperatures
- A458 Withdrawn 1991; Specification for Hot-Worked, Hot-Cold-Worked, and Cold-Worked Alloy Steel Bars for High Strength at Elevated Temperatures A459-08(2013) Specification for Zinc-Coated Flat Steel Armoring Tape, 01.06
- A460-11 Specification for Copper-Clad Steel Wire Strand, 01.06
- A461 Withdrawn 1971; Specification for Precipitation Hardening Alloy Bars,

A461 A548

- Forgings, and Forging Stock for High-Temperature Service; Replaced by A564, A637, A638, A639
- Withdrawn 1970; Method for Liquid Penetrant Inspection of Steel A462 Forgings; Replaced by E165
- A463/A463M-10 Specification for Steel Sheet, Aluminum-Coated, by the Hot-Dip Process, 01.06
- A464 Withdrawn 1968; Recommended Practice for Use of Magnetic Type A464 Withdrawn 1968; Recommended Practice for Use of Magnetic Type Instruments for Measurement of Thickness of Hot-Dip Zinc Coatings on Iron and Steel; Replaced by A376

 A465 Withdrawn 1975; Specification for Leaded Carbon Steel Forged Pipe Flanges and Parts for Pressure and General Service

 A466/A466M-07(2012) Specification for Weldless Chain, 01.05

 A467/A467M-07(2012) Specification for Machine and Coil Chain, 01.05

- Withdrawn 1969; Method of Normal Magnetic Induction Characteristics of Carbon and Alloy Steel Generator Rotor Forgings; Replaced by A6,
- A469/A469M-07(2012) Specification for Vacuum-Treated Steel Forgings for Generator Rotors, 01.05
- A470/A470M-05(2010) Specification for Vacuum-Treated Carbon and Alloy Steel Forgings for Turbine Rotors and Shafts, 01.05

 A471/A471M-09 Specification for Vacuum-Treated Alloy Steel Forgings for Turbine Rotor Disks and Wheels, 01.05
- A472/A472M-07(2012) Specification for Heat Stability of Steam Turbine Shafts and Rotor Forgings, 01.05
- A473-13 Specification for Stainless Steel Forgings, 01.03, 01.05
- A474-03(2013) Specification for Aluminum-Coated Steel Wire Strand, 01.06 A475-03(2009)¹¹ Specification for Zinc-Coated Steel Wire Strand, 01.06
- A476M Withdrawn 2000; Replaced by A476/A476M A476/A476M-00(2009) Specification for Ductile Iron Castings for Paper Mill Dryer Rolls, 01.02
- Withdrawn 1991; Specification for Hot-Worked, Hot-Cold Worked and Cold-Worked Alloy Steel Forgings and Forging Billets for High Strength at Elevated Temperatures
- A478-97(2013) Specification for Chromium-Nickel Stainless Steel Weaving and Knitting Wire, 01.03

 A479/A479M-13b Specification for Stainless Steel Bars and Shapes for Use in
- Boilers and Other Pressure Vessels, 01.03
- A480/A480M-13b Specification for General Requirements for Flat-Rolled Stainless and Heat-Resisting Steel Plate, Sheet, and Strip, 01.03
 A481-05(2010) Specification for Chromium Metal, 01.02
 A482/A482M-11 Specification for Ferrochrome-Silicon, 01.02
- A483/A483M-10 Specification for Silicomanganese, 01.02
- A484/A484M-13a Specification for General Requirements for Stainless Steel
- Bars, Billets, and Forgings, 01.03
 A485-09 Specification for High Hardenability Antifriction Bearing Steel, 01.05
- A486/A486M Withdrawn 1989; Specification for Steel Castings for Highway Bridges
- A487/A487M-93(2012) Specification for Steel Castings Suitable for Pressure Service, 01.02
- A488/A488M-12 Practice for Steel Castings, Welding, Qualifications of Procedures and Personnel, 01.02
- A489-12 Specification for Carbon Steel Lifting Eyes, 01.08
- A490-12 Specification for Structural Bolts, Alloy Steel, Heat Treated, 150 ksi Minimum Tensile Strength, 01.08
- A490M-12 Specification for High-Strength Steel Bolts, Classes 10.9 and 10.9.3, for Structural Steel Joints (Metric), 01.08
 A491-11 Specification for Aluminum-Coated Steel Chain-Link Fence Fabric,
- 01.06
- A492-95(2013) Specification for Stainless Steel Rope Wire, 01.03
- A493-09(2013) Specification for Stainless Steel Wire and Wire Rods for Cold Heading and Cold Forging, 01.03
- A494/A494M-13 Specification for Castings, Nickel and Nickel Alloy, 01.02
 A495-06(2010) Specification for Calcium-Silicon Alloys, 01.02
 A496/A496M Withdrawn 2013; Specification for Steel Wire, Deformed, for Concrete Reinforcement; Replaced by A1064
 A497/A497M Withdrawn 2013; Specification for Steel Welded Wire
- Reinforcement, Deformed, for Concrete; Replaced by A1064
- A498-06 Specification for Seamless and Welded Carbon Steel Heat-Exchanger Tubes with Integral Fins, 01.01
- A499-89(2008) Specification for Steel Bars and Shapes, Carbon Rolled from "T" Rails, **01.05**
- A500/A500M-13 Specification for Cold-Formed Welded and Seamless Carbon Steel Structural Tubing in Rounds and Shapes, 01.01
 A501-07 Specification for Hot-Formed Welded and Seamless Carbon Steel

- Structural Tubing, 01.01
 A502-03(2009) Specification for Rivets, Steel, Structural, 01.08
 A503/A503M-01(2011) Specification for Ultrasonic Examination of Forged
- Crankshafts, 01.05
 A504/A504M-08(2013) Specification for Wrought Carbon Steel Wheels, 01.05
 A505-12 Specification for Steel, Sheet and Strip, Alloy, Hot-Rolled and Cold-Rolled, General Requirements for, **01.03**
- A506-12 Specification for Alloy and Structural Alloy Steel, Sheet and Strip, Hot-Rolled and Cold-Rolled, 01.03
- A507-12 Specification for Drawing Alloy Steel, Sheet and Strip, Hot-Rolled and Cold-Rolled, 01.03
- A508/A508M-05b(2010) Specification for Quenched and Tempered Vacuum-Treated Carbon and Alloy Steel Forgings for Pressure Vessels, 01.05
- Withdrawn 1983; Definition of Terms Relating to Steel Forgings; Replaced by A788

A510M Withdrawn 2012; Specification for General Requirements for Wire Rods and Coarse Round Wire, Carbon Steel (Metric); Replaced by A510 A510/A510M-13 Specification for General Requirements for Wire Rods and

- Coarse Round Wire, Carbon Steel, and Alloy Steel, 01.03
- A511/A511M-12 Specification for Seamless Stainless Steel Mechanical Tubing, **01.01**
- A512-06(2012) Specification for Cold-Drawn Buttweld Carbon Steel Mechanical Tubing, 01.01
 A513/A513M-12 Specification for Electric-Resistance-Welded Carbon and Alloy Steel Mechanical Tubing, 01.01
 A514/A514M-13 Specification for High-Yield-Strength, Quenched and Tempered Alloy Steel Plate, Suitable for Welding, 01.04
 A515/A515M-10 Specification for Pressure Vessel Plates, Carbon Steel, for
- Intermediate- and Higher-Temperature Service, 01.04
- A516/A516M-10 Specification for Pressure Vessel Plates, Carbon Steel, for Moderate- and Lower-Temperature Service, 01.04
- A517/A517M-10 Specification for Pressure Vessel Plates, Alloy Steel,
- High-Strength, Quenched and Tempered, 01.04 A518M Withdrawn 1999; Replaced by A518/A518M
- A518/A518M-99(2012) Specification for Corrosion-Resistant High-Silicon Iron Castings, 01.02
 A519-06(2012) Specification for Seamless Carbon and Alloy Steel Mechanical
- Tubing, **01.01**
- Withdrawn 2000; Specification for Supplementary Requirements for Seamless and Electric-Resistance-Welded Carbon Steel Tubular Products for High-Temperature Service Conforming to ISO Recommendations for Boiler Construction
- A521/A521M-06(2011) Specification for Steel, Closed-Impression Die Forgings for General Industrial Use, 01.05
- A522/A522M-13 Specification for Forged or Rolled 8 and 9% Nickel Alloy Steel Flanges, Fittings, Valves, and Parts for Low-Temperature Service, 01.01
- A523-96(2012) Specification for Plain End Seamless and Electric-Resistance-Welded Steel Pipe for High-Pressure Pipe-Type Cable Circuits, 01.01 **A524-96(2012)** Specification for Seamless Carbon Steel Pipe for Atmospheric
- and Lower Temperatures, 01.01
- A525 Withdrawn 1994; Specification for General Requirements for Steel Sheet, Zinc-Coated (Galvanized) by the Hot-Dip Process; Replaced by A653/A653M, A924/A924M
- A525M Withdrawn 1994; Specification for General Requirements for Steel Sheet, Zinc-Coated (Galvanized) by the Hot-Dip Process; Replaced by A653/A653M, A924/A924M
- A526/A526M Withdrawn 1994; Specification for Steel Sheet, Zinc-Coated (Galvanized) by the Hot-Dip Process, Commercial Quality; Replaced by A653/A653M, A924/A924M
- A527/A527M Withdrawn 1994; Specification for Steel Sheet, Zinc-Coated (Galvanized) by the Hot-Dip Process, Lock-Forming Quality; Replaced by A653/A653M, A924/A924M
- A528/A528M Withdrawn 1994; Specification for Steel Sheet, Zinc-Coated (Galvanized) by the Hot-Dip Process, Drawing Quality; Replaced by A653/A653M, A924/A924M
- A529/A529M-05(2009) Specification for High-Strength Carbon-Manganese Steel of Structural Quality, 01.04
 A530/A530M-12 Specification for General Requirements for Specialized Carbon and Alloy Steel Pipe, 01.01
- A531/A531M-13 Practice for Ultrasonic Examination of Turbine-Generator Steel Retaining Rings, 01.05
- A532/A532M-10 Specification for Abrasion-Resistant Cast Irons, 01.02
 A533/A533M-09⁻¹ Specification for Pressure Vessel Plates, Alloy Steel. Quenched and Tempered, Manganese-Molybdenum and Manganese Molybdenum-Nickel, 01.04
- A534-09 Specification for Carburizing Steels for Anti-Friction Bearings, 01.05 A535 Withdrawn 1998; Specification for Special-Quality Ball and Roller Bearing Steel
- A536-84(2009) Specification for Ductile Iron Castings, 01.02 A537/A537M-13 Specification for Pressure Vessel Plates, Heat-Treated,
- Carbon-Manganese-Silicon Steel, 01.04
- A538/A538M Withdrawn 1989; Specification for Pressure Vessel Plates, Alloy
- Steel, Precipitation Hardening (Maraging), 18 Percent Nickel A539 Withdrawn 2004; Specification for Electric-Resistance-Welded Coiled
- Steel Tubing for Gas and Fuel Oil Lines

 A540/A540M-11 Specification for Alloy-Steel Bolting for Special Applications, 01.01
- A541/A541M-05(2010) Specification for Quenched and Tempered Carbon and Alloy Steel Forgings for Pressure Vessel Components, 01.05
- A542/A542M-13 Specification for Pressure Vessel Plates, Alloy Steel, Quenched-and-Tempered, Chromium-Molybdenum, and Chromium-
- Molybdenum-Vanadium, **01.04 A543/A543M-09** Specification for Pressure Vessel Plates, Alloy Steel, Quenched and Tempered Nickel-Chromium-Molybdenum, **01.04**
- A544 Withdrawn 1991; Specification for Steel Wire, Carbon, Scrapless Nut Quality
- A545 Withdrawn 1991; Specification for Steel Wire, Carbon, Cold-Heading Quality, for Machine Screws
- A546 Withdrawn 1991; Specification for Steel Wire, Medium-High-Carbon,
- Cold-Heading Quality, for Hexagon-Head Bolts
 A547 Withdrawn 1991; Specification for Steel Wire, Alloy, Cold-Heading
 Quality, for Hexagon-Head Bolts
 A548 Withdrawn 1991; Specification for Steel Wire, Carbon, Cold-Heading
- Quality, for Tapping or Sheet Metal Screws

A549 A637

A549 Withdrawn 1991; Specification for Steel Wire, Carbon, Cold-Heading Quality, for Wood Screws
A550-06(2010) Specification for Ferrocolumbium, 01.02

A551/A551M-08(2013) Specification for Carbon Steel Tires for Railway and Rapid Transit Applications, 01.05

A552 Withdrawn 1974; Specification for Alloy Steel Bars for Springs; Replaced by A689

A553/A553M-10 Specification for Pressure Vessel Plates, Alloy Steel,
Quenched and Tempered 8 and 9 % Nickel, 01.04
A554-13 Specification for Welded Stainless Steel Mechanical Tubing, 01.01

A555/A555M-05(2009) Specification for General Requirements for Stainless Steel Wire and Wire Rods, 01.03

A556/A556M-96(2012) Specification for Seamless Cold-Drawn Carbon Steel Feedwater Heater Tubes, 01.01

A557/A557M Withdrawn 1995; Specification for Electric-Resistance-Welded Carbon Steel Feedwater Heater Tubes; Replaced by A178

A558 Withdrawn 1969; Specification for Bare Mild Steel Electrodes and Fluxes for Submerged Arc Welding

Withdrawn 1969; Specification for Mild Steel Electrodes for Gas

A559 Metal-Arc Welding

A560/A560M-12 Specification for Castings, Chromium-Nickel Alloy, 01.02 A561-08 Practice for Macroetch Testing of Tool Steel Bars, 01.05 A562/A562M-10 Specification for Pressure Vessel Plates, Carbon Steel, Manganese-Titanium for Glass or Diffused Metallic Coatings, 01.04

A563-07a Specification for Carbon and Alloy Steel Nuts, 01.08 A563M-07 Specification for Carbon and Alloy Steel Nuts (Metric), 01.08 A564/A564M-13 Specification for Hot-Rolled and Cold-Finished Age-Hardening Stainless Steel Bars and Shapes, 01.03

A565/A565M-10 Specification for Martensitic Stainless Steel Bars for

High-Temperature Service, **01.03**A566 Withdrawn 1984; Test Method for Alternating-Current Magnetic Properties of Materials Using the Alternating Current Potentiometer and 25-cm Epstein frame

A567/A567M Withdrawn 1987; Specification for Castings, Iron, Cobalt, and Nickel-Base Alloy, for High Strength at Elevated Temperatures

A568M Withdrawn 1991; Replaced by A568/A568M
A568/A568M-13a^{c1} Specification for Steel, Sheet, Carbon, Structural, and High-Strength, Low-Alloy, Hot-Rolled and Cold-Rolled, General Requirements for, 01.03

A569/A569M Withdrawn 2000; Specification for Steel, Carbon (0.15 Maximum, Percent), Hot-Rolled Sheet and Strip Commercial; Replaced by A1011/A1011M

A570/A570M Withdrawn 2000; Specification for Structural Steel, Sheet and Strip, Carbon, Hot-Rolled; Replaced by A1011/A1011M A571M Withdrawn 2001; Replaced by A571/A571M

A571/A571M-01(2011) Specification for Austenitic Ductile Iron Castings for Pressure-Containing Parts Suitable for Low-Temperature Service, 01.02
A572/A572M-13a Specification for High-Strength Low-Alloy Columbium-

Vanadium Structural Steel, 01.04

A573/A573M-13 Specification for Structural Carbon Steel Plates of Improved Toughness, 01.04

A574-13 Specification for Alloy Steel Socket-Head Cap Screws, 01.08 A574M-12 Specification for Alloy Steel Socket-Head Cap Screws (Met Specification for Alloy Steel Socket-Head Cap Screws (Metric), 01.08

A575-96(2013)^{€1} Specification for Steel Bars, Carbon, Merchant Quality M-Grades, **01.05**

A576-90b(2012) Specification for Steel Bars, Carbon, Hot-Wrought, Special Quality, **01.05**

A577/A577M-90(2012) Specification for Ultrasonic Angle-Beam Examination of Steel Plates, 01.04

A578/A578M-07(2012) Specification for Straight-Beam Ultrasonic Examination of Rolled Steel Plates for Special Applications, 01.04
A579/A579M-04a(2009) Specification for Superstrength Alloy Steel Forgings,

01.05

A580/A580M-13b Specification for Stainless Steel Wire, 01.03

A581/A581M-95b(2009) Specification for Free-Machining Stainless Steel Wire and Wire Rods, 01.03

A582/A582M-12^{c1} Specification for Free-Machining Stainless Steel Bars, 01.03

A583 Withdrawn 2004; Specification for Cast Steel Wheels for Railway Service

Withdrawn 2002; Specification for Aluminum-Coated Steel Woven Wire A584 Fence Fabric; Replaced by A116

A585 Withdrawn 2002; Specification for Aluminum-Coated Steel Barbed Wire: Replaced by A121

A586-04a(2009)^{c1} Specification for Zinc-Coated Parallel and Helical Steel Wire

Structural Strand, 01.06

A587-96(2012) Specification for Electric-Resistance-Welded Low-Carbon Steel

Pipe for the Chemical Industry, **01.01 A588/A588M-10** Specification for High-Strength Low-Alloy Structural Steel, up to 50 ksi 345 MPa Minimum Yield Point, with Atmospheric Corrosion Resistance, 01.04

A589/A589M-06(2012) Specification for Seamless and Welded Carbon Steel Water-Well Pipe, 01.01

A590 Withdrawn 1984; Specification for Pressure Vessel Plates, Alloy Steel,

Precipitation Hardening (Maraging) 12 Percent Nickel A591/A591M Withdrawn 2005; Specification for Steel Sheet, Electrolytic Zinc-Coated, for Light Coating Weight Applications; Replaced by A879/A879M

A592/A592M-10 Specification for High-Strength Quenched and Tempered

Low-Alloy Steel Forged Parts for Pressure Vessels, 01.05

A593 Withdrawn 1976: Specification for Charpy V-Notch Testing Requirements for Steel Plates for Pressure Vessel

A594 Withdrawn 1986; Specification for Carbon Steel Forgings with Special Magnetic Characteristics

A595/A595M-11 Specification for Steel Tubes, Low-Carbon or High-Strength Low-Alloy, Tapered for Structural Use, 01.01
A596/A596M-95(2009)^{c1} Test Method for Direct-Current Magnetic Properties

A596/A596M-95(2009)* lest Method for Direct-Current Magnetic Proper of Materials Using the Ballistic Method and Ring Specimens, 03.04
A597-87(2010) Specification for Cast Tool Steel, 01.05
A598/A598M-02(2007) Test Method for Magnetic Properties of Magnetic Amplifier Cores, 03.04

A599/A599M-07(2012) Specification for Tin Mill Products, Electrolytic Tin-Coated, Cold-Rolled Sheet, 01.06

A600-92a(2010) Specification for Tool Steel High Speed, 01.05 A601/A601M-10 Specification for Electrolytic Manganese Metal, 01.02

A602-94(2009) Specification for Automotive Malleable Iron Castings, 01.02
A603-98(2009) Specification for Zinc-Coated Steel Structural Wire Rope, 01.06

A604/A604M-07(2012) Practice for Macroetch Testing of Consumable
Electrode Remelted Steel Bars and Billets, 01.05
A605/A605M Withdrawn 1989; Specification for Pressure Vessel Plates, Alloy

Steel, Quenched-and-Tempered Nickel-Cobalt-Molybdenum-Chromium

A606/A606M-09a Specification for Steel, Sheet and Strip, High-Strength, Low-Alloy, Hot-Rolled and Cold-Rolled, with Improved Atmospheric Corrosion Resistance, 01.03

Withdrawn 2000; Specification for Steel, Sheet and Strip, High-Strength, Low-Alloy, Columbium or Vanadium, or Both, Hot-Rolled and Cold-Rolled;

Replaced by A1008/A1008M, A1011/A1011M
A608/A608M-12 Specification for Centrifugally Cast Iron-Chromium-Nickel High-Alloy Tubing for Pressure Application at High Temperatures, 01.02
A609/A609M-12 Practice for Castings, Carbon, Low-Alloy, and Martensitic

Stainless Steel, Ultrasonic Examination Thereof, 01.02

A610-79(2009) Test Methods for Sampling and Testing Ferroalloys for Determination of Size, 01.02

Withdrawn 2000; Specification for Structural Steel (SS), Sheet, Carbon, Cold-Rolled; Replaced by A1008/A1008M

A612/A612M-12 Specification for Pressure Vessel Plates, Carbon Steel, High Strength, for Moderate and Lower Temperature Service, 01.04

A613 Withdrawn 1984; Specification for Special Requirements for Steel Castings for Nuclear and Other Special Applications

A614 Withdrawn 1987; Specification for Special Requirements for Bolting Material for Nuclear and Other Special Applications
A615/A615M-13 Specification for Deformed and Plain Carbon-Steel Bars for

Concrete Reinforcement, 01.04 A618/A618M-04(2010) Specification for Hot-Formed Welded and Seamless

High-Strength Low-Alloy Structural Tubing, 01.01 A619/A619M Withdrawn 1997; Specification for Non-Killed Forming Steel

(NKFS) Sheet, Carbon, Cold-Rolled A620/A620M Withdrawn 2000; Specification for Drawing Steel (DS) Sheet,

Carbon, Cold-Rolled; Replaced by A1008/A1008M A621/A621M Withdrawn 1997; Specification for Forming Steel (FS) Sheet and

Strip, Carbon, Hot-Rolled A622/A622M Withdrawn 2000; Specification for Drawing Steel (DS), Sheet

and Strip, Carbon, Hot-Rolled; Replaced by A1011/A1011M

A623-11 Specification for Tin Mill Products, General Requirements, 01.06

A623M-11 Specification for Tin Mill Products, General Requirements Metric,

01.06

A624M Withdrawn 1995; Replaced by A624/A624M

A624/A624M-13 Specification for Tin Mill Products, Electrolytic Tin Plate, Single Reduced, 01.06

A625M Withdrawn 1992; Replaced by A625/A625M

A625/A625M-13 Specification for Tin Mill Products, Black Plate, Single-Reduced, **01.06**

A626M Withdrawn 1995; Replaced by A626/A626M A626/A626M-13 Specification for Tin Mill Products, Electrolytic Tin Plate, Double Reduced, 01.06

A627-03(2011) Test Methods for Tool-Resisting Steel Bars, Flats, and Shapes for Detention and Correctional Facilities, 15.08

A628 Withdrawn 1982; Specification for Tool-Resisting Composite Steel Plates for Security Applications

Not Security Applications Applications for Tool-Resisting Steel Flat Bars and Shapes for Security Applications; Replaced by A627

A630-03(2009) Test Methods for Determination of Tin Coating Weights for Electrolytic Tin Plate, 01.06

Withdrawn 1993; Specification for Cast Steel Wheels for Electrical

A632-04(2009) Specification for Seamless and Welded Austenitic Stainless
Steel Tubing (Small-Diameter) for General Service, 01.01
A633/A633M-13 Specification for Normalized High-Strength Low-Alloy

Structural Steel Plates, 01.04

A634 Withdrawn 1978; Specification for Steel Sheet and Strip, Alloy, Hot-Rolled and Cold-Rolled, Aircraft Quality

A635M Withdrawn 1990; Replaced by A635/A635M

A635/A635M-13 Specification for Steel, Sheet and Strip, Heavy-Thickness Coils, Hot-Rolled, Alloy, Carbon, Structural, High-Strength Low-Alloy, and High-Strength Low-Alloy with Improved Formability, General Requirements for 01.03

A636-08(2013) Specification for Nickel Oxide Sinter, 01.02

A637 Redesignated 1981 - B637; Specification for Precipitation Hardening

A637 A723/A723M

- Nickel Alloy Bars, Forgings, and Forging Stock for High-Temperature Service
- Specification for Precipitation Hardening Iron Base Superalloy Bars, Forgings, and Forging Stock for High-Temperature Service, 01.03
- A639 Redesignated 1980 B639; Specification for Precipitation Hardening Cobalt Containing Alloy Bars, Forgings and Forging Stock for High-Temperature Service
- A640-97(2009)^{€1} Specification for Zinc-Coated Steel Strand for Messenger Support of Figure 8 Cable, 01.06

 A641M Withdrawn 1997; Replaced by A641/A641M
- A641/A641M-09a Specification for Zinc-Coated (Galvanized) Carbon Steel Wire, 01.06
- A642/A642M Withdrawn 1994; Specification for Steel Sheet, Zinc-Coated (Galvanized) by the Hot-Dip Process, Drawing Quality, Special Killed; Replaced by A653/A653M,A924/A924M
- Withdrawn 1982; Specification for Steel, Castings, Heavy-Walled, Carbon and Alloy for Pressure Vessels
- A644-13 Terminology Relating to Iron Castings, 01.02
- A644-13 Terminology Helating to Iron Castings, U1.U2
 A645/A645M-10 Specification for Pressure Vessel Plates, 5 % and 5 1/2 %
 Nickel Alloy Steels, Specially Heat Treated, 01.04
 A646/A646M-06(2011) Specification for Premium Quality Alloy Steel Blooms
 and Billets for Aircraft and Aerospace Forgings, 01.05
 A647 Withdrawn 1982; Specification for Special Requirements for Steel Plates
- for Nuclear and Other Special Applications
- A648-12 Specification for Steel Wire, Hard-Drawn for Prestressed Concrete Pipe, **01.04**
- A649/A649M-10 Specification for Forged Steel Rolls Used for Corrugating
- Paper Machinery, 01.05 A650/A650M-13 Specification for Tin Mill Products, Black Plate, Double Reduced, 01.06
- A651 Withdrawn 1987; Specification for Stainless Steel, Water-DWV Tube A652 Withdrawn 1984; Specification for Special Requirements for Steel Plates for Wrought Steel Welding Fittings for Nuclear and Other Special Applications
- A653/A653M-11 Specification for Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process, 01.06
- A654 Withdrawn 1984; Specification for Special Requirements for Steel Forgings and Bars for Nuclear and Other Special Applications
- A655 Withdrawn 1984; Specification for Special Requirements for Pipe and Tubing for Nuclear and Other Special Applications
- A656/A656M-13 Specification for Hot-Rolled Structural Steel, High-Strength
- Low-Alloy Plate with Improved Formability, 01.04

 A657/A657M-13 Specification for Tin Mill Products, Black Plate Electrolytic Chromium-Coated, Single and Double Reduced, 01.06
- A658/A658M Withdrawn 1989; Specification for Pressure Vessel Plates, Alloy Steel, 36 Percent Nickel
- A659/A659M-12 Specification for Commercial Steel (CS), Sheet and Strip, Carbon (0.16 Maximum to 0.25 Maximum Percent), Hot-Rolled, 01.03
- A660/A660M-11 Specification for Centrifugally Cast Carbon Steel Pipe for High-Temperature Service, 01.02
- A661 Not Assigned
- A662/A662M-12 Specification for Pressure Vessel Plates, Carbon-Manganese-
- Silicon Steel, for Moderate and Lower Temperature Service, 01.04

 A663/A663M-12 Specification for Steel Bars, Carbon, Merchant Quality,
 Mechanical Properties, 01.05

 A664-11 Practice for Identification of Standard Electrical Steel Grades in
- ASTM Specifications, 03.04
- Withdrawn 1988; Specification for Flat-Rolled, Grain-Oriented, Silicon-Iron, Electrical Steel, Fully Processed, Types 23g048, 27g053, 30g058, and 35g066 [Metric]; Replaced by A876/A876M
- A665M Withdrawn 1988; Specification for Flat-Rolled, Grain-Oriented, A666/M William 1366, Specification for Fat-Polieta, Grain-Chieffer, Silicon-Iron, Electrical Steel, Fully Processed, Types 23g048, 27g053, 30g058, and 35g066 [Metric]; Replaced by A876/A876M

 A666-10 Specification for Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar, 01.03

 A667/A667/M-87(2012) Specification for Centrifugally Cast Dual Metal (Gray

- and White Cast Iron) Cylinders, 01.02

 A668/A668M-13^{c1} Specification for Steel Forgings, Carbon and Alloy, for General Industrial Use, 01.05
- Withdrawn 1984; Specification for Seamless Ferritic-Austenitic Alloy
- Steel Tubes; Replaced by A789

 Redesignated 1979 B670; Specification for Precipitation Hardening
 Nickel Alloy (UNS N07718) Plate, Sheet, and Striip for High-Temperature A670 Service
- A671/A671M-13 Specification for Electric-Fusion-Welded Steel Pipe for Atmospheric and Lower Temperatures, 01.01
 A672/A672M-09 Specification for Electric-Fusion-Welded Steel Pipe for
- High-Pressure Service at Moderate Temperatures, **01.01 A673/A673M-07(2012)** Specification for Sampling Procedure for Impact Testing of Structural Steel, **01.04**
- A674-10 Practice for Polyethylene Encasement for Ductile Iron Pipe for Water or Other Liquids, 01.02
- A675/A675M-03(2009) Specification for Steel Bars, Carbon, Hot-Wrought, Special Quality, Mechanical Properties, 01.05
- A676 Withdrawn 1990; Specification for Hot-Dipped Aluminum Coatings on Ferrous Articles
- A677-12 Specification for Nonoriented Electrical Steel Fully Processed Types, 03.04
- A677M Withdrawn 2000; Replaced by A677/A677M
- A678/A678M Withdrawn 2010; Specification for Quenched-and-Tempered

Carbon and High-Strength Low-Alloy Structural Steel Plates

- A679/A679M-06(2012) Specification for Steel Wire, High Tensile Strength, Cold Drawn, 01.03
- A680/A680M Withdrawn 1986; Specification for Steel, Strip, High-Carbon,
- Cold-Rolled Hard, Untempered Quality; Replaced by A684/A684M
 A681-08 Specification for Tool Steels Alloy, 01.05
 A682/A682M Withdrawn 2009; Specification for Steel, Strip, High-Carbon, Cold-Rolled, General Requirements For
- A683-05(2010) Specification for Nonoriented Electrical Steel, Semiprocessed Types, 03.04
- A683M Withdrawn 1999; Replaced by A683/A683M
- A685 Withdrawn 1986; Specification for Machined Flat and Square Tool Steel Bars; Replaced by A681
- A686-92(2010) Specification for Tool Steel, Carbon, 01.05
- A687 Withdrawn 1999; Specification for High-Strength Nonheaded Steel Bolts and Studs
- A688/A688M-12 Specification for Seamless and Welded Austenitic Stainless Steel Feedwater Heater Tubes, 01.01
- Specification for Carbon and Alloy Steel Bars for Springs. A689-97(2013)^{€1} 01.05
- A690/A690M-13a Specification for High-Strength Low-Alloy Nickel, Copper, Phosphorus Steel H-Piles and Sheet Piling with Atmospheric Corrosion Resistance for Use in Marine Environments, 01.04
- A691/A691M-09 Specification for Carbon and Alloy Steel Pipe, Electric-Fusion-Welded for High-Pressure Service at High Temperatures, 01.01
- A692 Withdrawn 1995; Specification for Seamless Medium-Strength Carbon-Molybdenum Alloy-Steel Boiler and Superheater Tubes; Replaced by A209
- A693-13 Specification for Precipitation-Hardening Stainless and Heat-
- Resisting Steel Plate, Sheet, and Strip, 01.03

 A694/A694M-13 Specification for Carbon and Alloy Steel Forgings for Pipe Flanges, Fittings, Valves, and Parts for High-Pressure Transmission Service, 01.01
- Withdrawn 2002; Specification for Steel Bars, Carbon, Hot-Wrought, Special Quality, for Fluid Power Applications
- A696-90a(2012) Specification for Steel Bars, Carbon, Hot-Wrought or Cold-Finished, Special Quality, for Pressure Piping Components, 01.05
- A697/A697M-13 Test Method for Alternating Current Magnetic Properties of Laminated Core Specimen Using Voltmeter-Ammeter-Wattmeter Methods, 03.04
- A698/A698M-07 Test Method for Magnetic Shield Efficiency in Attenuating Alternating Magnetic Fields, 03.04
- A699 Withdrawn 1986; Specification for Low-Carbon Manganese-Molybde-num-Columbium Alloy Steel Plates A700 Withdrawn 2014; Practices for Packaging, Marking, and Loading
- Methods for Steel Products for Shipment
- A701/A701M-10 Specification for Ferromanganese-Silicon, 01.02 A702-13 Specification for Steel Fence Posts, Hot Wrought, 01.05
- A703/A703M-13a Specification for Steel Castings, General Requirements, for Pressure-Containing Parts, 01.02
- A704/A704M-06(2011) Specification for Welded Steel Plain Bar or Rod Mats for Concrete Reinforcement, 01.04
- A705/A705M-13 Specification for Age-Hardening Stainless Steel Forgings, 01.03
- A706/A706M-13 Specification for Low-Alloy Steel Deformed and Plain Bars for Concrete Reinforcement, 01.04
- A707/A707M-13 Specification for Forged Carbon and Alloy Steel Flanges for Low-Temperature Service, 01.01
- A708 Withdrawn 1989; Recommended Practice for Detection of Susceptibility to Intergranular Corrosion in Severely Sensitized Austenitic Stainless Steel
- A709/A709M-13a Specification for Structural Steel for Bridges, 01.04
- A710/A710M-02(2013) Specification for Precipitation—Strengthened
 Low-Carbon Nickel-Copper-Chromium-Molybdenum-Columbium Alloy
 Structural Steel Plates, 01.04
 A711/A711M-07(2012) Specification for Steel Forging Stock, 01.05
 A712-07(2013) Test Method for Electrical Resistivity of Soft Magnetic Alloys,
- A713-04(2010) Specification for Steel Wire, High-Carbon Spring, for

- A713-04(2010) Specification for Steel Wire, High-Carbon Spring, for Heat-Treated Components, 01.03
 A714-99(2009)^{c1} Specification for High-Strength Low-Alloy Welded and Seamless Steel Pipe, 01.01
 A715 Withdrawn 2000; Specification for Steel Sheet and Strip, High-Strength, Low-Alloy, Hot-Rolled, and Steel Sheet, Cold-Rolled, High-Strength, Low-Alloy, with Improved Formability; Replaced by A1008/A1008M, A1011/A1011M
- A716-08 Specification for Ductile Iron Culvert Pipe, 01.02
 A717/A717M-12 Test Method for Surface Insulation Resistivity of Single-Strip Specimens, 03.04
- A718 Withdrawn 1996; Test Method for Surface Insulation Resistivity of Multi-Strip Specimens
- A719/A719M-02(2007) Test Method for Lamination Factor of Magnetic Materials, 03.04
- A720/A720M-02(2011) Test Method for Ductility of Nonoriented Electrical Steel, 03.04
- A721/A721M-02(2011) Test Method for Ductility of Oriented Electrical Steel, 03.04
- A722/A722M-12 Specification for Uncoated High-Strength Steel Bars for Prestressing Concrete, 01.04
 A723/A723M-10 Specification for Alloy Steel Forgings for High-Strength
- Pressure Component Application, 01.05

A724/A724M A804/A804M

- A724/A724M-09(2013) Specification for Pressure Vessel Plates, Carbon-Manganese-Silicon Steel, Quenched and Tempered, for Welded Pressure
- Withdrawn 1988; Specification for Flat-Rolled, Grain-Oriented, Silicon Iron, Electrical Steel, Fully Processed, Types 27h076, 30h083, 35h094; Replaced by A876M
- A725M Withdrawn 1988; Specification for Flat-Rolled, Grain-Oriented, Silicon Iron, Electrical Steel, Fully Processed, Types 27h076, 30h083, 35h094 [Metric]; Replaced by A876M

 A726-05(2010) Specification for Cold-Rolled Magnetic Lamination Quality Steel, Semiprocessed Types, 03.04

 A726M Withdrawn 1998; Specification for Cold-Rolled Magnetic Lamination
- Quality Steel, Semiprocessed Types [Metric]
- A727/A727M-13 Specification for Carbon Steel Forgings for Piping Components with Inherent Notch Toughness, 01.01
- A728 Not Assigned
- A729/A729M-09^{c1} Specification for Alloy Steel Axles, Heat-Treated, for Mass Transit and Electric Railway Service, 01.05
- A730 Withdrawn 2004; Specification for Forgings, Carbon and Alloy Steel, for
- A731/A731M Withdrawn 1995; Specification for Seamless, Welded Ferritic, and Martensitic Stainless Steel Pipe; Replaced by A268
 A732/A732M-09 Specification for Castings, Investment, Carbon and Low Alloy Steel for General Application, and Cobalt Alloy for High Strength at Elevated Temperatures, 01.02
- A733-13 Specification for Welded and Seamless Carbon Steel and Austenitic Stainless Steel Pipe Nipples, 01.01
- A734/A734M-12 Specification for Pressure Vessel Plates, Alloy Steel and High-Strength Low-Alloy Steel, Quenched-and-Tempered, **01.04 A735/A735M-12** Specification for Pressure Vessel Plates, Low-Carbon
- Manganese-Molybdenum-Columbium Alloy Steel, for Moderate and Lower Temperature Service, 01.04

 A736/A736M-12 Specification for Pressure Vessel Plates, Low-Carbon
- Age-Hardening Nickel-Copper-Chromium-Molybdenum-Columbium Alloy Steel, **01.04**
- A737/A737M-09(2013) Specification for Pressure Vessel Plates, High-Strength, Low-Alloy Steel, 01.04
- A738/A738M-12a Specification for Pressure Vessel Plates, Heat-Treated, Carbon-Manganese-Silicon Steel, for Moderate and Lower Temperature Service, **01.04**
- A739-90a(2012) Specification for Steel Bars, Alloy, Hot-Wrought, for Elevated
- Temperature or Pressure-Containing Parts, or Both, 01.05
 A740-98(2008) Specification for Hardware Cloth (Woven or Welded Galvanized Steel Wire Fabrio), 01.06
- A741-11^{€1} Specification for Metallic-Coated Steel Wire Rope and Fittings for Highway Guardrail, 01.06
- A742/A742M-13 Specification for Steel Sheet, Metallic Coated and Polymer Precoated for Corrugated Steel Pipe, 01.06
- A743/A743M-13a Specification for Castings, Iron-Chromium, Iron-Chromium-Nickel, Corrosion Resistant, for General Application, 01.02 A744/A744M-13 Specification for Castings, Iron-Chromium-Nickel, Corrosion
- Resistant, for Severe Service, 01.02 A745/A745M-12 Practice for Ultrasonic Examination of Austenitic Steel
- Forgings, 01.05
- A746-09 Specification for Ductile Iron Gravity Sewer Pipe, 01.02 A747/A747M-12 Specification for Steel Castings, Stainless, Precipitation Hardening, 01.02
- A748/A748M-87(2012) Specification for Statically Cast Chilled White Iron-Gray Iron Dual Metal Rolls for Pressure Vessel Use, 01.02
- A749M Withdrawn 1991; Replaced by A749/A749M
- A749/A749M-08 Specification for Steel, Strip, Carbon and High-Strength, Low-Alloy, Hot-Rolled, General Requirements for, 01.03

 A750 Withdrawn 2004; Specification for Steel Air Ventillatilating Grille Units for
- Detention Areas
- A751-11 Test Methods, Practices, and Terminology for Chemical Analysis of Steel Products, 01.01, 01.02, 01.03, 01.04, 01.05 A752 Withdrawn 2011; Specification for General Requirements for Wire Rods
- and Coarse Round Wire, Alloy Steel; Replaced by A510
- A752M Withdrawn 2011; Specification for General Requirements for Wire Rods and Coarse Round Wire, Alloy Steel (Metric); Replaced by A510
 A753-08(2013) Specification for Wrought Nickel-Iron Soft Magnetic Alloys (UNS K94490, K94840, N14076, N14080), 03.04
 A754/A754M-11 Test Method for Coating Weight (Mass) of Metallic Coatings on Steel by X-Ray Fluorescence, 01.06
- A755/A755M-11 Specification for Steel Sheet, Metallic Coated by the Hot-Dip Process and Prepainted by the Coil-Coating Process for Exterior Exposed Building Products, 01.06
- A756-09 Specification for Stainless Anti-Friction Bearing Steel, 01.05
 A757/A757M-10 Specification for Steel Castings, Ferritic and Martensitic, for Pressure-Containing and Other Applications, for Low-Temperature Service, 01.02
- A758/A758M-13 Specification for Wrought-Carbon Steel Butt-Welding Piping Fittings with Improved Notch Toughness, 01.01
- A759-10 Specification for Carbon Steel Crane Rails, 01.04
- A760/A760M-13 Specification for Corrugated Steel Pipe, Metallic-Coated for Sewers and Drains, 01.06
 A761/A761M-13a Specification for Corrugated Steel Structural Plate,
- Zinc-Coated, for Field-Bolted Pipe, Pipe-Arches, and Arches, 01.06

 A762/A762M-08 Specification for Corrugated Steel Pipe, Polymer Precoated
- for Sewers and Drains, 01.06

- A763-93(2009) Practices for Detecting Susceptibility to Intergranular Attack in Ferritic Stainless Steels, 01.03
- A764-07(2012) Specification for Metallic Coated Carbon Steel Wire, Coated at Size and Drawn to Size for Mechanical Springs, 01.06
 A765/A765M-07(2012) Specification for Carbon Steel and Low-Alloy Steel Pressure-Vessel-Component Forgings with Mandatory Toughness Requirements, 01.05
- A766/A766M Withdrawn 1991; Specification for Forgings, Leaded, and Resulfurized Carbon Steel, for Pressure-Containing Applications

 A767/A767M-09 Specification for Zinc-Coated (Galvanized) Steel Bars for Concrete Reinforcement, 01.04
- A768/A768M-05(2010) Specification for Vacuum-Treated 12% Chromium Alloy Steel Forgings for Turbine Rotors and Shafts, 01.05
- A769/A769M-05(2010) Specification for Carbon and High-Strength Electric Resistance Forge-Welded Steel Structural Shapes, 01.04
- A770/A770M-03(2012) Specification for Through-Thickness Tension Testing of Steel Plates for Special Applications, 01.04
- A771/A771M Withdrawn 2004; Specification for Seamless Austenitic and Martensitic Stainless Steel Tubing for Liquid Metal-Cooled Reactor Core Components
- A772/A772M-00(2011)^{c1} Test Method for AC Magnetic Permeability of Materials Using Sinusoidal Current, 03.04
 A773/A773M-01(2009) Test Method for dc Magnetic Properties of Materials Using Ring and Permeameter Procedures with dc Electronic Hysteresigraphs, 03.04
- A774/A774M-13 Specification for As-Welded Wrought Austenitic Stainless Steel Fittings for General Corrosive Service at Low and Moderate Temperatures, 01.01
- A775/A775M-07b Specification for Epoxy-Coated Steel Reinforcing Bars, 01.04
- A776 Not Assigned
 A777 Withdrawn 1995; Specification for Galvanized Round Steel Tying Wire
 A778-01(2009)^{c1} Specification for Welded, Unannealed Austenitic Stainless
 Steel Tubular Products, 01.01
- A779/A779M-12 Specification for Steel Strand, Seven-Wire, Uncoated, Compacted for Prestressed Concrete, 01.04
- A780/A780M-09 Practice for Repair of Damaged and Uncoated Areas of Hot-Dip Galvanized Coatings, 01.06
- A781/A781M-13a Specification for Castings, Steel and Alloy, Common Requirements, for General Industrial Use, 01.02
- A782/A782M Withdrawn 2010; Specification for Pressure-Vessel Plates, Quenched-and-Tempered, Manganese-Chromium-Molybdenum-Silicon
- Zirconium Alloy Steel A783 Withdrawn 1987; Specification for Aluminum-Zinc Alloy-Coated Steel Chain Link Fence Fabric
- A784 Withdrawn 1988; Specification for Aluminum-Zinc Alloy-Coated Steel Wire Rope and Fittings for Highway Guard Rail A785 Withdrawn 1988; Specification for Aluminum-Zinc Alloy-Coated Steel
- Wire Strand
- A786/A786M-05(2009) Specification for Hot-Rolled Carbon, Low-Alloy, High-Strength Low-Alloy, and Alloy Steel Floor Plates, 01.04
- A787/A787M-09 Specification for Electric-Resistance-Welded Metallic-Coated Carbon Steel Mechanical Tubing, 01.01
- A788/A788M-11 Specification for Steel Forgings, General Requirements, 01.05
- A789/A789M-13a^{c1} Specification for Seamless and Welded Ferritic/Austenitic Stainless Steel Tubing for General Service, **01.01**
- A790/A790M-13a Specification for Seamless and Welded Ferritic/Austenitic Stainless Steel Pipe, 01.01
- A791/A791M Withdrawn 1995; Specification for Welded, Unannealed Ferritic

- A791/A791M Withdrawn 1995; Specification for wedded, Unannealed Fernitic Stainless Steel Tubing; Replaced by A268/A268M
 A792M Withdrawn 1994; Replaced by A792/A792M
 A792/A792M-10 Specification for Steel Sheet, 55 % Aluminum-Zinc Alloy-Coated by the Hot-Dip Process, 01.06
 A793-96(2009) Specification for Rolled Floor Plate, Stainless Steel, 01.03
 A794/A794M-12 Specification for Commercial Steel (CS), Sheet, Carbon (0.16) % Maximum to 0.25 % Maximum), Cold-Rolled, 01.03
- A795/A795M-13 Specification for Black and Hot-Dipped Zinc-Coated (Galvanized) Welded and Seamless Steel Pipe for Fire Protection Use, 01.01
- A796/A796M-13a Practice for Structural Design of Corrugated Steel Pipe, Pipe-Arches, and Arches for Storm and Sanitary Sewers and Other Buried Applications, 01.06
- Withdrawn 1990: Specification for Aluminum-Zinc Alloy-Coated Steel Overhead Ground Wire Strand
- A798/A798M-13 Practice for Installing Factory-Made Corrugated Steel Pipe for Sewers and Other Applications, 01.06
- A799/A799M-10 Practice for Steel Castings, Stainless, Instrument Calibration, for Estimating Ferrite Content, 01.02

 A800/A800M-10 Practice for Steel Casting, Austenitic Alloy, Estimating Ferrite
- Content Thereof, 01.02
- Content I hereot, 01.02

 A801-09 Specification for Wrought Iron-Cobalt High Magnetic Saturation Alloys (UNS R30005 and K92650), 03.04

 A802/A802M-95(2010)^{c1} Practice for Steel Castings, Surface Acceptance Standards, Visual Examination, 01.02

 A803/A803M-12 Specification for Seamless and Welded Ferritic Stainless Steel Feedwater Heater Tubes, 01.01

 A804/A804M-04(2009)^{c1} Test Methods for Alternating-Current Magnetic

- Properties of Materials at Power Frequencies Using Sheet-Type Test Specimens, 03.04

A805/A805M A893/A893M

- A805/A805M-09 Specification for Steel, Flat Wire, Carbon, Cold-Rolled, 01.03 A806/A806M Withdrawn 1995; Specification for Steel Sheet, 55 Aluminum-Zinc Alloy Coated by the Hot-Dip Process for Storm Sewer and Drainage Pipe; Replaced by Á929/A929M
- A807/A807M-13 Practice for Installing Corrugated Steel Structural Plate Pipe for Sewers and Other Applications, 01.06
- A808/A808M Withdrawn 2005; Specification for High-Strength, Low-Alloy Carbon, Manganese, Columbium, Vanadium Steel of Structural Quality with Improved Notch Toughness; Replaced by A656
- A809-08(2013) Specification for Aluminum-Coated (Aluminized) Carbon Steel Wire, 01.06 A810-01(2009)⁶¹
- Specification for Zinc-Coated (Galvanized) Steel Pipe Winding Mesh, 01.06
- A811-03(2008) Specification for Soft Magnetic Iron Parts Fabricated by
- Powder Metallurgy (P/M) Techniques, 03.04

 A812/A812M Withdrawn 1997; Specification for Steel Sheet, High-Strength, Low-Alloy, Hot-Rolled, for Welded Layered Pressure Vessels

 A813/A813M-09 Specification for Single- or Double-Welded Austenitic Stainless Steel Pipe, 01.01
- A814/A814M-08 Specification for Cold-Worked Welded Austenitic Stainless
- A814/A814M-08 Specification for Cold-Worked Welded Austenitic Stainless Steel Pipe, 01.01

 A815/A815M-13a Specification for Wrought Ferritic, Ferritic/Austenitic, and Martensitic Stainless Steel Piping Fittings, 01.01

 A816/A816M Withdrawn 1994; Specification for Steel Sheet, Zinc-Coated
- (Galvanized) by the Hot-Dip Process, High-Strength, Low Alloy; Replaced by A653/A653M, A924/A924M
- A817-12 Specification for Metallic-Coated Steel Wire for Chain-Link Fence Fabric and Marcelled Tension Wire, 01.06
- A818-06(2010) Specification for Coppered Carbon Steel Wire, 01.06 A819 Withdrawn 1995; Specification for Steel Sheet, Aluminum-Coated Type 2 for Storm Sewer and Drainage Pipe; Replaced by A929/A929M

 A820/A820M-11 Specification for Steel Fibers for Fiber-Reinforced Concrete,
- 01.04
- A821/A821M-10 Specification for Steel Wire, Hard-Drawn for Prestressed Concrete Tanks, 01.04
- A822/A822M-04(2010) Specification for Seamless Cold-Drawn Carbon Steel Tubing for Hydraulic System Service, 01.01
- A823-99(2012) Specification for Statically Cast Permanent Mold Gray Iron Castings, 01.02
- A824-01(2012) Specification for Metallic-Coated Steel Marcelled Tension Wire for Use With Chain Link Fence, 01.06

 A825 Withdrawn 1991; Specification for Steel Sheet, Composite Coated for Corrugated Steel Sewer Pipe and Bin-Type Retaining Walls

 A826/A826M Withdrawn 2004; Specification for Seamless Austenitic and
- Martensitic Stainless Steel Duct Tubes for Liquid Metal-Cooled Reactor Core Components
- A827/A827M-11 Specification for Plates, Carbon Steel, for Forging and Similar Applications, 01.04
- A828 Not Assigned
- A829/A829M-11 Specification for Alloy Structural Steel Plates, 01.04 A830/A830M-13 Specification for Plates, Carbon Steel, Structural Quality,
- Furnished to Chemical Composition Requirements, **01.04**A831/A831M Withdrawn 2005; Specification for Austenitic and Martensitic Stainless Steel Bars, Billets, and Forgings for Liquid Metal Cooled
- Reactor Core Components

 A832/A832M-10 Specification for Pressure Vessel Plates, Alloy Steel,
 Chromium-Molybdenum-Vanadium, 01.04
- A833-08a Practice for Indentation Hardness of Metallic Materials by Comparison Hardness Testers, 01.05
- A834-95(2011) Specification for Common Requirements for Iron Castings for General Industrial Use, 01.02
- A835/A835M-10 Specification for Sizes of Ferroalloys and Alloy Additives,
- A836/A836M-13 Specification for Titanium-Stabilized Carbon Steel Forgings for Glass-Lined Piping and Pressure Vessel Service, 01.01
 A837/A837M-06(2011) Specification for Steel Forgings, Alloy, for Carburizing
- Applications, 01.05
- A838-02(2013) Specification for Free-Machining Ferritic Stainless Soft
- Magnetic Alloy Bar for Relay Applications, 03.04

 A839-02(2008) Specification for Iron-Phosphorus Powder Metallurgy (P/M)

 Parts for Soft Magnetic Applications, 03.04

 A840 Withdrawn 2011; Specification for Fully Processed Magnetic Lamination
- Steel
- A841/A841M-13 Specification for Steel Plates for Pressure Vessels, Produced
- A841/A841M-13 Specification for Steel Plates for Pressure Vessels, Produced by Thermo-Mechanical Control Process (TMCP), 01.04

 A842-11a Specification for Compacted Graphite Iron Castings, 01.02

 A843 Withdrawn 1988; Specification for Flat-Rolled, Grain-Oriented, High Permeability, Silicon-Iron Electrical Steel, Fully Processed, Types 27p066, 30p070, 35p076; Replaced by A876/A876M

 A844/A844M-09 Specification for Steel Plates, 9% Nickel Alloy, for Pressure
- Vessels, Produced by the Direct-Quenching Process, 01.04
- A845 Withdrawn 2005; Specification for Titanium Scrap for Use in Deoxidation and Alloying of Steel
- A846 Withdrawn 2005; Specification for Aluminum Scrap for Use in
- Deoxidation and Alloying of Steel

 A847/A847M-12 Specification for Cold-Formed Welded and Seamless
 High-Strength, Low-Alloy Structural Tubing with Improved Atmospheric
 Corrosion Resistance, 01.01
- A848-01(2011) Specification for Low-Carbon Magnetic Iron, 03.04 A849-10 Specification for Post-Applied Coatings, Pavings, and Linings for

Corrugated Steel Sewer and Drainage Pipe, 01.06

- A850 Withdrawn 1991; Specification for Steel Bars, Carbon-Manganese Merchant Quality with 50 ksi (345 MPa) Yield Point
- A851 Withdrawn 2002; Specification for High-Frequency Induction Welded, Unannealed, Austenitic Steel Condenser Tubes
- A852/A852M Withdrawn 2010; Specification for Quenched and Tempered Low-Alloy Structural Steel Plate with 70 ksi [485 MPa] Minimum Yield
- Strength to 4 in. [100 mm] Thick

 A853-04(2010) Specification for Steel Wire, Carbon, for General Use, 01.03

 A854/A854M-08(2013) Specification for Metallic-Coated Steel Smooth
 High-Tensile Fence and Trellis Wire, 01.06

 A855/A855M-03(2009) Specification for Zinc-5 % Aluminum-Mischmetal
 Alloy-Coated Steel Wire Strand, 01.06

 A856/A856M-03(2000) Specification for Zinc-5 % Aluminum Mischmetal
- A856/A856M-03(2009) Specification for Zinc-5 % Aluminum-Mischmetal Alloy-Coated Carbon Steel Wire, 01.06
- A857/A857M-07(2013) Specification for Steel Sheet Piling, Cold Formed, Light Gage, 01.04
- A858/A858M-13 Specification for Heat-Treated Carbon Steel Fittings for
- A859/A658M-13 Specification for Heat-Treated Carbon Steel Fittings for Low-Temperature and Corrosive Service, 01.01

 A859/A859M-04(2009) Specification for Age-Hardening Alloy Steel Forgings for Pressure Vessel Components, 01.05

 A860/A860M-13 Specification for Wrought High-Strength Ferritic Steel Butt-Welding Fittings, 01.01

 A861-04(2013) Specification for High-Silicon Iron Pipe and Fittings, 01.02
- A862/A862M-98(2008) Practice for Application of Asphalt Coatings to Corrugated Steel Sewer and Drainage Pipe, 01.06
- A863 Withdrawn 1991; Specification for Corrugated Steel Pipe with Smooth PVC Liner for Sewers and Drains
- A864/A864M Withdrawn 1997; Specification for Steel Wire, Deformed, for
- Prestressed Concrete Railroad Ties

 A865/A865M-06(2012) Specification for Threaded Couplings, Steel, Black or Zinc-Coated (Galvanized) Welded or Seamless, for Use in Steel Pipe Joints, **01.01**
- A866-09 Specification for Medium Carbon Anti-Friction Bearing Steel. 01.05 A867-03(2013) Specification for Iron-Silicon Relay Steels, 03.04
- A868 Not Assigned
- A869 Not Assigned
- Not Assigned
- A871/A871M-12 Specification for High-Strength Low-Alloy Structural Steel Plate With Atmospheric Corrosion Resistance, 01.04
- A872/A872M-07a(2012) Specification for Centrifugally Cast Ferritic/Austenitic Stainless Steel Pipe for Corrosive Environments, 01.02

 A873/A873M Withdrawn 1997; Specification for Steel Sheet and Strip, Chromium-Molybdenum Alloy, for Pressure Vessels

 A874M Withdrawn 1998; Replaced by A874/A874M

- A875/A875M-13 Specification for Steel Sheet, Zinc-5 % Aluminum Alloy-Coated by the Hot-Dip Process, 01.06
- A876-12 Specification for Flat-Rolled, Grain-Oriented, Silicon-Iron, Electrical Steel, Fully Processed Types, 03.04
- A876M Withdrawn 1998; Replaced by A876A876M
 A877/A877M-10^{c1} Specification for Steel Wire, Chromium-Silicon Alloy, Chrome-Silicon-Vanadium Alloy Valve Spring Quality, 01.03
- A878/A878M-05(2011) Specification for Steel Wire, Modified Chromium Vanadium Valve Spring Quality, 01.03
 A879/A879M-12 Specification for Steel Sheet, Zinc Coated by the Electrolytic
- Process for Applications Requiring Designation of the Coating Mass on Each Surface, **01.06**
- Withdrawn 2004; Practice for Criteria for Use in Evaluation of Testing Laboratories and Organizations for Examination and Inspection of Steel, Stainless Steel, and Related Alloys
- A881/A881M-10 Specification for Steel Wire, Indented, Low-Relaxation for Prestressed Concrete Railroad Ties, 01.04

 A882/A882M-04a(2010) Specification for Filled Epoxy-Coated Seven-Wire Prestressing Steel Strand, 01.04

 A883/A883M Withdrawn 2006; Test Method for Ferrimagnetic Resonance
- Linewidth and Gyromagnetic Ratio of Nonmetallic Magnetic Materials
- A884/A884M-12 Specification for Epoxy-Coated Steel Wire and Welded Wire Reinforcement, 01.04
- A885/A885M Withdrawn 2006; Specification for Steel Sheet, Zinc and Aramid Fiber Composite Coated for Corrugated Steel Sewer, Culvert, and
- Underdrain Pipe

 A886/A886M-12 Specification for Steel Strand, Indented, Seven-Wire Stress-Relieved for Prestressed Concrete, 01.04
- A887-89(2009) Specification for Borated Stainless Steel Plate, Sheet, and Strip for Nuclear Application, 01.03
- A888-13a Specification for Hubless Cast Iron Soil Pipe and Fittings for
- Sanitary and Storm Drain, Waste, and Vent Piping Applications, 01.02

 A889/A889M-03(2008) Test Method for Alternating-Current Magnetic

 Properties of Materials at Low Magnetic Flux Density Using the

 Voltmeter-Ammeter-Wattmeter-Varmeter Method and 25-cm Epstein Frame, 03.04
- A890/A890M-12a Specification for Castings, Iron-Chromium-Nickel-Molybdenum Corrosion-Resistant, Duplex (Austenitic/Ferritic) for General Application, 01.02
- A891/A891M-10 Specification for Precipitation Hardening Iron Base Superalloy Forgings for Turbine Rotor Disks and Wheels, 01.05

 A892-09 Guide for Defining and Rating the Microstructure of High Carbon Bearing Steels, 01.05

 A893/A893M-03(2008) Test Method for Complex Dielectric Constant of
- Nonmetallic Magnetic Materials at Microwave Frequencies, 03.04

A894/A894M A979/A979M

- A894/A894M-00(2011)^{c1} Test Method for Saturation Magnetization or Induction of Nonmetallic Magnetic Materials, 03.04
- A895-89(2009) Specification for Free-Machining Stainless Steel Plate, Sheet, and Strip, 01.03
- A896/A896M-09 Practice for Conducting Case Studies on Galvanized Structures, 01.06
- A897M Withdrawn 2001; Replaced by A897/A897M
- A897/A897M-06(2011) Specification for Austempered Ductile Iron Castings, 01.02
- A898/A898M-07(2012) Specification for Straight Beam Ultrasonic Examination of Rolled Steel Structural Shapes, 01.04

 1-91(2007) Specification for Steel Wire, Epoxy-Coated, 01.03
- A899-91(2007)
- A900/A900M-01(2012) Test Method for Lamination Factor of Amorphous Magnetic Strip, 03.04
- A901-12 Specification for Amorphous Magnetic Core Alloys, Semi-Processed Types, 03.04
- A902-13b Terminology Relating to Metallic Coated Steel Products, 01.06 A903/A903M-99(2012) Specification for Steel Castings, Surface Acceptance Standards, Magnetic Particle and Liquid Penetrant Inspection, 01.02
- A904-09 Specification for 50 Nickel-50 Iron Powder Metallurgy Soft Magnetic
- Parts, 03.04

 A905-04(2010) Specification for Steel Wire, Pressure Vessel Winding, 01.03

 A906/A906M-02(2010) Specification for Grade 80 and Grade 100 Alloy Steel
 Chain Slings for Overhead Lifting, 01.05
- A907/A907M Withdrawn 2001; Specification for Steel, Sheet and Strip, Heavy Thickness Coils, Carbon, Hot-Rolled, Structural Quality; Replaced by A1018/A1018M
- A908-03(2013) Specification for Stainless Steel Needle Tubing, 01.01 A909/A909M-06(2011) Specification for Steel Forgings, Microalloy, for General Industrial Use, 01.05
- A910/A910M-12 Specification for Uncoated, Weldless, 2-Wire and 3-Wire Steel Strand for Prestressed Concrete, 01.04
 A911/A911M-11 Specification for Uncoated, Stress-Relieved Steel Bars for Prestressed Concrete Railroad Ties, 01.04
- A912/A912M-11 Test Method for Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Toroidal Specimens, 03.04
- A913/A913M-11 Specification for High-Strength Low-Alloy Steel Shapes of Structural Quality, Produced by Quenching and Self-Tempering Process (QST), 01.04
- A914/A914M-92(2011) Specification for Steel Bars Subject to Restricted
- End-Quench Hardenability Requirements, 01.05

 A915/A915M-08(2013) Specification for Steel Castings, Carbon, and Alloy,
 Chemical Requirements Similar to Standard Wrought Grades, 01.02

 A916 Withdrawn 1995; Specification for Steel Sheet, Zinc-5 % Aluminum-
- Mischmetal Alloy-Coated by Hot-Dip Process for Storm Sewer and Drainage Pipe: Replaced by A929/A929M
- A917-08 Specification for Steel Sheet, Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface (General Requirements), 01.06
- A918-06(2011) Specification for Steel Sheet, Zinc-Nickel Alloy Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface, 01.06
- Withdrawn 1998; Terminology Relating to Heat Treatment of Metals;
- Replaced by A941

 A920/A920M-07 Specification for Steel Bars, Microalloy, Hot-Wrought, Special Quality, Mechanical Properties, 01.05

 A921/A921M-93(2011) Specification for Steel Bars, Microalloy, Hot-Wrought, Special Quality, for Subsequent Hot Forging, 01.05
- A922-05(2010) Specification for Silicon Metal, 01.02
 A923-08 Test Methods for Detecting Detrimental Intermetallic Phase in Duplex
- Austenitic/Ferritic Stainless Steels, 01.03

 A924/A924M-13 Specification for General Requirements for Steel Sheet,
 Metallic-Coated by the Hot-Dip Process, 01.06

 A925-03(2009)¹¹ Specification for Zinc-5 % Aluminum-Mischmetal Alloy-
- A925-03(2009)⁴¹ Specification for Zinc-5 % Aluminum-M Coated Steel Overhead Ground Wire Strand, **01.06**
- A926-03(2008) Test Method for Comparing the Abrasion Resistance of Coating Materials for Corrugated Metal Pipe, 01.06
 A927/A927M-11 Test Method for Alternating-Current Magnetic Properties of
- Toroidal Core Specimens Using the Voltmeter-Ammeter-Wattmeter Method, 03.04
- A928/A928M-13 Specification for Ferritic/Austenitic (Duplex) Stainless Steel Pipe Electric Fusion Welded with Addition of Filler Metal, 01.01
 A929/A929M-01(2007) Specification for Steel Sheet, Metallic-Coated by the
- Hot-Dip Process for Corrugated Steel Pipe, 01.06
- A930-09 Practice for Life-Cycle Cost Analysis of Corrugated Metal Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, 01.06
- A931-08(2013) Test Method for Tension Testing of Wire Ropes and Strand, 01.03
- A932/A932M-01(2012) Test Method for Alternating-Current Magnetic Properties of Amorphous Materials at Power Frequencies Using Wattmeter-Ammeter-Voltmeter Method with Sheet Specimens, 03.04
- A933/A933M-10 Specification for Vinyl-Coated Steel Wire and Welded Wire Reinforcement, 01.04
- A934/A934M-13 Specification for Epoxy-Coated Prefabricated Steel
- A93/A934W-13 Specification for Epoxy-Coated Prelabficated Steel Reinforcing Bars, 01.04
 A935/A935M Withdrawn 2001; Specification for Steel, Sheet and Strip, Heavy Thickness Coils, High Strength, Low-Alloy, Columbium or Vanadium, or Both, Hot-Rolled; Replaced by A1018/A1018M
- A936/A936M Withdrawn 2001; Specification for Steel, Sheet And Strip, Heavy

- Thickness Coils, High Strength, Low-Alloy, Hot-Rolled, With Improved
- Formability; Replaced by A1018/A1018/M
 A937/A937M-12 Test Method for Determining Interlaminar Resistance of
- Insulating Coatings Using Two Adjacent Test Surfaces, 03.04

 A938-07(2013) Test Method for Torsion Testing of Wire, 01.03

 A939/A939M-12 Practice for Ultrasonic Examination from Bored Surfaces of Cylindrical Forgings, 01.05
- A940/A940M-06(2011) Specification for Vacuum Treated Steel Forgings, Alloy, Differentially Heat Treated, for Turbine Rotors, 01.05
- A941-13b Terminology Relating to Steel, Stainless Steel, Related Alloys, and Ferroalloys, 01.01, 01.02, 01.03, 01.04, 01.05

 A942/A942M-95(2012)^{c1} Specification for Centrifugally Cast White Iron/Gray Iron Dual Metal Abrasion-Resistant Roll Shells, 01.02

- Iron Dual Metal Abrasion-Hesistant Holl Stiells, VI.UZ

 A943/A943M-01(2009) Specification for Spray-Formed Seamless Austenitic Stainless Steel Pipes, 01.01

 A944-10 Test Method for Comparing Bond Strength of Steel Reinforcing Bars to Concrete Using Beam-End Specimens, 01.04

 A945/A945M-06(2011) Specification for High-Strength Low-Alloy Structural Steel Plate with Low Carbon and Restricted Sulfur for Improved Weldability, Formability, and Toughness, 01.04

 A946 Withdrawn 2012; Specification for Chromium, Chromium-Nickel and
- Silicon Alloy Steel Plate, Sheet, and Strip for Corrosion and Heat Resisting Service
- A947M-13 Specification for Textured Stainless Steel Sheet Metric, 01.03 A949 Redesignated 1995 - A949/A949M
- A949/A949M-01(2009) Specification for Spray-Formed Seamless Ferritic/ Austenitic Stainless Steel Pipe, 01.01
- A950/A950M-11 Specification for Fusion-Bonded Epoxy-Coated Structural Steel H-Piles and Sheet Piling, 01.04
- A951/A951M-11 Specification for Steel Wire for Masonry Joint Reinforcement, 01.04
- A952/A952M-02(2010) Specification for Forged Grade 80 and Grade 100 Steel Lifting Components and Welded Attachment Links, 01.05 A953 Withdrawn 2005; Specification for Austenitic Chromium-Nickel-Silicon
- A953 Withdrawn 2005; Specification for Austentic Chromium-Nickel-Silicon
 Alloy Steel Seamless and Welded Tubing
 A954 Withdrawn 2005; Specification for Austenitic Chromium-Nickel-Silicon
 Alloy Steel Seamless and Welded Pipe
 A955/A955M-12^{c1} Specification for Deformed and Plain Stainless-Steel Bars
- for Concrete Reinforcement, 01.04
- A956-12 Test Method for Leeb Hardness Testing of Steel Products, 01.05 A957/A957M-13 Specification for Investment Castings, Steel and Alloy, Common Requirements, for General Industrial Use, 01.02
- A958/A958M-10 Specification for Steel Castings, Carbon and Alloy, with Tensile Requirements, Chemical Requirements Similar to Standard Wrought Grades, 01.02
- A959-11 Guide for Specifying Harmonized Standard Grade Compositions for Wrought Stainless Steels, 01.03
- A960/A960M-13 Specification for Common Requirements for Wrought Steel Piping Fittings, 01.01
- A961/A961M-13 Specification for Common Requirements for Steel Flanges, Forged Fittings, Valves, and Parts for Piping Applications, 01.01
 A962/A962M-13b Specification for Common Requirements for Bolting Intended for Use at Any Temperature from Cryogenic to the Creep Range,
- A963/A963M Withdrawn 2000; Specification for Deep Drawing Steel (DDS), Sheet, Carbon, Cold-Rolled; Replaced by A1008/A1008M
- A964/A964M-03(2011) Specification for Corrugated Steel Box Culverts, 01.06 A965/A965M-13 Specification for Steel Forgings, Austenitic, for Pressure and
- A965/A965M-13 Specification for Steel Forgings, Austenitic, for Pressure a High Temperature Parts, 01.05
 A966/A966M-08(2012) Practice for Magnetic Particle Examination of Steel Forgings Using Alternating Current, 01.05
 A967/A967M-13 Specification for Chemical Passivation Treatments for Stainless Steel Parts, 01.03
 A968/A968M-96(2009) Specification for Chromium, Chromium-Nickel, and
- Silicon Alloy Steel Bars and Shapes for Corrosion and Heat-Resisting Service, **01.03**
- A969/A969M Withdrawn 2000; Specification for Extra Deep Drawing Steel (EDDS), Sheet, Carbon, Cold-Rolled; Replaced by A1008/A1008M
- A970/A970M-13a Specification for Headed Steel Bars for Concrete Reinforcement, 01.04
- A971/A971M-10 Test Method for Measuring Edge Taper and Crown of Flat-Rolled Electrical Steel Coils, 03.04
- A972/A972M-00(2010) Specification for Fusion Bonded Epoxy-Coated Pipe
- Piles, 01.01

 A973/A973M-07(2012) Specification for Grade 100 Alloy Steel Chain, 01.05

 A974-97(2011) Specification for Welded Wire Fabric Gabions and Gabion

 Mattresses (Metallic-Coated or Polyvinyl Chloride (PVC) Coated), 01.06
- A975-11 Specification for Double-Twisted Hexagonal Mesh Gabions and Revet Mattresses (Metallic-Coated Steel Wire or Metallic-Coated Steel Wire With Poly(Vinyl Chloride) (PVC) Coating), 01.06
- A976-13 Classification of Insulating Coatings for Electrical Steels by
- A976-13 Classification of insulating Coatings for Electrical Steels by Composition, Relative Insulating Ability and Application, 03.04

 A977/A977M-07(2013) Test Method for Magnetic Properties of High-Coercivity Permanent Magnet Materials Using Hysteresigraphs, 03.04

 A978/A978M-08(2013) Specification for Composite Ribbed Steel Pipe, Precoated and Polyethylene Lined for Gravity Flow Sanitary Sewers, Storm Sewers, and Other Special Applications, 01.06

 A979/A979M-03(2009) Specification for Concrete Pavements and Linings
- Installed in Corrugated Steel Structures in the Field, 01.06

A980/A980M A1067/A1067M

- A980/A980M-11 Specification for Steel, Sheet, Carbon, Ultra High Strength Cold Rolled, 01.03
- A981/A981M-11 Test Method for Evaluating Bond Strength for 0.600-in. 15.24-mm Diameter Steel Prestressing Strand, Grade 270 1860, Uncoated, Used in Prestressed Ground Anchors, 01.04
- A982/A982M-10 Specification for Steel Forgings, Stainless, for Compressor and Turbine Airfoils, 01.05
- A983/A983M-06(2011) Specification for Continuous Grain Flow Forged Carbon and Alloy Steel Crankshafts for Medium Speed Diesel Engines, 01.05
- A984/A984M-03(2009) Specification for Steel Line Pipe, Black, Plain-End,
- A984/A984M-03(2009) Specification for Steel Line Pipe, Black, Plain-End Electric-Resistance-Welded, 01.01

 A985/A985M-13 Specification for Steel Investment Castings General Requirements, for Pressure-Containing Parts, 01.02

 A986/A986M-01(2011) Specification for Magnetic Particle Examination of Continuous Grain Flow Crankshaft Forgings, 01.05

 A987/A987M-09 Practice for Measuring Shape Characteristics of Tin Mill
- Products, 01.06
- A988/A988M-13 Specification for Hot Isostatically-Pressed Stainless Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, 01.01
- A989/A989M-13 Specification for Hot Isostatically-Pressed Alloy Steel Flanges, Fittings, Valves, and Parts for High Temperature Service, 01.01

 A990/A990M-11^{c1} Specification for Castings, Iron-Nickel-Chromium and Nickel
- Alloys, Specially Controlled for Pressure Retaining Parts for Corrosive Service, **01.02**
- A991/A991M-10 Test Method for Conducting Temperature Uniformity Surveys of Furnaces Used to Heat Treat Steel Products, 01.03
- A992/A992M-11 Specification for Structural Steel Shapes, 01.04
- A993 Withdrawn 2004; Test Method for Dynamic Tear Testing of Cast Irons to Establish Transition Temperature
- A994-13 Guide for Editorial Procedures and Form of Product Specifications for Steel, Stainless Steel, and Related Alloys, 01.01
- A995/A995M-12a Specification for Castings, Austenitic-Ferritic (Duplex)
 Stainless Steel, for Pressure-Containing Parts, 01.02
 A996/A996M-09b Specification for Rail-Steel and Axle-Steel Deformed Bars for Concrete Reinforcement, 01.04
- A997-08(2012) Practice for Investment Castings, Surface Acceptance Standards, Visual Examination, 01.02
- A998/A998M-12 Practice for Structural Design of Reinforcements for Fittings in FactoryMade Corrugated Steel Pipe for Sewers and Other Applications, 01.06
- A999/A999M-13 Specification for General Requirements for Alloy and Stainless Steel Pipe, 01.01
- A1000/A1000M-11 Specification for Steel Wire, Carbon and Alloy Specialty Spring Quality, 01.03
- A1001-01(2010) Specification for High Strength Steel Castings in Heavy Sections, 01.02
- A1002-10 Specification for Castings, Nickel-Aluminum Ordered Alloy, 01.02
 A1003/A1003M-13b Specification for Steel Sheet, Carbon, Metallic- and
 Nonmetallic-Coated for Cold-Formed Framing Members, 01.06
 A1004/A1004M-99(2009) Practice for Establishing Conformance to the
 Minimum Expected Corrosion Characteristics of Metallic, Painted-Metallic,
 and Nonmetallic-Coated Steel Sheet Intended for Use as Cold Formed Framing Members, 01.06
- A1005/A1005M-00(2010) Specification for Steel Line Pipe, Black, Plain End, Longitudinal and Helical Seam, Double Submerged-Arc Welded, 01.01
- A1006/A1006M-00(2010) Specification for Steel Line Pipe, Black, Plain End, Laser Beam Welded, 01.01
- A1007-07 Specification for Carbon Steel Wire for Wire Rope, 01.03 A1008/A1008M-13 Specification for Steel, Sheet, Cold-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, Solution Hardened, and Bake Hardenable, 01.03 A1009-05(2010) Specification for Soft Magnetic MnZn Ferrite Core Materials for High Frequency (10 kHz-1 MHz) Power Transformer and Filter Industry Apriliations 20.204
- Inductor Applications, 03.04

 A1010/A1010M-13 Specification for Higher-Strength Martensitic Stainless
- Steel Plate, Sheet, and Strip, 01.03
- A1011/A1011M-13 Specification for Steel, Sheet and Strip, Hot-Rolled Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, and Ultra-High Strength, 01.03
- A1012-10 Specification for Seamless and Welded Ferritic, Austenitic and Duplex Alloy Steel Condenser and Heat Exchanger Tubes With Integral Fins. 01.01
- A1013-00(2013)⁶¹ 3-00(2013)^{c1} Test Method for High-Frequency (10 kHz-1 MHz) Core Loss of Soft Magnetic Core Components at Controlled Temperatures Using the Voltmeter-Ammeter-Wattmeter Method, 03.04
- A1014/A1014M-10 Specification for Precipitation-Hardening Bolting (UNS N07718) for High Temperature Service, 01.01
- A1015-01(2009) Guide for Videoborescoping of Tubular Products for Sanitary Applications, 01.01
- A1016/A1016M-13 Specification for General Requirements for Ferritic Alloy Steel, Austenitic Alloy Steel, and Stainless Steel Tubes, 01.01
- A1017/A1017M-11 Specification for Pressure Vessel Plates, Alloy Steel,
 Chromium-Molybdenum-Tungsten, 01.04
 A1018/A1018M-10 Specification for Steel, Sheet and Strip, Heavy-Thickness
 Coils, Hot-Rolled, Carbon, Commercial, Drawing, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, and Ultra-High Strength, 01.03
- A1019/A1019M Withdrawn 2012; Specification for Closed Rib Steel Pipe with

Diameter of 36 in. [900 mm] or Less, Polymer Precoated for Sewers and Drains

- A1020/A1020M-02(2012) Specification for Steel Tubes, Carbon and Carbon Manganese, Fusion Welded, for Boiler, Superheater, Heat Exchanger and Condenser Applications, 01.01
- A1021/A1021M-05(2010) Specification for Martensitic Stainless Steel Forgings
- and Forging Stock for High-Temperature Service, 01.05

 A1022/A1022M-13 Specification for Deformed and Plain Stainless Steel Wire and Welded Wire for Concrete Reinforcement, 01.04

 A1023/A1023M-09^{c1} Specification for Stranded Carbon Steel Wire Ropes for
- General Purposes, 01.03
- A1024/A1024M-02(2012) Specification for Steel Line Pipe, Black, Plain-End, Seamless, 01.01
- A1025/A1025M-10 Specification for Ferroalloys and Other Alloying Materials, General Requirements, 01.02
- A1026 Withdrawn 2007; Specification for Alloy Steel Structural Shapes for Use
- A1028-03(2009) Specification for Stainless Steel Bars for Compressor and Turbine Airfoils, 01.03
 A1030/A1030M-11 Practice for Measuring Flatness Characteristics of Steel
- Sheet Products, 01.06

 A1031/A1031M-12 Specification for Steel, Sheet and Strip, Heavy-Thickness
- Coils, Alloy, Drawing Steel and Structural Steel, Hot-Rolled, 01.03

 A1032-04(2010) Test Method for Hydrogen Embrittlement Resistance for Steel
 Wire Hard Drawn Used for Prestressing Concrete Pipe, 01.04
- A1033-10 Practice for Quantitative Measurement and Reporting of
- Hypoeutectoid Carbon and Low-Alloy Steel Phase Transformations, 01.03 A1034/A1034M-10a Test Methods for Testing Mechanical Splices for Steel Reinforcing Bars, 01.04
- A1035/A1035M-13b Specification for Deformed and Plain, Low-Carbon, Chromium, Steel Bars for Concrete Reinforcement, 01.04
 A1036-04(2009) Guide for Measuring Power Frequency Magnetic Properties of Flat-Rolled Electrical Steels Using Small Single Sheet Testers, 03.04
 A1037/A1037M-05(2012) Specification for Steel Line Pipe, Black, Furnace-
- Butt-Welded, 01.01
- A1038-10a Test Method for Portable Hardness Testing by the Ultrasonic Contact Impedance Method, 01.05
- A1039/A1039M-13 Specification for Steel, Sheet, Hot Rolled, Carbon, Commercial, Structural, and High-Strength Low-Alloy, Produced by Twin-Roll Casting Process, 01.03

- A1040-10 Guide for Specifying Harmonized Standard Grade Compositions for Wrought Carbon, Low-Alloy, and Alloy Steels, 01.05

 A1041/A1041M Withdrawn 2013; Specification for Pressure Vessel Plates, Alloy Steel, Higher Strength Chromium-Molybdenum-Tungsten

 A1042/A1042M-04(2009) Specification for Composite Corrugated Steel Pipe for Sewers and Drains, 01.06
- A1043/A1043M-05(2009) Specification for Structural Steel with Low Yield to Tensile Ratio for Use in Buildings, 01.04
 A1044/A1044M-05(2010) Specification for Steel Stud Assemblies for Shear Reinforcement of Concrete, 01.04
- A1045-10 Specification for Flexible Poly (Vinyl Chloride) (PVC) Gaskets used in Connection of Vitreous China Plumbing Fixtures to Sanitary Drainage
- Systems, **01.02 A1046/A1046M-10a**^{c1} Specification for Steel Sheet, Zinc-Aluminum-
- Magnesium Alloy-Coated by the Hot-Dip Process, 01.06
 7/A1047M-05(2009) Test Method for Pneumatic Leak Testing of Tubing, A1047/A1047M-05(2009) 01.01
- A1048/A1048M-06(2011) Specification for Pressure Vessel Forgings, Alloy Steel, Higher Strength Chromium-Molybdenum-Tungsten for Elevated Temperature Service, 01.05
- A1049/A1049M-10 Specification for Stainless Steel Forgings, Ferritic/ Austenitic (Duplex), for Pressure Vessels and Related Components, 01.05 A1053/A1053M-12 Specification for Welded Ferritic-Martensitic Stainless Steel
- Pipe, **01.01 A1054-07** Spec
- Specification for Sintered Ceramic Ferrite Permanent Magnets, 03.04 A1055/A1055M-10^{€1} Specification for Zinc and Epoxy Dual-Coated Steel
- Reinforcing Bars, 01.04
- A1056-12 Specification for Cast Iron Couplings Used for Joining Hubless Cast Iron Soil Pipe and Fittings, 01.02
 A1057/A1057M-08 Specification for Steel, Structural Tubing, Cold Formed, Welded, Carbon, Zinc-Coated (Galvanized) by the Hot-Dip Process, 01.06
 A1058-12b Test Methods for Mechanical Testing of Steel Products—Metric, 01.01, 01.02, 01.03, 01.04, 01.05
- 01.01, 01.02, 01.03, 01.04, 01.05

 A1059/A1059M-08(2013) Specification for Zinc Alloy Thermo-Diffusion Coatings (TDC) on Steel Fasteners, Hardware, and Other Products, 01.06

 A1060/A1060M-11c1 Specification for Zinc-Coated (Galvanized) Steel Welded Wire Reinforcement, Plain and Deformed, for Concrete, 01.04

 A1061/A1061M-09 Test Methods for Testing Multi-Wire Steel Strand, 01.04

 A1062-10 Specification for Steel Castings Sampling, 01.02

 A1063/A1063M-11a Specification for Steel Sheet, Twin-Roll Cast, Zinc-Coated

- ((Galvanized) by the Hot-Dip Process, 01.06
 A1064/A1064M-13 Specification for Carbon-Steel Wire and Welded Wire
- A1064/A1064M-13 Specification for Carbon-Steel Wire and welded Wire Reinforcement, Plain and Deformed, for Concrete, 01.04

 A1065/A1065M-09 Specification for Cold-Formed Electric-Fusion (Arc) Welded High-Strength Low-Alloy Structural Tubing in Shapes, with 50 ksi 345 MPa Minimum Yield Point, 01.01

 A1066/A1066M-11 Specification for High-Strength Low-Alloy Structural Steel Plate Produced by Thermo-Mechanical Controlled Process (TMCP), 01.04
- A1067/A1067M-12a Specification for Test Coupons for Steel Castings, 01.02

A1068 A1088

- A1068-10 Practice for Life-Cycle Cost Analysis of Corrosion Protection Systems on Iron and Steel Products, 01.06
- A1069/A1069M-11 Specification for Laser-Fused Stainless Steel Bars, Plates, and Shapes, 01.03
- A1071/A1071M-11 Test Method for Evaluating Hygrothermal Corrosion
 Resistance of Permanent Magnet Alloys, 03.04
 A1072/A1072M-11 Specification for Zinc-5 % Aluminum (Hot-Dip) Coatings on
- Iron and Steel Products, 01.06

 A1073/A1073M-12

 Practice for Using Hand Micrometers to Measure the
- Thickness of Nonmetallic and Metallic-Coated Steel Sheet, 01.06
- A1074-11 Specification for Hot Tin and Hot Tin/Lead Dip on Ferrous and Non-Ferrous Metals, 01.06
- A1075-12 Specification for Flanged Steel U-Channel Posts, 01.05 A1076/A1076M-13 Specification for Cold Formed Carbon Structural Steel Tubing Made from Metallic Precoated Sheet Steel, 01.01
- A1077/A1077M-12 Specification for Structural Steel with Improved Yield
- Strength at High Temperature for Use in Buildings, 01.04
 A1078/A1078M-12 Specification for Epoxy-Coated Steel Dowels for Concrete Pavement, 01.04
- A1079-13^{c2} Specification for Steel Sheet, Complex Phase (CP), Dual Phase

- (DP) and Transformation Induced Plasticity (TRIP), Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process, **01.06**
- A1080-12 Practice for Hot Isostatic Pressing of Steel, Stainless Steel, and
- Related Alloy Castings, 01.02
 A1081/A1081M-12 Test Method for Evaluating Bond of Seven-Wire Steel Prestressing Strand, 01.04
- A1082/A1082M-12 Specification for High Strength Precipitation Hardening and Duplex Stainless Steel Bolting for Special Purpose Applications, 01.01
 A1083/A1083M-12 Specification for Steel, Sheet, Cold-Rolled, Carbon,
- Structural, High-Strength Low-Alloy, Produced by Twin-Roll Casting Process, **01.03**
- A1084-13 Test Method for Detecting Detrimental Phases in Lean Duplex Austenitic/Ferritic Stainless Steels, 01.03
- A1085-13 Specification for Cold-Formed Welded Carbon Steel Hollow Structural Sections (HSS), 01.01
- A1086-13 Specification for Thin-Gauge Nonoriented Electrical Steel Fully Processed Types, 03.04
- A1088-13 Specification for Steel, Sheet, Cold-Rolled, Complex Phase (CP), Dual Phase (DP) and Transformation Induced Plasticity (TRIP), 01.03

B. NONFERROUS METALS

- B1-13 Specification for Hard-Drawn Copper Wire, 02.03
- Specification for Medium-Hard-Drawn Copper Wire, 02.03
- B3-13 Specification for Soft or Annealed Copper Wire, 02.03
 B4 Withdrawn 1981; Specification Tough-Pitch Lake Copper-Refinery Shapes
 B5-11 Specification for High Conductivity Tough-Pitch Copper Refinery
- Shapes, **02.01 B6-13** Specification for Zinc, **02.04**
- Withdrawn 1941; Specification for Copper-Base Alloys in Ingot Form for Sand Castings; Replaced by B30
- Specification for Concentric-Lay-Stranded Copper Conductors, Hard, Medium-Hard, or Soft, 02.03
- B9-90(2012) Specification for Bronze Trolley Wire, 02.03
- B10 Withdrawn 1934; Specification for Tin-Bronze and Leaded Tin-Bronze
- Sand Castings Withdrawn 1981; Specification for Copper Plates for Locomotive B11 Fireboxes
- B12 Withdrawn 1982; Specification for Copper Rods for Locomotive Staybolts; Replaced by B133
- Withdrawn 1961; Specification for Seamless Copper Boiler Tubes Withdrawn 1955; Specification for Seamless Brass Boiler Tubes B13
- B14
- Withdrawn 1939; Specification for Copper and Copper-Base Alloy Forging Rod, Bar, and Shapes; Replaced by B124
 B16M Withdrawn 1999; Replaced by B16/B16M
 B16/B16M-10 Specification for Free-Cutting Brass Rod, Bar and Shapes for
- Use in Screw Machines, 02.01
- Withdrawn 1927; Specification for Bronze Castings in the Rough for Locomotive Wearing Parts; Replaced by B66, B67
- Withdrawn 1942; Methods of Testing Chemical Analysis of Lead, Tin, and Base Solder Metal; Replaced by E46
- B19-10 Specification for Cartridge Brass Sheet, Strip, Plate, Bar, and Disks, 02.01
- Withdrawn 1940; Specification for Cartridge Brass Sheet, Strip, Plate, Bar, and Disks; Combined with B 19
- B21M Withdrawn 2001; Replaced by B21/B21M
- B21/B21M-12 Specification for Naval Brass Rod, Bar, and Shapes, 02.01 B22/B22M-13^{c1} Specification for Bronze Castings for Bridges and Turntal Specification for Bronze Castings for Bridges and Turntables, 02.01

- B23-00(2010) Specification for White Metal Bearing Alloys, 02.04

 B24 Withdrawn 1956; Specification for Aluminum Ingots for Remelting

 B25 Withdrawn 1946; Specification for Aluminum Alloy Sheet and Plate; Replaced by B209
- B26/B26M-12 Specification for Aluminum-Alloy Sand Castings, 02.02 Withdrawn 1943; Methods of Testing Chemical Analysis for Sulfur in Special Brasses and Bronzes; Replaced by E54
- B28 Withdrawn 1943; Methods of Testing Chemical Analysis of Special Brasses and Bronzes; Replaced by E54
 B29-03(2009) Specification for Refined Lead, 02.04
 B30-12 Specification for Copper Alloys in Ingot Form, 02.01

- Withdrawn 1932; Specification for Copper-Base Alloys in Ingot Form for Sand Casting; Replaced by B30
- B32-08 Specification for Solder Metal, 02.04
- B33-10 Specification for Tin-Coated Soft or Annealed Copper Wire for Electrical Purposes, 02.03
 B34 Redesignated 1945 E53; Method of Battery Assay of Copper Withdrawn 1942; Methods of Testing Chemical Analysis of Pig Lead;
- Replaced by E37
- B36/B36M-13 Specification for Brass Plate, Sheet, Strip, And Rolled Bar,
- B37-08(2013) Specification for Aluminum for Use in Iron and Steel Manufacture, **02.02**Withdrawn 1942; Methods of Testing Chemical Analysis of Slab Zinc
- (Spelter); Replaced by E40

 B39-79(2013) Specification for Nickel, 02.04

 B40 Withdrawn 1942; Photometric Methods for Chemical Analysis of
- Aluminum and Aluminum Base Alloys; Replaced by E34
- Withdrawn 1942; Method for Testing Chemical Analysis of Nickel; Replaced by E39
- Heplaced by E39

 B42-10 Specification for Seamless Copper Pipe, Standard Sizes, 02.01

 B43-09 Specification for Seamless Red Brass Pipe, Standard Sizes, 02.01

 B44 Withdrawn 1937; Specification for Copper and Copper-Alloy Seamless
 Condenser Tubes and Ferrule Stock; Replaced by B111

 B45 Withdrawn 1942; Methods for Testing Chemical Analysis of Brasses

 B46 Withdrawn 1943; Methods of Testing Chemical Analysis for Sulfur in
- Special Brasses and Bronzes; Replaced by E54
- B47-95a(2012) Specification for Copper Trolley Wire, 02.03
 B48-00(2011) Specification for Soft Rectangular and Square Bare Copper Wire for Electrical Conductors, 02.03
 B49-10 Specification for Copper Rod Drawing Stock for Electrical Purposes,
- Withdrawn 1937; Specification for Non-Ferrous Insect Screen Cloth Withdrawn 1945; Specification for Phospher Tin
- Withdrawn 1980; Specification for Phosphor Copper; Replaced by B644 B52 B53
- Withdrawn 1980; Specification for Filosphol Copper, Replaced by B644 Withdrawn 1980; Specification for Silicon Copper; Replaced by B644 Withdrawn 1941; Specification for High-Strength Yellow Brass (Manganese Bronze) and Leaded High-Strength Yellow Brass (Leaded Manganese Bronze) Sand Castings Withdrawn 1937; Specification for Seamless 70-30 Brass Condenser
- Tubes and Ferrule Stock

- Withdrawn 1937; Specification for Seamless Muntz Metal Condenser Tubes and Ferrule Stock; Replaced by B111
- Withdrawn 1942; Specification for Copper-Alloy Condenser Tube Plates;
- Replaced by B171
 Withdrawn 1946; Specification for Aluminum-Base Alloys in Ingot Form for B58 Sand Castings; Replaced by B179
 Withdrawn 1941; Specification for Aluminum-Bronze Sand Castings;
- Replaced by B148
- Withdrawn 1944; Specification for Tin-Bronze and Leaded Tin-bronze Sand Castings; Replaced by B143
- B61-08(2013) Specification for Steam or Valve Bronze Castings, 02.01 B62-09
- Specification for Composition Bronze or Ounce Metal Castings, 02.01
- B63-07(2013) Test Method for Resistivity of Metallically Conducting Resistance and, 02.04

 B64 Withdrawn 1952; Specification for Brazing Solder

 Withdrawn 1938; Specification for Lead Yellow Brass Sand Castings for Castings fo
- General Purposes

 B66-06(2013)^{c1} Specification for Bronze Castings for Steam Locomotive Wearing Parts, 02.01
- B67-05(2011) Specification for Car and Tender Journal Bearings, Lined, 02.01 B68M Withdrawn 2011; Specification for Seamless Copper Tube, Bright Annealed [Metric]
- B68/B68M-11 Specification for Seamless Copper Tube, Bright Annealed, 02.01
- B69-13 Specification for Rolled Zinc, 02.04
- B69-13 Specification for Rolled Zinc, 02.04
 B70-90(2013) Test Method for Change of Resistance With Temperature of Metallic Materials for Electrical Heating, 02.04
 B71 Withdrawn 1942; Methods of Testing Chemical Analysis of Nickel-Chromium and Nickel-Chromium-Iron Alloys
 B72 Withdrawn 1977; Specification for Fire-Refined Casting Copper
 B73 Withdrawn 1953; Specification for Silver Solders
 B74 Withdrawn 1941; Specification for High-Leaded Tin-Bronze Sand Castings
 B75/B75M-11 Specification for Seamless Copper Tube, 02.01
 B76-90(2013) Test Method for Accelerated Life of Nickel-Chromium and Nickel-Chromium-Iron Alloys for Electrical Heating 02.04

- Nickel-Chromium-Iron Alloys for Electrical Heating, 02.04
- B77-07(2013) Test Method for Thermoelectric Power of Electrical-Resistance Alloys, 02.04

 B78-90(2013) Test Method of Accelerated Life of Iron-Chromium-Aluminum Alloys for Electrical Heating, 02.04
- Withdrawn 1946; Specification for Aluminum and Aluminum Alloy Sheet and Plate; Replaced by B209
- B80-09 Specification for Magnesium-Alloy Sand Castings, 02.02
- Withdrawn 1944; Methods of Chemical Analysis of Silver Solders; Replaced by E56
- Withdrawn 1959; Specification for Drawn or Rolled Alloy 80 Percent Nickel, 20 Percent Chromium, for Electrical-Heating Elements; Replaced hv B344
- Withdrawn 1959; Specification for Drawn or Rolled Alloy, 60 Percent Nickel, 16 Percent Chromium, and Balance Iron, for Electrical-Heating Elements; Replaced by B344
- B84-07(2013) Test Method for Temperature-Resistance Constants of Alloy Wires for Precision Resistors, 02.04

 B85/B85M-13 Specification for Aluminum-Alloy Die Castings, 02.02
- B86-13 Specification for Zinc and Zinc-Aluminum (ZA) Alloy Foundry and Die Castings, 02.04
- Withdrawn 1938; Specification for Hard-Drawn Copper Transmission Cable; Replaced by B8
- B88-09 Specification for Seamless Copper Water Tube, 02.01
 B88M-13 Specification for Seamless Copper Water Tube (Metric), 02.01 B89 Withdrawn 1946; Specification for Aluminum and Aluminum- Alloy Bars, Rods, and Wire; Replaced by B211
 B90M Withdrawn 1993; Replaced by B90/B90M
 B90/B90M-13 Specification for Magnesium-Alloy Forgings, 02.02
 B91-12 Specification for Magnesium-Alloy Forgings, 02.02

- B92M Withdrawn 1990; Replaced by B92/B92M
- B92/B92M-11 Specification for Unalloyed Magnesium Ingot and Stick For Remelting, 02.02
- B93M Withdrawn 1990; Replaced by B93/B93M
- B93/B93M-09 Specification for Magnesium Alloys in Ingot Form for Sand Castings, Permanent Mold Castings, and Die Castings, 02.02

 B94-13 Specification for Magnesium-Alloy Die Castings, 02.02

 B95 Withdrawn 1985; Method of Testing Linear Expansion of Metals;
- Replaced by E2284
- B96M Withdrawn 1999; Replaced by B96/B96M
- B96/B96M-11 Specification for Copper-Silicon Alloy Plate, Sheet, Strip, and Rolled Bar for General Purposes and Pressure Vessels, 02.01

 B97 Withdrawn 1982; Specification for Copper-Silicon Alloy Plate, Sheet, Strip, and Rolled Bar for General Purposes; Combined with B 96

 B98M Withdrawn 1998; Replaced by B98/B98M
- B98/B98M-13 Specification for Copper-Silicon Alloy Rod, Bar and Shapes,
- 02.01
- B99M Withdrawn 1996; Replaced by B99/B99M
- B99/B99M-11 Specification for Copper-Silicon Alloy Wire for General
- Applications, **02.01**B100-13 Specification for Wrought Copper-Alloy Bearing and Expansion Plates and Sheets for Bridge and Other Structural Use, **02.01**B101-12 Specification for Lead-Coated Copper Sheet and Strip for Building
- Construction, 02.01

B102 **B187M**

- B102 Withdrawn 2011; Specification for Lead- and Tin-Alloy Die Castings B103/B103M-10 Specification for Phosphor Bronze Plate, Sheet, Strip, and Rolled Bar, 02.01
- B104 Withdrawn 1937; Specification for Seamless Copper-Nickel Alloy Condenser Tubes and Ferrule Stock; Replaced by B111
- B105-05(2012) Specification for Hard-Drawn Copper Alloy Wires for Electric Conductors, 02.03
- B106-08(2013) Test Methods for Flexivity of Thermostat Metals, 02.04
 B107M Withdrawn 1992; Replaced by B107/B107M
 B107/B107M-13 Specification for Magnesium-Alloy Extruded Bars, Rods,
 Profiles, Tubes, and Wire, 02.02
 B108/B108M-12^{c1} Specification for Aluminum-Alloy Permanent Mold Castings,
- 02.02
- B109 Withdrawn 1946; Specification for Aluminum and Aluminum Alloy Sheet and Plate; Replaced by B209
- B110 Withdrawn 1982; Method of Testing Dielectric Strength of Anodically Coated Aluminum
- B111M Withdrawn 2004; Specification for Copper and Copper-Alloy Seamless
- Condenser Tubes and Ferrule Stock [Metric]

 B111/B111M-11 Specification for Copper and Copper-Alloy Seamless
 Condenser Tubes and Ferrule Stock, 02.01

 B112 Withdrawn 1946; Specification for Aluminum-Base Alloys in Ingot Form
- for Sand Die Castings; Replaced by B179
 B113 Redesignated 1954 F113; Method for Bend Testing of Wire (Wire for
- Radio Tubes and Incandescent Lamps)
- B114-07(2013) Test Method for Temperature-Resistance Constants of Sheet Materials for Shunts and Precision Resistors, 02.04
- B115-10 Specification for Electrolytic Copper Cathode, 02.01
- B116-95(2012) Specification for Figure-9 Deep-Grooved and Figure-8 Copper
- Trolly Wire for Industrial Haulage, 02.03

 B117-11 Practice for Operating Salt Spray (Fog) Apparatus, 03.02

 B118 Withdrawn 1948; Specification for Nickel and Nickel-Alloy Wire and Ribbon for Electronic Tube Filaments
- B119 Withdrawn 1976: Classification of Cast Copper-Base Alloys: Replaced by B30, B584
- Withdrawn 1940; Specification for Copper-Base Alloys in Ingot Form for B120 Sand Casting; Replaced by B30
- B121/B121M-11 Specification for Leaded Brass Plate, Sheet, Strip, and Rolled Bar, 02.01
- B122/B122M-11 Specification for Copper-Nickel-Tin Alloy, Copper-Nickel-Zinc Alloy (Nickel Silver), and Copper-Nickel Alloy Plate, Sheet, Strip, and Rolled Bar, 02.01
- Withdrawn 1939; Specification for Copper-Bse Alloys in Ingot Form for
- Sand Castings; Replaced by B30 B124M Withdrawn 2000; Replaced by B124/B124M
- B124/B124M-13 Specification for Copper and Copper Alloy Forging Rod, Bar, and Shapes, 02.01
- B125 Withdrawn 1946; Specification for Aluminum-Base Alloys in Ingot Form for Sand Castings, Die Castings, and Permanent Mold Castings, Replaced by B179
- B126 Withdrawn 1947; Specification for Aluminum-Manganese Alloy Sheet and Plate for Use in Welded Pressure Vessels; Replaced by B209
- B127-05(2009) Specification for Nickel-Copper Alloy (UNS N04400) Plate, Sheet, and Strip, 02.04
- Withdrawn 1955; Methods of Testing Sleeves and Tubing for Radio Tube B128 Cathodes
- Specification for Cartridge Brass Cartridge Case Cups, **02.01**Specification for Commercial Bronze Strip for Bullet Jackets, **02.01** B129-12 B130-13
- Specification for Copper Alloy Bullet Jacket Cups, 02.01
- B132 Withdrawn 1973; Specification for Leaded High-Strength Yellow Brass
- (Maganese Bronze) Sand Castings; Replaced by B584
- B133 Withdrawn 1994; Specification for Copper Rod, Bar, And Shapes;
- Replaced by B187
 B133M Withdrawn 1994; Specification for Copper Rod, Bar, And Shapes [Metric]; Replaced by B187M
 B134/B134M-08 Specification for Brass Wire, 02.01
- B135-10 Specification for Seamless Brass Tube, 02.01
- B135M-10 Specification for Seamless Brass Tube Metric, 02.01
- B136-84(2013) Method for Measurement of Stain Resistance of Anodic
- Coatings on Aluminum, 02.05
 B137-95(2009) Test Method for Measurement of Coating Mass Per Unit Area on Anodically Coated Aluminum, 02.05
 B138M Withdrawn 2001; Replaced by B138/B138M
- B138/B138M-11 Specification for Manganese Bronze Rod, Bar, and Shapes,
- 02.01
- B139M Withdrawn 2001; Replaced by B139/B139M
- B139/B139M-12 Specification for Phosphor Bronze Rod, Bar, and Shapes, 02.01
- B140M Withdrawn 1997; Replaced by B140/B140M
 B140/B140M-12 Specification for Copper-Zinc-Lead (Red Brass or Hardware Bronze) Rod, Bar, and Shapes, **02.01**
- B141 Withdrawn 1967; Specification for Electrodeposited Coatings of Nickel and Chromium on Copper and Copper-Base Alloys; Replaced by B456
- B142 Withdrawn 1967; Specification for Electrodeposited Coatings of Nickel and Chromium on Zinc and Zinc-Base Alloys; Replaced by B456 B143 Withdrawn 1973; Specification for Tin-Bronze and Leaded Tin-Bronze
- Sand Castings; Replaced by B584
 B144 Withdrawn 1973; Specification for High-Leaded Tin-Bronze Sand
- Castings; Replaced by B584
- B145 Withdrawn 1973; Specification for Leaded Red Brass and Leaded

Semi-Red Brass Sand Castings; Replaced by B584

- B146 Withdrawn 1973; Specification for Leaded Yellow Brass Sand Castings for General Purposes; Replaced by B584
- B147 Withdrawn 1973; Specification for High-Strength Yellow Brass (Manganese Bronze) and Leaded High-Strength Yellow Brass (Leaded Manganese Bronze) Sand Castings; Replaced by B584
- B148-97(2009) Specification for Aluminum-Bronze Sand Castings, 02.01 B149 Withdrawn 1973; Specification for Leaded Nickel-Brass (Leaded Nickel-Silver) and Leaded Nickel-Bronze (Leaded Nickel-silver); Replaced by B584
- B150M Withdrawn 2002; Replaced by B150/B150M
- B150/B150M-12 Specification for Aluminum Bronze Rod, Bar, and Shapes, 02.01
- B151M Withdrawn 2000; Replaced by B151/B151M
- B151/B151M-13 Specification for Copper-Nickel-Zinc Alloy (Nickel Silver) and Copper-Nickel Rod and Bar, 02.01
- B152M Withdrawn 2000; Replaced by B152/B152M
- B152/B152M-13 Specification for Copper Sheet, Strip, Plate, and Rolled Bar, 02.01
- B153-11 Test Method for Expansion (Pin Test) of Copper and Copper-Alloy
- Pipe and Tubing, **02.01 B154-12** Test Method for Mercurous Nitrate Test for Copper Alloys, **02.01** *B155* Redesignated 1954 F155; Method of Test for Temper of Strip and Sheet Metals for Electronic Devices (Spring-Back Method)
- Withdrawn 1948; Method of Testing Local Thickness of Electrodeposited Coatings; Replaced by F219
- B157 Withdrawn 1955; Methods of Testing Wire for Supports Used in Electronic Devices and Lamps
- B158 Withdrawn 1942; Specification for Rope-Lay-Stranded Copper Conductors Having Bunch-Stranded Members for Electrical Conductors; Replaced by B172, B173, B174 M Withdrawn 2001; Replaced by B159/B159M
- B159M
- B159/B159M-11 Specification for Phosphor Bronze Wire, 02.01 B160-05(2009)^{c1} Specification for Nickel Rod and Bar, 02.04
- B161-05(2009) Specification for Nickel Seamless Pipe and Tube, **02.04**
- Specification for Nickel Plate, Sheet, and Strip, 02.04 B162-99(2009)
- B163-1161 Specification for Seamless Nickel and Nickel Alloy Condenser and Heat-Exchanger Tubes, 02.04
- B164-03(2008) Specification for Nickel-Copper Alloy Rod, Bar, and Wire, 02.04
- B165-05(2009) Specification for Nickel-Copper Alloy (UNS N04400) Seamless Pipe and Tube, 02.04
- B166-11 Specification for Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06095, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Rod, Bar, and Wire, 02.04
- B167-11 Specification for Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Seamless Pipe and Tube, 02.04
- B168-11 Specification for Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), and Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674) Plate, Sheet, and Strip, **02.04**
- B169M Withdrawn 2001; Replaced by B169/B169M B169/B169M-10 Specification for Aluminum Bronze Sheet, Strip, and Rolled Bar, 02.01
- B170-99(2010)^{c1} Specification for Oxygen-Free Electrolytic Copper—Refinery Shapes, 02.01
- B171M Withdrawn 1999; Replaced by B171/B171M
- B171/B171M-12 Specification for Copper-Alloy Plate and Sheet for Pressure
- Vessels, Condensers, and Heat Exchangers, **02.01 B172-10** Specification for Rope-Lay-Stranded Copper Conductors Having Bunch-Stranded Members, for Electrical Conductors, **02.03**
- B173-10 Specification for Rope-Lay-Stranded Copper Conductors Having Concentric-Stranded Members, for Electrical Conductors, 02.03
- B174-10 Specification for Bunch-Stranded Copper Conductors for Electrical Conductors, 02.03
- Withdrawn 1955; Specification for Round Nickel Wire for Lamps and Electric Devices
- B176-08(2013) Specification for Copper-Alloy Die Castings, 02.01
 B177/B177M-11 Guide for Engineering Chromium Electroplating, 02.05
 B178 Withdrawn 1957; Specification for Aluminum-Alloy Sheet and Plate for Pressure Vessel Application; Replaced by B209
- B179-11^{c1} Specification for Aluminum Alloys in Ingot and Molten Forms for Castings from All Casting Processes, 02.02

 B180 Redesignated 1954 - F180; Method of Test for Density of Fine Wire and
- Ribbon for Electronic Devices Withdrawn 1970; Method of Testing Effect of Controlled Atmospheres
- Upon Alloys in Electric Furnaces Withdrawn 1982; Method for Life Test of Electrical Contact Materials
- B183-79(2009) Practice for Preparation of Low-Carbon Steel for Electroplating, **ó2.05**
- B184 Withdrawn 1969; Specification for Aluminum and Aluminum-Alloy Metal Arc-Welding Electrodes
- B185 Withdrawn 1964: Method of Total Immersion Corrosion Test of Non-Ferrous Metals
- B186 Withdrawn 1946; Specification for Special Quality Zinc-Base Alloy Die Castings
- B187M Withdrawn 2002; Replaced by B187/B187M

B187/B187M **B269**

- B187/B187M-11 Specification for Copper, Bus Bar, Rod, and Shapes and General Purpose Rod, Bar, and Shapes, 02.01
- B188-10 Specification for Seamless Copper Bus Pipe and Tube, 02.01 B189-05(2010) Specification for Lead-Coated and Lead-Alloy-Coated Soft Copper Wire for Electrical Purposes, 02.03
- B190 Withdrawn 1961; Specification for Chromium-Nickel-Iron Alloy Castings (25-12 Class) for High-Temperature Service; Replaced by A447
- B191 Withdrawn 1956; Method of Testing Equivalent Yield Stress of Thermostat Metals; Replaced by B305
- Withdrawn 1964; Method of Alternate Immersion Corrosion Testing of Non-Ferrous Metals
- B193-02(2008) Test Method for Resistivity of Electrical Conductor Materials, 02.03
- B194-08 Specification for Copper-Beryllium Alloy Plate, Sheet, Strip, and Rolled Bar, 02.01
- B195 Withdrawn 1952; Specification for Copper-Beryllium Alloy Plate, Sheet, Strip, and Rolled Bar; Combined with B 194
 B196M Withdrawn 2001; Replaced by B196/B196M
 B196/B196M-07(2013) Specification for Copper-Beryllium Alloy Rod and Bar,
- 02.01
- B197M Withdrawn 1998; Replaced by B197/B197M
- B197/B197M-07(2013) Specification for Copper-Beryllium Alloy Wire, 02.01
 B198 Withdrawn 1973; Specification for Silicon Bronze and Silicon Brass Sand Castings; Replaced by B584
- B199-12 Specification for Magnesium-Alloy Permanent Mold Castings, 02.02 B200-85(2009) Specification for Electrodeposited Coatings of Lead and Lead-Tin Alloys on Steel and Ferrous Alloys, 02.05
- B201-80(2009)^{€1} Practice for Testing Chromate Coatings on Zinc and Cadmium Surfaces, **02.05**
- B202 Withdrawn 1973; Specification for Metal Powder Sintered Bearings (Oil Impregnated); Replaced by B438, B439
- B203 Withdrawn 1955; Method of Testing Strength of Welded Joints of Lead
- Wires for Electronic Devices and Lamps

 B204 Redesignated 1954 F204; Method of Test for Surface Flaws in

 Tungsten Seal Rod and Wire

 B205 Redesignated 1954 F205; Method of Test for Diameter by Weighing of
- Fine Wire Used in Electronic Devices and Lamps
- B206M Withdrawn 1997; Replaced by B206/B206M
- B206/B206M-12 Specification for Copper-Nickel-Zinc (Nickel Silver) Wire and Copper-Nickel Alloy Wire, 02.01
- Redesignated A448
- B208-06 Practice for Preparing Tension Test Specimens for Copper Alloy Sand, Permanent Mold, Centrifugal, and Continuous Castings, 02.01
- Specification for Aluminum and Aluminum-Alloy Sheet and Plate, 02.02
- B209M-10 Specification for Aluminum and Aluminum-Alloy Sheet and Plate (Metric), 02.02
- B210-12 Specification for Aluminum and Aluminum-Alloy Drawn Seamless Tubes, 02.02
- B210M-12 Specification for Aluminum and Aluminum-Alloy Drawn Seamless Tubes (Metric), 02.02 B211-12^{€1}
- -12^{€1} Specification for Aluminum and Aluminum-Alloy Rolled or Cold Finished Bar, Rod, and Wire, **02.02**
- **B211M-12**^{€1} Specification for Aluminum and Aluminum-Alloy Rolled or Cold-Finished Bar, Rod, and Wire (Metric), 02.02
- B212-13 Test Method for Apparent Density of Free-Flowing Metal Powders Using the Hall Flowmeter Funnel, 02.05
 B213-13 Test Methods for Flow Rate of Metal Powders Using the Hall
- Flowmeter Funnel, 02.05
- B214-07(2011) Test Method for Sieve Analysis of Metal Powders, 02.05
- B215-10 Practices for Sampling Metal Powders, 02.05
 B216-10 Specification for Tough-Pitch Fire-Refined Copper—Refinery Shapes,
- 02.01 Withdrawn 1965; Specification for Magnesium-Base Alloy Extruded
- Tubes: Combined with B 107 B218 Redesignated 1954 - F218; Method for Measuring Residual Stress In
- Cylindrical Metal-to-Glass Seals
- Redesignated 1954 F219; Methods of Testing Fine Round and Flat Wire for Electronic Devices
- B220 Withdrawn 1955; Methods of Tension Testing Metallic Materials
- B221-13 Specification for Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes, 02.02
- B221M-13 Specification for Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes (Metric), **02.02**B222 Withdrawn 1989; Specification for Sintered Iron-Copper Structural Parts;
- Replaced by B783

 B223-08(2013) Test Method for Modulus of Elasticity of Thermostat Metals
- (Cantilever Beam Method), 02.04
- B224-10 Classification of Coppers, 02.01
- B225 Withdrawn 1969; Specification for Copper and Copper-Alloy Arc-Welding Electrodes
- B226-11 Specification for Cored, Annular, Concentric-Lay-Stranded Copper Conductors, 02.03
- B227-10 Specification for Hard-Drawn Copper-Clad Steel Wire, 02.03
 B228-11a Specification for Concentric-Lay-Stranded Copper-Clad Steel
- Conductors, 02.03
- B229-12 Specification for Concentric-Lay-Stranded Copper and Copper-Clad Steel Composite Conductors, 02.03
- B230M Withdrawn 1999; Replaced by B230/B230M

- B230/B230M-07(2012) Specification for Aluminum 1350-H19 Wire for Electrical Purposes, 02.03
- B231M Withdrawn 1999; Replaced by B231/B231M
- B231/B231M-12 Specification for Concentric-Lay-Stranded Aluminum 1350 Conductors, 02.03
- B232M Withdrawn 1999; Replaced by B232/B232M
- B232/B232M-11 Specification for Concentric-Lay-Stranded Aluminum Conductors, Coated-Steel Reinforced (ACSR), 02.03
- B233-97(2012) Specification for Aluminum 1350 Drawing Stock for Electrical Purposes, 02.03
- B234-10 Specification for Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers, 02.02
- B234M-10 Specification for Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers (Metric), 02.02
- B235 Withdrawn 1963; Specification for Aluminum Alloy Extruded Tubes; Combined with B 221
- B236-07 Specification for Aluminum Bars for Electrical Purposes (Bus Bars), 02.02
- B236M-07 Specification for Aluminum Bars for Electrical Purposes (Bus Bars) (Metric), 02.02
- B237-01(2010) Specification for Refined Antimony, 02.04
 B238 Redesignated 1954 F238; Recommended Practice for Cathode Melt
 Prove-in Testing
- B239 Redesignated 1954 F239; Specification for Circular Cross-Section Nickel Cathode Sleeves for Electronic Devices
- B240-13 Specification for Zinc and Zinc-Aluminum (ZA) Alloys in Ingot Form for Foundry and Die Castings, 02.04
- B241/M Withdrawn 1987; Replaced by B241/B241M
 B241/B241M-12^{c1} Specification for Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube, 02.02
- B242-99(2009) Guide for Preparation of High-Carbon Steel for Electroplating, 02.05
- B243-13 Terminology of Powder Metallurgy, 02.05
 B244-09 Test Method for Measurement of Thickness of Anodic Coatings on Aluminum and of Other Nonconductive Coatings on Nonmagnetic Basis Metals with Eddy-Current Instruments, 02.05
- B245 Withdrawn 1969; Specification for Standard Weight Zinc-Coated (Galvanized) Steel Core Wire for Aluminum Conductors, Steel Reinforced (ACSR); Replaced by B498
- B246-05(2010) Specification for Tinned Hard-Drawn and Medium-Hard-Drawn Copper Wire for Electrical Purposes, 02.03
- B247-09 Specification for Aluminum and Aluminum-Alloy Die Forgings, Hand Forgings, and Rolled Ring Forgings, 02.02
 B247M-09 Specification for Aluminum and Aluminum-Alloy Die Forgings, Hand
- Forgings, and Rolled Ring Forgings (Metric), **02.02 B248-12** Specification for General Requirements for Wrought Copper and
- Copper-Alloy Plate, Sheet, Strip, and Rolled Bar, 02.01
- B248M-12 Specification for General Requirements for Wrought Copper and Copper-Alloy Plate, Sheet, Strip, and Rolled Bar (Metric), 02.01
- B249M Withdrawn 2000; Replaced by B249/B249M B249/B249M-12 Specification for General Requirements for Wrought Copper
- and Copper-Alloy Rod, Bar, Shapes and Forgings, 02.01 B250M Withdrawn 2001; Replaced by B250/B250M
 B250/B250M-13 Specification for General Requirements for Wrought Copper
- Alloy Wire, **02.01 B251-10** Specification for General Requirements for Wrought Seamless
- Copper and Copper-Alloy Tube, **02.01**
- B251M-10 Specification for General Requirements for Wrought Seamless Copper and Copper-Alloy Tube (Metric), 02.01
- B252-92(2009) Guide for Preparation of Zinc Alloy Die Castings for Electroplating and Conversion Coatings, 02.05
- B253-11 Guide for Preparation of Aluminum Alloys for Electroplating, 02.05
 B254-92(2009) Practice for Preparation of and Electroplating on Stainless
 Steel, 02.05
- Withdrawn 2000; Specification for Sintered Bronze Structural Parts B255 Redesignated 1954 - F256; Specification for 17 % Chromium-Iron Alloy for Sealing to Glass
- Redesignated 1954 F257; Specification for 28 % Chromium-Iron Alloy for Sealing to Glass
- B258-02(2008) Specification for Standard Nominal Diameters and Cross-Sectional Areas of AWG Sizes of Solid Round Wires Used as Electrical Conductors, **02.03**
- B259 Withdrawn 1969; Specification for Copper and Copper-Alloy Welding Rods
- B260 Withdrawn 1969; Specification for Brazing Filler Metal B261 Withdrawn 1969; Specification for Zinc-Coated (Galvanized) Steel Core
- Withdrawn 1969; Specification for Zinc-Coated (Galvanized) Steel Core
 Wire (with Coatings Heavier than Standard Weight) for Aluminum
 Conductors, Steel Reinforced (ACSR); Replaced by B498
 B262 Withdrawn 1978; Specification for Aluminum Wire, EC-H16 or -H26, for
 Electrical Purposes; Replaced by B609
 B263/B263M-04(2010)^{c1} Test Method for Determination of Cross-Sectional
 Area of Stranded Conductors, 02.03
 B264 Withdrawn 1975; Capifestion 20.03

- B264 Withdrawn 1955; Specification for Titanium Ingot
- B265-13a^{c1} Specification for Titanium and Titanium Alloy Strip, Sheet, and Plate, **02.04**
- B266 Withdrawn 1955; Specification for Iodide Titanium
 B267-07(2013) Specification for Wire for Use In Wire-Wound Resistors, 02.04
 B268 Redesignated 1954 F268; Specification for Round Chromium-Copper Wire for Electronic Devices
- Redesignated 1954 F269; Method of Test for Sag of Tungsten Wire

B270 B362

- B270 Redesignated 1954 F270; Method of Test for Relative Thermionic Emissive Properties of Materials Used in Electron Tubes
- B271/B271M-11⁶¹ Specification for Copper-Base Alloy Centrifugal Castings,
- B272-12 Specification for Copper Flat Products with Finished (Rolled or Drawn) Edges (Flat Wire and Strip), 02.01
- B273 Withdrawn 1957; Specification for Aluminum and Aluminum-Alloy Bars, Rods, and Shapes for Pressure Vessel Applications; Replaced by B211, B221, B308/B308M
- B274 Withdrawn 1957; Specification for Aluminum and Aluminum-Alloy Pipe and Tube for Pressure Vessel Applications; Replaced by B210

 B275-13^{c1} Practice for Codification of Certain Nonferrous Metals and Alloys,
- Cast and Wrought, 02.04
- B276-05(2010) Test Method for Apparent Porosity in Cemented Carbides, 02.05
- B277-95(2012) Test Method for Hardness of Electrical Contact Materials, 02.04
- B278 Redesignated 1954 F278; Method of Test for Sublimation Characteristics of Metallic Materials by Electrical Resistance
- B279-13 Test Method for Stiffness of Bare Soft Square and Rectangular
- Copper and Aluminum Wire for Magnet Wire Fabrication, 02.03

 B280-13 Specification for Seamless Copper Tube for Air Conditioning and Refrigeration Field Service, 02.01
- B281-88(2013) Practice for Preparation of Copper and Copper-Base Alloys for Electroplating and Conversion Coatings, 02.05
- B282 Withdrawn 2000; Specification for Sintered Brass Structural Parts B283/B283M-12 Specification for Copper and Copper-Alloy Die Forgings (Hot-Pressed), 02.01
- B284 Withdrawn 1991; Specification for Rosin Flux-Core Solder B285 Withdrawn 1969; Specification for Aluminum and Aluminum-Alloy Welding Rods and Bare Electrodes
- B286-07(2012) Specification for Copper Conductors for Use in Hookup Wire for Electronic Equipment, 02.03
- B287 Withdrawn 1988; Method of Acetic Acid-Salt Spray (Fog) Testing B288 Redesignated 1954 F288; Specification for Tungsten Wire under 20
- mils in Diameter
- B289 Redesignated 1954 F289; Specification for Molybdenum Wire under 20 mils in Diameter
- B290 Redesignated 1954 - F290; Specification for Round Wire for Use as Electron Tube Grid Laterals and Verticals
- B291 Withdrawn 1992; Specification for Copper-Zinc-Manganese Alloy (Manganese Brass) Sheet and Strip
- B292 Withdrawn 1973; Specification for Nickel-Tin Bronze Castings; Replaced
- by B584 Withdrawn 1985; Method of Subsieve Analysis of Granular Metal B293 Powders by Air Classification
- B294-10 Test Method for Hardness Testing of Cemented Carbides, 02.05 B295 Withdrawn 1969; Specification for Nickel and Nickel-Alloy Covered Welding Electrodes
- B296-03(2014) Practice for Temper Designations of Magnesium Alloys, Cast and Wrought, 02.02
- Withdrawn 1969; Specification for Tungsten Arc-Welding Electrodes
- B298-12 Specification for Silver-Coated Soft or Annealed Copper Wire, 02.03
 B299-13 Specification for Titanium Sponge, 02.04
 B300 Redesignated 1054 F300; Test Method for Interface Impedance Characteristics of Tube Cathodes
- B301M Withdrawn 1999; Replaced by B301/B301M
- B301/B301M-13 Specification for Free-Cutting Copper Rod, Bar, Wire, and Shapes, 02.01
- B302-12 Specification for Threadless Copper Pipe, Standard Sizes, 02.01 B303 Withdrawn 1990; Specification for Copper-Infiltrated Sintered Carbon Steel Structural Parts; Replaced by B783
- B304 Withdrawn 1969; Specification for Nickel and Nickel-Alloy Bare Welding Rods and Electrodes
- Withdrawn 1986; Test Method for Maximum Loading Stress at Temperature of Thermostat Metals (Cantilever Beam Method) B305
- Specification for Copper Drainage Tube (DWV), 02.01 B306-13 B307 Withdrawn 1968; Specification for Aluminum-Alloy Drawn Seamless Coiled Tubes for Special Purpose Applications; Replaced by B210
- B308M Withdrawn 1991; Replaced by B308/B308M B308/B308M-10 Specification for Aluminum-Alloy 6061-T6 Standard Structural Profiles, 02.02
- B309 Withdrawn 1964; Specification for High Density Iron, Sintered Metal Powder Structural Parts; Combined with B 310
- B310 Withdrawn 1990; Specification for Sintered Carbon Steel Structural Parts; Replaced by B783
- B311-13 Test Method for Density of Powder Metallurgy (PM) Materials Containing Less Than Two Percent Porosity, 02.05
- B312-09 Test Method for Green Strength of Specimens Compacted from Metal Powders. 02.05
- B313M Withdrawn 1991; Replaced by B313/B313M
- B313/B313M-09 Specification for Aluminum and Aluminum-Alloy Round Welded Tubes, 02.02
- B314 Withdrawn 1994; Specification for Aluminum 1350 Wire for Communication Cable
- B315-12 Specification for Seamless Copper Alloy Pipe and Tube, 02.01
 B316M Withdrawn 1993; Replaced by B316/B316M
 B316/B316M-10 Specification for Aluminum and Aluminum-Alloy Rivet and
- Cold-Heading Wire and Rods, **02.02 B317/B317M-07** Specification for Aluminum-Alloy Extruded Bar, Rod, Tube,

- Pipe, Structural Profiles, and Profiles for Electrical Purposes (Bus Conductor), 02.02
- Withdrawn 1963; Specification for Type A and Type B Aluminum-Alloy Drawn Annealed Seamless Coiled Tubes; Combined with B 307
- B319-91(2009) Guide for Preparation of Lead and Lead Alloys for Electroplating, **02.05**
- B320-60(2013) Practice for Preparation of Iron Castings for Electroplating, 02.05
- B321 Withdrawn 1963; Recommended Practice for Dimension Standards for
- Projection Welding Contacts

 B322-99(2009) Guide for Cleaning Metals Prior to Electroplating, 02.05 B323 Withdrawn 1990; Specification for Aluminum Wire, EC-H14 or -H24, for
- Electrical Purposes; Replaced by B609 B324-01(2012) Specification for Aluminum Rectangular and Square Wire for Electrical Purposes, 02.03
- Withdrawn 1965; Specification for Refined Secondary Lead
- Withdrawn 1991; Test Method for Resistance Characteristics of Microcontacts
- B327-13a Specification for Master Alloys Used in Making Zinc Die Casting Alloys, 02.04
- Withdrawn 2009; Test Method for Density, Oil Content, and Intercon-nected Porosity of Sintered Metal Structural Parts and Oil-Impregnated Bearings; Replaced by B962 and B963 B328
- B329-06(2012) Test Method for Apparent Density of Metal Powders and Compounds Using the Scott Volumeter, 02.05
- B330-12 Test Methods for Estimating Average Particle Size of Metal Powders and Related Compounds Using Air Permeability, 02.05
- B331-10 Test Method for Compressibility of Metal Powders in Uniaxial Compaction, 02.05
- B332 Redesignated 1962 A494; Specification for Nickel-Molybdenum and Nickel-Molybdenum-Chromium Alloy Castings
- B333-03(2013) Specification for Nickel-Molybdenum Alloy Plate, Sheet, and Strip, **02.04**
- B334 Withdrawn 1980; Specification for Nickel-Molybdenum-Chromium Alloy (UNS N10002) Plate and Sheet
- B335-03(2013) Specification for Nickel-Molybdenum Alloy Rod, 02.04 B336 Withdrawn 1980; Specification for Nickel-Molybdenum-Chromium Alloy (UNS N10002) Rod
- B337 Withdrawn 1997; Specification for Seamless and Welded Titanium and Titanium Alloy Pipe; Replaced by B861 and B862
- B338-14 Specification for Seamless and Welded Titanium and Titanium Alloy Tubes for Condensers and Heat Exchangers, 02.04
- B339-12 Specification for Pig Tin, 02.04
 B340 Withdrawn 1991; Test Method for Surety of Make of Electrical Contact Materials
- B341/B341M Withdrawn 2007; Specification for Aluminum-Coated (Aluminized) Steel Core Wire for Aluminum Conductors, Steel Reinforced (ACSR/AZ)
- Withdrawn 1985; Test Method for Electrical Conductivity by Use of Eddy Currents; Replaced by E1004
- B343-92a(2009) Practice for Preparation of Nickel for Electroplating with Nickel, 02.05
- B344-11 Specification for Drawn or Rolled Nickel-Chromium and Nickel-Chromium-Iron Alloys for Electrical Heating Elements, 02.04
- B345M Withdrawn 1998—Combined with B 345
 B345/B345M-11 Specification for Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube for Gas and Oil Transmission and Distribution Piping Systems, 02.02
 Withdrawn 1966; Specification for Machinable High-Density Tungsten-
- Nickel-Copper Alloys
- B347 Withdrawn 1992; Test Method for Hardness of Sintered Metal Friction Materials
- B348-13 Specification for Titanium and Titanium Alloy Bars and Billets, 02.04 B349/B349M-09 Specification for Zirconium Sponge and Other Forms of Virgin Metal for Nuclear Application, 02.04
 B350/B350M-11 Specification for Zirconium and Zirconium Alloy Ingots for
- Nuclear Application, 02.04
- B351/B351M-13 Specification for Hot-Rolled and Cold-Finished Zirconium and Zirconium Alloy Bars, Rod, and Wire for Nuclear Application, 02.04
- B352/B352M-11 Specification for Zirconium and Zirconium Alloy Sheet, Strip,
- and Plate for Nuclear Application, 02.04

 B353-12 Specification for Wrought Zirconium and Zirconium Alloy Seamless and Welded Tubes for Nuclear Service (Except Nuclear Fuel Cladding), 02.04
- B354-12 Terminology Relating to Uninsulated Metallic Electrical Conductors, 02.03
- Specification for Nickel-Coated Soft or Annealed Copper Wire, 02.03 B355-11 B356 Withdrawn 1976; Specification for Zirconium and Zirconium Alloy
- Forgings and Extrusions for Nuclear Application
 B357 Withdrawn 1987; Specification for Remelted Lithium Metal in Ingot Form
 B358 Withdrawn 1980; Specification for Copper-Nickel Addition Alloy; Replaced by B644
- B359M Withdrawn 2002; Replaced by B359/B359M
- B359/B359M-12^{€1} Specification for Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins, 02.01
- B360-09 Specification for Hard-Drawn Copper Capillary Tube for Restrictor Applications, 02.01
- B361-08 Specification for Factory-Made Wrought Aluminum and Aluminum-
- Alloy Welding Fittings, 02.02

 B362-91(2008) Test Method for Mechanical Torque Rate of Spiral Coils of Thermostat Metal, 02.04

B363 B458

- B363-06a Specification for Seamless and Welded Unalloyed Titanium and
- Titanium Alloy Welding Fittings, 02.04

 B364-96(2009) Specification for Tantalum and Tantalum Alloy Ingots, 02.04 B365-12 Specification for Tantalum and Tantalum Alloy Rod and Wire, 02.04 B366-10a Specification for Factory-Made Wrought Nickel and Nickel Alloy Fittings, **02.04**
- B367-13 Specification for Titanium and Titanium Alloy Castings, 02.04 B368-09 Test Method for Copper-Accelerated Acetic Acid-Salt Spray (Fog)
 Testing (CASS Test), 02.05
- B369-09 Specification for Copper-Nickel Alloy Castings, 02.01
- B370-12 Specification for Copper Sheet and Strip for Building Construction, 02.01
- B371/B371M-08(2013) Specification for Copper-Zinc-Silicon Alloy Rod, 02.01 B372-12a Specification for Seamless Copper and Copper-Alloy Rectangular Waveguide Tube, 02.01
- B373-00(2006) Specification for Aluminum Foil for Capacitors, 02.02 B374-06(2011) Terminology Relating to Electroplating, 02.05
- B375 Withdrawn 1967; Specification for Electrodeposited Coatings of Multi-Layer Nickel Plus Chromium on Steel; Replaced by B456
- B376 Withdrawn 1992; Test Method for Density of Sintered Metal Friction Materials
- B377 Withdrawn 1972; Specification for Steel Backed Metal Powder Bearing and Bushing Alloys
- B378 Withdrawn 1992; Test Method for Transverse Rupture Strength of Sintered Metal Friction Materials
- B379-11 Specification for Phosphorized Coppers—Refinery Shapes, 02.01 B380-97(2013) Test Method for Corrosion Testing of Decorative Electrodeposited Coatings by the Corrodkote Procedure, 02.05
- B381-13 Specification for Titanium and Titanium Alloy Forgings, 02.04 B382 Withdrawn 1969; Specification for Titanium and Titanium Alloy Bare Welding Rods and Electrodes B383 Withdrawn 1980; Specification for Primary Niobium
- B384 Withdrawn 1986; Specification for Molybdenum and Molybdenum Alloy **Forgings**
- B385 Withdrawn 1986; Specification for Molybdenum and Molybdenum Alloy Billets for Reforging
- B386-03(2011) Specification for Molybdenum and Molybdenum Alloy Plate, Sheet, Strip, and Foil, 02.04
- B387-10 Specification for Molybdenum and Molybdenum Alloy Bar, Rod, and Wire, **02.04**
- B388-06(2012) Specification for Thermostat Metal Sheet and Strip, 02.04
 B389-81(2008) Test Method for Thermal Deflection Rate of Spiral and Helical
 Coils of Thermostat Metal, 02.04
- B390 Withdrawn 2010; Practice for Evaluating Apparent Grain Size and Distribution of Cemented Tungsten Carbides
- B391-09^{€1} Specification for Niobium and Niobium Alloy Ingots, 02.04
- B392-09^{€1} Specification for Niobium and Niobium Alloy Bar, Rod, and Wire, 02.04
- B393-09^{c1} Specification for Niobium and Niobium Alloy Strip, Sheet, and Plate, 02.04
- B394-09^{c1} Specification for Niobium and Niobium Alloy Seamless and Welded Tubes, 02.04
- B395M Withdrawn 2002;Replaced by B395/B395M
 B395/B395M-13 Specification for U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes, 02.01
- B396 Withdrawn 2003; Specification for Aluminum-Alloy 5005-H19 Wire for Electrical Purposes
- Withdrawn 2003; Specification for Concentric-Lay-Stranded Aluminum-Alloy 5005-H19 Conductors
- B398M Withdrawn 1999; Replaced by B398/B398M
- B398/B398M-02(2013) Specification for Aluminum-Alloy 6201-T81 Wire for
- Electrical Purposes, 02.03

 B399M Withdrawn 1999; Replaced by B399/B399M

 B399/B399M-04(2010) Specification for Concentric-Lay-Stranded Aluminum-Alloy 6201-T81 Conductors, 02.03
- B400/B400M-14 Specification for Compact Round Concentric-Lay-Stranded Aluminum 1350 Conductors, 02.03
- B401-12 Specification for Compact Round Concentric-Lay-Stranded Aluminum Conductors, Steel-Reinforced (ACSR/COMP), 02.03
- B402 Withdrawn 1987; Specification for Copper-Nickel Alloy Plate and Sheet
- for Pressure Vessels; Replaced by B171

 B402M Withdrawn 1987; Specification for Copper-Nickel Alloy Plate and Sheet for Pressure Vessels [Metric]; Replaced by B171M

 B403-12 Specification for Magnesium-Alloy Investment Castings, 02.02
- B404M Withdrawn 1998—Combined with B 404
- B404/B404M Withdrawn 2006; Specification for Aluminum and Aluminum-Alloy Seamless Condenser and Heat-Exchanger Tubes with Integral Fins
- Withdrawn 1967; Specification for Electrodeposited Coatings of Multi-Layer Nickel Plus Chromium on Zinc and Zinc-Base Alloys;
- Replaced by B456

 B406-96(2010) Test Method for Transverse Rupture Strength of Cemented Carbides, 02.05
- B407-08a Specification for Nickel-Iron-Chromium Alloy Seamless Pipe and Tube, 02.04
- B408-06(2011) Specification for Nickel-Iron-Chromium Alloy Rod and Bar, 02.04
- B409-06(2011) Specification for Nickel-Iron-Chromium Alloy Plate, Sheet, and
- Strip, **02.04**Withdrawn 1980; Specification for Unalloyed Sintered Tungsten Billets, B410 Bars, Rods, and Performs for Forging

- B411/B411M-08 Specification for Copper-Nickel-Silicon Alloy Rod and Bar, 02.01
- Withdrawn 2000; Specification for Copper-Nickel-Silicon Alloy Wire B413-97a(2012) Specification for Refined Silver, 02.04
- B414 Withdrawn 1975; Specification for Primary Hafnium Metal Sponge and Other Forms
- B415-98(2013) Specification for Hard-Drawn Aluminum-Clad Steel Wire, 02.03 B416-98(2013) Specification for Concentric-Lay-Stranded Aluminum-Clad Steel Conductors, 02.03
- B417-13 Test Method for Apparent Density of Non-Free-Flowing Metal
- Powders Using the Carney Funnel, 02.05

 B418-12 Specification for Cast and Wrought Galvanic Zinc Anodes, 02.04

 B419 Withdrawn 1972; Specification for Unalloyed Uranium Castings

 B420 Withdrawn 1972; Specification for Unalloyed Uranium Melting Stock
- B421 Withdrawn 1989; Test Method for Electrical Resistivity of Cemented Tungsten Carbides
- B422/B422M-10^{c1} Specification for Copper-Aluminum-Silicon-Cobalt Alloy, Copper-Nickel-Silicon-Magnesium Alloy, Copper-Nickel-Silicon Alloy, Copper-Nickel-Aluminum-Magnesium Alloy, and Copper-Nickel-Tin Alloy Sheet and Strip, 02.01
- B423-11 Specification for Nickel-Iron-Chromium-Molybdenum-Copper Alloy, 02.04
- B424-11 Specification for Ni-Fe-Cr-Mo-Cu Alloy (UNS N08825, UNS N08221, and UNS N06845) Plate, Sheet, and Strip, 02.04
- B425-11 Specification for Specification for Ni-Fe-Cr-Mo-Cu Alloy (UNS N08825, UNS N08221, and UNS N06845) Rod and Bar, 02.04
- B426 Withdrawn 1990; Specification for Sintered Copper-Steel Structural Parts; Replaced by B783
- B427-09 Specification for Gear Bronze Alloy Castings, 02.01
- B428-09(2013) Test Method for Angle of Twist in Rectangular and Square
- Copper and Copper Alloy Tube, 02.01

 B429/B429M-10^{€1} Specification for Aluminum-Alloy Extruded Structural Pipe and Tube, **02.02**
- B430 Withdrawn 2011: Test Method for Particle Size Distribution of Refractory Metal Powders and Related Compounds by Turbidimetry
- Withdrawn 1993; Practice for Processing of Mandrels for Electroforming; Replaced by B832
- B432-09a Specification for Copper and Copper Alloy Clad Steel Plate, 02.01 B433 Withdrawn 1976; Specification for Copper-Nickel Alloys in Ingot Form for Castings; Replaced by B30
- B434-06(2011) Specification for Nickel-Molybdenum-Chromium-Iron Alloys
- (UNS N10003, UNS N10242) Plate, Sheet, and Strip, **02.04 B435-06(2011)**^{c1} Specification for UNS N06002, UNS N06230, UNS N12160, and UNS R30556 Plate, Sheet, and Strip, **02.04** *Withdrawn 1980; Specification for Nickel-Chromium-Molybdenum-Iron-*
- Columbium Alloy (UNS N06001) Sheet and Plate
- B437 Withdrawn 1981; Method for Tension Testing of Cemented Carbides
 B438-13 Specification for Bronze-Base Powder Metallurgy (PM) Bearings (Oil-Impregnated), 02.05
- B438M Withdrawn 1998; Replaced by B438/B438M
- B439-12 Specification for Iron-Base Powder Metallurgy (PM) Bearings (Oil-Impregnated), 02.05
- B440-12 Specification for Cadmium, 02.04
 B441-04(2010) Specification for Copper-Cobalt-Beryllium, Copper-Nickel-Beryllium, and Copper-Nickel-Lead-Beryllium Rod and Bar (UNS Nos. C17500, C17510, and C17465), 02.01
 B442 Withdrawn 1993; Specification for Tough-Pitch Chemically Refined
- Copper Refinery Shapes
- B443-00(2009) Specification for Nickel-Chromium-Molybdenum-Columbium Alloy, **02.04**
- B444-06(2011) Specification for Nickel-Chromium-Molybdenum-Columbium Alloys, 02.04
- B445 Withdrawn 1995; Specification for Nickel-Chromium-Iron-Columbium-Molybdenum-Tungsten Alloy (UNS N06102) Seamless Pipe and Tube B446-03(2008)^{c1} Specification for Nickel-Chromium-Molybdenum-Columbium
- Alloy (UNS N06625), Nickel-Chromium-Molybdenum-Silicon Alloy (UNS N06219), and Nickel-Chromium-Molybdenum-Tungsten Alloy (UNS N06650) Rod and Bar, **02.04**
- B447-12a Specification for Welded Copper Tube, 02.01
- B448 Withdrawn 1969; Specification for Magnesium-Alloy Welding Rods and Bare Electrodes

 B449-93(2010)^{€1} Specification for Chromates on Aluminum, 02.05
- B450 Withdrawn 1993; Practice for Engineering Design of Electroformed Articles: Replaced by B832
- B451 Withdrawn 1998; Specification for Copper Foil, Strip, and Sheet for Printed Circuits and Carrier Tapes
- B452-09 Specification for Copper-Clad Steel Wire for Electronic Application, 02.03
- B453M Withdrawn 2001; Replaced by B453/B453M
 B453/B453M-11^{c1} Specification for Copper-Zinc-Lead Alloy (Leaded-Brass) Rod, Bar, and Shapes, **02.01**
- B454 Withdrawn 1982; Specification for Mechanically Deposited Coatings of Cadmium and Zinc on Ferrous Metals; Replaced by B695, B696
- B455-10 Specification for Copper-Zinc-Lead Alloy (Leaded-Brass) Extruded Shapes, **02.01 B456-11^{c1}** Specification for Electrodeposited Coatings of Copper Plus Nickel
- Plus, **02.05**
- B457-67(2013) Test Method for Measurement of Impedance of Anodic Coatings on Aluminum, 02.05
- Withdrawn 2000; Specification for Sintered Nickel Silver Structural Parts

B459 **B548**

- B459 Withdrawn 1992; Test Method for Dynamic Coefficient of Friction and Wear of Sintered Metal Friction Materials Under Dry Conditions
- Withdrawn 1992; Test Method for Dynamic Coefficient of Friction and Wear of Sintered Metal Friction Materials Under Dry Conditions
- Withdrawn 1992; Test Method for Frictional Characteristics of Sintered Metal Friction Materials Run in Lubricants

 B462-10^{c2} Specification for Forged or Rolled UNS N06030, UNS N06022,
- UNS N06035, UNS N06200, UNS N06059, UNS N10362, UNS N06686, UNS N08020, UNS N08024, UNS N08026, UNS N08027, UNS N08027, UNS N08027, UNS N10365, UNS N10675, UNS N10629, UNS N08031, UNS N06045, UNS N06025, UNS R20033 Alloy Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service, 02.04
- B463-10 Specification for UNS N08020 Alloy Plate, Sheet, and Strip, 02.04
- Specification for Welded UNS N08020 Alloy Pipe, 02.04
- Specification for Copper-Iron Alloy Plate, Sheet, Strip, and Rolled Bar. 02.01
- B466M Withdrawn 1998; Replaced by B466/B466M
- B466/B466M-09 Specification for Seamless Copper-Nickel Pipe and Tube, 02.01

- B467-09 Specification for Welded Copper-Nickel Pipe, 02.01
 B468-10 Specification for Welded UNS N08020 Alloy Tubes, 02.04
 B469 Withdrawn 2000; Specification for Seamless Copper-Alloy Tubes for Pressure Applications
- B470-02(2012) Specification for Bonded Copper Conductors for Use in Hookup Wires for Electronic Equipment, 02.03
- B471 Withdrawn 1999; Specification for UNS N08020, UNS N08026, and UNS N08024 Nickel Alloy Spring Wire
- B472-10 Specification for Nickel Alloy Billets and Bars for Reforging, 02.04 B473-07(2013) Specification for UNS N08020, UNS N08024, and UNS N08026 Nickel Alloy Bar and Wire, 02.04
- B474-03(2009) Specification for Electric Fusion Welded Nickel and Nickel
- Alloy Pipe, 02.04

 B475-07(2013) Specification for UNS N08020, UNS N08024, and UNS
- N08026 Nickel Alloy Round Weaving Wire, **02.04 B476-01(2012)** Specification for General Requirements for Wrought Precious Metal Electrical Contact Materials, 02.04
- B477-97(2012) Specification for Gold-Silver-Nickel Electrical Contact Alloy,
- B478-85(2008) Test Method for Cross Curvature of Thermostat Metals, 02.04 B479-06 Specification for Annealed Aluminum and Aluminum-Alloy Foil for Flexible Barrier, Food Contact, and Other Applications, 02.02
- B480-88(2010) Guide for Preparation of Magnesium and Magnesium Alloys for
- Electroplating, 02.05

 B481-68(2013) Practice for Preparation of Titanium and Titanium Alloys, 02.05 Practice for Preparation of Tungsten and Tungsten Alloys for B482-85(2013)
- Electroplating, **02.05 B483/B483M-13** Specification for Aluminum and Aluminum-Alloy Drawn Tube and Drawn Pipe for General Purpose Applications, 02.02
- B484 Withdrawn 1990; Specification for Sintered Nickel Steel Structural Parts; Replaced by B783
- B485 Withdrawn 1984; Method for Diametral Compression Testing of Cemented Carbides
- B486 Withdrawn 1991; Specification for Paste Solder
- B487-85(2013) Test Method for Measurement of Metal and Oxide Coating Thickness by Microscopical Examination of Cross Section, 02.05
- B488-11 Specification for Electrodeposited Coatings of Gold for Engineering Uses, 02.05
- B489-85(2013) Practice for Bend Test for Ductility of Electrodeposited and Autocatalytically Deposited Metal Coatings on Metals, 02.05
- B490-09 Practice for Micrometer Bend Test for Ductility of Electrodeposits, 02.05
- B491M Withdrawn 1991; Replaced by B491/B491M
- B491/B491M-06 Specification for Aluminum and Aluminum-Alloy Extruded Round Tubes for General-Purpose Applications, 02.02
- B492 Withdrawn 1990; Specification for Cast Copper-Nickel Ship Tailshaft Sleeves
- **B493/B493M-08**^{€1} Specification for Zirconium and Zirconium Alloy Forgings, 02.04
- B494/B494M-08 Specification for Primary Zirconium, 02.04
- B495-10 Specification for Zirconium and Zirconium Alloy Ingots, 02.04 B496-13a Specification for Compact Round Concentric-Lay-Stranded Copper
- Conductors, 02.03 B497-00(2012) Guide for Measuring Voltage Drop on Closed Arcing Contacts, 02.04
- B498M Withdrawn 1998; Replaced by B498/B498M
- B498/B498M-08 Specification for Zinc-Coated (Galvanized) Steel Core Wire for Use in Overhead Electrical Conductors, 02.03
- **B499-09** Test Method for Measurement of Coating Thicknesses by the Magnetic Method: Nonmagnetic Coatings on Magnetic Basis Metals, 02.05
- B500M Withdrawn 1998; Replaced by B500/B500M
- B500/B500M-12 Specification for Metallic Coated or Aluminum Clad Stranded Steel Core for Use in Overhead Electrical Conductors, 02.03
- B501-10 Specification for Silver-Coated, Copper-Clad Steel Wire for Electronic Application, 02.03
 B502/B502M-10^{€1} Specification for Aluminum-Clad Steel Core Wire for Use in
- Overhead Electrical Aluminum Conductors, 02.03
- B503 Withdrawn 1992; Practice for Use of Copper And Nickel Electroplating Solutions for Electroforming: Replaced by B 832

 B504-90(2011) Test Method for Measurement of Thickness of Metallic

Coatings by the Coulometric Method, 02.05

- B505/B505M-12a Specification for Copper Alloy Continuous Castings, 02.01 B506-09 Specification for Copper-Clad Stainless Steel Sheet and Strip for Building Construction, 02.01
- B507-86(2008)⁶¹ Practice for Design of Articles to Be Electroplated on Racks, 02.05
- B508-08 Specification for Copper Alloy Strip for Flexible Metal Hose, 02.01
 B509 Withdrawn 1991; Specification for Supplementary Requirements for
 Nickel Alloy Plate for Nuclear Applications
- B510 Withdrawn 1991; Specification for Supplementary Requirements for
- Nickel Alloy Rod and Bar for Nuclear Applications

 B511-01(2009) Specification for Nickel-Iron-Chromium-Silicon Alloy Bars and Shapes, 02.04
- B512-04(2009) Specification for Nickel-Chromium-Silicon Alloy (UNS N08330) Billets and Bars, 02.04
- B513 Withdrawn 1991; Specification for Supplementary Requirements for Nickel Alloy Seamless Pipe for Nuclear Applications
- B514-05(2009) Specification for Welded Nickel-Iron-Chromium Alloy Pipe, 02.04
- B515-95(2009) Specification for Welded UNS N08120, UNS N08800, UNS N08810, and UNS N08811 Alloy Tubes, 02.04
 B516-03(2009) Specification for Welded Nickel-Chromium-Iron Alloy (UNS N06600, UNS N06603, UNS N06025, and UNS N06045) Tubes, 02.04
- B517-05(2009) Specification for Welded Nickel-Chromium-Iron-Alloy (UNS N06600, UNS N06603, UNS N06025, and UNS N06045) Pipe, 02.04
- B518 Withdrawn 1995; Specification for Nickel-Chromium-Iron-Columbium-Molybdenum-Tungsten Alloy (UNS N06102) Rod and Bar
- B519 Withdrawn 1995; Specification for Nickel-Chromium-Iron-Columbium-Molybdenum-Tungsten Alloy (UNS N06102) Seamless Plate, Sheet, and Strip
- B520-12 Specification for Tin-Coated, Copper-Clad Steel Wire for Electronic, 02.03
- B521-12 Specification for Tantalum and Tantalum Alloy Seamless and Welded Tubes. 02.04
- B522-01(2012) Specification for Gold-Silver-Platinum Electrical Contact Alloy, 02.04
- B523/B523M-12a Specification for Seamless and Welded Zirconium and Zirconium Alloy Tubes, 02.04
- B524M Withdrawn 1999; Replaced by B524/B524M
- B524/B524M-99(2011) Specification for Concentric-Lay-Stranded Aluminum Conductors, Aluminum-Alloy Reinforced (ACAR, 1350/6201), 02.03
- B525 Withdrawn 1990; Specification for Sintered Austenitic Stainless Steel Structural Parts; Replaced by B783
 B526 Withdrawn 1992; Test Method for Coefficient of Friction and Wear of
- Sintered Metal Friction Materials Under Dry-Clutch Conditions
- B527-06 Test Method for Determination of Tap Density of Metallic Powders and Compounds, 02.05
- **B528-12** Test Method for Transverse Rupture Strength of Powder Metallurgy (PM) Specimens, 02.05
- Withdrawn 1979; Test Method for Measurement of Coating Thickness by the Eddy Current Test Method: Non-Conductive Coating on Nonmagnetic Basis Metals; Replaced by B244
- B530-09 Test Method for Measurement of Coating Thicknesses by the Magnetic Method: Electrodeposited Nickel Coatings on Magnetic and Nonmagnetic Substrates, 02.05
- Withdrawn 2003; Specification for Aluminum-Alloy 5005 Drawing Stock for Electrical Purposes
- B532-85(2007) Specification for Appearance of Electroplated Plastic Surfaces, 02.05
- B533-85(2013) Test Method for Peel Strength of Metal Electroplated Plastics, 02.05
- B534-12 Specification for Copper-Cobalt-Beryllium Alloy and Copper-Nickel-Beryllium Alloy Plate, Sheet, Strip, and Rolled Bar, 02.01
 B535-06(2011) Specification for Nickel-Iron-Chromium-Silicon Alloys (UNS)
- N08330 and N08332) Seamless Pipe and Tube, **02.04 B536-07(2013)** Specification for Nickel-Iron-Chromium-Silicon Alloys (UNS
- N08330 and N08332) Plate, Sheet, and Strip, 02.04
- B537-70(2013) Practice for Rating of Electroplated Panels Subjected to, 02.05
 B538 Withdrawn 1987; Method of FACT (Ford Anodized Aluminum Corrosion)
- B539-02(2013) Test Methods for Measuring Resistance of Electrical Connections (Static Contacts), 02.04
 B540-97(2012) Specification for Palladium Electrical Contact Alloy, 02.04
- Specification for Gold Electrical Contact Alloy, 02.04 B541-01(2012)
- B542-13 Terminology Relating to Electrical Contacts and Their Use, 02.04 B543M Withdrawn 2000; Specification for Welded Copper and Copper-Alloy
- Heat Exchanger Tube [Metric]

 B543/B543M-12 Specification for Welded Copper and Copper-Alloy Heat
 Exchanger Tube, 02.01

 B544 Withdrawn 1978; Specification for Round Solid EC Grade Aluminum
- Conductor; Replaced by B609
- B545-13 Specification for Electrodeposited Coatings of Tin, 02.05 B546-04(2009) Specification for Electric Fusion-Welded Ni-Cr-Co-Mo Alloy (UNS N06617), Ni-Fe-Cr-Si Alloys (UNS N08330 and UNS N08332), Ni-Cr-Fe-Al Alloy (UNS N06603), Ni-Cr-Fe Alloy (UNS N06025), and Ni-Cr-Fe-Si Alloy (UNS N06045) Pipe, 02.04

 B547/B547M-10 Specification for Aluminum and Aluminum-Alloy Formed and Arc-Welded Round Tube, 02.02
- B548-03(2009) Test Method for Ultrasonic Inspection of Aluminum-Alloy Plate for Pressure Vessels, 02.02

B549 B639

- B549-13 Specification for Concentric-Lay-Stranded Aluminum Conductors, Aluminum-Clad Steel Reinforced for Use in Overhead Electrical Conductors, 02.03
- B550/B550M-07(2012) Specification for Zirconium and Zirconium Alloy Bar and Wire, 02.04
- B551/B551M-12 Specification for Zirconium and Zirconium Alloy Strip, Sheet, and Plate, 02.04
- B552-12 Specification for Seamless and Welded Copper–Nickel Tubes for Water Desalting Plants, 02.01
- Withdrawn 1992: Test Method for Thermal Cycling of Electroplated B553 **Plastics**
- B554 Withdrawn 1987; Recommended Practice for Measurement of Thickness of Metallic Coatings on Nonmetallic Substrates; Replaced by B659
- B555-86(2013) Guide for Measurement of Electrodeposited Metallic Coating Thicknesses by Dropping Test, 02.05
- B556-90(2013) Guide for Measurement of Thin Chromium Coatings by Spot Test, **02.05**
- B557-14 Test Methods for Tension Testing Wrought and Cast Aluminum- and Magnesium-Alloy Products, 02.02
- B557M-14 Test Methods for Tension Testing Wrought and Cast Aluminum- and Magnesium-Alloy Products (Metric), 02.02
 B558-79(2013) Practice for Preparation of Nickel Alloys for Electroplating,
- 02.05
- B559-12 Specification for Nickel-Coated, Copper-Clad Steel Wire for Electronic Application, 02.03
- B560-00(2010) Specification for Modern Pewter Alloys, 02.04
- B561-94(2012) Specification for Refined Platinum, 02.04
- B562-95(2012) Specification for Refined Gold, 02.04
- B563-01(2011) Specification for Palladium-Silver-Copper Electrical Contact
- Alloy, 02.04

 B564-11^{c1} Specification for Nickel Alloy Forgings, 02.04

 B565-04(2010) Test Method for Shear Testing of Aluminum and Aluminum-Alloy Rivets and Cold-Heading Wire and Rods, 02.02

 B566-04a(2011) Specification for Copper-Clad Aluminum Wire, 02.03

 B567-98R09A Test Method for Measurement of Coating Thickness by the
- Beta Backscatter Method, 02.05
- B568-98(2009) Test Method for Measurement of Coating Thickness by X-Ray Spectrometry, 02.05
- B569-09 Specification for Brass Strip in Narrow Widths and Light Gage for Heat-Exchanger Tubing, 02.01
- B570-06(2010) Specification for Copper-Beryllium Alloy (UNS Nos. C17000 and C17200) Forgings and Extrusions, 02.01
- B571-97(2013) Practice for Qualitative Adhesion Testing of Metallic Coatings, 02.05
- B572-06(2011) Specification for UNS N06002, UNS N06230, UNS N12160, and UNS R30556 Rod, **02.04**
- B573-06(2011) Specification for Nickel-Molybdenum-Chromium-Iron Alloys (UNS N10003, N10242) Rod, 02.04
- B574-10 Specification for Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Molybdenum-Chromium, Low-Carbon Nickel-Molybdenum-Chromium-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, and Low-Carbon Nickel-Chromium-Molybdenum-Tungsten Alloy Rod, 02.04
- B575-10 Specification for Low-Carbon Nickel-Chromium-Molybdenum,
 Low-Carbon Nickel-Chromium-Molybdenum-Copper, Low-Carbon
 Nickel-Chromium-Molybdenum-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Tungsten, and Low-Carbon Nickel-Molybdenum-Chromium Alloy Plate, Sheet, and Strip, 02.04
- B576-94(2010) Guide for Arc Erosion Testing of Electrical Contact Materials,
- B577-10 Test Methods for Detection of Cuprous Oxide (Hydrogen Embrittle-
- ment Susceptibility) in Copper, **02.01 B578-87(2009)** Test Method for Microhardness of Electroplated Coatings, 02.05
- B579-73(2009) Specification for Electrodeposited Coatings of Tin-Lead Alloy (Solder Plate), 02.05
- B580-79(2009) Specification for Anodic Oxide Coatings on Aluminum, 02.05 B581-02(2013)^{c1} Specification for Nickel-Chromium-Iron-Molybdenum-Copper Alloy Rod, **02.04**
- B582-07(2013) Specification for Nickel-Chromium-Iron-Molybdenum-Copper
- Alloy Plate, Sheet, and Strip, **02.04**Withdrawn 1986; Test Method for Porosity in Gold Coatings on Metal Substrates; Replaced by B735, B741 B583
- B584-13 Specification for Copper Alloy Sand Castings for General Applications, 02.01
- B585 Withdrawn 1989; Specification for Seamless Copper-Alloy Water Tube
 B586 Withdrawn 1988; Specification for Welded Copper-Alloy Water Tube
 B587-12 Specification for Welded Brass Tube, 02.01
 B588-88(2010) Test Method for Measurement of Thickness of Transparent or
 Opaque Coatings by Double-Beam Interference Microscope Technique,
- 02.05
- B589-94(2012) Specification for Refined Palladium, 02.04
- B590 Withdrawn 1981; Specification for Nickel-Iron-Chromium-Manganese-Molybdenum Alloy (UNS N08245) Plate, Sheet, and Strip
- B591-09 Specification for Copper-Zinc-Tin and Copper-Zinc-Tin-Iron-Nickel Alloys Plate, Sheet, Strip, and Rolled Bar, 02.01
- B592-11 Specification for Copper-Zinc-Aluminum-Cobalt Alloy, Copper-Zinc-Tin-Iron Alloy Plate, Sheet, Strip, and Rolled Bar, 02.01
 B593-96(2009)^{c1} Test Method for Bending Fatigue Testing for Copper-Alloy
- Spring Materials, 02.01

- B594-13 Practice for Ultrasonic Inspection of Aluminum-Alloy Wrought Products, 02.02
- B595-11 Specification for Sintered Aluminum Structural Parts, 02.05 B596-89(2012) Specification for Gold-Copper Alloy Electrical Contact Material, 02.04
- Withdrawn 2002; Practice for Heat Treatment of Aluminum Alloys; Replaced by B917, B918
- B598-09 Practice for Determining Offset Yield Strength in Tension for Copper Allovs. 02.01
- B599-92(2009) 61 Specification for Nickel-Iron-Chromium-Molybdenum-
- Columbium Stabilized Alloy (UNS N08700) Plate, Sheet, and Strip, **02.04 B600-11** Guide for Descaling and Cleaning Titanium and Titanium Alloy Surfaces, 02.04
- B601-12 Classification for Temper Designations for Copper and Copper Alloys-Wrought and Cast, 02.01
- B602-88(2010) Test Method for Attribute Sampling of Metallic and Inorganic Coatings, 02.05
- B603-07(2013) Specification for Drawn or Rolled Iron-Chromium-Aluminum Alloys for Electrical Heating Elements, 02.04
- B604-91(2008) Specification for Decorative Electroplated Coatings of Copper Plus Nickel Plus Chromium on Plastics, 02.05
- B605-95a(2009) Specification for Electrodeposited Coatings of Tin-Nickel Allov. 02.05
- B606/B606M-08⁶¹ Specification for High-Strength Zinc-Coated (Galvanized) Steel Core Wire for Aluminum and Aluminum-Alloy Conductors, Steel Reinforced, 02.03
- B607-91(2009) Specification for Autocatalytic Nickel Boron Coatings for Engineering Use, 02.05
- **B608-11** Specification for Welded Copper-Alloy Pipe, **02.01** B609M Withdrawn 1999; Replaced by B609/B609M
- B609/B609M-12 Specification for Aluminum 1350 Round Wire, Annealed and
- Intermediate Tempers, for Electrical Purposes, 02.03

 B610-13 Test Method for Measuring Dimensional Changes Associated with
- Processing Metal Powders, 02.05

 B611-13 Test Method for Determining the High Stress Abrasion Resistance of Hard Materials, 03.02
- B612 Withdrawn 2007; Specification for Iron Bronze Sintered Bearings (Oil-Impregnated); Replaced by B439
- B613-76(2012) Guide for Preparing Specifications for Miniature Brushes of Composite Materials for Sliding Electric Contacts, 02.04
- B614-10 Practice for Descaling and Cleaning Zirconium and Zirconium Alloy
- Surfaces, 02.04

 B615-79(2011) Practice for Measuring Electrical Contact Noise in Sliding Electrical Contacts, 02.04

 Consider for Refined Rhodium. 02.04
- B616-96(2012) Specification for Refined Rhodium, 02.04
 B617-98(2010) Specification for Coin Silver Electrical Contact Alloy, 02.04
- B618/B618M-11a Specification for Aluminum-Alloy Investment Castings, 02.02 B619-10⁶² Specification for Welded Nickel and Nickel-Cobalt Alloy Pipe, 02.04 B620-03(2013) Specification for Nickel-Iron-Chromium-Molybdenum Alloy (UNS N08320) Plate, Sheet, and Strip, 02.04
- B621-02(2011) Specification for Nickel-Iron-Chromium-Molybdenum Alloy (UNS N08320) Rod, 02.04
 B622-10⁻¹ Specification for Seamless Nickel and Nickel-Cobalt Alloy Pipe and
- Tube. 02.04
- B623 Withdrawn 1996; Specification for Tough-Pitch Fire-Refined High-Conductivity Copper—Refinery Shapes
 B624-07(2012) Specification for High-Strength, High-Conductivity Copper-Alloy Wire for Electronic Application, 02.03
- B625-05(2011) Specification for UNS N08925, UNS N08031, UNS N08932, UNS N08926, UNS N08354, and UNS R20033 Plate, Sheet, and Strip,
- 02.04
 B626-10^{c2} Specification for Welded Nickel and Nickel-Cobalt Alloy Tube, 02.04 Withdrawn 1998; Test Method for Electrolytic Corrosion Testing (EC B627 Test)
- B628-98(2010) Specification for Silver-Copper Eutectic Electrical Contact Alloy, **02.04**
- B629-77(2013) Practice for Preparation of Molybdenum and Molybdenum Alloys for Electroplating, 02.05
- B630-88(2010) Practice for Preparation of Chromium for Electroplating with Chromium, 02.05
- B631-93(2010) Specification for Silver-Tungsten Electrical Contact Materials, 02.04
- B632M Withdrawn 1993; Replaced by B632/B632M
 B632/B632M-08 Specification for Aluminum-Alloy Rolled Tread Plate, 02.02
 B633-13 Specification for Electrodeposited Coatings of Zinc on Iron and Steel, 02.05
- B634-88(2009) Specification for Electrodeposited Coatings of Rhodium for Engineering Use, **02.05**-**00(2009)** Specification for Coatings of Cadmium-Tin Mechanically
- B635-00(2009) Specific Deposited, 02.05
- B636-84(2010) Test Method for Measurement of Internal Stress of Plated Metallic Coatings with the Spiral Contractometer, 02.05
- B637-12^{€1} Specification for Precipitation-Hardening and Cold Worked Nickel Alloy Bars, Forgings, and Forging Stock for Moderate or High Temperature Service, 02.04
- B638 Withdrawn 1992; Specification for Copper and Copper-Alloy Solar Heat Absorber Panels
- B639-02(2013) Specification for Precipitation Hardening Cobalt-Containing Alloys (UNS R30155 and UNS R30816) Rod, Bar, Forgings, and Forging Stock for High-Temperature Service, 02.04

B640 B732

- B640-12a Specification for Welded Copper Tube for Air Conditioning and Refrigeration Service, 02.01
- Withdrawn 1996; Specification for Seamless and Welded Copper Distribution Tube (Type D)
- B642 Withdrawn 1994; Specification for Welded Copper Alloy UNS C21000 Water Tube
- B643-12 Specification for Copper-Beryllium Alloy Seamless Tube, 02.01 B644-11 Specification for Copper Alloy Addition Agents, 02.01
- **B645-10** Practice for Linear-Elastic Plane-Strain Fracture Toughness Testing of Aluminum Alloys, 02.02
- B646-12 Practice for Fracture Toughness Testing of Aluminum Alloys, 02.02
 B647-10 Test Method for Indentation Hardness of Aluminum Alloys by Means of a Webster Hardness Gage, 02.02
- B648-10 Test Method for Indentation Hardness of Aluminum Alloys by Means of a Barcol Impressor, 02.02
- B649-06(2011) Specification for Ni-Fe-Cr-Mo-Cu-N Low-Carbon Alloys (UNS N08925, UNS N08031, UNS N08354, and UNS N08926), and Cr-Ni-Fe-N Low-Carbon Alloy (UNS R20033) Bar and Wire, and Ni-Cr-Fe-Mo-N Alloy (UNS N08936) Wire, 02.04
- B650-95(2013) Specification for Electrodeposited Engineering Chromium Coatings on Ferrous Substrates, 02.05
 B651-83(2010) Test Method for Measurement of Corrosion Sites in Nickel Plus
- Chromium or Copper Plus Nickel Plus Chromium Electroplated Surfaces with Double-Beam Interference Microscope, 02.05
- B652/B652M-10 Specification for Niobium-Hafnium Alloy Ingots, 02.04 B653/B653M-11 Specification for Seamless and Welded Zirconium and Zirconium Alloy Welding Fittings, 02.04
- B654/B654M-10 Specification for Niobium-Hafnium Alloy Foil, Sheet, Strip, and Plate, **02.04**
- B655/B655M-10 Specification for Niobium-Hafnium Alloy Bar and Wire, 02.04 B656 Withdrawn 2000; Guide for Autocatalytic (Electroless) Nickel-Phosphorus Deposition on Metals for Engineering Use
- B657-11 Guide for Metallographic Identification of Microstructure in Cemented Carbides. 02.05
- B658/B658M-11^{€1} Specification for Seamless and Welded Zirconium and
- Zirconium Alloy Pipe, 02.04

 B659-90(2008)^{c1} Guide for Measuring Thickness of Metallic and Inorganic Coatings, 02.05
- B660-08 Practices for Packaging/Packing of Aluminum and Magnesium Products, 02.02
- B661-12 Practice for Heat Treatment of Magnesium Alloys, 02.02
- B662-94(2012) Specification for Silver-Molybdenum Electrical Contact Material, 02.04
- B663-94(2012) Specification for Silver-Tungsten Carbide Electrical Contact Material, **02.04**
- B664-90(2012) Specification for 80 % Silver-20 % Graphite Sliding Contact Material, 02.04
- B665-08(2012) Guide for Metallographic Sample Preparation of Cemented Tungsten Carbides, 02.05
- B666/B666M-08 Practice for Identification Marking of Aluminum and Magnesium Products, 02.02
- B667-97(2009) Practice for Construction and Use of a Probe for Measuring Electrical Contact Resistance, 02.04
- B668-05(2010) Specification for UNS N08028 Seamless Pipe and Tube, 02.04 B669 Withdrawn 1999; Specification for Zinc-Aluminum Alloys in Ingot Form
- for Foundry and Die Castings

 B670-07(2013) Specification for Precipitation-Hardening Nickel Alloy (UNS N07718) Plate, Sheet, and Strip for High-Temperature Service, 02.04
- B671-81(2010) Specification for Refined Iridium, 02.04
- B672-02(2013) Specification for Nickel-Iron-Chromium-Molybdenum-
- Columbium Stabilized Alloy (UNS N08700) Bar and Wire, **02.04 B673-05(2011)^{c1}** Specification for UNS N08925, UNS N08354, and UNS N08926 Welded Pipe, **02.04**
- B674-05(2011) Specification for UNS N08925, UNS N08354, and UNS N08926 Welded Tube, 02.04
- B675-02(2013) Specification for UNS N08367 Welded Pipe, 02.04
- B676-03(2009) Specification for UNS N08367 Welded Tube, 02.04 Specification for UNS N08925, UNS N08354, and UNS N08926 Seamless Pipe and Tube, 02.04
- B678-86(2011) Test Method for Solderability of Metallic-Coated Products, 02 05
- B679-98(2009) Specification for Electrodeposited Coatings of Palladium for Engineering Use, 02.05

 1-80(2009) Test Method for Seal Quality of Anodic Coatings on Aluminum
- B680-80(2009) by Acid Dissolution, **02.05**
- Withdrawn 2001; Test Method for Measurement of Thickness of Anodic Coatings on Aluminum and of Other Transparent Coatings on Opaque Surfaces, Using the Light-Section Microscope
- B682-01(2009) Specification for Standard Metric Sizes of Electrical Conductors. 02.03
- B683-01(2012) Specification for Pure Palladium Electrical Contact Material, 02.04
- B684-97(2012) Specification for Platinum-Iridium Electrical Contact Materials, 02.04
- B685-01(2012) Specification for Palladium-Copper Electrical Contact Material, 02.04
- B686/B686M-11 Specification for Aluminum Alloy Castings, High-Strength, 02.02
- B687-99(2011) Specification for Brass, Copper, and Chromium-Plated Pipe Nipples, 02.01

B688-96(2009) Specification for Chromium-Nickel-Molybdenum-Iron (UNS N08366 and UNS N08367) Plate, Sheet, and Strip, 02.04

- B689-97(2013) Specification for Electroplated Engineering Nickel Coatings, 02.05
- B690-02(2013) Specification for Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Seamless Pipe and Tube, 02.04
- B691-02(2013) Specification for Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Rod, Bar, and Wire, 02.04
- B692-90(2012) Specification for 75 % Silver-25 % Graphite Sliding Contact Material, 02.04
- B693-91(2012) Specification for Silver-Nickel Electrical Contact Materials, 02.04
- B694-13 Specification for Copper, Copper-Alloy, Copper-Clad Bronze (CCB), Copper-Clad Stainless Steel (CCS), and Copper-Clad Alloy Steel (CAS) Sheet and Strip for Electrical Cable Shielding, 02.01
- B695-04(2009) Specification for Coatings of Zinc Mechanically Deposited on Iron and Steel, 02.05
- B696-00(2009) Specification for Coatings of Cadmium Mechanically Deposited, 02.05
- B697-88(2010) Guide for Selection of Sampling Plans for Inspection of Electrodeposited Metallic and Inorganic Coatings, 02.05
- B698-10 Classification for Seamless Copper and Copper Alloy Plumbing Pipe and Tube, 02.01
- B699-86(2008) Specification for Coatings of Cadmium Vacuum-Deposited on Iron and Steel, 02.05
- B700-08 Specification for Electrodeposited Coatings of Silver for Engineering Use, **02.05**
- B701/B701M-13 Specification for Concentric-Lay-Stranded Self-Damping Aluminum Conductors, Steel Reinforced (ACSR/SD), 02.03
- B702-93(2010) Specification for Copper-Tungsten Electrical Contact Material, 02.04
- B703-10 Test Method for Apparent Density of Metal Powders and Related
- Compounds Using the Arnold Meter, 02.05

 B704-03(2009) Specification for Welded UNS N06625, UNS N06219 and UNS N08825 Alloy Tubes, **02.04**
- B705-05(2009) Specification for Nickel-Alloy (UNS N06625, N06219 and N08825) Welded Pipe, **02.04**
- B706-00(2011) Specification for Seamless Copper Alloy (UNS No. C69100) Pipe and Tube, 02.01
- B707 Withdrawn 1992; Specification for Seamless Copper Water Tube (Special Use)
- B707M Withdrawn 1992; Specification for Seamless Copper Water Tube (Special Use) [Metric]
- B708-12 Specification for Tantalum and Tantalum Alloy Plate, Sheet, and Strip, 02.04
- B709-04(2009) Specification for Iron-Nickel-Chromium-Molybdenum Alloy (UNS N08028) Plate, Sheet, and Strip, 02.04
- B710-04(2009) Specification for Nickel-Iron-Chromium-Silicon Alloy Welded Pipe, **02.04**
- B711-13 Specification for Concentric-Lay-Stranded Aluminum-Alloy Conductors, Steel Reinforced (AACSR) (6201), 02.03
- B712-93(2012) Guide for Determination of Sodium and Potassium Content For
- Silver-Cadmium Oxide Contact Materials, **02.04**B713 Withdrawn 2001; Terminology Relating to Superconductors
 B714 Withdrawn 2001; Test Method for D-C Critical Current of Composite Superconductors
- B715 Withdrawn 2010; Specification for Sintered Copper Structural Parts for Electrical Conductivity Applications
- B716 Withdrawn 1994; Specification for Welded Copper Water Tube
- B716M Withdrawn 1994; Specification for Welded Copper Water Tube [Metric] B717-96(2012) Specification for Refined Ruthenium, 02.04
 B718-00(2011) Specification for Nickel-Chromium-Molybdenum-Cobalt-
- Tungsten-Iron-Silicon Alloy (UNS N06333) Plate, Sheet, and Strip, 02.04
- B719-00(2009) Specification for Nickel-Chromium-Molybdenum-Cobalt-Tungsten-, 02.04
- B720 Withdrawn 1999; Specification for Seamless UNS N08310 Tube Withdrawn 2004; Test Method for Microhardness and Case Depth of B721 Powder Metallurgy (P/M) Parts; Replaced by B931
- B722-06(2011) Specification for Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Seamless Pipe and Tube, 02 04
- B723-00(2009) Specification for Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Welded Pipe, 02.04
- B724 Withdrawn 2013; Test Method for Indentation Hardness of Aluminum
- Alloys by Means of a Newage, Portable, Non-Caliper-Type Instrument

 B725-05(2009) Specification for Welded Nickel (UNS N02200/UNS N02201)
 and Nickel Copper Alloy (UNS N04400) Pipe, 02.04
- B726-02(2011) Specification for Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy (UNS N06333) Welded Tube, 02.04 B727-04(2009) Practice for Preparation of Plastics Materials for Electroplating,
- 02.05
- B728 Withdrawn 1990; Specification for Concentric-Lay-Stranded Aluminum-Alloy Conductors, Steel Reinforced(AACSR) (5005)
- B729-05(2009) Specification for Seamless UNS N08020, UNS N08026, and UNS N08024 Nickel-Alloy Pipe and Tube, 02.04
- B730-08(2013) Specification for Welded Nickel (UNS N02200/UNS N02201) and Nickel Copper Alloy (UNS N04400) Tube, 02.04

 B731-96(2012) Specification for 60 % Palladium-40 % Silver Electrical Contact
- Material, **02.04**
- Withdrawn 1998; Test Method for Evaluating the Corrosivity of Solder

B732 **B822**

- Fluxes for Copper Tubing Systems; Replaced by B813
- B733-04(2009) Specification for Autocatalytic (Electroless) Nickel-Phosphorus Coatings on Metal, 02.05
- B734-97(2013) Specification for Electrodeposited Copper for Engineering Uses, 02.05
- B735-06(2011) Test Method for Porosity in Gold Coatings on Metal Substrates by Nitric Acid Vapor, 02.04
- B736-00(2006) Specification for Aluminum, Aluminum Alloy and Aluminum-Clad Steel Cable Shielding Stock, 02.02
 B737-10 Specification for Hot-Rolled and/or Cold-Finished Hafnium Rod and
- Wire, 02.04

 B738-13 Specification for Fine-Wire Bunch-Stranded and Rope-Lay
- Bunch-Stranded Copper Conductors for Use as Electrical Conductors, 02.03
- B739-03(2013) Specification for Nickel-Iron-Chromium-Silicon Alloy Welded Tube, **02.04**
- B740-09 Specification for Copper-Nickel-Tin Spinodal Alloy Strip, 02.01 B741 Withdrawn 2005; Test Method for Porosity In Gold Coatings On Metal Substrates By Paper Electrography
- B742-90(2012) Specification for Fine Silver Electrical Contact Fabricated Material, 02.04
- B743-12 Specification for Seamless Copper Tube in Coils, 02.01
- B744/B744M-05(2011) Specification for Aluminum Alloy Sheet for Corrugated Aluminum Pipe, 02.02
- B745/B745M-12 Specification for Corrugated Aluminum Pipe for Sewers and Drains, **02.02**
- B746/B746M-02(2012) Specification for Corrugated Aluminum Alloy Structural Plate for Field-Bolted Pipe, Pipe-Arches, and Arches, 02.02
- B747-11 Specification for Copper-Zirconium Alloy Sheet and Strip, 02.01 B748-90(2010) Test Method for Measurement of Thickness of Metallic Coatings by Measurement of Cross Section with a Scanning Electron
- Microscope, 02.05

 B749-03(2009) Specification for Lead and Lead Alloy Strip, Sheet, and Plate Products. 02.04
- B750-12 Specification for GALFAN, 02.04
- B751-08(2013) Specification for General Requirements for Nickel and Nickel Alloy Welded Tube, 02.04
- B752-06(2011)^{c2} Specification for Castings, Zirconium-Base, Corrosion Resistant, for General Application, 02.04
- B753-07(2013) Specification for Thermostat Component Alloys, 02.04 B754-10 Test Method for Measuring and Recording the Deviations from Flatness in Copper and Copper Alloy Strip, 02.01
- B755-00(2011) Specification for Nickel-Chromium-Molybdenum-Tungsten Allovs 02.04
- B756-00(2011) Specification for Nickel-Chromium-Molybdenum-Tungsten Alloy, 02.04
- B757-00(2011) Specification for Nickel-Chromium-Molybdenum-Tungsten-Alloys, **02.04**
- B758-00(2011) Specification for Nickel-Chromium-Molybdenum-Tungsten Alloys, **02.04**
- B759-00(2011) Specification for Nickel-Chromium-Molybdenum-Tungsten Alloys, **02.04**
- B760-07(2013) Specification for Tungsten Plate, Sheet, and Foil, 02.04 B761-06(2011) Test Method for Particle Size Distribution of Metal Powders and Related Compounds by X-Ray Monitoring of Gravity Sedimentation, 02.05
- B762-90(2010) Test Method of Variables Sampling of Metallic and Inorganic Coatings, **02.05**
- B763/B763M-13^{c1} Specification for Copper Alloy Sand Castings for Valve Applications, 02.01
- B764-04(2009) Test Method for Simultaneous Thickness and Electrode Potential Determination of Individual Layers in Multilayer Nickel Deposit (STEP Test), 02.05
- B765-03(2013) Guide for Selection of Porosity and Gross Defect Tests for Electrodeposits and Related Metallic Coatings, 02.05
- B766-86(2008) Specification for Electrodeposited Coatings of Cadmium, 02.05 Guide for Determining Mass Per Unit Area of Electrodeposited B767-88(2010) and Related Coatings by Gravimetric and Other Chemical Analysis Procedures, 02.05
- B768-11 Specification for Copper-Cobalt-Beryllium Alloy and Copper-Nickel-
- Beryllium Alloy Strip and Sheet, 02.01

 B769-11 Test Method for Shear Testing of Aluminum Alloys, 02.02

 B770-10 Specification for Copper-Beryllium Alloy Sand Castings for General Applications, 02.01

 B771-11^{c1} Test Method for Short Rod Fracture Toughness of Cemented
- Carbides, 02.05
- B772-97(2012) Guide for Specifying the Chemical Compositions for Electrical
- Contact Materials (Arcing and Nonarcing), **02.04**B773 Withdrawn 2013; Guide for Ultrasonic C-Scan Bond Evaluation of Brazed or Welded Electrical Contact Assemblies
- B774-00(2010) Specification for Low Melting Point Alloys, 02.04
- B775-13 Specification for General Requirements for Nickel and Nickel Alloy Welded Pipe, 02.04
- B776-12 Specification for Hafnium and Hafnium Alloy Strip, Sheet, and Plate, 02.04
- Specification for Tungsten Base, High-Density Metal, **02.04** Specification for Shaped Wire Compact Concentric-Lay-B777-07(2013) B778-02(2012) Stranded Aluminum Conductors (AAC/TW), 02.03
- B779-12 Specification for Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors, Steel-Reinforced (ACSR/TW), 02.03

- B780-98(2010) Specification for 75 % Silver, 24.5 % Copper, 0.5 % Nickel Electrical Contact Alloy, 02.04
- B781-93a(2012) Guide for Silver-Cadmium Oxide Contact Material, 02.04 B782 Withdrawn 2007; Specification for Iron Graphite Sintered Bearings (Oil-Impregnated); Replaced by B439
- B783-13 Specification for Materials for Ferrous Powder Metallurgy (PM) Structural Parts, 02.05
- B784-01(2012) Specification for Modified Concentric-Lay-Stranded Copper Conductors for Use in Insulated Electrical Cables, 02.03

 B785 Withdrawn 1998; Specification for Compact Round Modified Concentric-
- Lay-Stranded Copper Conductors for Use in Insulated Electrical Cables B786/B786M-08(2013)^{c1} Specification for 19 Wire Combination Unilay-
- Stranded Aluminum Conductors for Subsequent Insulation, 02.03
- B787/B787M-04(2009) Specification for 19 Wire Combination Unilay-Stranded Copper Conductors for Subsequent Insulation, 02.03
- B788/B788M-09(2014) Practice for Installing Factory-Made Corrugated Aluminum Culverts and Storm Sewer Pipe, 02.02
- B789/B789M-99(2011) Practice for Installing Corrugated Aluminum Structural Plate Pipe for Culverts and Sewers, 02.02
- B790/B790M-11 Practice for Structural Design of Corrugated Aluminum Pipe, Pipe-Arches, and Arches for Culverts, Storm Sewers, and Other Buried Conduits, 02.02
- Withdrawn 1999; Specification for Zinc-Aluminum (ZA) Alloy Foundry and Die Castings
- B792-13 Specification for Zinc Alloys in Ingot Form for Slush Casting, 02.04 B793-13 Specification for Zinc Casting Alloy Ingot for Sheet Metal Forming Dies and Plastic Injection Molds, 02.04
- B794-97(2009) Test Method for Durability Wear Testing of Separable Electrical Connector Systems Using Electrical Resistance Measurements, 02.04
- B795-13 Test Method for Determining the Percentage of Alloyed or Unalloyed Iron Contamination Present in Powder Forged (PF) Steel Materials, 02.05
 B796-07 Test Method for Nonmetallic Inclusion Content of Powders Intended
- for Powder Forging (PF) Applications, **02.05 B797-93(2007)** Test Method for Surface Finger Oxide Penetration Depth and Presence of Interparticle Oxide Networks in Powder Forged (P/F) Steel Parts, **02.05**
- B798-95(2009) Test Method for Porosity in Gold or Palladium Coatings on Metal Substrates by Gel-Bulk Electrography, 02.04
- B799-95(2009) Test Method for Porosity in Gold and Palladium Coatings by Sulfurous Acid/Sulfur-Dioxide Vapor, 02.04
- B800-05(2011) Specification for 8000 Series Aluminum Alloy Wire for Electrical Purposes--Annealed and Intermediate Tempers, 02.03
- B801-07(2012) Specification for Concentric-Lay-Stranded Conductors of 8000 Series Aluminum Alloy for Subsequent Covering or Insulation, 02.03

 B802M Withdrawn 1998; Replaced by B802/B802M
- B802/B802M-10 Specification for Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Aluminum Conductors, Steel Reinforced (ACSR), **02.03 B803/B803M-08**⁻¹
- Specification for High-Strength Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Use in Overhead Electrical Conductors, 02.03
- B804-02(2013) Specification for UNS N08367 and UNS N08926 Welded Pipe, 02.04
- B805-06(2011) Specification for Precipitation Hardening Nickel Alloys Bar and Wire, **02.04**
- B806-08a Specification for Copper Alloy Permanent Mold Castings for General Applications, 02.01

 B807/B807M-13 Practice for Extrusion Press Solution Heat Treatment for
- Aluminum Alloys, 02.02 B808-10 Test Method for Monitoring of Atmospheric Corrosion Chambers by
- Quartz Crystal Microbalances, 02.04
- B809-95(2013) Test Method for Porosity in Metallic Coatings by Humid Sulfur Vapor ("Flowers-of-Sulfur"), 02.05
 B810-01a(2011) Test Method for Calibration of Atmospheric Corrosion Test Chambers by Change in Mass of Copper Coupons, 02.04
 B811-13 Specification for Wrought Zirconium Alloy Seamless Tubes for
- Nuclear Reactor Fuel Cladding, 02.04
- B812-96(2013) Test Method for Resistance to Environmental Degradation of Electrical Pressure Connections Involving Aluminum and Intended for Residential Applications, 02.04
- B813-10 Specification for Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube, 02.01

 B814-06(2011) Specification for Nickel-Chromium-Iron-Molybdenum-Tungsten
- Allov, **02.04** B815-02(2011) Specification for Cobalt-Chromium-Nickel-Molybdenum-
- Tungsten Alloy, 02.04 B816-00(2009) Specification for Coatings of Cadmium-Zinc Mechanically
- Deposited, 02.05 B817 Withdrawn 2013; Specification for Powder Metallurgy (PM) Titanium Alloy Structural Components; Replaced by B988
- B818-03(2013) Specification for Cobalt-Chromium-Nickel-Molybdenum-Tungsten Alloy, 02.04
- B819-00(2011) Specification for Seamless Copper Tube for Medical Gas Systems, 02.01
- B820-09 Test Method for Bend Test for Determining the Formability of Copper and Copper Alloy Strip, 02.01
- B821-10 Guide for Liquid Dispersion of Metal Powders and Related Compounds for Particle Size Analysis, 02.05
 B822-10 Test Method for Particle Size Distribution of Metal Powders and
- Related Compounds by Light Scattering, 02.05

B823 B914

- B823-09 Specification for Materials for Copper Base Powder Metallurgy (PM) Structural Parts, 02.05
- B824-11 Specification for General Requirements for Copper Alloy Castings, 02.01
- B825-13 Test Method for Coulometric Reduction of Surface Films on Metallic Test Samples, 02.04
- B826-09 Test Method for Monitoring Atmospheric Corrosion Tests by Electrical Resistance Probes, **02.04 B827-05(2009)**¹² Practice for Conducting Mixed Flowing Gas (MFG)
- Environmental Tests, 02.04
- B828-02(2010) Practice for Making Capillary Joints by Soldering of Copper and Copper Alloy Tube and Fittings, 02.01

 B829-04a(2009)^{c1} Specification for General Requirements for Nickel and
- Nickel Alloys Seamless Pipe and Tube, 02.04
- Specification for Uniform Test Methods and Frequency, 02.03 B831-14 Test Method for Shear Testing of Thin Aluminum Alloy Products, 02.02
- B832-93(2013) Guide for Electroforming with Nickel and Copper, 02.05
 B833-13 Specification for Zinc and Zinc Alloy Wire for Thermal Spraying (Metallizing) for the Corrosion Protection of Steel, 02.04
- B834-13 Specification for Pressure Consolidated Powder Metallurgy Iron-Nickel-Chromium-Molybdenum (UNS N08367) and Nickel-Chromium-Molybdenum-Columbium (Nb) (UNS N06625) Alloy Pipe Flanges, Fittings, Valves, and Parts, 02.04
- B835-04(2009) Specification for Compact Round Stranded Copper Conductors Using Single Input Wire Construction, 02.03
- B836-00(2011) Specification for Compact Round Stranded Aluminum Conductors Using Single Input Wire Construction, 02.03
- B837-10 Specification for Seamless Copper Tube for Natural Gas and Liquified Petroleum (LP) Gas Fuel Distribution Systems, 02.01 B838 Not Assigned
- B839-04(2009) Test Method for Residual Embrittlement in Metallic Coated, Externally Threaded Articles, Fasteners, and Rod—Inclined Wedge Method. 02.05
- B840-99(2009) Specification for Electrodeposited Coatings of Zinc Cobalt Alloy Deposits, **02.05**
- B841-99(2010) Specification for Electrodeposited Coatings of Zinc Nickel Alloy Deposits, 02.05
- B842-99(2011) Specification for Electrodeposited Coatings of Zinc Iron Alloy Deposits, 02.05
- Specification for Magnesium Alloy Anodes for Cathodic Protection, B843-13 02.02
- B844-98(2010) Guide for Silver-Tin Oxide Contact Material, 02.04
- B845-97(2013) Guide for Mixed Flowing Gas (MFG) Tests for Electrical Contacts, 02.04
- B846-11a Terminology for Copper and Copper Alloys, 02.01
- B847 Withdrawn 1995; Specification for Tinned Hard-Drawn and Medium-Hard-Drawn Copper Wire for Electrical Purposed; Replaced by B246
- B848-10 Specification for Powder Forged (PF) Ferrous Materials, 02.05 B849-02(2013) Specification for Pre-Treatments of Iron or Steel for Reducing Risk of Hydrogen Embrittlement, 02.05
- B850-98(2009) Guide for Post-Coating Treatments of Steel for Reducing the Risk of Hydrogen Embrittlement, 02.05
- B851-04(2009) Specification for Automated Controlled Shot Peening of Metallic Articles Prior to Nickel, Autocatalytic Nickel, or Chromium Plating, or as Final Finish, 02.05
- B852-12 Specification for Continuous Galvanizing Grade (CGG) Zinc Alloys for
- Hot-Dip Galvanizing of Sheet Steel, 02.04

 B853-12 Specification for Powder Metallurgy (PM) Boron Stainless Steel Structural Components, **02.05 B854-98(2010)**^{c1} Guide for Measur
- 2010)^{c1} Guide for Measuring Electrical Contact Intermittences, 02.04 Test Method for Volumetric Flow Rate of Metal Powders Using the B855-11 Arnold Meter and Hall Flowmeter Funnel, 02.05
- B856-13 Specification for Concentric-Lay-Stranded Aluminum Conductors,
- Coated Steel Supported (ACSS), 02.03

 B857-11^{c2} Specification for Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors, Coated-Steel Supported (ACSS/TW), 02.03
- B858-06(2012) Test Method for Ammonia Vapor Test for Determining Susceptibility to Stress Corrosion Cracking in Copper Alloys, 02.01
- B859-13 Practice for De-Agglomeration of Refractory Metal Powders and Their Compounds Prior to Particle Size Analysis, 02.05
- B860-13 Specification for Zinc Master Alloys for Use in Hot Dip Galvanizing, 02.04
- B861-13 Specification for Titanium and Titanium Alloy Seamless Pipe, 02.04
 B862-13a Specification for Titanium and Titanium Alloy Welded Pipe, 02.04
 B863-13a Specification for Titanium and Titanium Alloy Wire, 02.04
- B864/B864M-13 Specification for Corrugated Aluminum Box Culverts, 02.02
- B865-04(2010) Specification for Precipitation Hardening Nickel-Copper-Aluminum Alloy, 02.04
- B866-95(2013) Test Method for Gross Defects and Mechanical Damage in Metallic Coatings by Polysulfide Immersion, 02.05
- B867-95(2013) Specification for Electrodeposited Coatings of Palladium-Nickel for Engineering Use, 02.05
- B868-96(2013) Practice for Contact Performance Classification of Electrical Connection Systems, 02.04

 B869-07(2013) Specification for Copper-Clad Steel Electrical Conductor for
- CATV Drop Wire, 02.03
- **B870-08** Specification for Copper-Beryllium Alloy Forgings and Extrusions Alloys (UNS Nos. C17500 and C17510), 02.01

B871-01(2013) Test Method for Tear Testing of Aluminum Alloy Products, 02.02

- B872-06(2011) Specification for Precipitation-Hardening Nickel Alloys Plate, Sheet, and Strip, 02.04
- B873-12 Test Method for Measuring Volume of Apparent Density Cup Used in Test Methods B 212, B 329, and B 417, 02.05
- B874-96(2013) Specification for Chromium Diffusion Coating Applied by Pack Cementation Process, 02.05
- B875-96(2013) Specification for Aluminum Diffusion Coating Applied by Pack Cementation Process, 02.05
- B876 Withdrawn 2002; Specification for Borated Dispersion Strengthened Copper Plate, Sheet, Strip and Rolled Bar for Nuclear Application
- B877-96(2013) Test Method for Gross Defects and Mechanical Damage in Metallic Coatings by the Phosphomolybdic Acid (PMA) Method, 02.05
 B878-97(2009) Test Method for Nanosecond Event Detection for Electrical
- Contacts and Connectors, 02.04
- B879-97(2013) Practice for Applying Non-Electrolytic Conversion Coatings on Magnesium and Magnesium Alloys, 02.05
- B880-03(2008) Specification for General Requirements for Chemical Check Analysis Limits for Nickel, Nickel Alloys and Cobalt Alloys, 02.04
- B881-09 Terminology Relating to Aluminum- and Magnesium-Alloy Products, 02.02
- B882-10 Specification for Pre-Patinated Copper for Architectural Applications, 02.01
- B883-10^{c1} Specification for Metal Injection Molding (MIM) Ferrous Materials, 02.05
- B884-11 Specification for Niobium-Titanium Alloy Billets, Bar, and Rod for Superconducting Applications, 02.04
- B885-09 Test Method for Presence of Foreign Matter on Printed Wiring Board Contacts, 02.04
- B886-12 Test Method for Determination of Magnetic Saturation (Ms) of Cemented Carbides, 02.05
- B887-12 Test Method for Determination of Coercivity (Hcs) of Cemented Carbides, 02.05
- B888/B888M-13 Specification for Copper Alloy Strip for Use in Manufacture of Electrical Connectors or Spring Contacts, 02.01
- Withdrawn 2003; Specification for Solid Hard-Drawn Aluminum Wire for Electrical Purposes
- B890-07(2012) Test Method for Determination of Metallic Constituents of Tungsten Alloys and Tungsten Hardmetals by X-Ray Fluorescence Spectrometry, 02.05
- B891-12 Specification for Seamless and Welded Titanium and Titanium Alloy Condenser and Heat Exchanger Tubes with Enhanced Surface for Improved Heat Transfer, 02.04
- B892-10 Specification for ACuZinc5, 02.04
- B893-98(2013) Specification for Hard-Coat Anodizing of Magnesium for Engineering Applications, 02.05
- B894-10^{€1} Specification for Specification for ACuZinc5 (Zinc-Copper-Aluminum) Alloy Die Castings, **02.04 B895-05(2010)**^{c1} Test Methods for Evaluating the Corrosion Resistance of
- Stainless Steel Powder Metallurgy (PM) Parts/Specimens by Immersion in a Sodium Chloride Solution, **02.05**
- B896-10^{€1} Test Methods for Evaluating Connectability Characteristics of Electrical Conductor Materials, 02.04
- B897-13 Specification for Configuration of Zinc and Zinc Alloy Jumbo, Block, Half Block, and Slab Ingot, 02.04
- B898-11 Specification for Reactive and Refractory Metal Clad Plate, 02.04 Terminology Relating to Non-ferrous Metals and Alloys, 02.04
- B900-04(2010) Practice for Packaging of Copper and Copper Alloy Mill Products for U.S. Government Agencies, 02.01
- B901-04(2011) Specification for Compressed Round Stranded Aluminum
- Conductors Using Single Input Wire Construction, **02.03 B902/B902M-13** Specification for Compressed Round Stranded Copper Conductors, Hard, Medium-Hard, or Soft Using Single Input Wire Construction, 02.03
- B903-10 Specification for Seamless Copper Heat Exchanger Tubes With Internal Enhancement, 02.01
- B904-00(2009) Specification for Autocatalytic Nickel over Autocatalytic Copper for Electromagnetic Interference Shielding, 02.05
- B905-00(2010) Test Methods for Assessing the Adhesion of Metallic and Inorganic Coatings by the Mechanized Tape Test, 02.05
- B906-02(2012) Specification for General Requirements for Flat-Rolled Nickel and Nickel Alloys Plate, Sheet, and Strip, 02.04
- B907-13 Specification for Zinc, Tin and Cadmium Base Alloys Used as Solders, 02.04
- B908-09 Practice for the Use of Color Codes for Zinc Casting Alloy Ingot, 02.04
- B909-00(2011) Guide for Plane Strain Fracture Toughness Testing of Non-Stress Relieved Aluminum Products, 02.02
- B910/B910M-07(2013) Specification for Annealed Copper-Clad Steel Wire, 02.03
- B911/B911M-12 Specification for ACSR Twisted Pair Conductor (ACSR/TP), 02.03
- B912-02(2013) Specification for Passivation of Stainless Steels Using Electropolishing, 02.05
 B913-05(2010) Test Method for Evaluation of Crimped Electrical Connections to 16-Gauge and Smaller Diameter Stranded and Solid Conductors, 02.04
- B914-13^{c1} Practice for Color Codes on Zinc and Zinc Alloy Ingot for Use in Hot-Dip Galvanizing of Steel, 02.04

B915 B988

- B915-01(2013)^{€1} Test Method for Measuring Static Heat Resistance of Self-Cleaning Oven Coating, 02.05
 -01(2013)⁻¹ Test Method for Adherence of Porcelain Enamel Coatings to
- B916-01(2013)^{€1} Sheet Metal, 02.05
- B917/B917M-12 Practice for Heat Treatment of Aluminum-Alloy Castings from All Processes. 02.02
- B918/B918M-09 Practice for Heat Treatment of Wrought Aluminum Alloys. 02.02
- B919-12 Specification for Welded Copper Heat Exchanger Tubes With Internal Enhancement, 02.01
- B920-01(2011) Practice for Porosity in Gold and Palladium Alloy Coatings on Metal Substrates by Vapors of Sodium Hypochlorite Solution, 02.04
- B921-08(2013) Specification for Non-hexavalent Chromium Conversion Coatings on Aluminum and Aluminum Alloys, 02.05
- B922-10 Test Method for Metal Powder Specific Surface Area by Physical Adsorption, 02.05
- B923-10 Test Method for Metal Powder Skeletal Density by Helium or Nitrogen Pycnometry, 02.05
 B924-02(2012) Specification for Seamless and Welded Nickel Alloy
- Condenser and Heat Exchanger Tubes With Integral Fins, 02.04
- B925-08 Practices for Production and Preparation of Powder Metallurgy (PM) Test Specimens, 02.05

 B926-09 Method for Pinhole Determination in Aluminum and Aluminum Alloy
- Plain Foil by Means of a Light Table, 02.02

 B927/B927M-13 Specification for Brass Rod, Bar, and Shapes, 02.01

 B928/B928M-14 Specification for High Magnesium Aluminum-Alloy Sheet and Plate for Marine Service and Similar Environments, 02.02
- B929-05(2011)^{€1} Specification for Copper-Nickel-Tin Spinodal Alloy Rod and Bar, **02.01**
- B930-03(2012) Test Method for Rating Grain Size and Frequency of Abnormally Large Grains in Cemented Tungsten Carbides (Hardmetals), 02.05
- B931-09 Test Method for Metallographically Estimating the Observed Case Depth of Ferrous Powder Metallurgy (PM) Parts, 02.05
- B932-04(2010) Specification for Low-Carbon Nickel-Chromium-Molybdenum-Gadolinium Alloy Plate, Sheet, and Strip, 02.04
- B933-09 Test Method for Microindentation Hardness of Powder Metallurgy (PM) Materials, **02.05**
- Test Method for Effective Case Depth of Ferrous Powder Metallurgy
- (PM) Parts Using Microindentation Hardness Measurements, **02.05 B935-05(2009)**¹¹ Guide for Steam Treatment of Ferrous Powder Metallurgy (PM) Materials, 02.05
- B936-13 Specification for Copper-Chromium-Iron-Titanium Alloy Plate, Sheet, Strip and Rolled Bar, 02.01
- B937-04(2010) Specification for Copper-Beryllium Seamless Tube (UNS Nos. C17500 and C17510), 02.01
- B938 Withdrawn 2010; Specification for Copper-Beryllium Alloy Forgings and Extrusions (UNS Nos. C17500 and C17510); Replaced by B870
 B939-09 Test Method for Radial Crushing Strength, K, of Powder Metallurgy (PM) Bearings and Structural Materials, 02.05
 B940-05(2009)^{c1} Practice for Testing Non-Chromate Coatings on Zinc and
- Cadmium Surfaces, 02.05
- B941-10 Specification for Heat Resistant Aluminum-Zirconium Alloy Wire for Electrical Purposes, 02.03

 B942-10^{c1} Guide for Specification and Quality Assurance for the Electrical
- Contact Performance of Crimped Wire Terminations, 02.04

 B943-13 Specification for Zinc and Tin Alloy Wire Used in Thermal Spraying
- for Electronic Applications, 02.04
- B944-11 Specification for Copper-Beryllium Welded Heat Exchanger and Condenser Tube (UNS No. C17510), 02.01
- B945-06 Practice for Aluminum Alloy Extrusions Press Cooled from an Elevated Temperature Shaping Process for Production of T1, T2, T5 and T10-Type Tempers, 02.02
- B946-11 Test Method for Surface Finish of Powder Metallurgy (PM) Products, 02.05
- B947-06(2013) Practice for Hot Rolling Mill Solution Heat Treatment for Aluminum Alloy Plate, 02.02
- B949-13 Specification for General Requirements for Zinc and Zinc Alloy Products, 02.04
- B950-13 Guide for Editorial Procedures and Form of Product Specifications for Copper and Copper Alloys, **02.01 B951-11** Practice for Codification of Unalloyed Magnesium and Magnesium-
- Alloys, Cast and Wrought, 02.02

B952/B952M-13 Specification for Zinc Alloys in Ingot Form for Spin Casting, 02.04

- B953-13 Practice for Sampling Magnesium and Magnesium Alloys for Spectrochemical Analysis, 02.02
- Test Method for Analysis of Magnesium and Magnesium Alloys by B954-07 Atomic Emission Spectrometry, 02.02
- B955/B955M-11 Specification for Aluminum-Alloy Centrifugal Castings, 02.02
 B956/B956M-10^{c1} Specification for Welded Copper and Copper-Alloy Condenser and Heat Exchanger Tubes with Integral Fins, 02.01
- B957/B957M-08^{€1} Specification for Extra-High-Strength and Ultra-High-Strength Zinc-Coated (Galvanized) Steel Core Wire for Overhead Electrical Conductors, 02.03
- B958/B958M-08^{c1} Specification for Extra-High-Strength and Ultra-High-Strength Class A Zinc-5% Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Use in Overhead Electrical Conductors, 02.03
- B960-13 Specification for Prime Western Grade-Recycled (PWG-R) Zinc, 02.04
- B961-13 Specification for Silver Coated Copper and Copper Alloy Stranded Conductors for Electronic Space Application, 02.03
- B962-13 Test Methods for Density of Compacted or Sintered Powder Metallurgy (PM) Products Using Archimedes' Principle, 02.05
- B963-13 Test Methods for Oil Content, Oil-Impregnation Efficiency, and Interconnected Porosity of Sintered Powder Metallurgy (PM) Products Using Archimedes' Principle, 02.05
- B964-09 Test Methods for Flow Rate of Metal Powders Using the Carney Funnel, 02.05
- B965-09 Specification for High Performance Tin-Coated Annealed Copper Wire Intended for Electrical and Electronic Application for Solderability, 02.03
- B966-10 Test Method for Permeability of Powder Metallurgy (PM) Bearings Using Nitrogen Gas, 02.05
- B967/B967M-12a Specification for Copper-Zinc-Tin-Bismuth Alloy Rod, Bar and Wire, 02.01
- B968/B968M-10 Test Method for Flattening of Copper and Copper-Alloy Pipe and Tube, 02.01
- B969/B969M-11 Specification for Aluminum-Alloy Castings Produced by the Squeeze Casting, Thixocast and Rheocast Semi-Solid Casting Processes, 02.02
- B970-09 Test Method for Cleanliness of Powder Metallurgy (PM) Bearings and Structural Parts, 02.05
- B971-10 Specification for Silver-Coated Braid and Ribbon Flat Copper Wire intended for use in Electronic Application, 02.03
- B972-10 Specification for Nickel-Coated Braid and Ribbon Flat Copper Wire Intended for use in Electronic Application, 02.03
- B973-10 Specification for Tin-Coated Braid and Ribbon Flat Copper Wire intended for use in Electronic Application, 02.03
- B974/B974M-12a Specification for Free-Cutting Bismuth Brass Rod, Bar and Wire, 02.01
- B976-11 Specification for Fiber Reinforced Aluminum Matrix Composite (AMC) Core Wire for Aluminum Conductors, Composite Reinforced (ACCR),
- B977-13 Specification for Titanium and Titanium Ingots, 02.04
- B978/B978M-14 Specification for Concentric-Lay-Stranded Aluminum Conductors, Composite Reinforced (ACCR), 02.03
- B979-12 Specification for Non-Specular (NS) Surface Finish on Overhead Aluminum Electrical Conductors, 02.03
- B981/B981M-12 Specification for Low Leaded Brass Rod, Bar and Shapes, 02.01
- B982-12 Specification for Sampling and Sample Preparation of Lead and Lead Alloys for Optical Emission Spectrometric OR ICP Analysis, **02.04 B983-13a** Specification for Precipitation Hardened or Cold Worked, Seamless
- Nickel Alloy Pipe and Tube, 02.04
- B984-12 Specification for Electrodeposited Coatings of Palladium- Cobalt Alloy for Engineering Use, **02.05**
- B985-12 Practice for Sampling Aluminum Ingots, Billets, Castings and Finished or Semi-Finished Wrought Aluminum Products for Compositional Analysis, 02.02
- B986-13^{€1} Test Method for Determination of Tensile Strength by Mass Method for Stranded Conductors Intended for use in Electronic Application, 02.03
- B988-13 Specification for Powder Metallurgy (PM) Titanium and Titanium Alloy Structural Components, 02.05

C. CEMENTITIOUS, CERAMIC, CONCRETE, AND MASONRY MATERIALS

- C1 Withdrawn 1916; Method of Test for Cement; Replaced by C150
- C2 Withdrawn 1917; Method of Test for Fireproof Floor Construction; Replaced by E119
- Withdrawn 1918; Method of Test for Fireproof Partition Construction; Replaced by E119
- C4-04(2009) Specification for Clay Drain Tile and Perforated Clay Drain Tile, 04.05
- C5-10 Specification for Quicklime for Structural Purposes, 04.01
- *C6* Withdrawn 1981; Specification for Normal Finishing Hydrated Lime; Replaced by C206
- Withdrawn 1980; Specification for Paving Brick
- C8 Withdrawn 1941; Definition of Terms Relating to Clay Sewer Pipe
- Withdrawn 1942; Specification for Portland Cement; Replaced by C150 C9
- C10/C10M-14 Specification for Natural Cement, 04.01
- C11-13 Terminology Relating to Gypsum and Related Building Materials and Systems, **04.01**
- C12-13a Practice for Installing Vitrified Clay Pipe Lines, 04.05
- C13 Withdrawn 1973; Specification for Standard Strength Clay Sewer Pipe; Replaced by C700
- C14-14 Specification for Nonreinforced Concrete Sewer, Storm Drain, and Culvert Pipe, 04.05
- C14M-14 Specification for Nonreinforced Concrete Sewer, Storm Drain, and Culvert Pipe (Metric), 04.05
 C15 Withdrawn 1930; Specification for Required Safe Crushing Strengths of
- Sewer Pipe to Carry Loads from Ditch

 C16-03(2012) Test Method for Load Testing Refractory Shapes at High Temperatures, 15.01
- Withdrawn 1926; Method of Test for Slagging Action of Refractory Materials
- C18 Withdrawn 1966; Methods of Test for Chemical Analysis of Refractory Materials
- Redesignated 1946 E119; Methods of Fire Tests of Building Construction and Materials
- C20-00(2010) Test Methods for Apparent Porosity, Water Absorption, Apparent Specific Gravity, and Bulk Density of Burned Refractory Brick and Shapes by Boiling Water, 15.01
- Withdrawn 1928; Specification for Building Brick; Replaced by C62, C67, C73
- C22/C22M-00(2010) Specification for Gypsum, 04.01
- Withdrawn 1928; Specification for Calcined Gypsum
- C24-09(2013) Test Method for Pyrometric Cone Equivalent (PCE) of Fireclay and High Alumina Refractory Materials, 15.01
- C25-11 Test Methods for Chemical Analysis of Limestone, Quicklime, and Hydrated Lime, 04.01
- C26 Withdrawn 1961; Methods of Testing Gypsum and Gypsum Products; Replaced by C471, C472, C473
- C27-98(2013) Classification of Fireclay and High-Alumina Refractory Brick, 15.01
- C28/C28M-10 Specification for Gypsum Plasters, 04.01
- C29/C29M-09 Test Method for Bulk Density ("Unit Weight") and Voids in Aggregate, 04.02
- Withdrawn 1979; Method of Test for Voids in Aggregate for Concrete;
- Replaced by C929
 C31/C31M-12 Practice for Making and Curing Concrete Test Specimens in the Field, **04.02**
- C32-13 Specification for Sewer and Manhole Brick (Made From Clay or Shale), **04.05**
- C33/C33M-13 Specification for Concrete Aggregates, 04.02
 C34-13 Specification for Structural Clay Load-Bearing Wall Tile, 04.05 C35-01(2009) Specification for Inorganic Aggregates for Use in Gypsum Plaster, 04.01
 C36/C36M Withdrawn 2005; Specification for Gypsum Wallboard; Replaced by
- C1396
- C37/C37M Withdrawn 2005; Specification for Gypsum Wallboard; Replaced by C1396
- C38 Withdrawn 1994; Method for Panel Spalling Testing Refractory Brick C39/C39M-14a Test Method for Compressive Strength of Cylindrical Concrete Specimens, 04.02
- C40/C40M-11 Test Method for Organic Impurities in Fine Aggregates for Concrete, 04.02
- Withdrawn 1939; Method of Test for Sieve Analysis of Concrete Aggregates and Lime; Replaced by C136
- C42/C42M-13 Test Method for Obtaining and Testing Drilled Cores and Sawed Beams of Concrete, 04.02
- Withdrawn 2009; Terminology of Structural Clay Products; Replaced by
- Withdrawn 1936; Rules for Inspection of Concrete and Reinforced C44 Concrete Work
- Withdrawn 1982; Specification for Quicklime and Hydrated Lime for Cooking of Rags in Paper Manufacture; Replaced by C911
- Withdrawn 1982; Specification for Quicklime and Limestone for Sulfite Pulp Manufacture; Replaced by C911
- Withdrawn 1958; Specification for Hydrated Lime for Varnish Manufacture
- Withdrawn 1954; Specification for Quicklime and Hydrated Lime for Use C48 in the Textile Industry
- Withdrawn 1982: Specification for Quicklime and Hydrated Lime for Silica Brick Manufacture; Replaced by C911
- C50/C50M-13 Practice for Sampling, Sample Preparation, Packaging, and

- Marking of Lime and Limestone Products, 04.01
- C51-11 Terminology Relating to Lime and Limestone (as used by the Industry), **04.01**
- Withdrawn 1984; Specification for Gypsum Partition Tile or Block C52
- Withdrawn 1982; Specification for Quicklime and Hydrated Lime for Water C53Treatment; Replaced by C911
- Withdrawn 1940; Specification for Quicklime and Lime for Water Treatment
- C55-11 Specification for Concrete Building Brick, 04.05
- Specification for Structural Clay Nonloadbearing Tile, 04.05
- C57 Withdrawn 1990; Specification for Structural Clay Floor Tile
- Withdrawn 1964; Definition of Terms Relating to Sand C59/C59M-00(2011) Specification for Gypsum Casting Plaster and Gypsum Molding Plaster, 04.01
- C60 Withdrawn 1949; Specification for Gypsum Pottery Plaster
 C61/C61M-00(2011) Specification for Gypsum Keene's Cement, 04.01
 C62-13a Specification for Building Brick (Solid Masonry Units Made From Clay
- or Shale), 04.05
- Withdrawn 1985; Specification for Fireclay Brick Refractories for
- Malleable Iron Furnaces with Removable Bungs, and for Annealing Ovens Withdrawn 1984; Specification for Fireclay Brick Refractories for Heavy
- Duty Stationary Boiler Service Withdrawn 1940; Specification for Fireclay Brick for Marine Boiler Service Withdrawn 1937; Specification for Sand for Use in Lime Plaster; C65 C66
- Replaced by C35 C67-13a Test Methods for Sampling and Testing Brick and Structural Clay Tile,
- 04.05
- C68 Withdrawn 1937; Method of Test for Specific Gravity of Fine Aggregate; Replaced by C128 Withdrawn 1943; Method of Test for Voids in Inundated Fine Aggregate
- C69
- C70-13 Test Method for Surface Moisture in Fine Aggregate, 04.02
 C71-12 Terminology Relating to Refractories, 15.01
 C72 Withdrawn 1949; Specification for Calcined Gypsum for Dental Plasters
- C73-10 Specification for Calcium Silicate Brick (Sand-Lime Brick), 04.05
- C74 Withdrawn 1942; Specification for Portland Cement; Replaced by C150
 C75 Withdrawn 1957; Specification for Reinforced Concrete Sewer Pipe;
- Combined with C 76
- C76-14 Specification for Reinforced Concrete Culvert, Storm Drain, and Sewer
- Pipe, 04.05
 C76M-14 Specification for Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe (Metric), 04.05
- Withdrawn 1945; Test Method for Specific Gravity of Hydraulic Cement;
- Replaced by C183, C184, C187, C188, C191
 C78/C78M-10^{c1} Test Method for Flexural Strength of Concrete (Using Simple
- Beam with Third-Point Loading), **04.02**C79/C79M Withdrawn 2005; Specification for Gypsum Wallboard; Replaced by C1396
- C80 Withdrawn 1943; Specification for Curing Portland-Cement Concrete
- Withdrawn 1943; Method of Curing Portland-Cement Concrete Slabs with C81 Bituminous Coverings
- Withdrawn 1943; Method of Curing Portland-Cement Concrete Slabs with Calcium Chloride Admixture
- Withdrawn 1943; Method of Curing Portland-Cement Concrete Slabs by Surface Application of Calcium Chloride
- Withdrawn 1943; Method of Curing Portland-Cement Concrete Slabs with Wet Coverings
- Withdrawn 1989; Method of Test for Cement Content of Hardened Portland Cement Concrete; Replaced by C1084
- Withdrawn 1937; Method of Test for Specific Gravity and Absorption of
- Coarse Aggregates; Replaced by C127
 C87/C87M-10 Test Method for Effect of Organic Impurities in Fine Aggregate on Strength of Mortar, 04.02
- C88-13 Test Method for Soundness of Aggregates by Use of Sodium Sulfate or Magnesium Sulfate, 04.02
- Withdrawn 1938; Method of Test for Soundness of Coarse Aggregates by Use of Sodium Sulfate, or Magnesium Sulfate; Replaced by C88
- C90-14 Specification for Loadbearing Concrete Masonry Units, 04.05
- C91/C91M-12 Specification for Masonry Cement, 04.01

 C92-95(2010) Test Methods for Sieve Analysis and Water Content of Refractory Materials, 15.01

 C93 Withdrawn 1992; Test Methods for Cold Crushing Strength and Modulus
- of Rupture of Insulating Firebrick
- C94/C94M-14a Specification for Ready-Mixed Concrete, 04.02
- Withdrawn 1938; Method of Test for Specific Gravity and Absorption of Course Aggregate; Replaced by C127, C128
- C96 Withdrawn 1937; Method of Test for Specific Gravity and Absorption of Fine Aggregate; Replaced by C127, C128
 C97/C97M-09 Test Methods for Absorption and Bulk Specific Gravity of
- Dimension Stone, 04.07
- Withdrawn 1941; Method of Test for Compressive Strength of Natural Building Stone; Replaced by C170 C99/C99M-09 Test Method for Modulus of Rupture of Dimension Stone, 04.07
- C100 Withdrawn 1951; Method of Test for Modulus of Elasticity of Natural Building Stone C101 Withdrawn 1942; Method of Sampling Natural Building Stone and
- Preparation of Sample for Testing
 C102 Withdrawn 1951; Method of Shear Testing of Natural Building Stone
- Withdrawn 1942; Method of Tension Testing of Natural Building Stone

C104 C209

- C104 Withdrawn 1942; Definition of Terms Relating to Natural Building Stone Withdrawn 1984; Specification for Ground Fire Clay as a Refractory C105 Mortar for Laying-Up Fireclay Brick
- C106 Withdrawn 1973; Specification for Refractories for Incinerators Withdrawn 1994; Method of Panel Spalling Testing High-Duty Fireclay C107 Brick
- C108-46(2013) Symbols for Heat Transmission, 15.01
- C109/C109M-13 Test Method for Compressive Strength of Hydraulic Cement Mortars (Using 2-in. or 50-mm Cube Specimens), 04.01
- C110-11 Test Methods for Physical Testing of Quicklime, Hydrated Lime, and Limestone, 04.01
- C111 Withdrawn 1950; Specification for Sodium Silicate for Curing Concrete C112 Withdrawn 1974; Methods of Sampling and Testing Structural Clay Tile; Combined with C 67
- C113-02(2008) Test Method for Reheat Change of Refractory Brick, 15.01 C114-13 Test Methods for Chemical Analysis of Hydraulic Cement, 04.01 C115/C115M-10^{c1} Test Method for Fineness of Portland Cement by the Turbidimeter, 04.01
- C116 Withdrawn 1999; Test Method for Compressive Strength of Concrete Using Portions of Beams Broken in Flexure
 C117-13 Test Method for Materials Finer than 75-µm (No. 200) Sieve in
- Mineral Aggregates by Washing, **04.02**C118-11 Specification for Concrete Pipe for Irrigation or Drainage, **04.05**
- C118M-11 Specification for Concrete Pipe for Irrigation or Drainage (Metric),
- 04.05 C119-11 Terminology Relating to Dimension Stone, 04.07
- C120/C120M-12 Test Methods of Flexure Testing of Slate (Breaking Load, Modulus of Rupture, Modulus of Elasticity), 04.07
 C121/C121M-09^{c1} Test Method for Water Absorption of Slate, 04.07
- C122 Withdrawn 1994; Test Method for Panel Spalling Testing Super-Duty Fireclay Brick
- C123/C123M-12 Test Method for Lightweight Particles in Aggregate, 04.02
 C124 Withdrawn 1974; Method of Test for Flow of Portland-Cement Concrete
 by Use of the Flow Table
- C125-13b Terminology Relating to Concrete and Concrete Aggregates, 04.02
 C126-14 Specification for Ceramic Glazed Structural Clay Facing Tile, Facing Brick, and Solid Masonry Units, 04.05
- C127-12 Test Method for Density, Relative Density (Specific Gravity), and Absorption of Coarse Aggregate, 04.02
- C128-12 Test Method for Density, Relative Density (Specific Gravity), and Absorption of Fine Aggregate, 04.02
- C129-11 Specification for Nonloadbearing Concrete Masonry Units, 04.05
 C130 Withdrawn 1955; Specification for Lightweight Aggregates for Concrete;
 Replaced by C330, C331, C332
 C131/C131M-14 Test Method for Resistance to Degradation of Small-Size
- Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine, 04.02
- C132 Withdrawn 1944; Specification for Fire-Retardant Properties of Wood for
- Scaffolding and Shoring
 C133-97(2008)^{c1} Test Methods for Cold Crushing Strength and Modulus of Rupture of Refractories, 15.01
- C134-95(2010) Test Methods for Size, Dimensional Measurements, and Bulk Density of Refractory Brick and Insulating Firebrick, 15.01
 C135-96(2009)^{c1} Test Method for True Specific Gravity of Refractory Materials
- by Water Immersion, **15.01 C136-06** Test Method for Sieve Analysis of Fine and Coarse Aggregates, 04.02
- Withdrawn 1991; Specification for Solid Load-Bearing Concrete Masonry Units; Replaced by C90
- C138/C138M-14 Test Method for Density (Unit Weight), Yield, and Air Content (Gravimetric) of Concrete, 04.02
- C139-11 Specification for Concrete Masonry Units for Construction of Catch Basins and Manholes, 04.05
 C140/C140M-14 Test Methods for Sampling and Testing Concrete Masonry
- Units and Related Units, 04.05
- C141/C141M-09 Specification for Hydrated Hydraulic Lime for Structural Purposes, **04.01**
- C142/C142M-10 Test Method for Clay Lumps and Friable Particles in Aggregates, 04.02
- C143/C143M-12 Test Method for Slump of Hydraulic-Cement Concrete, 04.02
 C144-11 Specification for Aggregate for Masonry Mortar, 04.05
 C145 Withdrawn 1992; Specification for Load-Bearing Concrete Masonry
 Units; Replaced by C90
- C146-94a(2009) Test Methods for Chemical Analysis of Glass Sand, 15.02 C147-86(2010) Test Methods for Internal Pressure Strength of Glass Containers, 15.02
- C148-12 Test Methods for Polariscopic Examination of Glass Containers, 15.02
- C149-86(2010) Test Method for Thermal Shock Resistance of Glass Containers, 15.02
 C150/C150M-12 Specification for Portland Cement, 04.01
 C151/C151M-09 Test Method for Autoclave Expansion of Hydraulic Cement,
- 04.01
- C152 Redesignated 1941 E152; Methods of Fire Tests of Door Assemblies C153 Withdrawn 1973; Specification for Refractories for Moderate Duty
- Stationary Boiler Service; Combined with C 64
 C154 Withdrawn 1985; Method of Test for Warpage of Refractory Brick and Tile, or Deviation from Plane Surface
- C155-97(2013) Classification of Insulating Firebrick, 15.01
- C156-11 Test Method for Water Loss from a Mortar Specimen Through Liquid

- Membrane-Forming Curing Compounds for Concrete, 04.02
- C157/C157M-08^{c1} Test Method for Length Change of Hardened Hydraulic-Cement Mortar and Concrete, 04.02
- C158-02(2012) Test Methods for Strength of Glass by Flexure (Determination of Modulus of Rupture), 15.02
- C159-06(2011) Specification for Vitrified Clay Filter Blocks, 04.05
- C160 Withdrawn 1960; Specification for Mortar for Unit Masonry
- C161 Withdrawn 1959; Specification for Mortar for Unit Masonry
- C162-05(2010) Terminology of Glass and Glass Products, 15.02
 C163-05(2010) Practice for Mixing Thermal Insulating Cement Samples, 04.06
 C164 Withdrawn 1962; Method of Test for Storage Density of Thermal
- Insulating Cement
 C165-07(2012) Test Method for Measuring Compressive Properties of Thermal Insulations, 04.06
- C166-05(2010) Test Method for Covering Capacity and Volume Change Upon Drying of Thermal Insulating Cement, 04.06
- C167-09 Test Methods for Thickness and Density of Blanket or Batt Thermal Insulations, 04.06
- C168-13 Terminology Relating to Thermal Insulation, 04.06
- C169-92(2011) Test Methods for Chemical Analysis of Soda-Lime and
- Borosilicate Glass, 15.02 C170/C170M-14 Test Method for Compressive Strength of Dimension Stone, 04.07
- C171-07 Specification for Sheet Materials for Curing Concrete, 04.02
- C172/C172M-14 Practice for Sampling Freshly Mixed Concrete, 04.02
- C173/C173M-14 Test Method for Air Content of Freshly Mixed Concrete by the Volumetric Method, 04.02
- C174/C174M-13 Test Method for Measuring Thickness of Concrete Elements Using Drilled Concrete Cores, 04.02
- C175 Withdrawn 1971; Specification for Air-Entraining Portlant Cement; Replaced by C150
- C176 Withdrawn 1973; Specification for Fireday Plastic Refractories for Boiler and Incinerator Services; Replaced by C64
 C177-13 Test Method for Steady-State Heat Flux Measurements and Thermal
- Transmission Properties by Means of the Guarded-Hot-Plate Apparatus, 04.06
- C178 Withdrawn 1973; Specification for Air-Setting Refractory Mortar (Wet Type) for Boiler and Incinerator Services
- C179-11 Test Method for Drying and Firing Linear Change of Refractory Plastic and Ramming Mix Specimens, 15.01
- C180 Withdrawn 1986; Method of Panel Spalling Testing Fireclay Plastic Refractories
- C181-11 Test Method for Workability Index of Fireclay and High-Alumina Refractory Plastics, 15.01
- C182-88(2013) Test Method for Thermal Conductivity of Insulating Firebrick, 15.01
- C183-13 Practice for Sampling and the Amount of Testing of Hydraulic Cement, 04.01
- C184 Withdrawn 2002; Test Method for Fineness of Hydraulic Cement by the 150-µm (No. 100) and 75-µm (No. 200) Sieves
- C185-08 Test Method for Air Content of Hydraulic Cement Mortar, 04.01
 C186-13 Test Method for Heat of Hydration of Hydraulic Cement, 04.01
 C187-11^{c1} Test Method for Amount of Water Required for Normal Consistency of Hydraulic Cement Paste, 04.01
- C188-14 Test Method for Density of Hydraulic Cement, 04.01
 C189 Withdrawn 1957; Method of Test for Soundness of Hydraulic Cement Over Boiling Water (Pat Test) of Portland Cement
- C190 Withdrawn 1991; Test Method for Tensile Strength of Hydraulic Cement Mortars
- C191-13 Test Methods for Time of Setting of Hydraulic Cement by Vicat Needle, 04.01
- C192/C192M-14 Practice for Making and Curing Concrete Test Specimens in
- the Laboratory, **04.02**C193 Withdrawn 1977; Specification for Magnesia Thermal Insulating Cement
 C194 Withdrawn 1977; Specification for Asbestos Thermal Insulating and Finishing Cement
- C195-07(2013) Specification for Mineral Fiber Thermal Insulating Cement, 04.06
- C196-00(2010) Specification for Expanded or Exfoliated Vermiculite Thermal Insulating Cement, 04.06
- C197 Withdrawn 1978; Specification for Diatomaceous Silica Thermal Insulating Cement
- C198-09(2013) Test Method for Cold Bonding Strength of Refractory Mortar, 15.01
- C199-84(2011) Test Method for Pier Test for Refractory Mortars, 15.01 C200 Withdrawn 1973; Specification for Extra Strength Clay Pipe; Replaced by C700
- Test Method for Thermal Conductivity of Refractories, 15.01 C201-93(2013) C202-93(2013) Test Method for Thermal Conductivity of Refractory Brick, 15.01
- C203-05a(2012) Test Methods for Breaking Load and Flexural Properties of Block-Type Thermal Insulation, 04.06
- C204-11 Test Methods for Fineness of Hydraulic Cement by Air-Permeability Apparatus, 04.01
- Apparatus, **u4.01**C205 Withdrawn 1968; Specification for Portland Blast-Furnace Cement;
 Replaced by C595
 C206-03(2009) Specification for Finishing Hydrated Lime, **04.01**C207-06(2011) Specification for Hydrated Lime for Masonry Purposes, **04.01**C208-12 Specification for Cellulosic Fiber Insulating Board, **04.06**C209-12 Test Methods for Cellulosic Fiber Insulating Board, **04.06**

C210 C310

- C210-95(2007)^{€1} Test Method for Reheat Change of Insulating Firebrick, 15.01 C211 Withdrawn 1973; Specification for Standard Strength Perforated Clay Pipe; Replaced by C700
- C212-14 Specification for Structural Clay Facing Tile, 04.05
- C213 Withdrawn 1973; Specification for Alumina-Silica Castable Refractories for Boiler Furnaces and Incinerators; Combined with C 64
- C214 Withdrawn 1955; Method of Test for Measuring Water Vapor of Materials in Sheet Form; Replaced by E96
- C215-08 Test Method for Fundamental Transverse, Longitudinal, and, 04.02 C216-14 Specification for Facing Brick (Solid Masonry Units Made from Clay or Shale), 04.05
- C217/C217M-09 Test Method for Weather Resistance of Slate, 04.07 C218 Withdrawn 1965; Method of Test for Combined Effect of Temperature Cycles and Weak Salt Solution on Natural Building stone
 C219-14 Terminology Relating to Hydraulic Cement, 04.01
- Specification for Flat Asbestos-Cement Sheets, 04.05 C220-91(2009)
- Specification for Corrugated Asbestos-Cement Sheets, 04.05 C221-98(2008)
- C222-97(2008) Specification for Asbestos-Cement Roofing Shingles, **04.05**
- Specification for Asbestos-Cement Siding, 04.05 C223-98(2008) C224-78(2009) Practice for Sampling Glass Containers, 15.02
- C225-85(2009) Test Methods for Resistance of Glass Containers to Chemical Attack, 15.02
- C226-12 Specification for Air-Entraining Additions for Use in the Manufacture of Air-Entraining Hydraulic Cement, 04.01
- C227-10 Test Method for Potential Alkali Reactivity of Cement-Aggregate,
- 04.02 C228 Withdrawn 1956; Method of Test for Sodium Oxide and Potassium
- Oxide in Portland Cement by Flame Photometry; Replaced by C114 C229 Withdrawn 1955; Method of Test for Setting Time of Hydraulic Cement in Mortar (Replacement Card)
- C230/C230M-13 Specification for Flow Table for Use in Tests of Hydraulic Cement, **04.01**
- C231/C231M-14 Test Method for Air Content of Freshly Mixed Concrete by the Pressure Method. 04.02
- Test Method for Bleeding of Concrete, **04.02** C232/C232M-14
- C233/C233M-11 Test Method for Air-Entraining Admixtures for Concrete, 04.02 C234 Withdrawn 2000; Test Method for Comparing Concretes on the Basis of the Bond Developed with Reinforcing Steel
- C235 Withdrawn 1978; Method of Test for Scratch Hardness of Coarse Aggregate Particles; Replaced by C851
- C236 Withdrawn 2001; Test Method for Steady-State Thermal Performance of Building Assemblies by Means of a Guarded Hot Box; Replaced by C1363
- C237 Withdrawn 1974; Method of Sampling Magnesium Oxychloride Compositions and Ingredients
- C238 Withdrawn 1974; Method of Test for Sieve Analysis of Magnesium Oxychloride Compositions, Aggregates, and Fillers
- C239 Withdrawn 1974; Method of Test for Sieve Analysis of Plastic Calcined Magnesia
- C240-08(2012) Test Methods of Testing Cellular Glass Insulation Block, 04.06 C241/C241M-13 Test Method for Abrasion Resistance of Stone Subjected to Foot Traffic, 04.07
- C242-14 Terminology of Ceramic Whitewares and Related Products, 15.02 C243 Withdrawn 2001; Test Method for Bleeding of Cement Pastes and Mortars
- C244 Withdrawn 1974; Methods for Chemical Analysis of Magnesium Sulfate, Technical Grade
- C245 Withdrawn 1974; Methods for Chemical Analysis of Magnesium Chloride
- C246 Withdrawn 1974; Methods for Physical Testing of Magnesia for Magnesium Oxychloride Cements
- C247 Withdrawn 1974; Methods of Test for Ignition Loss and Active Calcium Oxide in Magnesium Oxide for Use in Magnesium Oxychloride Cements C248 Withdrawn 1974; Method of Test for Bulk Density of Magnesium
- Oxychloride Cements
- C249 Withdrawn 1974; Method of Slump Test for Field Consistency of Magnesium Oxychloride Cements
- C250 Withdrawn 1974; Method for Field Determination of Specific Gravity of Gauging Solutions for Magnesium Oxychloride Cements
- C251 Withdrawn 1974; Method for Mixing Magnesium Oxychloride Cement Compositions with Gauging Solution (for Preparation of Specimens for Laboratory Tests)
- C252 Withdrawn 1974; Method of Test for Linear Contraction of Magnesium Oxychloride Cements
- C253 Withdrawn 1974; Method of Test for Linear Change of Magnesium Oxychloride Cements
- C254 Withdrawn 1974; Method of Test for Setting Time of Magnesium Oxychloride Cements
- C255 Withdrawn 1974; Method of Test for Consistency of Magnesium Oxychloride Cements by the Flow Table
- C256 Withdrawn 1974; Method of Test for Flexural Strength of Magnesium Oxychloride Cements (Using Simple Bar with Two-Point or Single-Point
- C257 Withdrawn 1974; Method of Test for Compressive Strength of Magnesium Oxychloride Cements
- C258 Withdrawn 1982; Specification for Quicklime for Calcium Chloride Manufacture; Replaced by C911 C259 Withdrawn 1982; Specification for Hydrated Lime for Grease
- Manufacture; Replaced by C911
- C260/C260M-10a Specification for Air-Entraining Admixtures for Concrete, 04.02

- C261 Withdrawn 1965; Specification for Standard Strength of Unglazed Clay
- C262 Withdrawn 1979; Specification for Mineral Fiber Batt Insulation (Industrial Type)
- C263 Withdrawn 1967; Specification for Mineral Fiber Blanket Insulation (Metal-Mesh Covered)(Industrial Type); Replaced by C592
- Withdrawn 1966; Specification for Mineral Fiber Felt Insulation (Industrial Type) for low temperatures; Replaced by C553
- C265-08 Test Method for Water-Extractable Sulfate in Hydrated Hydraulic Cement Mortar, 04.01
- C266-13 Test Method for Time of Setting of Hydraulic-Cement Paste by Gillmore Needles, 04.01
- C267-01(2012) Test Methods for Chemical Resistance of Mortars, Grouts, and Monolithic Surfacings and Polymer Concretes, 06.02
- C268 Withdrawn 1979; Method of Test for Modulus of Rupture of Castable Refractories; Replaced by C860, C862, C865
- C269 Withdrawn 1979; Method of Test for Permanent Linear Change on Firing of Castable Refractories; Replaced by C860, C862, C865
- C270-12a Specification for Mortar for Unit Masonry, 04.05
 C271/C271M-11 Test Method for Density of Sandwich Core Materials, 15.03 C272/C272M-12 Test Method for Water Absorption of Core Materials, for Sandwich Constructions, 15.03
 C273/C273M-11 Test Method for Shear Properties of Sandwich Core
- Materials, 15.03
- C274-07 Terminology of Structural Sandwich Constructions, 15.03
 C275 Withdrawn 1973; Specification for Oxychloride Magnesia
- C276 Withdrawn 1974; Specification for Magnesium Chloride
- Withdrawn 1974; Specification for Magnesium Sulfate, Technical Grade C278 Withdrawn 1965; Specification for Extra Strength Unglazed Clay Pipe; Replaced by C700
- C279-13a Specification for Chemical-Resistant Masonry Units, 04.05
 C280 Withdrawn 1967; Specification for Mineral Fiber Blanket-Type Pipe Insulation; Replaced by C592
- Withdrawn 1965; Specification for Mineral Fiber Preformed Pipe Insulation for Elevated Temperatures; Replaced by C547
- C282-10 Test Method for Acid Resistance of Porcelain Enamels, 02.05 C283-13 Test Methods for Resistance of Porcelain Enameled Utensils to Boiling Acid, 02.05
- C284 Withdrawn 1963; Method of Test for Impact Resistance of Porcelain Enameled Utensils
- C285-10 Test Methods for Sieve Analysis of Wet-Milled and Dry-Milled Porcelain Enamel, 02.05
- C286-99(2009) Terminology Relating to Porcelain Enamel and Ceramic-Metal Systems. **02.05**
- C287-98(2012) Specification for Chemical-Resistant Sulfur Mortar, 04.05 C288-87(2009) Test Method for Disintegration of Refractories in an
- Atmosphere of Carbon Monoxide, 15.01 C289-07 Test Method for Potential Alkali-Silica Reactivity of Aggregates
- (Chemical Method), 04.02 Withdrawn 1972; Method of Test for Resistance of Concrete Specimens
- to Rapid Freezing and Thawing in Water; Replaced by C666 C291 Withdrawn 1972; Method of Test for Resistance of Concrete Specimens
- to Rapid Freezing in Air and Thawing in Water; Replaced by C666 C292 Withdrawn 1966; Method of Test for Resistance of Concrete Specimens
- to Slow Freezing and Thawing in Water or Brine

 C293/C293M-10 Test Method for Flexural Strength of Concrete (Using Simple Beam With Center-Point Loading), 04.02
- Descriptive Nomenclature for Constituents of Concrete Aggregates, C294-12 04.02
- C295/C295M-12 Guide for Petrographic Examination of Aggregates for Concrete, 04.02
- C296/C296M-00(2009)^{c1} Specification for Asbestos-Cement Pressure Pipe, 04 05
- C297/C297M-04(2010) Test Method for Flatwise Tensile Strength of Sandwich Constructions, 15.03
 C298 Withdrawn 1973; Specification for Cellular Asbesstos Paper Thermal
- Insulation for Pipes
- Withdrawn 1973; Specification for Laminated Asbestos Thermal Insulation for Pipes
- C300 Withdrawn 1964; Specification for Mineral Fiber Preformed Pipe
- Insulation for Low Temperatures; Replaced by C547

 C301-13 Test Methods for Vitrified Clay Pipe, 04.05

 C302-13 Test Method for Density and Dimensions of Preformed Pipe-Covering-Type Thermal Insulation, 04.06

 C303-10 Test Method for Dimensions and Density of Preformed Block and
- BoardType Thermal Insulation, 04.06 C304 Withdrawn 1957; Method of Test for Vibration Resistance of Preformed
- Thermal Insulation for Pipes
- C305-13 Practice for Mechanical Mixing of Hydraulic Cement Pastes and Mortars of Plastic Consistency, **04.01**C306 Withdrawn 1972; Method of Test for Compressive Strength of
- Chemical-Resistant Resin Mortars
- C307-03(2012) Test Method for Tensile Strength of Chemical-Resistant Mortar,
- Grouts, and Monolithic Surfacings, **06.02 C308-00(2012)**^{c1} Test Methods for Working, Initial Setting, and Service Strength Setting Times of Chemical-Resistant Resin Mortars, 06.02
- C309-11 Specification for Liquid Membrane-Forming Compounds for Curing Concrete 04.02
- C310 Withdrawn 1965; Method of Test for Resistance of Concrete Specimens to Slow Freezing in Air and Thawing in Water

C311/C311M C401

- C311/C311M-13 Test Methods for Sampling and Testing Fly Ash or Natural Pozzolans for Use in Portland-Cement Concrete, 04.02
- C312 Withdrawn 1967; Recommended Practice for Clearance of Preformed Thermal Pipe Insulation; Replaced by C585
- C313 Withdrawn 1989; Method of Test for Adherence of Porcelain Enamel and Ceramic Coatings to Sheet Metal
- C314 Withdrawn 1981; Test Method for Flatness of Porcelain Enameled
- C315-07(2011) Specification for Clay Flue Liners and Chimney Pots, 04.05 C316 Withdrawn 1986; Classification of Single- and Double-Screened Ground Refractory Materials
- C317/C317M-00(2010) Specification for Gypsum Concrete, 04.01
 C318/C318M-13 Specification for Gypsum Formboard, 04.01
 C319 Withdrawn 1963; Specification for 85 Percent Magnesia Block-Type
 Thermal Insulation; Replaced by C489
- C320 Withdrawn 1963; Specification for 85 Percent Magnesia Thermal Insulation; Replaced by C489
- C321-00(2012) Test Method for Bond Strength of Chemical-Resistant Mortars, 04.05
- C322-09 Practice for Sampling Ceramic Whiteware Clays, 15.02
 C323-56(2011) Test Methods for Chemical Analysis of Ceramic Whiteware Clays, 15.02
- C324-01(2014) Test Method for Free Moisture in Ceramic Whiteware Clays, 15.02
- C325-07(2014) Guide for Wet Sieve Analysis of Ceramic Whiteware Clays, 15.02
- C326-09 Test Method for Drying and Firing Shrinkages of Ceramic Whiteware Clays, 15.02
- C327 Withdrawn 1980; Method of Test for Linear Thermal Expansion of Fired Ceramic Whiteware Materials by the Interferometric Method; Replaced by C539
- C328 Withdrawn 1972; Test Methods for Modulus of Rupture of Fired, Dry-Pressed Ceramic Whiteware Specimens at Normal Temperature; Replaced by C674
- C329-88(2011) Test Method for Specific Gravity of Fired Ceramic Whiteware Materials, 15.02
- C330/C330M-14 Specification for Lightweight Aggregates for Structural Concrete, 04.02
- C331/C331M-14 Specification for Lightweight Aggregates for Concrete Masonry Units, 04.02
- C332-09 Specification for Lightweight Aggregates for Insulating Concrete, 04.02
- C333 Withdrawn 1963; Specification for Diatomaceous Earth Thermal Block Insulation; Replaced by C517
- C334 Withdrawn 1963; Specification for Diatomaceous Earth Thermal Insulation for Pipes; Replaced by C517

 C335/C335M-10^{c1} Test Method for Steady-State Heat Transfer Properties of
- Pipe Insulation, 04.06
- C336-71(2010) Test Method for Annealing Point and Strain Point of Glass by Fiber Elongation, 15.02
- C337 Withdrawn 1970; Method of Test for Average Linear Expansion of Glass; Replaced by E228
 C338-93(2013) Test Method for Softening Point of Glass, 15.02
- C339 Withdrawn 1970; Specification for Cork Pipe Insulation for Low
- Temperature; Replaced by C640 C340 Withdrawn 1970; Specification for Corkboard Thermal Insulation C341/C341M-13 Practice for Preparation and Conditioning of Cast, Drilled, or
- Sawed Specimens of Hydraulic-Cement Mortar and Concrete Used for Length Change Measurements, 04.02
- C342 Withdrawn 2001; Test Method for Potential Volume Change of Cement-Aggregate Combinations
- C343 Withdrawn 1966; Specification for Cellular Glass Insulating Block; Replaced by C552
 C344 Withdrawn 1964; Specification for Calcium Silicate Thermal Block
- Insulation; Replaced by C553
- C345 Withdrawn 1964; Specification for Calcium Silicate Thermal Insulation for Pipes; Replaced by C553
- C346-87(2009) Test Method for 45-deg Specular Gloss of Ceramic Materials,
- Withdrawn 1991; Method of Test for Reflectivity and Coefficient of Scatter of White Porcelain Enamels
- C348-08 Test Method for Flexural Strength of Hydraulic-Cement Mortars, 04.01
- C349-08 Test Method for Compressive Strength of Hydraulic-Cement Mortars, 04.01
- C350 Withdrawn 1969; Specification for Fly Ash for Use As an Admixture in Portland Cement Concrete; Replaced by C618
- C351 Withdrawn 2008; Test Method for Mean Specific Heat of Thermal Insulation
- C352 Withdrawn 1969; Specification for Corkboard Thermal Insulation; Replaced by C640
- C353 Withdrawn 2002; Test Method for Adhesion of Dried Thermal Insulating or Finishing Cement
- C354 Withdrawn 2002; Test Method for Compressive Strength of Thermal Insulating or Finishing Cement
 C355 Withdrawn 1983; Test Methods for Water Vapor Transmission of Thick Materials; Replaced by E96
- C356-10 Test Method for Linear Shrinkage of Preformed High-Temperature Thermal Insulation Subjected to Soaking Heat, 04.06

- C357-07(2009)^{€1} Test Method for Bulk Density of Granular Refractory Materials, 15.01
- Withdrawn 1968; Specification for Slag Cement; Replaced by C595 C359-13 Test Method for Early Stiffening of Hydraulic Cement (Mortar Method), 04.01
- C360 Withdrawn 1999; Test Method for Ball Penetration in Freshly Mixed Hydraulic Cement Concrete
- C361-14a Specification for Reinforced Concrete Low-Head Pressure Pipe, 04.05
- C361M-14 Specification for Reinforced Concrete Low-Head Pressure Pipe (Metric), **04.05**Withdrawn 1960; Specification for Reinforced Concrete Onternal
- Pressure Sewer Pipe
- C363/C363M-09 Test Method for Node Tensile Strength of Honeycomb Core Materials, 15.03
- C364/C364M-07(2012) Test Method for Edgewise Compressive Strength of Sandwich Constructions, 15.03
- C365/C365M-11a Test Method for Flatwise Compressive Properties of Sandwich Cores. 15.03
- C366/C366M-11 Test Methods for Measurement of Thickness of Sandwich Cores, 15.03

 C367/C367M-09 Test Methods for Strength Properties of Prefabricated
- Architectural Acoustical Tile or Lay-In Ceiling Panels, 04.06
- C368-88(2011) Test Method for Impact Resistance of Ceramic Tableware, 15.02
- C369 Withdrawn 1972; Method of Test for Modulus of Rupture of Fired, Cast or Extruded Whiteware Products; Replaced by C674
- C370-12 Test Method for Moisture Expansion of Fired Whiteware Products,
- 15.02 C371-09 Test Method for Wire-Cloth Sieve Analysis of Nonplastic Ceramic Powders, **15.02**
- C372-94(2012) Test Method for Linear Thermal Expansion of Porcelain Enamel and Glaze Frits and Fired Ceramic Whiteware Products by the Dilatometer Method. 15.02
- C373-88(2006) Test Method for Water Absorption, Bulk Density, Apparent Porosity, and Apparent Specific Gravity of Fired Whiteware Products,
- C374-70(2009) Test Methods for Fusion Flow of Porcelain Enamel Frits (Flow-Button Methods), 02.05
- C375-58(2011)^{c1} Classification of Water Used in Milling of Porcelain Enamel, 02.05
- C376 Withdrawn 1974; Definition of Terms Relating to Magnesium Oxychloride
- and Magnesium Oxysulfate Cements
 C377 Withdrawn 1983; Specification for Precast Reinforced Gypsum Slabs
 C378 Withdrawn 1968; Specification for Mineral Fiber Block or Board
- Insulation for Low Temperature; Replaced by C612
- Mithdrawn 1967; Specification for Fly Ash for Use As a Pozzolanic Material With Lime; Replaced by C593 Withdrawn 1965; Specification for Annular Ringed Nails for Gypsum
- Wallboard; Replaced by C514 C381 Withdrawn 1965; Specification for Cellular Glass Thermal Insulation for
- Pipes; Replaced by C552 C382 Withdrawn 1965; Specification for Mineral Fiber Blanket and Felt
- Insulation (Industrial type) for Elevated Temperatures; Replaced by C553 C383 Withdrawn 2002; Test Method for Wet Adhesion of Thermal Insulating Cements to Metal
- C384-04(2011) Test Method for Impedance and Absorption of Acoustical Materials by Impedance Tube Method, 04.06

 C385-58(2009) Test Method for Thermal Shock Resistance of Porcelain-
- Enameled Utensils, 02.05
- C386-93(2012) Practice for Use of Chemical-Resistant Sulfur Mortar, 04.05 C387/C387M-11b Specification for Packaged, Dry, Combined Materials for Concrete and High Strength Mortar, 04.02

 C388 Withdrawn 1974; Method of Test for Yield of Magnesium Oxychloride
- Cement (Field Test)
- Withdrawn 1974; Method of Test for Yield of Magnesium Oxychloride Cement (Laboratory Test)
- C390-08(2013) Practice for Sampling and Acceptance of Thermal Insulation Lots, **04.06**
- C391 Withdrawn 1977; Specification for Amosite Asbestos Thermal Insulation for Pipes
- C392 Withdrawn 1968; Specification for Mineral Fiber Block or Board Thermal Insulation for Elevated Temperatures; Replaced by C612
 C393/C393M-11^{c1} Test Method for Core Shear Properties of Sandwich
- Constructions by Beam Flexure, 15.03
- C394/C394M-13 Test Method for Shear Fatigue of Sandwich Core Materials, 15.03 C395-01(2012) Specification for Chemical-Resistant Resin Mortars, 04.05
- C396 Withdrawn 1983; Method of Test for Compressive Strength of Chemically Setting Silicate and Silica Chemical-Resistant Mortars; Replaced by C579

 C397-00(2012) Practice for Use of Chemically Setting Chemical-Resistant
- Silicate and Silica Mortars, 04.05
- C398-98(2012) Practice for Use of Hydraulic Cement Mortars in Chemical-Resistant Masonry, 04.05
- C399-98(2012) Practice for Use of Chemical-Resistant Resin Mortars, 04.05
 C400-98(2013) Test Methods for Quicklime and Hydrated Lime for Neutralization of Waste Acid, 04.01
- C401-12 Classification of Alumina and Alumina-Silicate Castable Refractories,

C402 C495/C495M

- C402 Withdrawn 1968; Specification for Raw or Calcined Natural Pozzolans for Use As Admixtures in Portland Cement Concrete; Replaced by C618
- C403/C403M-08 Test Method for Time of Setting of Concrete Mixtures by Penetration Resistance, 04.02
- C404-11 Specification for Aggregates for Masonry Grout, 04.05
- C405 Withdrawn 2006; Practice for Estimating Consistency of Wet-Mixed Thermal Insulating Cement
- C406/C406M-10 Specification for Roofing Slate, 04.07

 C407 Withdrawn 1975; Method of Test for Compressive (Crushing) Strength of Fired Whiteware Materials; Replaced by C773

 C408-88(2011) Test Method for Thermal Conductivity of Whiteware Ceramics,
- 15.02
- C409 Withdrawn 1990; Test Method for Torsion Resistance of Laboratory Specimens of Porcelain Enameled Iron and Steel
- C410-13 Specification for Industrial Floor Brick, 04.05
- C411-11 Test Method for Hot-Surface Performance of High-Temperature Thermal Insulation, 04.06
- C412-11 Specification for Concrete Drain Tile, 04.05 C412M-11 Specification for Concrete Drain Tile (Metric), 04.05
- C413-01(2012) Test Method for Absorption of Chemical-Resistant Mortars,
- Grouts, Monolithic Surfacings, and Polymer Concretes, **06.02 C414-03(2012)** Test Method for Working, Setting, and Service Strength Setting Times of Chemically Setting Chemical-Resistant Silicate and Silica Mortars, **04.05**
- C415 Withdrawn 1982; Specification for Quicklime and Hydrated Lime for Calcium Silicate Products; Replaced by C911
- C416-97(2013) Classification of Silica Refractory Brick, 15.01
 C417-05(2010)^{c1} Test Method for Thermal Conductivity of Unfired Monolithic Refractories, 15.01
- C418-12 Test Method for Abrasion Resistance of Concrete by Sandblasting, 04 02
- C419-08(2013) Practice for Making and Curing Test Specimens of Mastic
- Thermal Insulation Coatings, 04.06
 C420 Withdrawn 1970; Method of Test for Thermal Conductivity of Insulating Materials at Low Temperatures by Means of the Wilkes Calorimeter
- C421-08(2014) Test Method for Tumbling Friability of Preformed Block-Type and Preformed Pipe-Covering-Type Thermal Insulation, 04.06
- C422 Withdrawn 1964; Specification for Structural Granite
- C423-09a Test Method for Sound Absorption and Sound Absorption Coefficients by the Reverberation Room Method, 04.06
- C424-93(2012) Test Method for Crazing Resistance of Fired Glazed Whitewares by Autoclave Treatment, 15.02
- C425-04(2013) Specification for Compression Joints for Vitrified Clay Pipe and Fittings, 04.05
 C426-10 Test Method for Linear Drying Shrinkage of Concrete Masonry Units,
- 04.05
- C427 Withdrawn 1981; Method of Test for Moisture Condition of Hardened Concrete by the Relative Humidity Method
- Specification for Asbestos-Cement Nonpressure C428/C428M-05(2011)⁶¹ Sewer Pipe, **04.05**
- C429-01(2011) Test Method for Sieve Analysis of Raw Materials for Glass Manufacture, 15.02
- C430-08 Test Method for Fineness of Hydraulic Cement by the 45-m (No. 325) Sieve, **04.01**
- C431 Withdrawn 1975; Methods for Sampling and Evaluation of Sorptive Mineral Products Used As Floor Absorbents
- C432 Withdrawn 1967; Specification for Pozzolans for Use with Lime; Replaced by C593
- C433 Withdrawn 1982; Specification for Quicklime and Hydrated Lime for Hypochlorite Bleach Manufacture; Replaced by C911
- C434 Withdrawn 1984; Specification for Insulating Firebrick for Linings of Industrial Furnaces Operated with a Neutral or Oxidizing Atmosphere
- C435 Withdrawn 2001; Classification of Steel Pouring Pit Fireclay Refractories C436 Withdrawn 1990; Test Method for Reheat Change of Carbon Refractory
- Brick and Shapes
- C437 Withdrawn 1971; Test Method for Size and Bulk Density of Insulating Fire Brick; Replaced by C134
- C438 Withdrawn 1973; Method of Test for Thermal Conductivity of Plastic Refractories; Replaced by C417
- C439 Withdrawn 1990; Test Method for Resisistance to Thermal Spalling of Silica Brick
- C440 Withdrawn 1969; Specification for Cotton Mats for Curing Concrete C441/C441M-11 Test Method for Effectiveness of Pozzolans or Ground Blast-Furnace Slag in Preventing Excessive Expansion of Concrete Due to the Alkali-Silica Reaction, 04.02
- C442/C442M Withdrawn 2005; Specification for Gypsum Wallboard; Replaced by C1396
- C443-12 Specification for Joints for Concrete Pipe and Manholes, Using
- Rubber Gaskets, 04.05
 C443M-11 Specification for Joints for Concrete Pipe and Manholes, Using Rubber Gaskets (Metric), 04.05
- C444-03(2009) Specification for Perforated Concrete Pipe, 04.05 C444M-03(2009) Specification for Perforated Concrete Pipe (Metric), 04.05
- C445 Withdrawn 1980; Method of Test for Normal Total Emittance of Surfaces of Materials 0.01 in. or Less in Thickness at Approximately Room Temperature
- C446 Withdrawn 2002; Test Method for Breaking Load and Calculated
- Modulus of Rupture of Preformed Insulation for Pipes
 C447-03(2010) Practice for Estimating the Maximum Use Temperature of Thermal Insulations, 04.06

- C448-88(2011)^{€1} Test Methods for Abrasion Resistance of Porcelain Enamels, 02.05
- C449-07(2013) Specification for Mineral Fiber Hydraulic-Setting Thermal
- Insulating and Finishing Cement, 04.06

 C450-08(2014) Practice for Fabrication of Thermal Insulating Fitting Covers for NPS Piping, and Vessel Lagging, 04.06
- C451-13 Test Method for Early Stiffening of Hydraulic Cement (Paste Method), 04.01
- C452/C452M-10 Test Method for Potential Expansion of Portland-Cement, 04.01
- C453 Withdrawn 1969; Method of Test for Flexural Strength of Chemically Setting Silicate-Type Chemical-Resistant Mortars; Replaced by C580
 C454-10 Test Method for Disintegration of Carbon Refractories by Alkali, 15.01
- C455-07(2013) Classification of Chrome, Chrome-Magnesia, Magnesia-Chrome, and Magnesia Brick, 15.01
- C456-13 Test Method for Hydration Resistance of Basic Bricks and Shapes, 15.01
- C457/C457M-12 Test Method for Microscopical Determination of Parameters of the Air-Void System in Hardened Concrete, 04.02
 C458/C458M-98(2011)^{c1} Test Method for Organic Fiber Content of
- Asbestos-Cement Products, 04.05

 C459/C459M-97(2011)^{c1} Test Methods for Asbestos-Cement Flat Products,
- 04.05
- C460 Withdrawn 2001; Terminology for Asbestos-Cement; Replaced by D2946 C461-81(2008) Test Methods for Mastics and Coatings Used With Thermal Insulation, 04.06
- C462 Withdrawn 1965; Specification for Standard Strength Ceramic Glazed Clay Pipe; Replaced by C700
- C463 Withdrawn 1965; Specification for Extra Strength Ceramic Glazed Clay Pipe; Replaced by C700 C464 Withdrawn 1990; Test Method for Corrosion Effect of Thermal Insulating
- Cements on Base Metal
- C465-10 Specification for Processing Additions for Use in the Manufacture, 04.01 C466-03(2012) Specification for Chemically Setting Silicate and Silica
- Chemical-Resistant Mortars, 04.05
- C467-97(2008) Classification of Mullite Refractories, 15.01
- C468 Withdrawn 1984; Classification of Granular Refractory Dolomite
 C469/C469M-14 Test Method for Static Modulus of Elasticity and Poisson's Ratio of Concrete in Compression, 04.02
- C470/C470M-09 Specification for Molds for Forming Concrete Test Cylinders Vertically, 04.02
- C471M-13 Test Methods for Chemical Analysis of Gypsum and Gypsum Products (Metric), 04.01

 C472-99(2014) Test Methods for Physical Testing of Gypsum, Gypsum
- Plasters and Gypsum Concrete, 04.01
- C473-12 Test Methods for Physical Testing of Gypsum Panel Products, 04.01
 C474-13 Test Methods for Joint Treatment Materials for Gypsum Board Construction, 04.01
- C475/C475M-12 Specification for Joint Compound and Joint Tape for Finishing Gypsum Board, 04.01
- C476-10 Specification for Grout for Masonry, 04.05
 C477 Withdrawn 1970; Specification for Cast-in-Place Nonreinforced Concrete
 Agricultural Pipeline
- C478-13 Specification for Precast Reinforced Concrete Manhole Sections, 04.05
- C478M-13 Specification for Precast Reinforced Concrete Manhole Sections (Metric), **04.05**
- C479-04(2013) Specification for Vitrified Clay Liner Plates, 04.05
- C480/C480M-08 Test Method for Flexure Creep of Sandwich Constructions, 15.03
- C481-99(2011) Test Method for Laboratory Aging of Sandwich Constructions, 15 03
- C482-02(2009) Test Method for Bond Strength of Ceramic Tile to Portland Cement Paste, 15.02
- C483 Withdrawn 2004: Test Method for Electrical Resistance of Conductive Ceramic Tile
- C484-99(2009) Test Method for Thermal Shock Resistance of Glazed Ceramic
- Tile, 15.02

 C485-09 Test Method for Measuring Warpage of Ceramic Tile, 15.02

 C486 Withdrawn 1974; Method of Test for Spalling Resistance of Porcelain Enameled Aluminum; Replaced by C703

 C487 Withdrawn 1982; Method of Test for Resistance to Dropping of
- Preformed Block-Type Thermal Insulation C488-05(2010) Test Method for Conducting Exterior Exposure Tests of
- Finishes for Thermal Insulation, 04.06 C489 Withdrawn 1973; Specification for 85 Percent Magnesia Block and Pipe
- Thermal Insulation; Replaced by C489
 C490/C490M-11^{c1} Practice for Use of Apparatus for the Determination of Length Change of Hardened Cement Paste, Mortar, and Concrete, **04.01**, 04.02
- C491 Withdrawn 1992; Test Method for Modulus of Rupture of Air-Setting Plastic Refractories
- C492-92(2013) Test Method for Hydration of Granular Dead-Burned Refractory Dolomite, **15.01**
- C493 Withdrawn 2002; Test Method for Bulk Density and Porosity of Granular
- Refractory Materials by Mercury Displacement
 C494/C494M-13 Specification for Chemical Admixtures for Concrete, 04.02
 C495/C495M-12 Test Method for Compressive Strength of Lightweight Insulating Concrete, 04.02

C496/C496M C590

- C496/C496M-11 Test Method for Splitting Tensile Strength of Cylindrical Concrete Specimens, 04.02
- Test Methods for Concrete Pipe, Manhole Sections, or Tile, **04.05** C497M-13a^{c1} Test Methods for Concrete Pipe, Manhole Sections, or Tile (Metric), 04.05
- C499-09 Test Method for Facial Dimensions and Thickness of Flat, Rectangular Ceramic Wall and Floor Tile, 15.02
 C500/C500M-07(2011)^{c1} Test Methods for Asbestos-Cement Pipe, 04.05
- C501-84(2009) Test Method for Relative Resistance to Wear of Unglazed Ceramic Tile by the Taber Abraser, 15.02
- C502-09 Test Method for Wedging of Flat, Rectangular Ceramic Wall and Floor Tile, 15.02
- C503/C503M-10 Specification for Marble Dimension Stone, 04.07 C504 Withdrawn 1964; Method of Test for Dry Tensile Bond Strength of Thermal Insulating or Finishing Cements to Thermal Insulations
- C505-11 Specification for Nonreinforced Concrete Irrigation Pipe with Rubber Gasket Joints, 04.05
- C505M-11 Specification for Nonreinforced Concrete Irrigation Pipe With Rubber Gasket Joints (Metric), 04.05
- C506-13a Specification for Reinforced Concrete Arch Culvert, Storm Drain, and Sewer Pipe, 04.05
- C506M-14 Specification for Reinforced Concrete Arch Culvert, Storm Drain, and Sewer Pipe (Metric), 04.05
- C507-14 Specification for Reinforced Concrete Elliptical Culvert, Storm Drain, and Sewer Pipe, 04.05
- C507M-14 Specification for Reinforced Concrete Elliptical Culvert, Storm
- Drain, and Sewer Pipe (Metric), 04.05
 C508/C508M-00(2009)^{€1} Specification for Asbestos-Cement Underdrain Pipe, 04.05
- C509-06(2011) Specification for Elastomeric Cellular Preformed Gasket and Sealing, **04.07**
- C510-05a(2011) Test Method for Staining and Color Change of Single- or Multicomponent Joint Sealants, 04.07
- C511-13 Specification for Mixing Rooms, Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the Testing of Hydraulic Cements and Concretes, 04.01, 04.02
- C512/C512M-10 Test Method for Creep of Concrete in Compression, 04.02 C513-11 Test Method for Obtaining and Testing Specimens of Hardened
- Lightweight Insulating Concrete for Compressive Strength, 04.02

 C514-04(2009)^{c1} Specification for Nails for the Application of Gypsum Board, 04.01
- C515-95(2007) Specification for Chemical-Resistant Ceramic Tower Packings, 05.05
- C516-08(2013)^{€1} Specification for Vermiculite Loose Fill Thermal Insulation,
- 04.06 C517 Withdrawn 1989; Specification for Diatomaceous Earth Block and Pipe Thermal Insulation
- C518-10 Test Method for Steady-State Thermal Transmission Properties by
- Means of the Heat Flow Meter Apparatus, **04.06**C519 Withdrawn 1995; Test Method for Density of Fibrous Loose Fill Building Insulations
- C520-04(2010) Test Methods for Density of Granular Loose Fill Insulations, 04.06
- C521 Withdrawn 1967; Recommended Practice for Outer Diameters of Rigid Thermal Pipe Insulation for Standard Nominal Pipe Sizes (NPS System); Replaced by C585
 C522-03(2009)^{c1} Test Method for Airflow Resistance of Acoustical Materials,
- C523 Withdrawn 1991; Test Method for Light Reflectance of Acoustical Materials by the Integrating Sphere Reflectometer
- C524 Redesignated F130 C525 Redesignated F131 C526 Redesignated F132
- Redesignated F133 C527
- C528 Withdrawn 1975; Method of Test for Compressive Strength of High-Strength Ceramic Materials; Replaced by C773
- Withdrawn 1975; Definition of Terms Relating to Sorptive Mineral Materials Used As Floor Absorbents
- C530-13 Specification for Structural Clay Nonloadbearing Screen Tile, 04.05 C531-00(2012) Test Method for Linear Shrinkage and Coefficient of Thermal Expansion of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, 06.02
- C532 Withdrawn 1993; Specification for Structural Insulating Formboard (Cellulosic Fiber)
- C533-13 Specification for Calcium Silicate Block and Pipe Thermal Insulation,
- C534/C534M-14 Specification for Preformed Flexible Elastomeric Cellular Thermal Insulation in Sheet and Tubular Form, 04.06
- C535-12 Test Method for Resistance to Degradation of Large-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine, 04.02
- C536-83(2009) Test Method for Continuity of Coatings in Glassed Steel Equipment by Electrical Testing, 02.05
- C537-87(2009) Test Method for Reliability of Glass Coatings on Glassed Steel Reaction Equipment by High Voltage, 02.05
 C538-83(2009) Test Method for Color Retention of Red, Orange, and Yellow Porcelain Enamels, 02.05
- C539-84(2011) Test Method for Linear Thermal Expansion of Porcelain Enamel and Glaze Frits and Ceramic Whiteware Materials by Interferometric Method, 02.05

- C540 Withdrawn 1991; Test Method for Image Gloss of Porcelain Enamel Surfaces
- C541/C541M-98(2011)^{€1} Specification for Linings for Asbestos-Cement Pipe, 04.05
- C542-05(2011) Specification for Lock-Strip Gaskets, 04.07
- C543 Withdrawn 1989; Specification for Slate Blackboards
- C544-03(2013) Test Method for Hydration of Dead Burned Magnesite or Periclase Grain, 15.01
- C545-97(2013) Classification of Zircon Refractories, 15.01
- C546 Withdrawn 1985; Method of Test for Load Testing Refractory Brick at High Temperatures, Long Time
- C547-12 Specification for Mineral Fiber Pipe Insulation, 04.06

- C548 Withdrawn 1983; Method of Test for Dimensional Stability of Low Temperature Thermal Block and Pipe Insulation
 C549-06(2012) Specification for Perlite Loose Fill Insulation, 04.06
 C550-10 Test Method for Measuring Trueness and Squareness of Rigid Block and Board Thermal Insulation, 04.06
- C551/C551M-07(2011)^{c1} Specification for Asbestos-Cement Fiberboard Insulating Panels, **04.05**
- C552-13 Specification for Cellular Glass Thermal Insulation, 04.06
- C553-13 Specification for Mineral Fiber Blanket Thermal Insulation for Commercial and Industrial Applications, 04.06
- C554-93(2011) Test Method for Crazing Resistance of Fired Glazed Ceramic Whitewares by a Thermal Shock Method, 15.02
- C555 Withdrawn 1973; Method for Determination of Load Extracted from Glazed Ceramic Surfaces; Replaced by C738
- C556 Withdrawn 1994; Test Method for Resistance of Overglaze Decorations
- to Attack by Detergents

 C557-03(2009)
 Specification for Adhesives for Fastening Gypsum Wallboard to Wood Framing, 15.06
- C558 Withdrawn 1982; Method for Measurement of Lattice Spacing of Nuclear Graphite
- C559-90(2010) Test Method for Bulk Density by Physical Measurements of Manufactured Carbon and Graphite Articles, **05.05**C560-88(2010)^{c1} Test Methods for Chemical Analysis of Graphite, **05.05**C561-91(2010)^{c1} Test Method for Ash in a Graphite Sample, **05.05**C562-91(2010)^{c1} Test Method for Moisture in a Graphite Sample, **05.05**C563-13 Test Method for Approximation of Optimum SO₃ in Hydraulic Cement

- Using Compressive Strength, 04.01
 C564-12 Specification for Rubber Gaskets for Cast Iron Soil Pipe and Fittings,
- 01.02
- C565-93(2010)^{€1} Test Methods for Tension Testing of Carbon and Graphite Mechanical Materials, 05.05
- C566-13 Test Method for Total Evaporable Moisture Content of Aggregate by Drying, **04.02**
- C567/C567M-14 Test Method for Determining Density of Structural Lightweight Concrete, 04.02
- C568/C568M-10 Specification for Limestone Dimension Stone, 04.07 C569 Withdrawn 1989; Test Method for Indentation Hardness of Preformed Thermal Insulations
- C570 Withdrawn 2002; Specification for Oil- and Resin-Base Caulking
- Compound for Building Construction

 Compound for Building Construction

 C571 Withdrawn 1995; Methods for Chemical Analysis of Carbon and
- Carbon-Ceramic Refractories
- C572 Withdrawn 1995; Methods for Chemical Analysis of Chrome-Containing Refractories and Chrome Ore
- C573 Withdrawn 1995; Methods for Chemical Analysis of Fireclay and High-Alumina Refractories
- C574 Withdrawn 1993; Method for Chemical Analysis of Magnesite and Dolomite Refractories

- Dolomite Retractories
 C575 Withdrawn 1995; Methods for Chemical Analysis of Silica Refractories
 C576 Withdrawn 1994; Methods for Chemical Analysis of Zircon Refractories
 C577-07*2 Test Method for Permeability of Refractories, 15.01
 C578-14 Specification for Rigid, Cellular Polystyrene Thermal Insulation, 04.06
 C579-01(2012) Test Methods for Compressive Strength of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, 06.02
 C580-02(2012) Test Method for Flexural Strength and Modulus of Elasticity of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes 06.02 Concretes, 06.02

 C581-03(2008)^{c1} Practice for Determining Chemical Resistance of
- Thermosetting Resins Used in Glass-Fiber-Reinforced Structures Intended for Liquid Service, 08.03
- C582-09 Specification for Contact-Molded Reinforced Thermosetting Plastic (RTP) Laminates for Corrosion-Resistant Equipment, 08.03
 C583-10 Test Method for Modulus of Rupture of Refractory Materials at Elevated Temperatures, 15.01
 C584-81(2011) Test Method for Specular Gloss of Glazed Ceramic
- Whitewares and Related Products, 15.02
- C585-10 Practice for Inner and Outer Diameters of Thermal Insulation for Nominal Sizes of Pipe and Tubing, 04.06
- C586-11 Test Method for Potential Alkali Reactivity of Carbonate Rocks as
- Concrete Aggregates (Rock-Cylinder Method), **04.02 C587-04(2014)** Specification for Gypsum Veneer Plaster, **04.01** *C588/C588M Withdrawn 2005; Specification for Gypsum Base for Veneer Plasters; Replaced by C1396/C1396M C589 Withdrawn 1992; Method of Test for Apparent Impact Strength of*
- Preformed Block Type Thermal Insulating Materials

 C590 Withdrawn 1986; Method of Test for Action on Substrates by Coatings,
- Adhesives and Joint Sealents Used on or with Thermal Insulations

C591 C685/C685M

- C591-13 Specification for Unfaced Preformed Rigid Cellular Polyisocyanurate, 04.06
- C592-13 Specification for Mineral Fiber Blanket Insulation and Blanket-Type Pipe Insulation (Metal-Mesh Covered) (Industrial Type), 04.06
- C593-06(2011) Specification for Fly Ash and Other Pozzolans for Use With Lime for Soil Stabilization, 04.01
- C594 Withdrawn 1977; Specification for Compression Couplings for Vitrified Clay Plain-End Pipe; Replaced by C425
- C595/C595M-14 Specification for Blended Hydraulic Cements, 04.01 C596-09 Test Method for Drying Shrinkage of Mortar Containing Hydraulic Cement, 04.01
- C597-09 Test Method for Pulse Velocity Through Concrete, 04.02 C598-93(2013) Test Method for Annealing Point and Strain Point of Glass by
- Beam Bending, 15.02 C599 Withdrawn 2002; Specification for Conical Process Glass Pipe and
- C600-85(2010) Test Method of Thermal Shock Test on Glass Pipe, 15.02
- C601-85(2010) Test Method for Pressure Test on Glass Pipe, 15.02 C602-13a Specification for Agricultural Liming Materials, 04.01

Fittinas

- C603-14 Test Method for Extrusion Rate and Application Life of Elastomeric Sealants, 04.07
- C604-02(2012) Test Method for True Specific Gravity of Refractory Materials by Gas-Comparison Pycnometer, 15.01
- C605 Withdrawn 1997; Test Method for Reheat Change of Fireclay Nozzles and Sleeves
- C606 Withdrawn 1989; Test Method for Lap-Joint Strength of Refractory
- Mortar at Elevated Temperatures

 C607-88(2010)^{c1} Practice for Coking Large Shapes of Carbon-Bearing Materials, 15.01
- C608 Withdrawn 1984; Method of Test for Brittle Ring Tensile Strength of Chemically Setting Silicate and Silica Chemical-Resistant Mortars
- C609-07(2014) Test Method for Measurement of Light Reflectance Value and Small Color Differences Between Pieces of Ceramic Tile, 15.02
- C610-11 Specification for Molded Expanded Perlite Block and Pipe Thermal
- Insulation, 04.06
 C611-98(2010)^{c1} Test Method for Electrical Resistivity of Manufactured Carbon and Graphite Articles at Room Temperature, 05.05
- C612-14 Specification for Mineral Fiber Block and Board Thermal Insulation. 04.06
- C613-97(2008)^{c2} Test Method for Constituent Content of Composite Prepreg by Soxhlet Extraction, 15.03
- C614-10(2011)^{c1} Test Method for Alkali Resistance of Porcelain Enamels,
- C615/C615M-11 Specification for Granite Dimension Stone, 04.07
- C616/C616M-10 Specification for Quartz-Based Dimension Stone, 04.07 C617/C617M-12 Practice for Capping Cylindrical Concrete Specimens, 04.02
- C618-12a Specification for Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use in Concrete, 04.02
- C619 Withdrawn 1982; Method of Test for Chemical Resistance of Asbestos Fiber Reinforced thermosetting Resins Used in Self-Supporting Structures C620 Withdrawn 1996; Test Method for Hydration Resistance of Pitch-Bearing
- Basic Refractory Brick
 C621-09 Test Method for Isothermal Corrosion Resistance of Refractories to Molten Glass, 15.01
- C622 Withdrawn 2000; Test Method for Corrosion Resistance of Refractories to Molten Glass Using the Basin Furnace
- C623-92(2010) Test Method for Young's Modulus, Shear Modulus, and Poisson's Ratio for Glass and Glass-Ceramics by Resonance, 15.02
- C624 Withdrawn 1980; Method for Determination of the DIH Purity of Nuclear Graphite
- C625-95(2010) Practice for Reporting Irradiation Results on Graphite, 05.05
 C626 Withdrawn 1985; Methods for Estimating the Thermal Neutron Absorption Cross Section of Nuclear Graphite
- C627-10 Test Method for Evaluating Ceramic Floor Tile Installation Systems
 Using the Robinson-Type Floor Tester, 15.02
- C628 Withdrawn 1972; Method for Precision Electroformed Wet Sieve Analysis of Nonplastics Ceramic Powders
- C629/C629M-10 Specification for Slate Dimension Stone, 04.07
- C630/C630M Withdrawn 2005; Specification for Water-Resistant Gypsum Backing Board
- C631-09 Specification for Bonding Compounds for Interior Gypsum Plastering, 04.01
- C632-88(2011)^{c1} Test Method for Reboiling Tendency of Sheet Steel for Porcelain Enameling, 02.05

 C633-13 Test Method for Adhesion or Cohesion Strength of Thermal Spray
- Coatings, 02.05
- C634-13 Terminology Relating to Building and Environmental Acoustics, 04.06 C635/C635M-13a Specification for the Manufacture, Performance, and Testing of Metal Suspension Systems for Acoustical Tile and Lay-in Panel Ceilings, 04.06
- C636/C636M-13 Practice for Installation of Metal Ceiling Suspension Systems for, **04.06**
- C637-14 Specification for Aggregates for Radiation-Shielding Concrete, 04.02
 C638-14 Descriptive Nomenclature of Constituents of Aggregates for Radiation-Shielding Concrete, 04.02
- C639-01(2011) Test Method for Rheological (Flow) Properties of Elastomeric Sealants. 04.07
- C640 Withdrawn 1994; Specification for Corkboard and Cork Pipe Thermal Insulation

- C641-09 Test Method for Iron Staining Materials in Lightweight Concrete Aggregates, 04.02
- C642-13 Test Method for Density, Absorption, and Voids in Hardened Concrete, 04.02
- C643 Withdrawn 1982; Test Method for Change in Acoustical Absorption of Ceiling Materials Due to Repainting
- C644 Withdrawn 1982; Specification for Asbestos-Cement Non-Pressure Small Diameter Sewer Pipe; Replaced by C428
- C645-13 Specification for Nonstructural Steel Framing Members, 04.01 C646 Withdrawn 1984; Specification for Steel Drill Screws for the Application of Gypsum Board to Light-Gage Steel Studs; Replaced by C1002
- C647-08(2013) Guide to Properties and Tests of Mastics and Coating Finishes for Thermal Insulation, 04.06
- C648-04(2009) Test Method for Breaking Strength of Ceramic Tile, 15.02 C649 Withdrawn 1971; Test Method for Hydration of Pitch-Breaking Basic Brick
- C650-04(2009) Test Method for Resistance of Ceramic Tile to Chemical Substances, 15.02
- C651-13 Test Method for Flexural Strength of Manufactured Carbon and Graphite Articles Using Four-Point Loading at Room Temperature, 05.05
 C652-14 Specification for Hollow Brick (Hollow Masonry Units Made From
- Clay or Shale), 04.05
- C653-97(2012) Guide for Determination of the Thermal Resistance of Low-Density Blanket-Type Mineral Fiber Insulation, 04.06
- C654-11 Specification for Porous Concrete Pipe, 04.05
- C654M-11 Specification for Porous Concrete Pipe (Metric), 04.05
 C655-14 Specification for Reinforced Concrete D-Load Culvert, Storm Drain, and Sewer Pipe, 04.05
- C655M-14 Specification for Reinforced Concrete D-Load Culvert, Storm Drain, and Sewer Pipe (Metric), 04.05
- C656-07(2013) Specification for Structural Insulating Board, Calcium Silicate, 04.06
- Test Method for D-C Volume Resistivity of Glass, 15.02 C657-93(2013) C658-98(2012) Specification for Chemical-Resistant Resin Grouts for Brick or
- Tile, **04.05 C659-90(2008)** Specification for Asbestos-Cement Organic-Foam Core Insulating Panels, **04.05 C660-81(2010)** Practices for Production and Preparation of Gray Iron Castings
- for Porcelain Enameling, 02.05
 C661-06(2011) Test Method for Indentation Hardness of Elastomeric-Type
- Sealants by Means of a Durometer, 04.07
- C662-70(2010) Specification for Impervious Graphite Pipe and Threading,
- C663-98(2008) Specification for Asbestos-Cement Storm Drain Pipe, 04.05
- Test Methods for Thickness of Diffusion Coating, 02.05
- C665-12 Specification for Mineral-Fiber Blanket Thermal Insulation for Light Frame Construction and Manufactured Housing, 04.06
- C666/C666M-03(2008) Test Method for Resistance of Concrete to Rapid Freezing and Thawing, 04.02
- C667-09(2014) Specification for Prefabricated Reflective Insulation Systems for Equipment and Pipe Operating at Temperatures above Ambient Air, 04.06
- C668-98(2008) Specification for Asbestos-Cement Transmission Pipe. 04.05 C669 Withdrawn 2002; Specification for Glazing Compounds for Back Bedding and Face Glazing of Metal Sash
- C670-13 Practice for Preparing Precision and Bias Statements for Test Methods for Construction Materials, 04.02
- C671 Withdrawn 2003; Test Method for Critical Dilation of Concrete Specimens Subjected to Freezing
 C672/C672M-12 Test Method for Scaling Resistance of Concrete Surfaces
- Exposed to Deicing Chemicals, 04.02
- C673-97(2013) Classification of Fireclay and High-Alumina Plastic Refractories and Ramming Mixes, 15.01
 C674-13 Test Methods for Flexural Properties of Ceramic Whiteware
- Materials, 15.02
 C675-91(2011) Test Method for Alkali Resistance of Ceramic Decorations on Returnable Beverage Glass Containers, 15.02
- C676-04(2009) Test Method for Detergent Resistance of Ceramic Decorations on Glass Tableware, 15.02
- C677 Withdrawn 1994; Practice for Use of a Polyethylene Terephthalate Reference Film for the Measurement of the Time-Averaged Vapor Pressure in a Controlled Humidity Space
- C678 Withdrawn 1995; Test Method for Determination of Particle Size
- Distribution of Alumina or Quartz Using Centrifugal Sedimentation
 C679-03(2009)^{c1} Test Method for Tack-Free Time of Elastomeric Seale Test Method for Tack-Free Time of Elastomeric Sealants. 04.07
- C680-10 Practice for Estimate of the Heat Gain or Loss and the Surface Temperatures of Insulated Flat, Cylindrical, and Spherical Systems by Use of Computer Programs, 04.06
- C681-14 Test Method for Volatility of Oil- and Resin-Based, Knife-Grade, Channel Glazing Compounds, 04.07
- C682 Withdrawn 2003; Practice for Evaluation of Frost Resistance of Coarse Aggregates in Air-Entrained Concrete by Critical Dilation Procedures
- C683 Withdrawn 1984; Method of Test for Compressive and Flexural Strength of Concrete Under Field Conditions
 C684 Withdrawn 2012; Test Method for Making, Accelerated Curing, and
- Testing Concrete Compression Test Specimens, 04.02 C685/C685M-11 Specification for Concrete Made by Volumetric Batching and Continuous Mixing, 04.02

C686 C786/C786M

- C686-90(2011)^{€1} Test Method for Parting Strength of Mineral Fiber Batt- and Blanket-Type Insulation, 04.06
- C687-12 Practice for Determination of Thermal Resistance of Loose-Fill Building Insulation, 04.06
- C688-14 Specification for Functional Additions for Use in Hydraulic Cements, 04.01
- C689-09 Test Method for Modulus of Rupture of Unfired Clays, 15.02
 C690-09 Test Method for Particle Size Distribution of Alumina or Quartz
 Powders by Electrical Sensing Zone Technique, 15.02
 C691 Withdrawn 1987; Test Method for Steady-State Thermal Transmission
- Properties of Nonhomogeneous Pipe Insulation Installed Horizontally; Replaced by C335
- C692-13 Test Method for Evaluating the Influence of Thermal Insulations on External Stress Corrosion Cracking Tendency of Austenitic Stainless Steel, 04.06
- C693-93(2013) Test Method for Density of Glass by Buoyancy, 15.02 C694-90a(2011)^{c1} Test Method for Weight Loss (Mass Loss) of Sheet Steel During Immersion in Sulfuric Acid Solution, 02.05
- C695-91(2010) Test Method for Compressive Strength of Carbon and
- Graphite, 05.05

 C696-11 Test Methods for Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Uranium Dioxide Powders and
- C697-10 Test Methods for Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Plutonium Dioxide Powders and Pellets, 12.01
- C698-10 Test Methods for Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Mixed Oxides ((U, Pu)O2), 12.01
- C699 Withdrawn 1992; Methods for Chemical, Mass Spectrometric, and Spectrochemical Analysis of, and Physical Tests on Beryllium Oxide Powder
- C700-13 Specification for Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated, 04.05
- C701 Withdrawn 1979: Specification for Nuclear Grade Plutonium Metals C702/C702M-11 Practice for Reducing Samples of Aggregate to Testing Size, 04.02
- C703-72(2011)^{c1} Test Methods for Spalling Resistance of Porcelain Enameled Aluminum, 02.05
- C704/C704M-12 Test Method for Abrasion Resistance of Refractory Materials at Room Temperature, 15.01
- C705 Withdrawn 1993; Method for Chemical Analysis of Zirconia Refractories
- C706-13 Specification for Limestone for Animal Feed Use, 04.01
 C707 Withdrawn 1982; Specification for Gypsum Board Substrate for Floor or Roof Assemblies
- C708-08 Specification for Nuclear-Grade Beryllium Oxide Powder, 12.01
 C709-09 Terminology Relating to Manufactured Carbon and Graphite, 05.05
- C710 Withdrawn 1980; Specification for Plutonium Nitrate Solutions C711-14 Test Method for Low-Temperature Flexibility and Tenacity of One-Part, Elastomeric, Solvent-Release Type Sealants, 04.07
- C712-03(2009) Test Method for Bubbling of One-Part, Elastomeric,
- Solvent-Release Type Sealants, 04.07 C713 Withdrawn 2002; Test Method for Slump of an Oil-Base Knife-Grade
- Channel Glazing Compound

 C714-05(2010) Test Method for Thermal Diffusivity of Carbon and Graphite by Thermal Pulse Method, 05.05

 C715-90(2011)^{c1} Test Method for Nickel on Steel for Porcelain Enameling by Photometric Analysis, 02.05
- C716-06(2011) Specification for Installing Lock-Strip Gaskets and Infill Glazing Materials, 04.07
- C717-14a Terminology of Building Seals and Sealants, 04.07
 C718 Withdrawn 2002; Test Method for Ultraviolet (UV)-Cold Box Exposure of
- One-Part, Elastomeric, Solvent-Release Type Sealants
 C719-14 Test Method for Adhesion and Cohesion of Elastomeric Joint
 Sealants Under Cyclic Movement (Hockman Cycle), 04.07
 C720 Withdrawn 1999; Specification for Spray-Applied Fibrous Thermal
- Insulation for Elevated Temperature
- C721 Withdrawn 2002; Test Method for Average Particle Size of Alumina and Silica Powders by Air Permeability
- C722-04(2012) Specification for Chemical-Resistant Monolithic Floor Surfacings, 06.02
- C723-98(2012) Practice for Chemical-Resistant Resin Grouts for Brick or Tile, 04.05
- C724-91(2010) Test Method for Acid Resistance of Ceramic Decorations on Architectural-Type Glass, 15.02
 C725-90(2008) Specification for Semidense Mineral Fiber Siding, 04.05
- C726-12 Specification for Mineral Wool Roof Insulation Board, 04.06
 C727-12 Practice for Installation and Use of Reflective Insulation in Building Constructions, 04.06
- C728-13 Specification for Perlite Thermal Insulation Board, 04.06
 C729-11 Test Method for Density of Glass by the Sink-Float Comparator, 15.02
- C730-98(2013) Test Method for Knoop Indentation Hardness of Glass, 15.02 C731-00(2010) Test Method for Extrudability, After Package Aging, of Latex Sealants, 04.07
- C732-06(2012) Test Method for Aging Effects of Artificial Weathering on Latex Sealants, 04.07
- C733 Withdrawn 2000; Test Method for Volume Shrinkage of Latex Sealants C734-06(2012) Test Method for Low-Temperature Flexibility of Latex Sealants After Artificial Weathering, 04.07
- C735-04(2009) Test Method for Acid Resistance of Ceramic Decorations on

- Returnable Beer and Beverage Glass Containers, 15.02
- C736-12 Test Method for Extension-Recovery and Adhesion of Latex Sealants. 04.07
- C737-13 Specification for Limestone for Dusting of Coal Mines, 04.01 C738-94(2011) Test Method for Lead and Cadmium Extracted from Glazed Ceramic Surfaces, 15.02
- C739-11 Specification for Cellulosic Fiber Loose-Fill Thermal Insulation, 04.06 C740/C740M-13 Guide for Evacuated Reflective Insulation In Cryogenic
- Service, **04.06** C741 Withdrawn 2002; Test Method for Accelerated Aging of Wood Sash Face
- Glazing Compound C742 Withdrawn 2002; Test Method for Degree of Set for Wood Sash Glazing Compound
- C743-87(2009) Test Method for Continuity of Porcelain Enamel Coatings, 02.05
- C744-11 Specification for Prefaced Concrete and Calcium Silicate Masonry Units, 04.05
- C745 Withdrawn 2008; Test Method for Heat Flux Through Evacuated Insulations Using a Guarded Flat Plate Boiloff Calorimeter
- C746-90(2008) Specification for Corrugated Asbestos-Cement Sheets for
- Bulkheading, 04.05
 C747-93(2010)^{c1} Test Method for Moduli of Elasticity and Fundamental Frequencies of Carbon and Graphite Materials by Sonic Resonance, 05.05
- C748-98(2010) Test Method for Rockwell Hardness of Graphite Materials, 05.05
- C749-13 Test Method for Tensile Stress-Strain of Carbon and Graphite, 05.05 C750-09(2014) Specification for Nuclear-Grade Boron Carbide Powder, 12.01 C751-07(2012) Specification for Nuclear-Grade Boron Carbide Pellets, 12.01 C752-13 Specification for Nuclear-Grade Silver-Indium-Cadmium Alloy, 12.01
- C753-04(2009) Specification for Nuclear-Grade, Sinterable Uranium Dioxide Powder, 12.01 C754-11 Specification for Installation of Steel Framing Members to Receive
- Screw-Attached Gypsum Panel Products, 04.01 C755-10 Practice for Selection of Water Vapor Retarders for Thermal
- Insulation, **04.06 C756-87(2011)**^{€1} Test Test Method for Cleanability of Surface Finishes, 02.05 C757-06(2011)⁶¹ Specification for Nuclear-Grade Plutonium Dioxide Powder,
- Sinterable, 12.01

 C758-04(2010) Test Methods for Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Metal. 12.01
- C759-10 Test Methods for Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Plutonium Nitrate
- Solutions, 12.01
 C760-90(2007) Test Methods for Chemical and Spectrochemical Analysis of Nuclear-Grade Silver-Indium-Cadmium Alloys, 12.01
- C761-11 Test Methods for Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Uranium Hexafluoride, 12.01
- C762 Withdrawn 1999; Practice for Application of Spray-Applied Fibrous Thermal Insulation for Elevated Temperatures
- C763 Not Assigned
- C764-11 Specification for Mineral Fiber Loose-Fill Thermal Insulation, 04.06 C765-97(2011) Test Method for Low-Temperature Flexibility of Preformed Tape Sealants, 04.07
- C766 Withdrawn 1994; Test Method for Adhesion After Impact of Preformed Tape Sealants
- C767-93(2013) Test Method for Thermal Conductivity of Carbon Refractories, 15.01
- C768 Withdrawn 2004; Practice for Drip Slag Testing Refractory Materials at High Temperature
- Materials for Use in Obtaining an Approximate Young's Modulus, **05.05**C770-98(2013) Test Method for Measurement of Glass Stress—Optical Coefficient, **15.02** C769-09 Test Method for Sonic Velocity in Manufactured Carbon and Graphite
- C771-14 Test Method for Weight Loss After Heat Aging of Preformed Tape Sealants, 04.07
- C772-03(2014) Test Method for Oil Migration or Plasticizer Bleed-Out of Preformed Tape Sealants, 04.07
- C773-88(2011) Test Method for Compressive (Crushing) Strength of Fired Whiteware Materials, 15.02
 C774-88(2011)^{c1} Test Method for Yield Strength of Enameling Steels After
- Straining and Firing, 02.05

 Withdrawn 2002; Method for Particle-Size Analysis of Whiteware Clays
- C776-06(2011) Specification for Sintered Uranium Dioxide Pellets, 12.01
 C777-04(2009) Test Method for Sulfide Resistance of Ceramic Decorations on
- Glass, 15.02
- C778-13 Specification for Standard Sand, 04.01
 C779/C779M-12 Test Method for Abrasion Resistance of Horizontal Concrete Surfaces. 04.02
- C780-12a Test Method for Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry, 04.05
- C781-08 Practice for Testing Graphite and Boronated Graphite Materials for High-Temperature Gas-Cooled Nuclear Reactor Components, 05.05
- C782-13 Test Method for Softness of Preformed Tape Sealants, 04.07
 C783-85(2010) 1 Practice for Core Sampling of Graphite Electrodes, 05.05
 C784-05(2012) Specification for Nuclear-Grade Aluminum Oxide-Boron
- Carbide Composite Pellets, 12.01

 C785-08 Specification for Nuclear-Grade Aluminum Oxide Pellets, 12.01 C786/C786M-10 Test Method for Fineness of Hydraulic Cement and Raw

C786/C786M C881/C881M

- Materials by the 300-µm (No. 50), 150-µm (No. 100), and 75-µm (No. 200) Sieves by Wet Methods, 04.01
- Specification for Uranium Hexafluoride for Enrichment, 12.01 C788-03(2009) Specification for Nuclear-Grade Uranyl Nitrate Solution or Crystals, 12.01
- C789 Withdrawn 2000; Specification for Precast Reinforced Concrete Box Sections for Culverts, Storm Drains, and Sewers; Replaced by C1433
- C789M Withdrawn 2000; Specification for Precast Reinforced Concrete Box Sections for Culverts, Storm Drains, and Sewers [Metric]; Replaced by C1433M
- C790 Withdrawn 1992; Guide for Use of Latex Sealants; Replaced by C1193 C791-12 Test Methods for Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Boron Carbide, 12.01
- C792-04(2008) Test Method for Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants, 04.07
- C793-05(2010) Test Method for Effects of Laboratory Accelerated Weathering on Elastomeric Joint Sealants, 04.07
- C794-10 Test Method for Adhesion-in-Peel of Elastomeric Joint Sealants, 04.07
- C795-08(2013) Specification for Thermal Insulation for Use in Contact with Austenitic Stainless Steel, 04.06
- C796/C796M-12 Test Method for Foaming Agents for Use in Producing Cellular Concrete Using Preformed Foam, 04.02
- C797 Withdrawn 2002; Practices for Use of Oil- and Resin-Based Putty and Glazing Compounds
- C798 Withdrawn 1987; Method of Test for Color Permanency of Glazed Ceramic Tile
- C799-12 Test Methods for Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions, 12.01
- C800-14 Specification for Fibrous Glass Blanket Insulation (Aircraft Type), 04.06
- C801 Withdrawn 2004; Test Method for Determining the Mechanical Properties of Hardened Concrete Under Triaxial Loads
- C802-09a Practice for Conducting an Interlaboratory Test Program to Determine the Precision of Test Methods for Construction Materials, **04.02**
- C803/C803M-03(2010) Test Method for Penetration Resistance of Hardened Concrete, 04.02
- C804 Withdrawn 1992; Practices for Use of Solvent-Release Type Sealants; Replaced by C1193
- C805/C805M-13a Test Method for Rebound Number of Hardened Concrete, 04.02
- C806-12 Test Method for Restrained Expansion of Expansive Cement Mortar, 04.01
- C807-13 Test Method for Time of Setting of Hydraulic Cement Mortar by Modified Vicat Needle, 04.01
- C808-75(2010)^{c1} Guide for Reporting Friction and Wear Test Results of Manufactured Carbon and Graphite Bearing and Seal Materials, 05.05
- C809-13 Test Methods for Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Aluminum Oxide and Aluminum. 12.01
- C810-90(2011)^{c1} Test Method for Nickel on Steel for Porcelain Enameling by X-Ray Emission Spectrometry, 02.05

 C811 Withdrawn 2012; Practice for Surface Preparation of Concrete for
- Application of Chemical-Resistant Resin Monolithic Surfacings
- C812 Withdrawn 1987; Method of Test for Hydrophobic Contamination on Glass by Water Condensation
- C813-90(2009) Test Method for Hydrophobic Contamination on Glass by Contact Angle Measurement, 15.02
- C814 Not Assigned
- C815 Not Assigned C816-85(2010)^{c1} Te
- Test Method for Sulfur in Graphite by Combustion-Iodometric Titration Method, 05.05
- C817 Not Assigned
- C818 Not Assigned
- C819 Withdrawn 1989; Test Method for Specific Surface Area of Carbon or Graphite
- C820 Not Assigned

Vacuum Pressure, 15.01

- C821-14 Specification for Lime for Use with Pozzolans, 04.01
- C822-13 Terminology Relating to Concrete Pipe and Related Products, 04.05 C823/C823M-12 Practice for Examination and Sampling of Hardened, 04.02
 C824-91(2010) Practice for Specimen Preparation for Determination of Linear
- Thermal Expansion of Vitreous Glass Enamels and Glass Enamel Frits by the Dilatometer Method, 15.02 C825-06(2011) Specification for Precast Concrete Barriers, 04.05
- C826 Withdrawn 1982; Specification for Lime and Limestone Products for Industrial Waste Treatment; Replaced by C911
- C827/C827M-10 Test Method for Change in Height at Early Ages of Cylindrical Specimens of Cementitious Mixtures, 04.02 C828-11 Test Method for Low-Pressure Air Test of Vitrified Clay Pipe Lines,
- 04.05 C829-81(2010) Practices for Measurement of Liquidus Temperature of Glass
- by the Gradient Furnace Method, 15.02
 C830-00(2011) Test Methods for Apparent Porosity, Liquid Absorption. Apparent Specific Gravity, and Bulk Density of Refractory Shapes by
- C831-98(2013) Test Methods for Residual Carbon, Apparent Residual Carbon, and Apparent Carbon Yield in Coked Carbon-Containing Brick and Shapes, 15.01

- C832-00(2010) Test Method of Measuring Thermal Expansion and Creep of Refractories Under Load, 15.01
- Specification for Sintered (Uranium-Plutonium) Dioxide Pellets, 12.01 Specification for Latex Sealants, 04.07 C834-14
- C835-06(2013)^{c1} Test Method for Total Hemispherical Emittance of Surfaces up to 1400°C, 04.06
- C836/C836M-12 Specification for High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course, 04.04
- C837-09 Test Method for Methylene Blue Index of Clay, 15.02
- C838-96(2010)^{c1} Test Method for Bulk Density of As-Manufactured Carbon and Graphite Shapes, 05.05
- C839-82(2010) Test Method for Compressive Stress of Porcelain Enamels by Loaded-Beam Method, 02.05
- C840-13 Specification for Application and Finishing of Gypsum Board, 04.01 C841-03(2013) Specification for Installation of Interior Lathing and Furring,
- 04.01 C842-05(2010)^{c1} Specification for Application of Interior Gypsum Plaster, 04.01 C843-99(2012) Specification for Application of Gypsum Veneer Plaster, 04.01
- C844-04(2010) Specification for Application of Gypsum Base to Receive, 04.01
- C845/C845M-12 Specification for Expansive Hydraulic Cement, 04.01
- C846-94(2009) Practice for Application of Cellulosic Fiber Insulating Board for Wall Sheathing, 04.06
- C847-14 Specification for Metal Lath, 04.01
- C848-88(2011) Test Method for Young's Modulus, Shear Modulus, and Poisson's Ratio For Ceramic Whitewares by Resonance, 15.02
- C849-88(2011) Test Method for Knoop Indentation Hardness of Ceramic Whitewares, 15.02
- C850 Withdrawn 2000; Specification for Precast Reinforced Concrete Box Sections for Culverts, Storm Drains, and Sewers with Less Than 0.6 m of Cover Subjected to Highway Loadings; Replaced by C1433 C850M Withdrawn 2000; Specificationi for Precast Reinforced Concrete Box Sections for Culverts, Storm Drains, and Sewers with Less Than 0.6 m of
- Cover Subjected to Highway Loadings [Metric]; Replaced by C1433M
- Withdrawn 1984; Recommended Practice for Estimating Scratch Hardness of Coarse Aggregate Particles
- C852-09 Guide for Design Criteria for Plutonium Gloveboxes, 12.01 C853 Withdrawn 1992; Test Methods for Nondestructive Assay of Special Nuclear Material Contained in Scrap and Waste
- C854 Withdrawn 1997; Test Method for Resistance to External Loads on Metal Reflective Pipe Insulation C855 Withdrawn 1984; Thermal Resistance Factors for Preformed Above-Deck Roof Insulation
- C856-14 Practice for Petrographic Examination of Hardened Concrete, 04.02 C857-14 Practice for Minimum Structural Design Loading for Underground
- Precast Concrete Utility Structures, 04.05 C858-10^{€1} Specification for Underground Precast Concrete Utility Structures, 04.05
- C859-14 Terminology Relating to Nuclear Materials, 12.01
- C860-10 Test Method for Determining the Consistency of Refractory Castable Using the Ball-In-Hand Test, 15.01
- C861-93(2010) Practice for Determining Metric Dimensions of Standard Series Refractory Brick and Shapes, 15.01
- C862-02(2008) Practice for Preparing Refractory Concrete Specimens by Casting, 15.01
 C863-00(2010) Test Method for Evaluating Oxidation Resistance of Silicon
- Carbide Refractories at Elevated Temperatures, 15.01
- C864-05(2011) Specification for Dense Elastomeric Compression Seal Gaskets, Setting Blocks, and Spacers, 04.07
- C865-13 Practice for Firing Refractory Concrete Specimens, 15.01
 C866-11 Test Method for Filtration Rate of Ceramic Whiteware Clays, 15.02
- C867-94(2014) Test Method for Soluble Sulfate in Ceramic Whiteware Clays (Photometric Method), 15.02
 C868-02(2012) Test Method for Chemical Resistance of Protective Linings,
- 06.02
- C869/C869M-11 Specification for Foaming Agents Used in Making Preformed Foam for Cellular Concrete, 04.02
- C870-11 Practice for Conditioning of Thermal Insulating Materials, **04.06**C871-11⁻¹ Test Methods for Chemical Analysis of Thermal Insulation Materials
- for Leachable Chloride, Fluoride, Silicate, and Sodium Ions, 04.06

 C872-10 Test Method for Lead and Cadmium Release from Porcelain Enamel, 02.05
- C873/C873M-10a Test Method for Compressive Strength of Concrete Cylinders Cast in Place in Cylindrical Molds, 04.02
- C874-11a Test Method for Rotary Slag Testing of Refractory Materials, 15.01 C875-98(2008) Specification for Asbestos-Cement Conduit, 04.05 C876-09 Test Method for Corrosion Potentials of Uncoated Reinforcing Steel
- in Concrete, 03.02, 04.02

 C877-08 Specification for External Sealing Bands for Concrete Pipe, Manholes, and Precast Box Sections, 04.05
- C877M-02(2009) Specification for External Sealing Bands for Concrete Pipe, Manholes, and Precast Box Sections (Metric), 04.05
- C878/C878M-14a Test Method for Restrained Expansion of Shrinkage-Compensating Concrete, 04.02
- C879-03(2014) Test Methods for Release Papers Used with Preformed Tape Sealants, 04.07
- C880/C880M-09 Test Method for Flexural Strength of Dimension Stone. 04.07 C881/C881M-13 Specification for Epoxy-Resin-Base Bonding Systems for Concrete, 04.02

C882/C882M C971

- C882/C882M-13a Test Method for Bond Strength of Epoxy-Resin Systems Used With Concrete By Slant Shear, 04.02
- C883 Withdrawn 1996; Test Method for Effective Shrinkage of Epoxy-Resin Systems Used With Concrete
- C884/C884M-98(2010) Test Method for Thermal Compatibility Between Concrete and an Epoxy-Resin Overlay, 04.02
- C885-87(2012) Test Method for Young's Modulus of Refractory Shapes by Sonic Resonance, 15.01
- C886-98(2010)^{€1} Test Method for Scleroscope Hardness Testing of Carbon and Graphite Materials, 05.05
- C887-13 Specification for Packaged, Dry, Combined Materials for Surface Bonding Mortar, 04.05
- C888-03(2014) Specification for Nuclear-Grade Gadolinium Oxide (Gd, 12.01 C889-11 Test Methods for Chemical and Mass Spectrometric Analysis of Nuclear-Grade Gadolinium Oxide (Gd₂O₃) Powder, 12.01
- C890-13 Practice for Minimum Structural Design Loading for Monolithic or Sectional Precast Concrete Water and Wastewater Structures, 04.05
- C891-11 Practice for Installation of Underground Precast Concrete Utility Structures, 04.05
- C892-10 Specification for High-Temperature Fiber Blanket Thermal Insulation, 04.06
- C893 Withdrawn 1984; Specification for Type G Steel Screws for the Application of Gypsum Board to Gypsum Board; Replaced by C1002 C894 Withdrawn 1984; Specification for Type W Drill Screws for the
- Application of Gypsum Board to Wood Framing; Replaced by C1002
- C895-87(2009) Test Method for Lead and Cadmium Extracted from Glazed Ceramic Tile, 15.02
- C896-13 Terminology Relating to Clay Products, 04.05 C897-05(2009) Specification for Aggregate for Job-Mixed Portland Cement-Based Plasters, 04.01
- C898/C898M-09 Guide for Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with Separate Wearing Course, 04.04
- C899-79(2013) Practice for Use of Metric Units of Measure for Reporting Properties of Refractory Materials (COMMITTEE C-8 SUPPLEMENT TO E 380), 15.01

 C900-13a Test Method for Pullout Strength of Hardened Concrete, 04.02

 C901-10 Specification for Prefabricated Masonry Panels, 04.05

- Specification for Pedestrian and Light Traffic Paving Brick, 04.05 C903-10 Practice for Preparing Refractory Castable Specimens by Cold
- Gunning, 15.01

 C904-01(2012) Terminology Relating to Chemical-Resistant Nonmetallic Materials, 04.05
- C905-01(2012) Test Methods for Apparent Density of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes, 04.05
 C906 Withdrawn 2006; Test Method for T-Peel Strength of Hot Applied Sealants
- C907-03(2012) Test Method for Tensile Adhesive Strength of Preformed Tape
- Sealants by Disk Method, **04.07 C908-00(2011)** Test Method for Yield Strength of Preformed Tape Sealants, 04.07
- C909-93(2010) Practice for Dimensions of a Modular Series of Refractory Brick and Shapes, 15.01
- Test Method for Bond and Cohesion of One-Part Elastomeric C910-06(2011) Solvent Release-Type Sealants, 04.07
- C911-06(2011) Specification for Quicklime, Hydrated Lime, and Limestone for Selected Chemical and Industrial Uses, 04.01
- C912-93(2013) Practice for Designing a Process for Cleaning Technical Glasses, 15.02
- C913-08 Specification for Precast Concrete Water and Wastewater Structures,
- 04.05 C914-09 Test Method for Bulk Density and Volume of Solid Refractories by
- Wax Immersion, 15.01
 C915-79(2010) Specification for Precast Reinforced Concrete Crib Wall Members, 04.05
- C916-85(2007) Specification for Adhesives for Duct Thermal Insulation, 04.06 C917-05(2011) Test Method for Evaluation of Cement Strength Uniformity
- From a Single Source, 04.01

 C918/C918M-13 Test Method for Measuring Early-Age Compressive Strength and Projecting Later-Age Strength, 04.02
- C919-12 Practice for Use of Sealants in Acoustical Applications, 04.07
- C920-14a Specification for Elastomeric Joint Sealants, 04.07
- C921-10 Practice for Determining the Properties of Jacketing Materials for Thermal Insulation, 04.06
- C922-14 Specification for Sintered Gadolinium Oxide-Uranium Dioxide Pellets, 12.01
- C923-08(2013) Specification for Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals, 04.05
- C923M-08b(2013) Specification for Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes, and Laterals (Metric), 04.05
- C924 Withdrawn 2013; Practice for Testing Concrete Pipe Sewer Lines by Low-Pressure Air Test Method
 C924M Withdrawn 2013; Practice for Testing Concrete Pipe Sewer Lines by
- Low-Pressure Air Test Method (Metric)

 C925-09 Guide for Precision Electroformed Wet Sieve Analysis of Nonplastic
- Ceramic Powders, 15.02
- C926-14a Specification for Application of Portland Cement-Based Plaster, 04.01
- C927-80(2009) Test Method for Lead and Cadmium Extracted from the Lip

- and Rim Area of Glass Tumblers Externally Decorated with Ceramic Glass Enamels, 15.02
- C928/C928M-13 Specification for Packaged, Dry, Rapid-Hardening
- Cementitious Materials for Concrete Repairs, 04.02

 C929-14 Practice for Handling, Transporting, Shipping, Storage, Receiving, and Application of Thermal Insulation Materials For Use in Contact with
- Austenitic Stainless Steel, **04.06 C930-12** Classification of Potential Health and Safety Concerns Associated
- With Thermal Insulation Materials and Accessories, **04.06**C931/C931M Withdrawn 2005; Specification for Exterior Gypsum Soffit Board C932-06(2013) Specification for Surface-Applied Bonding Compounds for Exterior Plastering, 04.01
 C933-13 Specification for Welded Wire Lath, 04.01
- C934 Withdrawn 1995; Guide for Design and Quality Assurance Practices for Nuclear Fuel Rods
- C935-13 Specification for General Requirements for Prestressed Concrete Poles Statically Cast, 04.05
- C936/C936M-13 Specification for Solid Concrete Interlocking Paving Units, 04.05
- C937-10 Specification for Grout Fluidifier for Preplaced-Aggregate Concrete, 04.02
- C938-10 Practice for Proportioning Grout Mixtures for Preplaced-Aggregate Concrete, 04.02
- C939-10 Test Method for Flow of Grout for Preplaced-Aggregate Concrete (Flow Cone Method), 04.02
- C940-10a Test Method for Expansion and Bleeding of Freshly Mixed Grouts for Preplaced-Aggregate Concrete in the Laboratory, 04.02
- C941-10 Test Method for Water Retentivity of Grout Mixtures for Preplaced-Aggregate Concrete in the Laboratory, 04.02
- C942-10 Test Method for Compressive Strength of Grouts for Preplaced-
- Aggregate Concrete in the Laboratory, **04.02 C943-10** Practice for Making Test Cylinders and Prisms for Determining Strength and Density of Preplaced-Aggregate Concrete in the Laboratory, 04.02
- C944/C944M-12 Test Method for Abrasion Resistance of Concrete or Mortar Surfaces by the Rotating-Cutter Method, 04.02
- C945-05(2012) Practice for Design Considerations and Spray Application of a Rigid Cellular Polyurethane Insulation System on Outdoor Service Vessels, 04.06
- C946-10 Practice for Construction of Dry-Stacked, Surface-Bonded Walls, 04.05
- C947-03(2009) Test Method for Flexural Properties of Thin-Section Glass-Fiber-Reinforced Concrete (Using Simple Beam With Third-Point Loading), 04.05
- C948-81(2009) Test Method for Dry and Wet Bulk Density, Water Absorption, and Apparent Porosity of Thin Sections of Glass-Fiber Reinforced Concrete, 04.05
- C949-80(2012) Test Method for Porosity in Vitreous Whitewares by Dye Penetration, 15.02
- C950/C950M-08(2012) Practice for Repair of a Rigid Cellular Polyurethane Insulation System on Outdoor Service Vessels, 04.06
- C951 Withdrawn 1986; Specification for Urea-Formaldehyde-Based, Foamed-in-Place Insulation
- C952-12 Test Method for Bond Strength of Mortar to Masonry Units, 04.05
 C953-10 Test Method for Time of Setting of Grouts for Preplaced-Aggregate
- Concrete in the Laboratory, 04.02

 C954-11 Specification for Steel Drill Screws for the Application of Gypsum
- Panel Products or Metal Plaster Bases to Steel Studs from 0.033 in. (0.84 mm) to 0.112 in. (2.84 mm) in Thickness, 04.01 C955-11c Specification for Load-Bearing (Transverse and Axial) Steel Studs,
- Runners (Tracks), and Bracing or Bridging for Screw Application of Gypsum Panel Products and Metal Plaster Bases, **04.01**
- C956-04(2010) Specification for Installation of Cast-In-Place Reinforced Gypsum Concrete, 04.01
 C957/C957M-10 Specification for High-Solids Content, Cold Liquid-Applied
- Elastomeric Waterproofing Membrane With Integral Wearing Surface,
- C958-92(2014) Test Method for Particle Size Distribution of Alumina or Quartz by X-Ray Monitoring of Gravity Sedimentation, 15.02
- C959 Withdrawn 1996; Specification for Radiant Heat Fill C960/C960M Withdrawn 2005; Specification for Predecorated Gypsum Board;

- C964-07(2012) Guide for Lock-Strip Gasket Glazing, 04.07
- C965-96(2012) Practice for Measuring Viscosity of Glass Above the Softening Point, 15.02
- C966-98(2008) Guide for Installing Asbestos-Cement Nonpressure Pipe, 04.05
 C967-13 Specification for Uranium Ore Concentrate, 12.01
 C968-12 Test Methods for Analysis of Sintered Gadolinium Oxide-Uranium
- Dioxide Pellets, 12.01
- C969-02(2009) Practice for Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines, 04.05
- C969M-02(2009) Practice for Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines (Metric), 04.05
 C970 Withdrawn 2012; Practice for Sampling Special Nuclear Materials in
- Multi-Container Lots
- C971 Withdrawn 1997; Guide for Selection and Application of Insulation Systems for Heating, Ventilating, and Air Conditioning Duct Work

C972 C1061

- C972-00(2011) Test Method for Compression-Recovery of Tape Sealant, 04.07 C973-87(2009) Practice for Preparing Test Specimens From Basic Refractory Gunning Products by Pressing, 15.01
- C974-87(2009) Practice for Preparing Test Specimens from Basic Refractory Castable Products by Casting, 15.01
- C975-87(2009) Practice for Preparing Test Specimens from Basic Refractory
- Ramming Products by Pressing, **15.01**C976 Withdrawn 2002; Test Method for Thermal Performance of Building Assemblies by Means of a Calibrated Hot Box; Replaced by C1363
- C977-10 Specification for Quicklime and Hydrated Lime for Soil Stabilization, 04.01
- C978-04(2009) Test Method for Photoelastic Determination of Residual Stress in a Transparent Glass Matrix Using a Polarizing Microscope and Optical Retardation Compensation Procedures, 15.02
- C979/C979M-10 Specification for Pigments for Integrally Colored Concrete,
- C980-13a Specification for Industrial Chimney Lining Brick, 04.05 C981-05(2013) Guide for Design of Built-Up Bituminous Membrane Waterproofing Systems for Building Decks, 04.04
- C982 Withdrawn 2008; Guide for Selecting Components for Energy-Dispersive X-Ray Fluorescence (XRF) Systems

 C983 Withdrawn 1996; Test Methods for Chemical and Instrumental Analysis
- of Metallic Core Components in Liquid Metal Fast-Breeder Reactors (LMFBR)
- Withdrawn 1997; Specification for Perlite Board and Rigid Cellular Polyisocyanurate Composite Roof Insulation; Replaced by C1289
- C985-13 Specification for Nonreinforced Concrete Specified Strength Culvert, Storm Drain, and Sewer Pipe, 04.05
- C985M-13 Specification for Nonreinforced Concrete Specified Strength Culvert, Storm Drain, and Sewer Pipe (Metric), 04.05
- C986 Withdrawn 2001; Guide for Developing Training Programs in the Nuclear Fuel Cycle
- C987-10 Test Method for Vapor Attack on Refractories for Furnace Superstructures, 15.01
- C988 Withdrawn 1991; Test Method for Adherence of Porcelain Enamel Cover Coats Direct-to-Steel
- C989/C989M-13 Specification for Slag Cement for Use in Concrete and Mortars, **04.02**
- C990-09 Specification for Joints for Concrete Pipe, Manholes, and Precast Box Sections Using Preformed Flexible Joint Sealants, 04.05
- Box Sections Using Preformed Flexible Joint Sealants (Metric), **04.05**C991-08¹¹ Specification for Flexible Fibrage Class Involved Metric (Metric), **04.05** C990M-09 Specification for Joints for Concrete Pipe, Manholes, and Precast
- Buildings, 04.06
- C992-11 Specification for Boron-Based Neutron Absorbing Material Systems for Use in Nuclear Spent Fuel Storage Racks, 12.01
- C993-97(2012) Guide for In-Plant Performance Evaluation of Automatic Pedestrian SNM Monitors, 12.01
- C994 Withdrawn 1992; Practice for Ceramographic Preparation of PuO2-UO2 Mixed Oxide Fuel Pellets and Uranium Pellets
- C995 Withdrawn 2008; Test Method for Time of Flow of Fiber-Reinforced Concrete Through Inverted Slump Cone
- C996-10 Specification for Uranium Hexafluoride Enriched to Less Than 5 %, 12.01
- C997 Withdrawn 1998; Test Methods for Chemical and Instrumental Analysis of Nuclear-Grade Sodium and Cover Gas
- C998-05(2010)^{€1} Practice for Sampling Surface Soil for Radionuclides, 12.01 C999-05(2010)^{€1} Practice for Soil Sample Preparation for the Determination of Radionuclides, 12.01
- C1000-11 Test Method for Radiochemical Determination of Uranium Isotopes in Soil by Alpha Spectrometry, 12.01
- C1001-11 Test Method for Radiochemical Determination of Plutonium in Soil by Alpha Spectroscopy, 12.01
- C1002-07(2013) Specification for Steel Self-Piercing Tapping Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Wood Studs or Steel Studs, 04.01
- C1003 Withdrawn 1997; Test Method for Thermal Performance of Cooling-Air Duct Sections, Using A Calibrated Hot Box
- C1004 Withdrawn 1999; Matrix for LWR Spent Fuel Receiving and Storage C1005-10 Specification for Reference Masses and Devices for Determining Mass and Volume for Use in the Physical Testing of Hydraulic Cements. 04.01
- C1006-07(2013) Test Method for Splitting Tensile Strength of Masonry Units, 04.05
- C1007-11a Specification for Installation of Load Bearing (Transverse and Axial) Steel Studs and Related Accessories, 04.01
- C1008 Withdrawn 2014; Specification for Sintered (Uranium-Plutonium) DioxidePellets—Fast Reactor Fuel
- C1009-13a Guide for Establishing and Maintaining a Quality Assurance
 Program for Analytical Laboratories Within the Nuclear Industry, 12.01 C1010 Withdrawn 2001; Guide for Acceptance, Checkout, and Pre-
- Operational Testing of a Nuclear Fuels Reprocessing Facility C1011 Withdrawn 1996; Guide for Selection or Specification of Electrodeless
- Conductivity Instruments for the Nuclear Fuel Cycle
- C1012/C1012M-13 Test Method for Length Change of Hydraulic-Cement
- Mortars Exposed to a Sulfate Solution, **04.01**C1013 Withdrawn 1997; Specification for Faced Rigid Cellular Polyisocyanurate Roof Insulation; Replaced by C1289

 C1014-08(2013) Specification for Spray-Applied Mineral Fiber Thermal and
- Sound Absorbing Insulation, 04.06

- C1015-06(2011)^{€1} Practice for Installation of Cellulosic and Mineral Fiber Loose-Fill Thermal Insulation, 04.06
- C1016-14 Test Method for Determination of Water Absorption of Sealant Backing, 04.07
- C1017/C1017M-13 Specification for Chemical Admixtures for Use in Producing Flowing Concrete, 04.02
- C1018 Withdrawn 2006; Test Method for Flexural Toughness and First-Crack Strength of Fiber-Reinforced Concrete (Using Beam With Third-Point Loading)
- C1019-13 Test Method for Sampling and Testing Grout, 04.05
 C1020 Withdrawn 1999; Matrix for Light Water Reactor Fuel Reprocessing C1021-08(2014) Practice for Laboratories Engaged in Testing of Building Sealants, **04.07**
- C1022-05(2010)^{c1} Test Methods for Chemical and Atomic Absorption Analysis of Uranium-Ore Concentrate, 12.01
- C1023-10 Practice for Labeling Ceramic Art Materials for Chronic Adverse Health Hazards, 15.02
- C1024 Not Assigned
 C1025-91(2010)⁻¹ Test Method for Modulus of Rupture in Bending of Electrode Graphite, 05.05
- C1026-13 Test Method for Measuring the Resistance of Ceramic and Glass
 Tile to Freeze-Thaw Cycling, 15.02
 C1027-09 Test Method for Determining Visible Abrasion Resistance of Glazed
- Ceramic Tile, 15.02
- C1028-07^{c1} Test Method for Determining the Static Coefficient of Friction of Ceramic Tile and Other Like Surfaces by the Horizontal Dynamometer Pull-Meter Method, 15.02
- C1029-13 Specification for Spray-Applied Rigid Cellular Polyurethane Thermal Insulation, 04.06
- C1030-10 Test Method for Determination of Plutonium Isotopic Composition by Gamma-Ray Spectrometry, 12.01
 1-11 Specification for Nuclear-Grade Aluminum Oxide Powder, 12.01
- C1031-11 Specification for Nuclear-Grade Aluminum Oxide I C1032-14 Specification for Woven Wire Plaster Base, 04.01
- C1033 Withdrawn 2003: Test Method for Steady-State Heat Transfer Properties of Pipe Insulation Installed Vertically
- C1034 Withdrawn 2001; Test Method for Lead and Cadmium Extracted from Glazed Ceramic Cookware
- C1035 Withdrawn 2001; Specification for Lead and Cadmium Extracted from Glazed Ceramic Cookware

 C1036-11^{c1} Specification for Flat Glass, 15.02
- C1037-08 Practice for Inspection of Underground Precast Concrete Utility Structures, 04.05
- C1038/C1038M-14a Test Method for Expansion of Hydraulic Cement Mortar Bars Stored in Water, 04.01 C1039-85(2010)^{c1} Test Methods for Apparent Porosity, Apparent Specific
- Gravity, and Bulk Density of Graphite Electrodes, 05.05
- C1040/C1040M-08(2013) Test Methods for In-Place Density of Unhardened and Hardened Concrete, Including Roller Compacted Concrete, By Nuclear Methods, 04.02
- C1041-10 Practice for In-Situ Measurements of Heat Flux in Industrial Thermal Insulation Using Heat Flux Transducers, 04.06
- C1042 Withdrawn 2008; Test Method for Bond Strength of Latex Systems
- Used With Concrete By Slant Shear

 C1043-06(2010) Practice for Guarded-Hot-Plate Design Using Circular
 Line-Heat Sources, 04.06

 C1044-12 Practice for Using a Guarded-Hot-Plate Apparatus or Thin-Heater
 Apparatus in the Single-Sided Mode, 04.06

 C1045-07(2013) Practice for Calculating Thermal Transmission Properties
- Under Steady-State Conditions, 04.06
- C1046-95(2013) Practice for In-Situ Measurement of Heat Flux and Temperature on Building Envelope Components, 04.06
- C1047-14a Specification for Accessories for Gypsum Wallboard and Gypsum
- Veneer Base, **04.01 C1048-12**^{€1} Specification for Heat-Strengthened and Fully Tempered Flat Glass, 15.02
- C1049 Withdrawn 2001; Practice for Installation of Granular Loose-Fill Thermal Insulation
- C1050 Withdrawn 1999; Specification for Rigid Cellular Polystyrene-Cellulosic Fiber Composite Roof Insulation
- C1051 Withdrawn 2000; Specification for Sodium (Na) as a Coolant for Liquid Metal-Cooled Reactors; Replaced by A1008
 C1052-14 Practice for Bulk Sampling of Liquid Uranium Hexafluoride, 12.01
 C1053-00(2010) Specification for Borosilicate Glass Pipe and Fittings for Drain, Waste, and Vent (DWV) Applications, 15.02
 C1054-13 Practice for Pressing and Drying Refractory Plastic and Ramming
 Mix Programs, 15.01
- Mix Specimens, 15.01
- C1055-03(2014) Guide for Heated System Surface Conditions that Produce
- Contact Burn Injuries, 04.06

 C1056 Withdrawn 1992; Practice for Preparation of Loose Fill Mineral Fiber Thermal Insulation Samples for Testing

 C1057-12 Practice for Determination of Skin Contact Temperature from
- Heated Surfaces Using a Mathematical Model and Thermesthesiometer,
- C1058/C1058M-10 Practice for Selecting Temperatures for Evaluating and Reporting Thermal Properties of Thermal Insulation, 04.06
- C1059/C1059M-13 Specification for Latex Agents for Bonding Fresh To Hardened Concrete, 04.02
- C1060-11a Practice for Thermographic Inspection of Insulation Installations in Envelope Cavities of Frame Buildings, 04.06
- C1061 Withdrawn 1995; Test Method for Thermal Transmission Properties of

C1061 C1156

- Nonhomogeneous Insulation Panels Installed Vertically
- C1062-00(2014) Guide for Design, Fabrication, and Installation of Nuclear Fuel Dissolution Facilities, 12.01
- C1063-14c Specification for Installation of Lathing and Furring to Receive Interior and Exterior Portland Cement-Based Plaster, 04.01
- C1064/C1064M-12 Test Method for Temperature of Freshly Mixed Hydraulic-Cement Concrete, 04.02
- C1065-08 Specification for Nuclear-Grade Zirconium Oxide Powder, 12.01
 C1066-09 Specification for Nuclear Grade Zirconium Oxide Pellets, 12.01
 C1067-12 Practice for Conducting a Ruggedness Evaluation or Screening
 Program for Test Methods for Construction Materials, 04.02
- C1068-03(2011) Guide for Qualification of Measurement Methods by a Laboratory Within the Nuclear Industry, 12.01
- C1069-09 Test Method for Specific Surface Area of Alumina or Quartz by Nitrogen Adsorption, 15.02
- C1070-01(2014) Test Method for Determining Particle Size Distribution of Alumina or Quartz by Laser Light Scattering, 15.01
- C1071-12 Specification for Fibrous Glass Duct Lining Insulation (Thermal and
- Sound Absorbing Material), **04.06 C1072-13**^{c1} Test Methods for Measurement of Masonry Flexural Bond
- Strength, 04.05
 C1073-12 Test Method for Hydraulic Activity of Slag Cement by Reaction with Alkali, 04.02
- C1074-11 Practice for Estimating Concrete Strength, 04.02
 C1075-10 Practices for Sampling Uranium-Ore Concentrate, 12.01
- Specification for Nuclear Grade Hafnium Oxide Pellets, 12.01
- C1077-14 Practice for Agencies Testing Concrete and Concrete Aggregates for Use in Construction and Criteria for Testing Agency Evaluation, 04.02
- C1078 Withdrawn 1998; Test Methods for Determining the Cement Content of
- Freshly Mixed Concrete
 C1079 Withdrawn 1998; Test Methods for Determining the Water Content of Freshly Mixed Concrete
 C1079 Withdrawn 1998; Test Methods for Determining the Water Content of Freshly Mixed Concrete
 C1080-98(2008) Specification for Asbestos-Cement Products Other Than Fill For Cooling Towers, 04.05
 C1081-98(2008) Specification for Asbestos-Cement Corrugated Fill For Use in
- Cooling Towers, 04.05
- C1082-98(2008) Specification for Asbestos-Cement Flat Sheet for Cooling Tower Fill, 04.05
- C1083-06(2011) Test Method for Water Absorption of Cellular Elastomeric Gaskets and Sealing Materials, 04.07
- C1084-10 Test Method for Portland-Cement Content of Hardened Hydraulic-Cement Concrete, 04.02
- C1085 Withdrawn 1998; Specification for Butyl Rubber-Based Solvent-Release Sealants; Replaced by C1311
- C1086-09 Specification for Glass Fiber Mechanically Bonded Felt Thermal Insulation, 04.06
- C1087-00(2011) Test Method for Determining Compatibility of Liquid-Applied Sealants with Accessories Used in Structural Glazing Systems, 04.07
- C1088-14 Specification for Thin Veneer Brick Units Made From Clay or Shale, 04.05
- C1089-13 Specification for Spun Cast Prestressed Concrete Poles, 04.05 C1090-10 Test Method for Measuring Changes in Height of Cylindrical
- C1090-10 Test Method for Measuring Changes in Height of Cylindrical Specimens of Hydraulic-Cement Grout, 04.02
 C1091-03a(2013) Test Method for Hydrostatic Infiltration Testing of Vitrified Clay Pipe Lines, 04.05
 C1092 Withdrawn 1995; Specification for Glass Reinforced Concrete D-Load Culvert, Storm Drain, and Sewer Pipe
 C1093-13ac1 Practice for Accreditation of Testing Agencies for Masonry, 04.05
- C1094 Withdrawn 2010; Guide for Flexible Removable Insulation Covers
- C1095 Withdrawn 1998; Practice for Calculating Precision Data on Refractories (CO8) from Interlaboratory Test Results; Replaced by E177, E691
- C1096/C1096M-07(2011)^{c1} Test Method for Determination of Wood Fiber in Asbestos Cement, 04.05
 C1097-13 Specification for Hydrated Lime for Use in Asphalt Cement or Bituminous Paving Mixtures, 04.01
- C1098-08 Specification for Nuclear-Grade Hafnium Oxide Powder, 12.01 C1099-07(2012) Test Method for Modulus of Rupture of Carbon-Containing Refractory Materials at Elevated Temperatures, 15.01
- C1100 Withdrawn 2005; Test Method for Ribbon Thermal Shock Testing of
- Refractory Materials

 C1101/C1101M-06(2012) Test Methods for Classifying the Flexibility or Rigidity of Mineral Fiber Blanket and Board Insulation, 04.06

 C1102 Withdrawn 2002; Test Method for Time of Setting of Portland-Cement Pastes Containing Quick-Setting Accelerating Admixtures for Shotcrete by

- Pastes Containing Quick-Setting Accelerating Admixtures for Shotcrete by the Use of Gillmore Needles; Replaced by C1398

 C1103-03(2009) Practice for Joint Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines, 04.05

 C1103M-03(2009) Practice for Joint Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines (Metric), 04.05

 C1104/C1104M-13a Test Method for Determining the Water Vapor Sorption of Unfaced Mineral Fiber Insulation, 04.06
- C1105-08a Test Method for Length Change of Concrete Due to Alkali-Carbonate Rock Reaction, 04.02
- C1106-00(2012) Test Methods for Chemical Resistance and Physical Properties of Carbon Brick, 04.05
 C1107/C1107M-14 Specification for Packaged Dry, Hydraulic-Cement Grout
- (Nonshrink), **04.02**
- C1108-12 Test Method for Plutonium by Controlled-Potential Coulometry, 12.01

- C1109-10 Practice for Analysis of Aqueous Leachates from Nuclear Waste Materials Using Inductively Coupled Plasma-Atomic Emission Spectroscopy, 12.01
- C1110 Withdrawn 2014; Test Method for Determining Elements in Waste Streams by Inductively Coupled Plasma-Atomic Emission Spectroscopy
- C1111-10 Test Method for Determining Elements in Waste Streams by Inductively Coupled Plasma-Atomic Emission Spectroscopy, 12.01
- Inductively Coupled Plasma-Atomic Emission Spectroscopy, 12.01

 Withdrawn 2014; Guide for Application of Radiation Monitors to the

 Control and Physical Security of Special Nuclear Material

 C1113/C1113M-09(2013) Test Method for Thermal Conductivity of Refractories
 by Hot Wire (Platinum Resistance Thermometer Technique), 15.01

 C1114-06(2013) Test Method for Steady-State Thermal Transmission

 Properties by Means of the Thin-Heater Apparatus, 04.06

 C1115-06(2011) Specification for Dense Elastomeric Silicone Rubber Gaskets

- and Accessories, 04.07
- C1116/C1116M-10a Specification for Fiber-Reinforced Concrete, 04.02
 C1117 Withdrawn 2003; Test Method for Time of Setting of Shotcrete Mixtures
- by Penetration Resistance
 C1118 Withdrawn 2011; Guide for Selecting Components for WavelengthDispersive X-Ray Fluorescence (XRF) Systems
 C1119/C1119M-90(2009)^{c1} Test Method for Vacuum Drainage of AsbestosCement Mixes, 04.05
- C1120/C1120M-98(2011)^{c1} Test Method for Wash Test of Asbestos, 04.05 C1121/C1121M-04(2009)^{c1} Test Method for Turner and Newall (T and N) Wet-Length Classification of Asbestos, 04.05
- C1122/C1122M-90(2009) Test Method for Wet Volume of Asbestos, 04.05 C1123/C1123M-90(2009)^{c1} Test Method for Compressibility and Recovery of Asbestos, 04.05
- C1124/C1124M-90(2009)⁶¹ Test Method for Kerosene Retention of Asbestos, 04.05
- C1125-89(2009) Test Method for Penetration Index of Asbestos, 04.05 C1126-14 Specification for Faced or Unfaced Rigid Cellular Phenolic Thermal Insulation, 04.06
- C1127-01(2009) Guide for Use of High Solids Content, Cold Liquid-Applied Elastomeric Waterproofing Membrane with an Integral Wearing Surface,
- C1128-01(2008) Guide for Preparation of Working Reference Materials for Use in Analysis of Nuclear Fuel Cycle Materials, 12.01
- C1129-12 Practice for Estimation of Heat Savings by Adding Thermal Insulation to Bare Valves and Flanges, 04.06
- C1130-07(2012) Practice for Calibrating Thin Heat Flux Transducers, 04.06
 C1131-10^{c1} Practice for Least Cost (Life Cycle) Analysis of Concrete Culvert, Storm Sewer, and Sanitary Sewer Systems, 04.05
 C1132 Withdrawn 2002; Practice for Calibration of the Heat Flow Meter
- Apparatus
- C1133/C1133M-10 Test Method for Nondestructive Assay of Special Nuclear Material in Low-Density Scrap and Waste by Segmented Passive Gamma-Ray Scanning, 12.01
 C1134-90(2012)*1 Test Method for Water Retention of Rigid Thermal
- Insulations Following Partial Immersion, 04.06

 C1135-00(2011) Test Method for Determining Tensile Adhesion Properties of Structural Sealants, 04.07
- C1136-12 Specification for Flexible, Low Permeance Vapor Retarders for Thermal Insulation, 04.06
- C1137 Withdrawn 2011; Test Method for Degradation of Fine Aggregate Due to Attrition
- C1138M-12 Test Method for Abrasion Resistance of Concrete (Underwater Method), 04.02
- C1139-14 Specification for Fibrous Glass Thermal Insulation and Sound Absorbing Blanket and Board for Military Applications, 04.06
- C1140/C1140M-11 Practice for Preparing and Testing Specimens from
- Shotcrete Test Panels, 04.02

 C1141/C1141M-08 Specification for Admixtures for Shotcrete, 04.02

 C1142-95(2013) Specification for Extended Life Mortar for Unit Masonry, 04.05

 C1143 Withdrawn 2000; Specification for Helium for Use as a Cover Gas for Liquid Sodium
- C1144-89(2011) Test Method for Splitting Tensile Strength for Brittle Nuclear Waste Forms, 12.01
- C1145-06(2013) Terminology of Advanced Ceramics, 15.01
 C1146-09(2013) Guide for Prefabricated Panel and H–bar Insulation Systems
- C1146-09(2013) for Vessels, Ducts and Equipment Operating at Temperatures Above Ambient Air, 04.06

 C1147-01(2012) Practice for Determining the Short Term Tensile Weld Strength of Chemical-Resistant Thermoplastics, 08.01
- C1148-92a(2008) Test Method for Measuring the Drying Shrinkage of Masonry Mortar, 04.05
 C1149-11 Specification for Self-Supported Spray Applied Cellulosic Thermal
- Insulation, **04.06**C1150 Withdrawn 2002; Test Method for the Break-Off Number of Concrete C1151 Withdrawn 2000; Test Method for Evaluating the Effectiveness of Materials for Curing Concrete
 C1152/C1152M-04(2012)⁶¹ Test M
- Test Method for Acid-Soluble Chloride in Mortar and Concrete, 04.02
- C1153-10 Practice for Location of Wet Insulation in Roofing Systems Using Infrared Imaging, 04.06
- C1154-06(2011) Terr Products, 04.05 Terminology for Non-Asbestos Fiber-Reinforced Cement
- C1155-95(2013) Practice for Determining Thermal Resistance of Building Envelope Components from the In-Situ Data, 04.06
- C1156-03(2011) Guide for Establishing Calibration for a Measurement Method

C1156 C1250

- Used to Analyze Nuclear Fuel Cycle Materials, 12.01
- C1157/C1157M-11 Performance Specification for Hydraulic Cement, 04.01 Withdrawn 2011; Practice for Installation and Use of Radiant Barrier Systems (RBS) in Building Construction
- C1159-98(2012) Specification for Sulfur Polymer Cement and Sulfur Modifier for Use in Chemical-Resistant, Rigid Sulfur Concrete, 04.05
- C1160-97(2012) Specification for Chemical-Resistant Carbon Brick, 04.05
 C1161-13 Test Method for Flexural Strength of Advanced Ceramics at Ambient Temperature, 15.01
- C1162/C1162M-90(2009)61 Test Method for Loose Density of Ashestos 04.05 C1163-14 Practice for Mounting Actinides for Alpha Spectrometry Using Neodymium Fluoride, 12.01

 C1164-92(2009) Practice for Evaluation of Limestone or Lime Uniformity From
- a Single Source, 04.01
- C1165-12 Test Method for Determining Plutonium by Controlled-Potential Coulometry in H, 12.01
- C1166-06(2011) Test Method for Flame Propagation of Dense and Cellular Elastomeric Gaskets and Accessories, 04.07
- C1167-11 Specification for Clay Roof Tiles, 04.05
- C1168-08 Practice for Preparation and Dissolution of Plutonium Materials for Analysis, 12.01
 C1169-97(2012) Guide for Laboratory Evaluation of Automatic Pedestrian
- SNM Monitor Performance, 12.01
 C1170/C1170M-14^{c1} Test Method for Determining Consistency and Density of
- Roller-Compacted Concrete Using a Vibrating Table, 04.02
- C1171-05(2011) Test Method for Quantitatively Measuring the Effect of Thermal Shock and Thermal Cycling on Refractories, 15.01
- C1172-09^{c1} Specification for Laminated Architectural Flat Glass, 15.02 C1173-10^{€1} Specification for Flexible Transition Couplings for Underground
- Piping Systems, 01.02
- C1174-07(2013) Practice for Prediction of the Long-Term Behavior of Materials, Including Waste Forms, Used in Engineered Barrier Systems (EBS) for Geological Disposal of High-Level Radioactive Waste, 12.01
- C1175-99a(2010) Guide to Test Methods and Standards for Nondestructive Testing of Advanced Ceramics, 15.01 C1176/C1176M-13 Practice for Making Roller-Compacted Concrete in Cylinder
- Molds Using a Vibrating Table, 04.02
- Sheathing, 04.01
 C1178/C1178M-13 Specification for Glass Mat Gypsum Substrate for U Sheathing, 04.01
 C1178/C1178M-13 Specification for Coated Glass Mat Water-Resistant Gypsum Backing Panel, 04.01
 C1179-91(2010)^{c1} Test Method for Oxidation Mass Loss of Manufacture C1177/C1177M-13 Specification for Glass Mat Gypsum Substrate for Use as
- Test Method for Oxidation Mass Loss of Manufactured
- Carbon and Graphite Materials in Air, 05.05

 C1180-10 Terminology of Mortar and Grout for Unit Masonry, 04.05

 C1181-00(2012) Test Methods for Compressive Creep of Chemical-Resistant Polymer Machinery Grouts, 04.02
- C1182-09 Test Method for Determining the Particle Size Distribution of Alumina by Centrifugal Photosedimentation, 15.02
- C1183/C1183M-13 Test Method for Extrusion Rate of Elastomeric Sealants, 04.07
- C1184-14 Specification for Structural Silicone Sealants, 04.07
- C1185-08(2012) Test Methods for Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards,
- C1186-08(2012) Specification for Flat Fiber-Cement Sheets, 04.05 C1187-07 Guide for Establishing Surveillance Test Program for Boron-Based Neutron Absorbing Material Systems for Use in Nuclear Spent Fuel Storage Racks, 12.01
- C1188-04(2011) Guide for Establishing a Quality Assurance Program for Uranium Conversion Facilities, 12.01
- C1189-11 Guide to Procedures for Calibrating Automatic Pedestrian SNM Monitors, 12.01
- C1190-95(2010) Practice for Location of Test Specimens from Magnesia-Carbon and Impregnated Burned Basic Brick, 15.01 C1191 Withdrawn 1999; Practice for Safe Use and Handling of Ceramic Clays
- and Slips
- C1192 Withdrawn 1999; Practice for Safe Spraying of Ceramic Glazes C1193-13 Guide for Use of Joint Sealants, 04.07
- C1194-03(2011) Test Method for Compressive Strength of Architectural Cast Stone, **04.05**
- C1195-03(2011) Test Method for Absorption of Architectural Cast Stone, 04.05
 C1196-09 Test Method for In Situ Compressive Stress Within Solid Unit
 Masonry Estimated Using Flatjack Measurements, 04.05
 C1197-09 Test Method for In Situ Measurement of Masonry Deformability
- Properties Using the Flatjack Method, 04.05
- C1198-09(2013) Test Method for Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Sonic Resonance, 15.01
- C1199-14 Test Method for Measuring the Steady-State Thermal Transmittance of Fenestration Systems Using Hot Box Methods, 04.06
 C1201/C1201M-09 Test Method for Structural Performance of Exterior
- Dimension Stone Cladding Systems by Uniform Static Air Pressure Difference, 04.07
- C1202-12 Test Method for Electrical Indication of Concrete's Ability to Resist Chloride Ion Penetration, 04.02
- C1203-04(2009) Test Method for Quantitative Determination of Alkali
- Resistance of a Ceramic-Glass Enamel, 15.02

 C1204-14 Test Method for Uranium in Presence of Plutonium by Iron(II)

 Reduction in Phosphoric Acid Followed by Chromium(VI) Titration, 12.01

 C1205-07(2012) Test Method for The Radiochemical Determination of
- Americium-241 in Soil by Alpha Spectrometry, 12.01

- C1206-02(2010) Test Method for Plutonium by Iron (II)/Chromium (VI) Amperometric Titration, 12.01
- C1207-10 Test Method for Nondestructive Assay of Plutonium in Scrap and Waste by Passive Neutron Coincidence Counting, 12.01 C1208M Withdrawn 1998; Replaced by C1208/C1208M
- C1208/C1208M-11 Specification for Vitrified Clay Pipe and Joints for Use in
- Microtunneling, Sliplining, Pipe Bursting, and Tunnels, **04.05** C1209 Withdrawn 2009; Terminology of Concrete Masonry Units and Related Units; Replaced by C1232 C1210-12 Guide for Establishing a Measurement System Quality Control
- Program for Analytical Chemistry Laboratories Within the Nuclear Industry, 12.01
- C1211-13 Test Method for Flexural Strength of Advanced Ceramics at Elevated Temperatures, 15.01
- C1212-98(2010) Practice for Fabricating Ceramic Reference Specimens Containing Seeded Voids, 15.01
- C1213 Withdrawn 2001; Terminology Relating to Precast Concrete Products C1214-13 Test Method for Concrete Pipe Sewerlines by Negative Air Pressure (Vacuum) Test Method, 04.05
- C1214M-13 Test Method for Concrete Pipe Sewerlines by Negative Air Pressure (Vacuum) Test Method (Metric), 04.05
 C1215-92(2012)^{c1} Guide for Preparing and Interpreting Precision and Bias Statements in Test Method Standards Used in the Nuclear Industry, 12.01
- C1216/C1216M-13 Test Method for Adhesion and Cohesion of One-Part Elastomeric Solvent Release Sealants, 04.07
- C1217-00(2012) Guide for Design of Equipment for Processing Nuclear and Radioactive Materials, 12.01
- C1218/C1218M-99(2008) Test Method for Water-Soluble Chloride in Mortar and Concrete, 04.02
- C1219-05(2009) Test Methods for Arsenic in Uranium Hexafluoride, 12.01
 C1220-10 Test Method for Static Leaching of Monolithic Waste Forms for Disposal of Radioactive Waste, 12.01
- C1221-10 Test Method for Nondestructive Analysis of Special Nuclear
- Materials in Homogeneous Solutions by Gamma-Ray Spectrometry, 12.01
 C1222-13 Practice for Evaluation of Laboratories Testing Hydraulic Cement, 04.01
- C1223-09 Test Method for Testing of Glass Exudation from AZS Fusion-Cast Refractories, 15.01
- C1224-11 Specification for Reflective Insulation for Building Applications, 04.06 C1225-08(2012) Specification for Fiber-Cement Roofing Shingles, Shakes, and Slates, 04.05
- C1226 Withdrawn 2007; Test Method for Soluble Chlorides in Asbestos
 C1227-13 Specification for Precast Concrete Septic Tanks, 04.05
 C1228-96(2009) Practice for Preparing Coupons for Flexural and Washout
 Tests on Glass Fiber Reinforced Concrete, 04.05
- C1229-94(2009) Test Method for Determination of Glass Fiber Content in Glass Fiber Reinforced Concrete (GFRC)(Wash-Out Test), 04.05
- C1230-96(2009) Test Method for Performing Tension Tests on Glass-Fiber Reinforced Concrete (GFRC) Bonding Pads, 04.05
- C1231/C1231M-14 Practice for Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders, 04.02
- C1232-12 Terminology of Masonry, 04.05
 C1233-09 Practice for Determining Equivalent Boron Contents of Nuclear Materials, 12.01
- C1234-11 Practice for Preparation of Oils and Oily Waste Samples by High-Pressure, High-Temperature Digestion for Trace Element Determinations, **05.01**
- C1235 Withdrawn 2005; Test Method for Plutonium by Titanium(III)/Cerium(IV) Titration
- C1236 Withdrawn 2014; Guide for In-Plant Performance Evaluation of Automatic Vehicle SNM Monitors C1237 Withdrawn 2014; Guide to In-Plant Performance Evaluation of
- Hand-Held SNM Monitors
- C1238-97(2012) Guide for Installation of Walk-Through Metal Detectors, 12.01 C1239-13 Practice for Reporting Uniaxial Strength Data and Estimating
 Weibull Distribution Parameters for Advanced Ceramics, 15.01
- Specification for Silica Fume Used in Cementitious Mixtures, 04.02
- C1241-14 Test Method for Volume Shrinkage of Latex Sealants During Cure, 04.07
- C1242-14 Guide for Selection, Design, and Installation of Dimension Stone Attachment Systems, 04.07
- C1243-93(2009) Test Method for Relative Resistance to Deep Abrasive Wear of Unglazed Ceramic Tile by Rotating Disc, 15.02
 C1244-11 Test Method for Concrete Sewer Manholes by the Negative Air
- Pressure (Vacuum) Test Prior to Backfill, 04.05
- C1244M-11 Test Method for Concrete Sewer Manholes by the Negative Air Pressure (Vacuum) Test Prior to Backfill (Metric), 04.05
- C1245/C1245M-12 Test Method for Determining Relative Bond Strength Between Hardened Roller Compacted Concrete Lifts (Point Load Test), 04.02
- C1246-00(2012) Test Method for Effects of Heat Aging on Weight Loss, Cracking, and Chalking of Elastomeric Sealants After Cure, 04.07
 C1247-14 Test Method for Durability of Sealants Exposed to Continuous
- Immersion in Liquids, 04.07
- C1248-08(2012) Test Method for Staining of Porous Substrate by Joint Sealants, 04.07
- C1249-06a(2010) Guide for Secondary Seal for Sealed Insulating Glass Units for Structural Sealant Glazing Applications, 04.07
 C1250-05 Test Method for Nonvolatile Content of Cold Liquid-Applied
- Elastomeric Waterproofing Membranes, 04.04

C1251 C1337

- C1251 Withdrawn 2000; Guide for Determination of Specific Surface Area of Advanced Ceramic Materials by Gas Adsorption
- C1252-06 Test Methods for Uncompacted Void Content of Fine Aggregate (as Influenced by Particle Shape, Surface Texture, and Grading), 04.02
- C1253-14 Test Method for Determining the Outgassing Potential of Sealant Backing, **04.07**
- C1254-13 Test Method for Determination of Uranium in Mineral Acids by
- X-Ray Fluorescence, **12.01 C1255-11** Test Method for Analysis of Uranium and Thorium in Soils by Energy Dispersive X-Ray Fluorescence Spectroscopy, **12.01**
- C1256-93(2013) Practice for Interpreting Glass Fracture Surface Features, 15.02
- C1257-06a(2012) Test Method for Accelerated Weathering of Solvent-Release-Type Sealants, 04.07
- C1258-08(2013) Test Method for Elevated Temperature and Humidity Resistance of Vapor Retarders for Insulation, 04.06
- C1259-14 Test Method for Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Impulse Excitation of Vibration, 15.01
- C1260-14 Test Method for Potential Alkali Reactivity of Aggregates (Mortar-Bar Method), 04.02
- C1261-13 Specification for Firebox Brick for Residential Fireplaces, 04.05
 C1262-10 Test Method for Evaluating the Freeze-Thaw Durability of Dry-Cast
 Segmental Retaining Wall Units and Related Concrete Units, 04.05
- C1263-95(2010) Test Method for Thermal Integrity of Flexible Water Vapor Retarders, 04.06
- C1264-14 Specification for Sampling, Inspection, Rejection, Certification, Packaging, Marking, Shipping, Handling, and Storage of Gypsum Panel Products, **04.01**
- C1265-94(2011) Test Method for Determining the Tensile Properties of an Insulating Glass Edge Seal for Structural Glazing Applications, 04.07
 C1266-02(2011) Test Method for Flow Characteristics of Preformed Tape
- Sealants, 04.07
- C1267-11 Test Method for Uranium by Iron (II) Reduction in Phosphoric Acid Followed by Chromium (VI) Titration in the Presence of Vanadium, 12.01 C1268-94(2008) Test Method for Quantitative Determination of Americium 241
- in Plutonium by Gamma-Ray Spectrometry, 12.01
- C1269-97(2012) Practice for Adjusting the Operational Sensitivity Setting of In-Plant Walk-Through Metal Detectors, 12.01
- C1270-97(2012) Practice for Detection Sensitivity Mapping of In-Plant Walk-Through, 12.01
- C1271-99(2012) Test Method for X-ray Spectrometric Analysis of Lime and Limestone, 04.01
- C1272-14 Specification for Heavy Vehicular Paving Brick, 04.05
 C1273-05(2010) Test Method for Tensile Strength of Monolithic Advanced
 Ceramics at Ambient Temperatures, 15.01
- C1274-12 Test Method for Advanced Ceramic Specific Surface Area by Physical Adsorption, 15.01
- C1275-10 Test Method for Monotonic Tensile Behavior of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperature, 15.01
- C1276 Withdrawn 2009; Test Method for Measuring the Viscosity of Mold
- Powders Above Their Melting Point Using a Rotational Viscometer C1277-12 Specification for Shielded Couplings Joining Hubless Cast Iron Soil
- Pipe and Fittings, 01.02
 C1278/C1278M-07a(2011) Specification for Fiber-Reinforced Gypsum Panel, 04.01
- C1279-13 Test Method for Non-Destructive Photoelastic Measurement of Edge and Surface Stresses in Annealed, Heat-Strengthened, and Fully Tempered Flat Glass, 15.02
- C1280-13a Specification for Application of Exterior Gypsum Panel Products for Use as Sheathing, 04.01
- C1281-14 Specification for Preformed Tape Sealants for Glazing Applications, 04.07
- C1282 Withdrawn 2014; Test Method for Determining the Particle Size Distribution of Advanced Ceramics by Centrifugal Photosedimentation,
- C1283-11 Practice for Installing Clay Flue Lining, 04.05
- C1284-10 Practice for Electrodeposition of the Actinides for Alpha Spectrom-
- etry, 12.01

 C1285-14 Test Methods for Determining Chemical Durability of Nuclear,
 Hazardous, and Mixed Waste Glasses and Multiphase Glass Ceramics: The Product Consistency Test (PCT), 12.01

 6 Withdrawn 2002; Classification for Advanced Ceramics
- C1287-10 Test Method for Determination of Impurities in Nuclear Grade Uranium Compounds by Inductively Coupled Plasma Mass Spectrometry,
- C1288-99(2010) Specification for Discrete Non-Asbestos Fiber-Cement Interior Substrate Sheets, 04.05
 C1289-14 Specification for Faced Rigid Cellular Polyisocyanurate Thermal
- Insulation Board, 04.06
- C1290-11 Specification for Flexible Fibrous Glass Blanket Insulation Used to Externally Insulate HVAC Ducts, 04.06
- C1291-00a(2010) Test Method for Elevated Temperature Tensile Creep Strain, Creep Strain Rate, and Creep Time-to-Failure for Advanced Monolithic Ceramics, **15.01**
- C1292-10 Test Method for Shear Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperatures, 15.01
- C1293-08b Test Method for Determination of Length Change of Concrete Due to Alkali-Silica Reaction, 04.02

C1294-07(2011) Test Method for Compatibility of Insulating Glass Edge Sealants with Liquid-Applied Glazing Materials, 04.07

- C1295-14 Test Method for Gamma Energy Emission from Fission and Decay Products in Uranium Hexafluoride and Uranyl Nitrate Solution, 12.01
- C1296 Withdrawn 2007; Test Method for Determination of Sulfur in Uranium Oxides and Uranyl Nitrate Solutions by X-Ray Fluorescence (XRF)
- C1297-03(2011) Guide for Qualification of Laboratory Analysts for the Ánalysis of Nuclear Fuel Cycle Materials, 12.01
- C1298-95(2013) Guide for Design and Construction of Brick Liners for Industrial Chimneys, **04.05**C1299 Withdrawn 2011; Guide for Use in Selection of Liquid-Applied Sealants
- C1300-95(2012) Test Method for Linear Thermal Expansion of Glaze Frits and Ceramic Whiteware Materials by the Interferometric Method, 15.02
- C1301-95(2014) Test Method for Major and Trace Elements in Limestone and Lime by Inductively Coupled Plasma-Atomic Emission Spectroscopy (ICP) and Atomic Absorption (AA), 04.01
 C1302-04(2011) Guide for Selection and Use of Keywords for Thermal Insulation Test Methods and Standards, 04.06
- C1303/C1303M-14 Test Method for Predicting Long-Term Thermal Resistance of Closed-Cell Foam Insulation, 04.06
- C1304-08(2013) Test Method for Assessing the Odor Emission of Thermal Insulation Materials, 04.06
- C1305-08 Test Method for Crack Bridging Ability of Liquid-Applied Waterproofing Membrane, 04.04
- C1306-08 Test Method for Hydrostatic Pressure Resistance of a Liquid-Applied Waterproofing Membrane, 04.04
- C1307-14 Test Method for Plutonium Assay by Plutonium (III) Diode Array Spectrophotometry, 12.01
- C1308-08 Test Method for Accelerated Leach Test for Diffusive Releases from Solidified Waste and a Computer Program to Model Diffusive, Fractional Leaching from Cylindrical Waste Forms, 12.01
- C1309-97(2012) Practice for Performance Evaluation of In-Plant Walk-Through Metal Detectors, 12.01
- C1310 Withdrawn 2011; Test Method for Determining Radionuclides in Soils by Inductively Coupled Plasma-Mass Spectrometry Using Flow Injection Preconcentration
- C1311-14 Specification for Solvent Release Sealants. 04.07
- C1312-97(2012) Practice for Making and Conditioning Chemical-Resistant
 Sulfur Polymer Cement Concrete Test Specimens in the Laboratory, 04.05
- C1313/C1313M-13 Specification for Sheet Radiant Barriers for Building Construction Applications, 04.06
- C1314-12 Test Method for Compressive Strength of Masonry Prisms, 04.05 Specification for Liquid Membrane-Forming Compounds Having
- Special Properties for Curing and Sealing Concrete, 04.02 C1316-08 Test Method for Nondestructive Assay of Nuclear Material in Scrap
- and Waste by Passive-Active Neutron Counting Using, 12.01
- C1317 Withdrawn 2001; Practice for Dissolution of Silicate or Acid-Resistant Matrix Samples; Replaced by C1463
 C1318-95(2009)^{c1} Test Method for Determination of Total Neutralizing
- Capability and Dissolved Calcium and Magnesium Oxide in Lime for Flue
 Gas Desulfurization (FGD), 04.01

 C1319-11 Specification for Concrete Grid Paving Units, 04.05

 C1320-10 Practice for Installation of Mineral Fiber Batt and Blanket Thermal
- Insulation for Light Frame Construction, 04.06
- C1321-14 Practice for Installation and Use of Interior Radiation Control Coating Systems (IRCCS) in Building Construction, 04.06
- C1322-05b(2010) Practice for Fractography and Characterization of Fracture Origins in Advanced Ceramics, 15.01
- C1323-10 Test Method for Ultimate Strength of Advanced Ceramics with Diametrally Compressed C-Ring Specimens at Ambient Temperature,
- 15.01
 C1324-10 Test Method for Examination and Analysis of Hardened Masonry Mortar, 04.05
 C1325-08b Specification for Non-Asbestos Fiber-Mat Reinforced Cementitious
- Backer Units, 04.05
- C1326-13 Test Method for Knoop Indentation Hardness of Advanced Ceramics, 15.01
- C1327-08 Test Method for Vickers Indentation Hardness of Advanced Ceramics, 15.01

- Ceramics, 15.01
 C1328/C1328M-12 Specification for Plastic (Stucco) Cement, 04.01
 C1329/C1329M-12 Specification for Mortar Cement, 04.01
 C1330-02(2013) Specification for Cylindrical Sealant Backing for Use with Cold Liquid-Applied Sealants, 04.07
 C1331-01(2012) Test Method for Measuring Ultrasonic Velocity in Advanced Ceramics with Broadband Pulse-Echo Cross-Correlation Method, 15.01
- C1332-01(2013) Test Method for Measurement of Ultrasonic Attenuation Coefficients of Advanced Ceramics by Pulse-Echo Contact Technique, 15.01
- C1333 Not Assigned
- C1334-05(2010) Specification for Uranium Oxides with a 235U Content of Less Than 5 % for Dissolution Prior to Conversion to Nuclear-Grade Uranium Dioxide, 12.01
- C1335-12 Test Method for Measuring Non-Fibrous Content of Man-Made Rock and Slag Mineral Fiber Insulation, 04.06
 C1336-96(2014) Practice for Fabricating Non-Oxide Ceramic Reference Specimens Containing Seeded Inclusions, 15.01
- C1337-10 Test Method for Creep and Creep Rupture of Continuous Fiber-Reinforced Advanced Ceramics Under Tensile Loading at Elevated Temperatures, 15.01

C1338 C1428

- C1338-14 Test Method for Determining Fungi Resistance of Insulation Materials and Facings, 04.06
- C1339-02(2012) Test Method for Flowability and Bearing Area of Chemical-Resistant Polymer Machinery Grouts, 04.02
- C1340/C1340M-10 Practice for Estimation of Heat Gain or Loss Through Ceilings Under Attics Containing Radiant Barriers by Use of a Computer Program, **04.06**
- C1341-13 Test Method for Flexural Properties of Continuous Fiber-Reinforced Advanced Ceramic Composites, 15.01 C1342 Withdrawn 2001; Practice for Flux Fusion Sample Dissolution
- C1343-11 Test Method for Determination of Low Concentrations of Uranium in Oils and Organic Liquids by X-ray Fluorescence, 12.01 C1344-97(2013) Test Method for Isotopic Analysis of Uranium Hexafluoride by
- Single-Standard Gas Source Mass Spectrometer Method, 12.01
- C1345-08 Test Method for Analysis of Total and Isotopic Uranium and Total Thorium in Soils by Inductively Coupled Plasma-Mass Spectrometry, 12.01
- C1346-08(2014) Practice for Dissolution of UF, 12.01
 C1347-08(2014)^{c1} Practice for Preparation and Dissolution of Uranium Materials for Analysis, 12.01
- 8 Withdrawn 2013; Specification for Blended Uranium Oxides with ²³⁵U Content of Less Than 5 % for Direct Hydrogen Reduction to Nuclear Grade Uranium Dioxide
- C1349-10 Specification for Architectural Flat Glass Clad Polycarbonate, 15.02 C1350M-96(2013) Test Method for Measurement of Viscosity of Glass
- Between Softening Point and Annealing Range (Approximately 10, 15.02 C1351M-96(2012) Test Method for Measurement of Viscosity of Glass Between 10, 15.02
- C1352/C1352M-09 Test Method for Flexural Modulus of Elasticity of
- Dimension Stone, **04.07 C1353/C1353M-09**^{c1} Test Method for Abrasion Resistance of Dimension Stone Subjected to Foot Traffic Using a Rotary Platform, Double-Head Abraser, 04.07
- C1354/C1354M-09 Test Method for Strength of Individual Stone Anchorages in Dimension Stone, 04.07
- C1355/C1355M-96(2011) Specification for Glass Fiber Reinforced Gypsum Composites, 04.01
- C1356-07(2012) Test Method for Quantitative Determination of Phases in Portland Cement Clinker by Microscopical Point-Count Procedure, 04.01
- C1357-09 Test Methods for Evaluating Masonry Bond Strength, 04.05
 C1358-13 Test Method for Monotonic Compressive Strength Testing of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular
- Cross-Section Test Specimens at Ambient Temperatures, 15.01
 C1359-13 Test Method for Monotonic Tensile Strength Testing of Continuous Fiber-Reinforced Advanced Ceramics With Solid Rectangular Cross-Section Test Specimens at Elevated Temperatures, 15.01
- C1360-10 Practice for Constant-Amplitude, Axial, Tension-Tension Cyclic Fatigue of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperatures, 15.01
- C1361-10 Practice for Constant-Amplitude, Axial, Tension-Tension Cyclic Fatigue of Advanced Ceramics at Ambient Temperatures, 15.01
- C1362 Withdrawn 2014; Test Method for Flow of Freshly Mixed Hydraulic-Cement Concrete
- C1363-11 Test Method for Thermal Performance of Building Materials and Envelope Assemblies by Means of a Hot Box Apparatus, **04.06 C1364-10b** Specification for Architectural Cast Stone, **04.05 C1365-06(2011)** Test Method for Determination of the Proportion of Phases in
- Portland Cement and Portland-Cement Clinker Using X-Ray Powder Diffraction Analysis, 04.01
- C1366-04(2013) Test Method for Tensile Strength of Monolithic Advanced Ceramics at Elevated Temperatures, 15.01
- C1367-06(2012) Test Method for Dead Load Resistance of a Sealant in Elevated Temperatures, 04.07

 C1368-10 Test Method for Determination of Slow Crack Growth Parameters of
- Advanced Ceramics by Constant Stress-Rate Strength Testing at Ambient Temperature, 15.01
- C1369-07(2014) Specification for Secondary Edge Sealants for Structurally Glazed Insulating Glass Units, 04.07
- C1370-00(2012) Test Method for Determining Chemical Resistance of
- Aggregates for Use in Chemical-Resistant Sulfur Polymer Cement
 Concrete and Other Chemical-Resistant Polymer Concretes, **04.05**C1371-04a(2010)^{c1} Test Method for Determination of Emittance of Materials
 Near Room Temperature Using Portable Emissometers, **04.06**C1372-11 Specification for Dry-Cast Segmental Retaining Wall Units, **04.05**
- C1373/C1373M-11 Practice for Determination of Thermal Resistance of Attic Insulation Systems Under Simulated Winter Conditions, 04.06
- C1374-14 Test Method for Determination of Installed Thickness of Pneumati-cally Applied Loose-Fill Building Insulation, 04.06
- C1375-00(2014) Guide for Substrates Used in Testing Building Seals and Sealants, 04.07
- C1376-10 Specification for Pyrolytic and Vacuum Deposition Coatings on Flat Glass, 15.02
- C1377-97(2009) Test Method for Calibration of Surface/Stress Measuring Devices, **15.02**
- C1378-04(2009) Test Method for Determination of Resistance to Staining, 15.02
- C1379-10 Test Method for Analysis of Urine for Uranium-235 and Uranium-238 Isotopes by Inductively Coupled Plasma-Mass Spectrometry, 12.01
 C1380-04(2011) Test Method for the Determination of Uranium Content and
- Isotopic Composition by Isotope Dilution Mass Spectrometry, 12.01

C1381/C1381M-97(2013) Specification for Molded Glass Fiber Reinforced Gypsum Parts, 04.01

- Test Method for Determining Tensile Adhesion Properties of Sealants When Used in Exterior Insulation and Finish Systems (EIFS) Joints, 04.07
- C1383-04(2010) Test Method for Measuring the P-Wave Speed and the Thickness of Concrete Plates Using the Impact-Echo Method, 04.02
- C1384-12a Specification for Admixtures for Masonry Mortars, 04.05
 C1385/C1385M-10 Practice for Sampling Materials for Shotcrete, 04.02
 C1386 Withdrawn 2013; Specification for Precast Autoclaved Aerated Concrete (AAC) Wall Construction Units
- C1387-14 Guide for the Determination of Technetium-99 in Soil, 12.01 C1388 Withdrawn 1999; Test Method for Compressive Strength of Laboratory Constructed Masonry Prisms
- C1389 Redesignated E514
- C1390 Redesignated E518
- C1391 Redesignated E519
- C1392-00(2014) Guide for Evaluating Failure of Structural Sealant Glazing, 04.07
- C1393-14 Specification for Perpendicularly Oriented Mineral Fiber Roll and Sheet Thermal Insulation for Pipes and Tanks, 04.06
 C1394-03(2012) Guide for In-Situ Structural Silicone Glazing Evaluation, 04.07
 C1395/C1395M Withdrawn 2005; Specification for Gypsum Ceiling Board
- C1396/C1396M-14 Specification for Gypsum Board, 04.01
- C1397-13 Practice for Application of Class PB Exterior Insulation and Finish Systems (EIFS) and EIFS with Drainage, 04.01
- Withdrawn 2010; Test Method for the Laboratory Determination of the Time of Setting of Hydraulic-Cement Mortars Containing Additives for Shotcrete by the Use of Gillmore Needles
- C1399/C1399M-10 Test Method for Obtaining Average Residual-Strength of Fiber-Reinforced Concrete, 04.02
- C1400-11 Guide for Reduction of Efflorescence Potential in New Masonry
- Walls, **04.05 C1401-14** Guide for Structural Sealant Glazing, **04.07**
- C1402-04(2009) Guide for High-Resolution Gamma-Ray Spectrometry of Soil Samples, 12.01
- C1403-13 Test Method for Rate of Water Absorption of Masonry Mortars,
- C1404/C1404M Withdrawn 2011; Test Method for Bond Strength of Adhesive Systems Used With Concrete as Measured by Direct Tension
- C1405-14 Specification for Glazed Brick (Single Fired, Brick Units), 04.05 C1406 Withdrawn 1998; Guide for Minimum Basic Polygraph Training and
- Education; Redesignated E2000

 C1407-98(2011) Practice for Calculating Areas, Volume, and Linear Change of Refractory Shapes, 15.01
 C1408-09 Test Method for Carbon (Total) in Uranium Oxide Powders and
- Pellets By Direct Combustion-Infrared Detection Method, 12.01
- C1409-12 Guide for Measuring and Estimating Quantities of Insulated Piping and Components, 04.06
- C1410-13 Specification for Cellular Melamine Thermal and Sound-Absorbing Insulation, 04.06
- C1411-14 Practice for The Ion Exchange Separation of Uranium and Plutonium Prior to Isotopic Analysis, 12.01 C1412 Withdrawn 2001; Practice for Microwave Oven Dissolution of Glass
- Containing Radioactive and Mixed Wastes
- C1413-05(2011) Test Method for Isotopic Analysis of Hydrolyzed Uranium Hexafluoride and Uranyl Nitrate Solutions by Thermal Ionization Mass Spectrometry, 12.01
 C1414-01(2014) Practice for The Separation of Americium from Plutonium by
- Ion Exchange, 12.01
- C1415-14 Test Method for 238Pu Isotopic Abundance By Alpha Spectrometry, 12.01
- C1416 Withdrawn 2013; Test Method for Uranium Analysis Waste Water by X-ray Fluorescence; Replaced by D5673, 12.01
 C1417-14 Specification for Manufacture of Reinforced Concrete Sewer, Storm
- Drain, and Culvert Pipe for Direct Design, 04.05
- C1417M-14 Specification for Manufacture of Reinforced Concrete Sewer, Storm Drain, and Culvert Pipe for Direct Design (Metric), 04.05
- C1419-99a(2009) Test Method for Sonic Velocity in Refractory Materials at Room Temperature and Its Use in Obtaining an Approximate Young's Modulus, **15.01**
- C1420 Withdrawn 2006; Practice for Selection, Removal, and Shipment of
 Manufactured Masonry Units Placed in Usage; Replaced by C1532
 C1421-10 Test Methods for Determination of Fracture Toughness of Advanced
- Ceramics at Ambient Temperature, 15.01
- C1422/C1422M-10 Specification for Chemically Strengthened Flat Glass, 15.02
- C1423-98(2011) Guide for Selecting Jacketing Materials for Thermal Insulation, 04.06
 C1424-10 Test Method for Monotonic Compressive Strength of Advanced
- Ceramics at Ambient Temperature, 15.01
 C1425-13 Test Method for Interlaminar Shear Strength of 1–D and 2–D
- Continuous Fiber-Reinforced Advanced Ceramics at Elevated Temperatures, 15.01
- C1426-09 Practices for Verification and Calibration of Polarimeters, 15.02 C1427-13 Specification for Extruded Preformed Flexible Cellular Polyolefin Thermal Insulation in Sheet and Tubular Form, 04.06
- C1428-11 Test Method for Isotopic Analysis of Uranium Hexafluoride by Single–Standard Gas Source Multiple Collector Mass Spectrometer Method, 12.01

C1429 C1511

- C1429-99(2014) Test Method for Isotopic Analysis of Uranium Hexafluoride by Double-Standard Multi-Collector Gas Mass Spectrometer, 12.01
- C1430-07(2011)^{c1} Test Method for Determination of Uranium, Oxygen to Uranium (O/U), and Oxygen to Metal (O/M) in Sintered Uranium Dioxide and Gadolinia-Uranium Dioxide Pellets by Atmospheric Equilibration,
- C1431-99(2010)^{€1} Guide for Corrosion Testing of Aluminum-Based Spent Nuclear Fuel in Support of Repository Disposal, 12.01
- C1432-03(2008) Test Method for Determination of Impurities in Plutonium: Acid Dissolution, Ion Exchange Matrix Separation, and Inductively Coupled Plasma-Atomic Emission Spectroscopic (ICP/AES) Analysis, 12.01
- C1433-14 Specification for Precast Reinforced Concrete Monolithic Box
- Sections for Culverts, Storm Drains, and Sewers, 04.05

 C1433M-14 Specification for Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers (Metric), 04.05

 C1435/C1435M-08 Practice for Molding Roller-Compacted Concrete in Cylinder Molds Using a Vibrating Hammer, 04.02

 C1436-13 Specification for Materials for Shotcrete, 04.02
- Test Method for Flow of Hydraulic Cement Mortar, 04.01 C1437-13
- Specification for Latex and Powder Polymer Modifiers for use in Hydraulic Cement Concrete and Mortar, 04.02
- C1439-13 Test Methods for Evaluating Latex and Powder Polymer Modifiers for use in Hydraulic Cement Concrete and Mortar, **04.02 C1440-08(2013)**^{c1} Specification for Thermoplastic Elastomeric (TPE) Gasket
- Materials for Drain, Waste, and Vent (DWV), Sewer, Sanitary and Storm Plumbing Systems, 01.02
- C1441-13 Test Method for The Analysis of Refrigerant 114, Plus Other Carbon-Containing and Fluorine-Containing Compounds in Uranium Hexafluoride via Fourier-Transform Infrared (FTIR) Spectroscopy, 12.01
- C1442-14 Practice for Conducting Tests on Sealants Using Artificial Weathering Apparatus, 04.07
- C1443-99(2010) Specification for Glasses, Portlight, Circular, Fully Tempered,
- 15.02
 C1444 Withdrawn 2005; Test Method for Measuring the Angle of Repose of Free-Flowing Mold Powders
 C1445-13 Test Method for Measuring Consistency of Castable Refractory
- Using a Flow Table, 15.01
 C1446-11 Test Method for Measuring Consistency of Self-Flowing Castable
- Refractories, 15.01
- C1447/C1447M-04(2010) Specification for Non-Asbestos Fiber-Cement Underdrain Pipe, 04.05
- C1448/C1448M-05(2010) Specification for Non-Asbestos Fiber-Cement Conduit, **04.05**
- C1449/C1449M-05a(2010) Specification for Non-Asbestos Fiber-Cement Nonpressure Sewer Pipe, 04.05
- C1450/C1450M-04(2010) Specification for Non-Asbestos Fiber-Cement Storm
- Drain Pipe, **04.05**C1451-11 Practice for Determining Variability of Ingredients of Concrete From a Single Source, 04.02
- C1452 Withdrawn 2013; Specification for Reinforced Autoclaved Aerated Concrete Elements
- C1453-00(2011) Test Method for the Determination of Uranium by Ignition and the Oxygen to Uranium (O/U) Atomic Ratio of Nuclear Grade Uranium Dioxide Powders and Pellets, **12.01**
- C1454-07 Guide for Pyrophoricity/Combustibility Testing in Support of Pyrophoricity Analyses of Metallic Uranium Spent Nuclear Fuel, 12.01
- C1455-14 Test Method for Nondestructive Assay of Special Nuclear Material Holdup Using Gamma-Ray Spectroscopic Methods, 12.01
- C1456-13 Test Method for Determination of Uranium or Gadolinium (or both) in Gadolinium Oxide-Uranium Oxide Pellets or by X-Ray Fluorescence (XRF), 12.01
- C1457-00(2010)61 57-00(2010)⁽¹ Test Method for Determination of Total Hydrogen Content of Uranium Oxide Powders and Pellets by Carrier Gas Extraction, **12.01**
- C1458-09^{c1} Test Method for Nondestructive Assay of Plutonium, Tritium and
- 241Am by Calorimetric Assay, 12.01
 C1459-04(2009) Specification for Performance of Non-Asbestos Fiber-Reinforced Cement Shake, Shingle, and Slate Roofing Systems, 04.05
- C1460-12 Specification for Shielded Transition Couplings for Use With Dissimilar DWV Pipe and Fittings Above Ground, 01.02
- C1461-08(2013) Specification for Mechanical Couplings Using Thermoplastic Elastomeric (TPE) Gaskets for Joining Drain, Waste, and Vent (DWV), Sewer, Sanitary, and Storm Plumbing Systems for Above and Below
- Ground Use, 01.02

 C1462-00(2013) Specification for Uranium Metal Enriched to More than 15 % and Less Than 20 %, 12.01

 C1463-13 Practices for Dissolving Glass Containing Radioactive and Mixed
- Waste for Chemical and Radiochemical Analysis, 12.01
- C1464-06(2011) Specification for Bent Glass, 15.02 C1465-08(2013) Test Method for Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress-Rate Flexural Testing at Elevated Temperatures, 15.01
- C1466-00(2012) Test Method for Graphite Furnace Atomic Absorption Spectrometric Determination of Lead and Cadmium Extracted from Ceramic Foodware, 15.02

 C1467/C1467M-00(2012) Specification for the Installation of Molded Glass Fiber Reinforced Gypsum Parts, 04.01

 C1468-13 Test Method for Transthickness Tensile Strength of Continuous
- Fiber-Reinforced Advanced Ceramics at Ambient Temperature, 15.01

C1469-10 Test Method for Shear Strength of Joints of Advanced Ceramics at Ambient Temperature, 15.01

- 70-06(2013) Guide for Testing the Thermal Properties of Advanced Ceramics, 15.01
- C1471-05 Guide for the Use of High Solids Content Cold Liquid-Applied Elastomeric Waterproofing Membrane on Vertical Surfaces, 04.04
- C1472-10 Guide for Calculating Movement and Other Effects When
 Establishing Sealant Joint Width, 04.07
 C1473-11 Test Method for Radiochemical Determination of Uranium Isotopes
- in Urine by Alpha Spectrometry, 12.01
 C1474-00(2011) Test Method for Analysis of Isotopic Composition of Uranium
- in Nuclear-Grade Fuel Material by Quadrupole Inductively Coupled Plasma-Mass Spectrometry, 12.01
 C1475-05(2010)^{c1} Guide for Determination of Neptunium-237 in Soil, 12.01
- C1476 Withdrawn 2011; Test Method for Analysis of Urine for Technetium-99 by Inductively Coupled Plasma-Mass Spectrometry
- C1477-08(2014) Test Method for Isotopic Abundance Analysis of Uranium Hexafluoride and Uranyl Nitrate Solutions by Multi-Collector, Inductively
- Coupled Plasma-Mass Spectrometry, 12.01

 C1478-08(2013) Specification for Storm Drain Resilient Connectors Between Reinforced Concrete Storm Sewer Structures, Pipes, and Laterals, 04.05

 C1478M-08a(2013) Specification for Storm Drain Resilient Connectors Between Reinforced Concrete Storm Sewer Structures, Pipes, and Laterals (Metric), 04.05
- C1479-13 Practice for Installation of Precast Concrete Sewer, Storm Drain, and Culvert Pipe Using Standard Installations, 04.05
- C1479M-13 Practice for Installation of Precast Concrete Sewer, Storm Drain, and Culvert Pipe Using Standard Installations (Metric), 04.05
- C1480/C1480M-07(2012) Specification for Packaged, Pre-Blended, Dry, Combined Materials for Use in Wet or Dry Shotcrete Application, 04.02
- C1481-12 Guide for Use of Joint Sealants with Exterior Insulation and Finish Systems (EIFS), 04.07
- C1482-12 Specification for Polyimide Flexible Cellular Thermal and Sound Absorbing Insulation, 04.06
 C1483/C1483M-04(2009) Specification for Exterior Solar Radiation Control
- Coatings on Buildings, 04.06
- C1484-10 Specification for Vacuum Insulation Panels, 04.06
- Test Method for Critical Radiant Flux of Exposed Attic Floor Insulation Using an Electric Radiant Heat Energy Source, 04.06
- C1486-00(2012) Practice for Testing Chemical-Resistant Broadcast and Slurry-Broadcast Resin Monolithic Floor Surfacings, 06.02
- C1487-02(2012) Guide for Remedying Structural Silicone Glazing, 04.07 C1488 Withdrawn 2013; Practice for Simulated Aging of Cellulosic Loose-Fill Insulation
- C1489-01 (2008)^{c1} Specification for Lime Putty for Structural Purposes, 04.01 C1490-14 Guide for the Selection, Training and Qualification of Nondestructive
- Assay (NDA) Personnel, 12.01
- C1491-13 Specification for Concrete Roof Pavers, 04.05
- C1492-03(2009) Specification for Concrete Roof Tile, 04.05 C1493-09 Test Method for Non-Destructive Assay of Nuclear Material in Waste by Passive and Active Neutron Counting Using a Differential Die-Away System, **12.01**
- C1494-13 Test Methods for Determination of Mass Fraction of Carbon, Nitrogen, and Oxygen in Silicon Nitride Powder, 15.01
 C1495-07(2012) Test Method for Effect of Surface Grinding on Flexure Strength of Advanced Ceramics, 15.01
 C1496-11 Guide for Assessment and Maintenance of Exterior Dimension
- Stone Masonry Walls and Facades, 04.07
- C1497-12 Specification for Cellulosic Fiber Stabilized Thermal Insulation, 04.06
- C1498-04a(2010)^{€1} Test Method for Hygroscopic Sorption Isotherms of
- Building Materials, 04.06
 C1499-09(2013) Test Method for Monotonic Equibiaxial Flexural Strength of Advanced Ceramics at Ambient Temperature, 15.01
 C1500-08 Test Method for Nondestructive Assay of Plutonium by Passive
- Neutron Multiplicity Counting, 12.01

 C1501-14 Test Method for Color Stability of Building Construction Sealants as Determined by Laboratory Accelerated Weathering Procedures, 04.07
- C1502-09 Test Method for Determination of Total Chlorine and Fluorine in Uranium Dioxide and Gadolinium Oxide, 12.01
- C1503-08(2013) Specification for Silvered Flat Glass Mirror, 15.02
 C1504-14 Specification for Manufacture of Precast Reinforced Concrete
 Three-Sided Structures for Culverts and Storm Drains, 04.05
- C1504M-14 Specification for Manufacture of Precast Reinforced Concrete
 Three-Sided Structures for Culverts and Storm Drains (Metric), 04.05
- C1505-01(2007) Test Method for Determination of Breaking Strength of Ceramic Tiles by Three-Point Loading, 15.02 C1506-09 Test Method for Water Retention of Hydraulic Cement-Based
- Mortars and Plasters, **04.01 C1507-12** Test Method for Radiochemical Determination of Strontium-90 in
- Soil, **12.01**
- C1508-01(2011) Test Method for Determination of Bromine and Chlorine in UF, 12.01
- C1509-02(2012) Specification for Beaded Process Glass Pipe and Fittings, 15.02
- C1510-01(2012) Test Method for Color and Color Difference of Whitewares by Abriged Spectrophotometry, 15.02
 C1511-04(2009) Test Method for Determining the Water Retention
 (Repellency) Characteristics of Fibrous Glass Insulation (Aircraft Type),

C1512 C1617

- C1512-10 Test Method for Characterizing the Effect of Exposure to Environmental Cycling on Thermal Performance of Insulation Products, 04.06
- C1513-13 Specification for Steel Tapping Screws for Cold-Formed Steel Framing Connections, 04.01
- C1514-08 Test Method for Measurement of, 12.01
- C1515-14 Guide for Cleaning of Exterior Dimension Stone, Vertical And Horizontal Surfaces, New or Existing, 04.07
- C1516-05(2011) Practice for Application of Direct-Applied Exterior Finish Systems, **04.01**
- C1517-09 Test Method for Determination of Metallic Impurities in Uranium Metal or Compounds by DC-Arc Emission Spectroscopy, 12.01
- C1518-04(2009) Specification for Precured Elastomeric Silicone Joint Sealants, 04.07
- C1519-10 Test Method for Evaluating Durability of Building Construction Sealants by Laboratory Accelerated Weathering Procedures, 04.07 C1520-02(2010) Guide for Paintability of Latex Sealants, 04.07
- C1521-13 Practice for Evaluating Adhesion of Installed Weatherproofing Sealant Joints, 04.07
- C1522-05(2013) Test Method for Extensibility After Heat Aging of Cold Liquid-Applied Elastomeric Waterproofing Membranes, 04.04
 C1523-10 Test Method for Determining Modulus, Tear and Adhesion Properties of Precured Elastomeric Joint Sealants, 04.07
- C1524-02a(2010) Test Method for Water-Extractable Chloride in Aggregate (Soxhlet Method), 04.02
- C1525-04(2013) Test Method for Determination of Thermal Shock Resistance for Advanced Ceramics by Water Quenching, 15.01
- C1526-08(2014) Specification for Serpentine Dimension Stone, 04.07
- C1527/C1527M-11 Specification for Travertine Dimension Stone, 04.07 C1528-13 Guide for Selection of Dimension Stone, 04.07
- C1529-06a(2011) Specification for Quicklime, Hydrated Lime, and Limestone for Environmental Uses, 04.01
 C1530/C1530M-04(2010)^{c1} Specification for Non-Asbestos Fiber-Cement
- Roofing Shakes, Shingles, and Slates with Designed Varying Profiles and Thicknesses, **04.05**
- C1531-09 Test Methods for In Situ Measurement Of Masonry Mortar Joint Shear Strength Index, 04.05
- C1532/C1532M-12 Practice for Selection, Removal, and Shipment of Manufactured Masonry Units and Masonry Specimens from Existing Construction, 04.05
- C1533-08 Guide for General Design Considerations for Hot Cell Equipment, 12.01
- C1534-14 Specification for Flexible Polymeric Foam Sheet Insulation Used as a Thermal and Sound Absorbing Liner for Duct Systems, **04.06**
- C1535-05(2011) Practice for Application of Exterior Insulation and Finish Systems Class PI, 04.01
- C1536-10 Test Method for Measuring the Yield for Aerosol Foam Sealants, 04.07
- C1539-08(2014) Test Method for Determination of Technetium-99 in Uranium Hexafluoride by Liquid Scintillation Counting, 12.01
- C1540-11 Specification for Heavy Duty Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings, 01.02
- C1541-12 Specification for Shielded Transition Couplings Using Flexible Poly Vinyl Chloride (PVC) Gaskets to Connect Dissimilar DWV Pipe and
- Fittings, 01.02 C1542/C1542M-14 Test Method for Measuring Length of Concrete Cores, 04.02
- C1543-10a Test Method for Determining the Penetration of Chloride Ion into
- Concrete by Ponding, 04.02 5-02(2012) Practice for Dispersing Pigments and Other Materials into C1545-02(2012)
- Water-Based Suspensions with a High Intensity Mixer, 15.02
 C1546-02(2014) Guide for Installation of Gypsum Products in Concealed Radiant Ceiling Heating Systems, 04.01
- C1547-02(2013) Classification for Fusion-Cast Refractory Blocks and Shapes, 15.01
- C1548-02(2012) Test Method for Carbon and Alloy Steel Forgings for Magnetic Retaining Rings for Turbine Generators, 15.01
- C1549-09 Test Method for Determination of Solar Reflectance Near Ambient Temperature Using a Portable Solar Reflectometer, 04.06

- C1550-12a Test Method for Flexural Toughness of Fiber Reinforced Concrete (Using Centrally Loaded Round Panel), 04.02
 C1552-12 Practice for Capping Concrete Masonry Units, Related Units and Masonry Prisms for Compression Testing, 04.05
 C1553-08 Guide for Drying Behavior of Spent Nuclear Fuel, 12.01
- Guide for Materials Handling Equipment for Hot Cells, 12.01 C1554-11 C1555 Withdrawn 2009; Practice for Autoclaved Aerated Concrete Masonry; Replaced by C1692
- C1556-11a Test Method for Determining the Apparent Chloride Diffusion Coefficient of Cementitious Mixtures by Bulk Diffusion, 04.02
 C1557-03(2013) Test Method for Tensile Strength and Young's Modulus of
- Fibers, **15.01**
- C1558-12 Guide for Development of Standard Data Records for Computerization of Thermal Transmission Test Data for Thermal Insulation, 04.06
- C1559-04(2009) Test Method for Determining Wicking of Fibrous Glass
- Blanket Insulation (Aircraft Type), **04.06**C1560-03(2009) Test Method for Hot Water Accelerated Aging of Glass-Fiber Reinforced Cement-Based Composites, **04.05**C1561-10 Guide for Determination of Plutonium and Neptunium in Uranium
- Hexafluoride and U-Rich Matrix by Alpha Spectrometry, 12.01
- C1562-10 Guide for Evaluation of Materials Used in Extended Service of

Interim Spent Nuclear Fuel Dry Storage Systems, 12.01

- C1563-08(2013) Test Method for Gaskets for Use in Connection with Hub and Spigot Cast Iron Soil Pipe and Fittings for Sanitary Drain, Waste, Vent, and Storm Piping Applications, 01.02
- C1564-04(2009) Guide for Use of Silicone Sealants for Protective Glazing Systems, **04.07**
- C1565-09 Test Method for Determination of Pack-Set Index of Portland Cement. 04.01
- C1567-13 Test Method for Determining the Potential Alkali-Silica Reactivity of Combinations of Cementitious Materials and Aggregate (Accelerated Mortar-Bar Method), 04.02 C1568-08(2013) Test Method for Wind Resistance of Concrete and Clay Roof
- Tiles (Mechanical Uplift Resistance Method), 04.05
- C1569-03(2009) Test Method for Wind Resistance of Concrete and Clay Roof Tiles (Wind Tunnel Method), 04.05
- C1570-03(2009) Test Method for Wind Resistance of Concrete and Clay Roof Tiles (Air Permeability Method), 04.05
- C1577-03(2012) Guide for Characterization of Radioactive and/or Hazardous Wastes for Thermal Treatment, 12.01
 C1572-10 Guide for Dry Lead Glass and Oil-Filled Lead Glass Radiation Shielding Window Components for Remotely Operated Facilities, 12.01
 C1574-04(2013) Guide for Determining Blown Density of Pneumatically Applied Loose-Fill Mineral Fiber Thermal Insulation, 04.06
- C1576-05(2010) Test Method for Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress Flexural Testing (Stress Rupture) at Ambient Temperature, 15.01
- C1577-14 Specification for Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers Designed According to AASHTO LRFD, 04.05
- C1579-13 Test Method for Evaluating Plastic Shrinkage Cracking of
- Restrained Fiber Reinforced Concrete (Using a Steel Form Insert), 04.02
 C1580-09'

 Test Method for Water-Soluble Sulfate in Soil, 04.02
 C1581/C1581M-09a
 Test Method for Determining Age at Cracking and Induced Tensile
 Stress Characteristics of Mortar and Concrete under Restrained Shrinkage, **04.02**
- C1582/C1582M-11 Specification for Admixtures to Inhibit Chloride-Induced Corrosion of Reinforcing Steel in Concrete, 04.02
- C1583/C1583M-13 Test Method for Tensile Strength of Concrete Surfaces and the Bond Strength or Tensile Strength of Concrete Repair and Overlay Materials by Direct Tension (Pull-off Method), **04.02**
- C1585-13 Test Method for Measurement of Rate of Absorption of Water by Hydraulic-Cement Concretes, 04.02
- C1586-05(2011) Guide for Quality Assurance of Mortars, 04.05
 C1587-09 Practice for Preparation of Field Removed Manufactured Masonry
 Units and Masonry Specimens for Testing, 04.05
- C1589/C1589M-14 Practice for Outdoor Weathering of Construction Seals and Sealants, 04.07
- C1590-04(2014) Practice for Alternate Actinide Calibration for Inductively Coupled Plasma-Mass Spectrometry, 12.01
- C1591 Withdrawn 2013; Test Method for Determination of the Modulus of
- Elasticity of AAC
 C1592/C1592M-09 Guide for Making Quality Nondestructive Assay Measurements, 12.01
- C1594-11 Specification for Polyimide Rigid Cellular Thermal Insulation, 04.06 C1597M Withdrawn 2013; Specification for Gypsum Wallboard (Hard Metric Sizes)
- C1600/C1600M-11 Specification for Rapid Hardening Hydraulic Cement, 04.01 C1601-14 Test Method for Field Determination of Water Penetration of Masonry Wall Surfaces, 04.05
- C1602/C1602M-12 Specification for Mixing Water Used in the Production of Hydraulic Cement Concrete, 04.02
- C1603-10 Test Method for Measurement of Solids in Water, 04.02
- C1604/C1604M-05(2012) Test Method for Obtaining and Testing Drilled Cord of Shotcrete, 04.02
 C1605-04(2009) Test Methods for Chemical Analysis of Ceramic Whiteware Materials Using Wavelength Dispersive X-Ray Fluorescence Spectrom-Test Method for Obtaining and Testing Drilled Cores
- etry, 15.02

 C1606-10 Test Method for Sampling Protocol for TCLP Testing of Container
- Glassware, 15.02
- C1607-12 Test Method for Determination of Microwave Safe for Reheating for Ceramicware, 15.02
- C1608-12 Test Method for Chemical Shrinkage of Hydraulic Cement Paste, 04.01
- C1609/C1609M-12 Test Method for Flexural Performance of Fiber-Reinforced
- Concrete (Using Beam With Third-Point Loading), 04.02
 C1610/C1610M-14 Test Method for Static Segregation of Self-Consolidating Concrete Using Column Technique, 04.02
 C1611/C1611M-14 Test Method for Slump Flow of Self-Consolidating
- Concrete, 04.02
- C1613-10 Specification for Precast Concrete Grease Interceptor Tanks, 04.05 C1614-05(2010) Practice for Determination of 237Np, 232Th, 235U and 238U in Urine by Inductively Coupled Plasma-Mass Spectrometry (ICP-MS) and Gamma Ray Spectrometry, 12.01

 C1615-10 Guide for Mechanical Drive Systems for Remote Operation in Hot
- Cell Facilities, 12.01
- C1616-07(2012) Test Method for Determining the Moisture Content of Organic and Inorganic Insulation Materials by Weight, 04.06
 C1617-09 Practice for Quantitative Accelerated Laboratory Evaluation of
- Extraction Solutions Containing Ions Leached from Thermal Insulation on Aqueous Corrosion of Metals, 04.06

C1618 C1735

- C1618-13 Test Method for Concrete Sanitary Sewer Pipe by Negative (Vacuum) or Positive Air Pressure, 04.05
- C1618M-13 Test Method for Concrete Sanitary Sewer Pipe by Negative (Vacuum) or Positive Air Pressure (Metric), 04.05
- C1619-11 Specification for Elastomeric Seals for Joining Concrete Structures, 04.05
- C1620-12 Specification for Aerosol Polyurethane and Aerosol Latex Foam Sealants, 04.07
 C1621/C1621M-14 Test Method for Passing Ability of Self-Consolidating
- Concrete by J-Ring, 04.02
- C1622/C1622M-10 Specification for Cold-Weather Admixture Systems, 04.02 C1623-11 Specification for Manufactured Concrete Masonry Lintels, 04.05
- C1624-05(2010) Test Method for Adhesion Strength and Mechanical Failure Modes of Ceramic Coatings by Quantitative Single Point Scratch Testing,
- C1625-12 Test Method for Uranium and Plutonium Concentrations and Isotopic Abundances by Thermal Ionization Mass Spectrometry, 12.01
- C1628-11 Specification for Joints for Concrete Gravity Flow Sewer Pipe, Using Rubber Gaskets, 04.05
- C1629/C1629M-14 Classification for Abuse-Resistant Nondecorated Interior Gypsum Panel Products and Fiber-Reinforced Cement Panels, 04.01 C1630-11 Guide for Development of Coverage Charts for Loose-Fill Thermal
- Building Insulations, 04.06
 C1631 Withdrawn 2011; Specification for Cellular Polypropylene Thermal
- Insulation
- C1634-11 Specification for Concrete Facing Brick, 04.05
- C1635-06 Test Method to Evaluate Adhesion/Cohesion Properties of a Sealant at Fixed Extension, 04.07
- C1636-13 Guide for the Determination of Uranium-232 in Uranium Hexafluoride, 12.01
- C1637-13 Test Method for the Determination of Impurities in Plutonium Metal: Acid Digestion and Inductively Coupled Plasma-Mass Spectroscopy (ICP-MS) Analysis, 12.01
- C1638-06(2013) Guide for the Determination of Iodine-129 In Uranium Oxide, 12.01
- C1639-10a Specification for Fabrication Of Cellular Glass Pipe And Tubing Insulation, 04.06
- C1642-07 Practice for Determining Air Leakage Rates of Aerosol Foam Sealants and Other Construction Joint Fill and Insulation Materials, 04.07
- C1643-14 Test Method to Measuring the Post Dispensing Volumetric
- C1643-14 Test Method to Measuring the Post Dispensing volumence Expansion of Aerosol Foam Sealants, 04.07

 C1644-06(2011) Specification for Resilient Connectors Between Reinforced Concrete On-Site Wastewater Tanks and Pipes, 04.05

 C1645/C1645M-11 Test Method for Freeze-thaw and De-icing Salt Durability of Solid Concrete Interlocking Paving Units, 04.05

 C1646/C1646M-08a Practice for Making and Curing Test Specimens for Evaluating Paciety and Course Aggregate to Freezing and Thawing in
- Evaluating Resistance of Coarse Aggregate to Freezing and Thawing in Air-Entrained Concrete, 04.02
- C1647-13 Practice for Removal of Uranium or Plutonium, or both, for Impurity Assay in Uranium or Plutonium Materials, 12.01
- C1648-12 Guide for Choosing a Method for Determining the Index of Refraction and Dispersion of Glass, 15.02
- C1649-08 Practice for Instrumental Transmittance Measurement of Color for Flat Glass, Coated and Uncoated, 15.02
 C1650-07 Practice for Instrumental Reflectance Measurement of Color for Flat Glass, Coated, and Uncoated, 15.02
 C1651-11 Test Method for Measurement of Roll Wave Optical Distortion in
- Heat-Treated Flat Glass, 15.02
- C1652/C1652M-06 Test Method for Measuring Optical Distortion in Flat Glass Products Using Digital Photography of Grids, 15.02
 C1655-06(2011) Classification of Fireclay and High-Alumina Mortars, 15.01
- C1656-13 Guide for Measuring the Reactivity of Hydraulic Refractory
 Castables using Exothermic Profile, 15.01
 C1658/C1658M-13 Specification for Glass Mat Gypsum Panels, 04.01
 C1660-10 Specification for Thin-bed Mortar for Autoclaved Aerated Concrete
- (AAC) Masonry, 04.05
 C1661-13 Guide for Viewing Systems for Remotely Operated Facilities, 12.01
 C1662-10 Practice for Measurement of the Glass Dissolution Rate Using the Single-Pass Flow-Through Test Method, 12.01
- C1663-09 Test Method for Measuring Waste Glass or Glass Ceramic
- Durability by Vapor Hydration Test, 12.01

 C1666/C1666M-08 Specification for Alkali Resistant (AR) Glass Fiber for GFRC and Fiber-Reinforced Concrete and Cement, 04.05

 C1667-09 Test Method for Using Heat Flow Meter Apparatus to Measure the
- Center-of-Panel Thermal Resistivity of Vacuum Panels, 04.06
- C1668-13a Specification for Externally Applied Reflective Insulation Systems on Rigid Duct in Heating, Ventilation, and Air Conditioning (HVAC) Systems, **04.06**
- C1670/C1670M-13a Specification for Adhered Manufactured Stone Masonry Veneer Units, 04.05
- C1671-07 Practice for Qualification and Acceptance of Boron Based Metallic Neutron Absorbers for Nuclear Criticality Control for Dry Cask Storage Systems and Transportation Packaging, 12.01
- C1672-07(2014) Test Method for Determination of Uranium or Plutonium Isotopic Composition or Concentration by the Total Evaporation Method
- Using a Thermal Ionization Mass Spectrometer, 12.01

 C1673-10a^{c1} Terminology of C26.10 Nondestructive Assay Methods, 12.01

 C1674-11 Test Method for Flexural Strength of Advanced Ceramics with Engineered Porosity (Honeycomb Cellular Channels) at Ambient Temperatures, 15.01

- C1675-11 Practice for Installation of Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers, 04.05
- C1676-08 Specification for Microporous Thermal Insulation, 04.06
- C1677-11a Specification for Joints for Concrete Box, Using Rubber Gaskets, 04.05
- C1678-10 Practice for Fractographic Analysis of Fracture Mirror Sizes in Ceramics and Glasses, 15.01
- C1679-14 Practice for Measuring Hydration Kinetics of Hydraulic Cementitious Mixtures Using Isothermal Calorimetry, 04.02
- C1681-14 Test Method for Evaluating the Tear Resistance of a Sealant Under Constant Strain, 04.07
 C1682-09 Guide for Characterization of Spent Nuclear Fuel in Support of
- Geologic Repository Disposal, 12.01
- Practice for Size Scaling of Tensile Strengths Using Weibull Statistics for Advanced Ceramics, 15.01
- C1684-13 Test Method for Flexural Strength of Advanced Ceramics at Ambient Temperature—Cylindrical Rod Strength, 15.01
 C1685-08 Specification for Pneumatically Applied High-Temperature Fiber
- Thermal Insulation for Industrial Applications, 04.06

 C1686-09 Practice for Installation and Testing of Reinforced Autoclaved
 Aerated Concrete (AAC) Units, 04.05

 C1688/C1688M-14 Test Method for Density and Void Content of Freshly Mixed
- Pervious Concrete, 04.02
- C1689-08a(2014) Practice for Subsampling of Uranium Hexafluoride, 12.01 C1691-11 Specification for Unreinforced Autoclaved Aerated Concrete (AAC) Masonry Units, 04.05
- C1692-11 Practice for Construction and Testing of Autoclaved Aerated Concrete (AAC) Masonry, 04.05
- C1693-11 Specification for Autoclaved Aerated Concrete (AAC), 04.05
- C1694-09 Specification for Reinforced Autoclaved Aerated Concrete (AAC) Elements, 04.05
- C1695-10 Specification for Fabrication of Flexible Removable and Reusable Blanket Insulation for Hot Service, 04.06

 C1696-14 Guide for Industrial Thermal Insulation Systems, 04.06
- C1697-10 Specification for Blended Supplementary Cementitious Materials, 04.02
- C1698-09 Test Method for Autogenous Strain of Cement Paste and Mortar, 04.02
- C1699-09 Test Method for Moisture Retention Curves of Porous Building Materials Using Pressure Plates, 04.06
 C1701/C1701M-09 Test Method for Infiltration Rate of In Place Pervious
- Concrete, 04.02
- C1702-13a Test Method for Measurement of Heat of Hydration of Hydraulic Cementitious Materials Using Isothermal Conduction Calorimetry, 04.01
- C1703-08(2013) Practice for Sampling of Gaseous Uranium Hexafluoride, 12.01
- C1704/C1704M-09a Test Method for Sampling and Testing Structural Cementitious Panels, 04.05
- C1705/C1705M-09 Specification for Structural Cementitious Panels, 04.05 C1707-11 Specification for Pozzolanic Hydraulic Lime for Structural Purposes, 04.01
- C1708/C1708M-13 Test Methods for Self-leveling Mortars Containing Hydraulic Cements, 04.02
- C1709-11 Guide for Evaluation of Alternative Supplementary Cementitious
 Materials (ASCM) for Use in Concrete, 04.02
 C1710-11 Guide for Installation of Flexible Closed Cell Preformed Insulation in
- Tube and Sheet Form, **04.06** C1712-14 Test Method for Rapid Assessment of Static Segregation
- Resistance of Self-Consolidating Concrete Using Penetration Test, 04.02
- C1713-12 Specification for Mortars for the Repair of Historic Masonry, 04.05 C1714/C1714M-13a Specification for Preblended Dry Mortar Mix for Unit Masonry, **04.05**
- C1715-10 Test Method for Evaluation of Water Leakage Performance of Masonry Wall Drainage Systems, 04.05
 C1716/C1716M-12 Specification for Compression Testing Machine Requirements for Concrete Masonry Units, Related Units, and Prisms, 04.05
- C1717-12 Test Methods for Conducting Strength Tests of Masonry Wall Panels, **04.05**
- C1718-10 Test Method for Nondestructive Assay of Radioactive Material by
- Tomographic Gamma Scanning, 12.01

 C1719-11 Test Method for Installed Precast Concrete Tanks and Accessories by the Negative Air Pressure (Vacuum) Test Prior to Backfill, 04.05

 C1720-11 Test Method for Determining Liquidus Temperature of Immobilized
- Waste Glasses and Simulated Waste Glasses, 12.01
- Guide for Petrographic Examination of Dimension Stone, **04.07** Guide for Repair and Restoration of Dimension Stone, **04.07** C1722-11
- C1723-10 Guide for Examination of Hardened Concrete Using Scanning Electron Microscopy, 04.02 C1725-10 Guide for Hot Cell Specialized Support Equipment and Tools, 12.01
- C1726/C1726M-10 Guide for Use of Modeling for Passive Gamma Measurements, 12.01
- C1728-13 Specification for Flexible Aerogel Insulation, 04.06
- C1729-14 Specification for Aluminum Jacketing for Insulation, 04.06

- C1729M-14 Specification for Aluminum Jacketing for Insulation, 04.06
 C1731-13 Specification for Concrete Floor Tile, 04.05
 C1733-10 Test Method for Distribution Coefficients of Inorganic Species by the Batch Method, 12.01
- C1735-11 Test Method for Measuring the Time Dependent Modulus of Sealants Using Stress Relaxation, 04.07

C1736 C1799/C1799M

- C1736-11 Practice for Non-Destructive Evaluation of Adhesion of Installed Weatherproofing Sealant Joints Using a Rolling Device, 04.07
- C1737-10 Guide for Evaluating Temperature Effects to Aerosol Foam Sealant During and After Dispensing, 04.07
- C1738/C1738M-14 Practice for High-Shear Mixing of Hydraulic Cement Pastes. 04.01
- C1740-10 Practice for Evaluating the Condition of Concrete Plates Using the Impulse-Response Method. 04.02
- C1741-12 Test Method for Bleed Stability of Cementitious Post-Tensioning Tendon Grout, 04.02
- C1742-10 Test Method for Isotopic Analysis of Uranium Hexafluoride by Double Standard Single-Collector Gas Mass Spectrometer Method, 12.01
- C1743-12 Practice for Installation and Use of Radiant Barrier Systems (RBS) in Residential Building Construction, 04.06 C1744-12 Practice for Installation and Use of Radiant Barrier Systems (RBS)
- in Commercial/Industrial Building Construction, **04.06**C1745/C1745M-11 Test Method for Measurement of Hydraulic Characteristics of Hydrodynamic Stormwater Separators and Underground Settling Devices, **04.05**
- C1746/C1746M-12 Test Method for Measurement of Suspended Sediment Removal Efficiency of Hydrodynamic Stormwater Separators and
- Underground Settling Devices, 04.05
 C1747/C1747M-13 Test Method for Determining Potential Resistance to
- Degradation of Pervious Concrete by Impact and Abrasion, 04.02 C1749-12 Guide for Measurement of the Rheological Properties of Hydraulic Cementious Paste Using a Rotational Rheometer, 04.01
- C1750-11 Guide for Development, Verification, Validation, and Documentation of Simulated High-Level Tank Waste, 12.01
- C1751-11 Guide for Sampling Radioactive Tank Waste, 12.01
- Guide for Measuring Physical and Rheological Properties of C1752-11
- Radioactive Solutions, Slurries, and Sludges, 12.01
 C1754/C1754M-12 Test Method for Density and Void Content of Hardened Pervious Concrete, 04.02
- C1756-14 Guide for Comparing Sealant Behavior to Reference Photographs, 04.07
- C1757-13 Test Method for Determination of One-Point, Bulk Water Sorption of Dried Concrete, 04.02
- C1758/C1758M-13 Practice for Fabricating Test Specimens with Self-Consolidating Concrete, 04.02
- C1760-12 Test Method for Bulk Electrical Conductivity of Hardened Concrete, 04.02
- C1761/C1761M-13b Specification for Lightweight Aggregate for Internal Curing of Concrete, 04.02
- C1763-14 Test Method for Water Absorption by Immersion of Thermal Insulation Materials, 04.06

- C1764-12 Test Methods for Non Metallic Plaster Bases (Lath) Used with Portland Cement Based Plaster in Vertical Wall Applications, 04.01
- C1765-13 Specification for Steel Fiber Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe, 04.05
- C1766-13 Specification for Factory-Laminated Gypsum Panel Products, 04.01 C1767-14 Specification for Stainless Steel Jacketing for Insulation, 04.06 C1768/C1768M-12 Practice for Accelerated Curing of Concrete Cylinders, 04.02
- C1770-13 Test Method for Determination of Loose and Tapped Bulk Density of Plutonium Oxide, 12.01
- C1771-13 Test Method for Determination of Boron, Silicon, and Technetium in Hydrolyzed Uranium Hexafluoride by Inductively Coupled Plasma—Mass Spectrometer After Removal of Uranium by Solid Phase Extraction, 12.01
- C1773-13 Test Method for Monotonic Axial Tensile Behavior of Continuous Fiber-Reinforced Advanced Ceramic Tubular Test Specimens at Ambient Temperature 15.01
- C1774-13 Guide for Thermal Performance Testing of Cryogenic Insulation Systems, **04.06**
- C1775-13 Specification for Laminate Protective Jacket and Tape for Use over Thermal Insulation for Outdoor Applications, 04.06
- C1777-13 Test Method for Rapid Determination of the Methylene Blue Value for Fine Aggregate or Mineral Filler Using a Colorimeter, 04.02
- C1780-13 Practice for Installation Methods for Adhered Manufactured Stone Masonry Veneer, 04.05
- C1781/C1781M-13 Test Method for Surface Infiltration Rate of Permeable Unit Pavement Systems, 04.05
- C1784-13 Test Method for Using a Heat Flow Meter Apparatus for Measuring Thermal Storage Properties of Phase Change Materials and Products, 04.06
- C1785-13 Test Method for Concentration of Pinhole Detections in Moisture Barriers on Metal Jacketing, 04.06
- C1787-14 Specification for Installation of Non Metallic Plaster Bases (Lath) Used with Portland Cement Based Plaster in Vertical Wall Applications, 04.01
- C1788-14 Specification for Non Metallic Plaster Bases (Lath) Used with Portland Cement Based Plaster in Vertical Wall Applications, 04.01
- C1789-14 Test Method for Calibration of Hand-Held Moisture Meters on Gypsum Panels, 04.01
- C1791-14 Guide for Reduction of Efflorescence Potential in New Unit Pavement Systems, 04.05
- C1792-14 Test Method for Measurement of Mass Loss versus Time for One-Dimensional Drying of Saturated Concretes, 04.02
- C1799/C1799M-14 Guide to Dimension Stone Test Specimen Sampling and Preparation. 04.07

D. MISCELLANEOUS MATERIALS

- Withdrawn 1928; Specification for Raw Linseed Oil; Replaced by D234
- D2 Withdrawn 1972; Method of Test for Abrasion of Rock by Use of the Deval Machine
- D3Withdrawn 1965; Method of Test for Toughness of Rock

D4-86(2010) Test Method for Bitumen Content, 04.04
D5/D5M-13 Test Method for Penetration of Bituminous Materials, 04.03 D6/D6M-95(2011)⁶¹ Test Method for Loss on Heating of Oil and Asphaltic Compounds, 04.04

Withdrawn 1965; Test Method for Sieve Analysis of Fine and Aggregates; Replaced by C136

D8-13b Terminology Relating to Materials for Roads and Pavements, 04.03
D9-12 Terminology Relating to Wood and Wood-Based Products, 04.10
D10 Withdrawn 1928; Method of Test for Establishing Structural Grades of

- Timbers; Replaced by D245
- Withdrawn 1928; Specification for Boiled Linseed Oil; Replaced by D260 Withdrawn 2007; Specification for Raw Tung Oil D11
- D12
- Withdrawn 2008; Specification for Spirits of Turpentine
- Withdrawn 1929; Specification for Jacketed Rubber-Lined Fire Hose for Public and Private Fire Department Use; Replaced by D296
- D15 Withdrawn 1976; Method of Compound and Sample Preparation for Physical Testing of Rubber Products; Replaced by D3182, D3190, D3192

 D16-12 Terminology for Paint, Related Coatings, Materials, and Applications,
- 06.01
- Withdrawn 1942; Specification for Foundry Coke Withdrawn 1939; Test Method for Sieve Analysis of Fine and Coarse Aggregates; Replaced by C136
- Withdrawn 1939; Test Method for Sieve Analysis of Fine and Coarse Aggregate; Replaced by C136

 D20-03(2009) Test Method for Distillation of Road Tars, 04.03
- Withdrawn 1948; Method of Sampling Coal for Analysis; Replaced by D21 D492
- Withdrawn 1928; Method of Laboratory Sampling and Analysis of Coal and Coke; Replaced by D3176, D3180
- Withdrawn 1927; Methods for Establishing Structural Grades of Lumber; D23 Replaced by D245
- Withdrawn 1927; Methods for Establishing Structural Grades of Lumber; D24 Replaced by D245
- Specification for Round Timber Piles, 04.10 D25-12
- Withdrawn 1929: Specification for Woven Jacketed Rubber-Lined Fire D26 Hose for Public and Private Fire Department Use; Replaced by D296
- Withdrawn 1961; Specification for Natural Rubber AO Insulation for Wire and Cable, 60°C Operation
- D28 Withdrawn 1921; Specification for Paint Thinners Other Than Turpentine; Replaced by D86
- Withdrawn 2005; Test Methods for Sampling and Testing Lac Resins Withdrawn 1936; Test Method for Specific Gravity and Absorption of D29 D30
- Coarse Aggregates; Replaced by C127 D31
- Withdrawn 1918; Methods of Testing Woven Textiles Fabrics Withdrawn 1918; Methods of Testing Woven Textiles Fabrics
- Withdrawn 1918; Methods of Testing Woven Textiles Fabrics
- D34-08 Guide for Chemical Analysis of White Pigments, 06.03
- Withdrawn 1938; Specification for Certain Commercial Grades of Broken D35 Stone
- D36/D36M-12 Test Method for Softening Point of Bitumen (Ring-and-Ball Apparatus), 04.04
 Withdrawn 1927; Methods of Laboratory Sampling and Analysis of Coal
- D37 and Coke; Replaced by D271
- Withdrawn 2006; Test Methods for Sampling Wood Preservatives Prior to D38 Testing
- D39 Withdrawn 1962; Method of Test for Construction Characteristics of Woven Fabrics; Replaced by D1422, D1423, D1425, D1777, D2261, D2262
- Withdrawn 1938; Specification for Asphalt for Dampproofing and D40 Waterproofing; Replaced by D449
- D41/D41M-11 Specification for Asphalt Primer Used in Roofing, Dampproofing, and Waterproofing, 04.04
- D42 Withdrawn 1938; Specification for Coal-Tar Pitch for Foofing, Damproofing and Waterproofing Level; Replaced by D450
 D43/D43M-00(2012)¹¹ Specification for Coal Tar Primer Used in Roofing, Dampproofing, and Waterproofing, 04.04
 Withdrawn 1936; Specification for Wooden, Nailed and Lock-Corner
- Construction, for the Shipment of Canned Foods
- Withdrawn 1936; Specification for Canned Foods Boxes, Wirebound D45 Construction
- Withdrawn 1934; Methods of Testing Rubber Hose; Replaced by D380 D47
- Withdrawn 1928; Methods for Specific Gravity of Lubricants; Replaced by D88, D97, D189, D287 Withdrawn 1943: Methods of Testing Molded Materials Used for Electrical D48
- Insulation D49-83(2008)⁶¹ Test Methods of Chemical Analysis of Red Lead, 06.03 D50-90(2011) Test Methods for Chemical Analysis of Yellow, Orange, Red,
- and Brown Pigments Containing Iron and Manganese, 06.03 Withdrawn 1927; Specification for raw linseed oil; Replaced by D234
- Withdrawn 1995; Specification for Wood Paving Blocks for Exposed Platforms, Pavements, Driveways, and Interior Floors Exposed to Wet and Dry Conditions
- Withdrawn 1929; Specification for Rubber Belting for Power Transmission D53
- Withdrawn 1934; Methods of Testing Rubber; Replaced by D380

- D55 Withdrawn 1937; Test Method for Specific Gravity and Absorption of Fine Aggregate; Replaced by C128
- D56-05(2010) Test Method for Flash Point by Tag Closed Cup Tester, 05.01 Withdrawn 1963: Specification for Materials for Cement Grout Filler for Brick and Stone Block Pavements
- Withdrawn 1963; Specification for Materials for Sand-Cement and for Brick and Block Pavements
- Withdrawn 1963; Specification for Granite Block for Pavements D59
- Withdrawn 1934; Methods of Testing Rubber Hose; Replaced by D380 D60 D61-75(2010) Test Method for Softening Point of Pitches (Cube-in-Water Method), **05.01**
- Withdrawn 1923; Specification for Workability of Concrete for Concrete
- Withdrawn 1938; Specification for Standard Sizes of Coarse Aggregate for Highway Construction; Replaced by D448
 Withdrawn 1938; Specification for Crushed Stone, Crushed Slag and
- Gravel for Water-Bound Macadam Base and Surface Coarse of Pavements; Replaced by D448
- Withdrawn 1938; Specification for Crushed Stone, Crushed Slag and Gravel for Water-Bound Macadam Base and Surface Coarse of Pavements; Replaced by D694
- Withdrawn 1939; Specification for Water-Bound Base, Shorel-Run or Crusher Run; Replaced by D694
 Withdrawn 1993; Specification for Pumice Pigment
 Withdrawn 1936; Specification for Wooden Boxes, Nailed and D66
- Lock-Corner Construction
- D69-12 Test Methods for Friction Tapes, 10.01
 D70-09^{c1} Test Method for Density of Semi-Solid Bituminous Materials
- (Pycnometer Method), **04.03 D71-94(2009)** Test Method for Relative Density of Solid Pitch and Asphalt (Displacement Method), **05.01**
- Withdrawn 1938; Method of Test for Amount of Material Finer than 200 Sieve in Aggregate; Replaced by C117
- Withdrawn 1930; Method of Test for Quantity of Clay in Sand-Clay, Topsoil and Semi-Gravel for Highway Construction
- Withdrawn 1923; Method of Test for Amount of Material Finer than 200

- Sieve in Aggregate; Replaced by C117

 D75/D75M-13 Practice for Sampling Aggregates, 04.03

 D76/D76M-11 Specification for Tensile Testing Machines for Textiles, 07.01

 D77 Withdrawn 1927; Specification for Raw linseed oil; Replaced by D234

 D78 Withdrawn 1928; Specification for Boiled linseed oil; Replaced by D260
- D79-86(2009) Specification for Zinc Oxide Pigments, 06.03
- D80 Withdrawn 1982; Specification for Leaded Zinc Oxide
 D81-87(2008)^{c1} Specification for Basic Carbonate White Lead Pigment, 06.03
- D82 Withdrawn 1982; Specification for Basic Sulfate White Lead D83-84(2008)^{c1} Specification for Red Lead Pigment, 06.03
- Withdrawn 1979; Specification for Red and Brown Iron Oxide Pigments; Replaced by D3721, D3722, D3724
- D85-05(2011) Specification for Ochre Pigment, 06.03
- D86-12 Test Method for Distillation of Petroleum Products at Atmospheric Pressure, 05.01
- D87-09 Test Method for Melting Point of Petroleum Wax (Cooling Curve), 05.01
- D88-07(2013) Test Method for Saybolt Viscosity, 04.04
 D89 Withdrawn 1923; Method of Test for Copper Corrosion by Copper Strip Test; Replaced by C130
- Withdrawn 1958; Method of Test for Sulfur in Petroleum Produced by the Gravmetric Method; Replaced by C1266
- D91-02(2012) Test Method for Precipitation Number of Lubricating Oils, 05.01 D92-12b Test Method for Flash and Fire Points by Cleveland Open Cup Tester, 05.01
- D93-13 Test Methods for Flash Point by Pensky-Martens Closed Cup Tester, 05.01
- D94-07(2012) Test Methods for Saponification Number of Petroleum Products, 05.01
- D95-13^{c1} Test Method for Water in Petroleum Products and Bituminous Materials by Distillation, 05.01
- D96 Withdrawn 2000; Test Method for Water and Sediment in Crude Oil by Centrifuge Method (Field Procedure)

 D97-12 Test Method for Pour Point of Petroleum Products, 05.01

 D98-05(2013) Specification for Calcium Chloride, 04.03

- Withdrawn 1940; Specification for Asphalt Cement, 40 to 50 Penetration, for Use in Sheet Asphalt and Asphaltic-Concrete Pavements and As Filler for Brick and Block Pavements
- Withdrawn 1940; Specification for Asphalt Cement, 50 to 60 Penetration, for Use in Sheet Asphalt and Asphaltic-Concrete Pavements and As Filler for Block Pavements
- D101 Withdrawn 1940: Specification for Asphalt Cement, 60 to 70 Penetration. for Use in Sheet Asphalt, Asphaltic-Concrete, and Asphalt-Macadam Pavements and As Filler for Block Pavements
- D102 Withdrawn 1940; Specification for Asphalt Cement, 85 to 100 Penetration, for Use in Asphalt-Macadam Pavements
- D103 Withdrawn 1940; Specification for Asphalt Cement, 100 to 120
- Penetration, for Use in Asphalt-Macadam Pavements

 D104 Withdrawn 1939; Specification for High Carbon Tar for Surface
 Treatment, Cold Application; Replaced by D490

 D105 Withdrawn 1939; Specification for Low-Carbon Tar for Surface
- Treatment, Cold Application; Replaced by D490

D106 D206

- D106 Withdrawn 1939; Specification for High Carbon Tar Cement for Use Cold in Repair Work (Cut-Back Product); Replaced by D490
- Withdrawn 1939; Specification for Low Carbon Tar Cement, for Use Cold in Repair Work (Cut-Back Product); Replaced by D490
- D108 Withdrawn 1939; Specification for High Carbon Tar for Surface Treatment, Hot Application; Replaced by D490
- D109 Withdrawn 1939; Specification for Low Carbon Tar for Surface Treatment, Hot Application; Replaced by D490
- D110 Withdrawn 1939; Specification for High Carbon Tar Cement; Replaced by D490
- Withdrawn 1939; Specification for Low Carbon Tar Cement; Replaced by
- D490 D112 Withdrawn 1963; Specification for Coal-Tar Pitch for Stone Block Filler
- D113-07 Test Method for Ductility of Bituminous Materials, 04.03
 D114 Withdrawn 1924; Method of Test for Water in Petroleum Products and Other Bituminous Materials; Replaced by D95
 D115-07(2012) Test Methods for Testing Solvent Containing Varnishes Used
- for Electrical Insulation, 10.01

 D116-86(2011) Test Methods for Vitrified Ceramic Materials for Electrical
- Applications, 15.02
- D117-10 Guide for Sampling, Test Methods, and Specifications for Electrical Insulating Oils of Petroleum Origin, 10.03
- D118 Withdrawn 1963; Specification for 4-One, and Similar Type Boxes
- D119 Withdrawn 1986; Specification for Low-Voltage Rubber Insulating Tape D120-09 Specification for Rubber Insulating Gloves, 10.03
- D121-09a Terminology of Coal and Coke, 05.06
- D122 Withdrawn 1993; Tolerances for Tire Fabrics Other Than Tire Cord Fabrics
- D123-13a^{€1} Terminology Relating to Textiles, 07.01
- D124 Withdrawn 2007; Specification for Degummed Soybean Oil D125 Withdrawn 1955; Specification for Perilla Oil, Raw or Refined
- D126-87(2012) Test Methods for Analysis of Yellow, Orange, and Green Pigments Containing Lead Chromate and Chromium Oxide Green, 06.03 D127-08 Test Method for Drop Melting Point of Petroleum Wax, Including
- Petrolatum, **05.01 D128-98(2008)** Test Methods for Analysis of Lubricating Grease, **05.01**
- D129-13 Test Method for Sulfur in Petroleum Products (General High Pressure Decomposition Device Method), 05.01
- D130-12 Test Method for Corrosiveness to Copper from Petroleum Products by Copper Strip Test, **05.01**
- Withdrawn 1963; Specification for Recent Granite Block for Pavements
- D132 Withdrawn 1963; Specification for Granite Block for Purax Pavements
- D133 Withdrawn 1940; Specification for Asphalt Cement, 10 to 15 Penetration, for the Manufacture of Asphalt Block
- D134 Withdrawn 1940; Specification for Asphalt Cement, 15 to 25 Penetration, for the Manufacture of Asphalt Block
- D135 Withdrawn 1940; Specification for Asphalt Cement, 120 to 150 Penetration, for Use in Asphalt-Macadam Pavements
- D136 Withdrawn 1938; Method of Test for Amount of Material Finer than 200 Sieve in Aggregates; Replaced by C117
- D137 Withdrawn 1927; Method of Mechanical Analysis of Subgrade Soils
 D138 Redesignated C143
- D139-12 Test Method for Float Test for Bituminous Materials. 04.03 D140/D140M-09 Practice for Sampling Bituminous Materials, 04.03
- D141 Withdrawn 1973; Method of Drop Shatter Test for Coke; Replaced by D3038
- D142 Withdrawn 1941; Definition of Terms Relating to Coal and Coke; Replaced by D1212
- D143-14 Test Methods for Small Clear Specimens of Timber, 04.10 D144 Withdrawn 1938; Specification for Asphalt for Dampproofing and
- Waterproofing; Replaced by D449 D145 Withdrawn 1938; Specification for Coal-Tar Pitch for Roofing,
 Damp-proofing and Waterproofing; Replaced by D449
 D146/D146M-04(2012)^{c1} Test Methods for Sampling and Testing Bitumen-
- Saturated Felts and Woven Fabrics for Roofing and Waterproofing, 04.04 D147 Withdrawn 1985; Methods of Testing Bituminous Mastics
- D148 Withdrawn 1924; Methods of Sampling Bituminous Materials Shipped in Barrels or Drums; Combined with D 449
- D149-09(2013) Test Method for Dielectric Breakdown Voltage and Dielectric Strength of Solid Electrical Insulating Materials at Commercial Power Frequencies, 10.01
- D150-11 Test Methods for AC Loss Characteristics and Permittivity (Dielectric Constant) of Solid Electrical Insulation, 10.01

 D151 Withdrawn 1940; Specification for Rubber Pump Valves

 D152 Withdrawn 1931; Methods of Testing Cotton Fibers

 D153-84(2008) Test Methods for Specific Gravity of Pigments, 06.03

- D154-85(2009) Guide for Testing Varnishes, 06.03
- D155 Withdrawn 1960; Method of Test for Color of Lubricating Oil and Petrolatum by Means of ASTM Union Colorimeter; Replaced by D1500
- D156-12 Test Method for Saybolt Color of Petroleum Products (Saybolt Chromometer Method), 05.01
- D157 Withdrawn 1957; Method of Test for Steam Emulsion of Lubricating Oils; Replaced by D1401
- D158 Withdrawn 1963; Method of Test for Distillation of Gas Oil and Similar Distillate Fuel Oils; Replaced by D86
 D159 Withdrawn 1939; Specification for Crushed Stone and Crushed Slag for
- Bituminous Macadam Base and Surface Courses of Pavements; Replaced by D693
- Withdrawn 1939; Specification for Crushed Stone, Crushed Slag, and

- Gravel for Bituminous Concrete Base and Surface Courses of Pavements; Replaced by D692
- Withdrawn 1939; Specification for Crushed Stone, Crushed Slag, and Gravel for Bituminous Concrete Base and Surface Courses of Pavements; Replaced by D692
- D162 Withdrawn 1950; Specification for Fine Aggregate for Sheet Asphalt and Bituminous Concrete Pavements; Replaced by D1073
- D163 Withdrawn 1940; Specification for Asphalt Cement, 25 to 30 Penetration, for Use in Sheet Asphalt and Asphaltic-Concrete Pavements
- D164 Withdrawn 1940; Specification for Asphalt Cement, 30 to 40 Penetration, for Use in Sheet Asphalt and Asphaltic-Concrete Pavements
- D165 Withdrawn 1967; Method of Test for Proportion of Bitumen Soluble in Carbon Tetrachloride; Replaced by D2042
- Withdrawn 1963; Specification for Gas and Coking Coals
- D167-12a Test Method for Apparent and True Specific Gravity and Porosity of Lump Coke, **05.06**
- D168 Withdrawn 2006; Test Method for Coke Residue of Creosote
- D169 Withdrawn 1963; Specification for Asphalt Mastic for Use in Water-proofing (Asphalt Cement, Mineral Filler, Mineral Aggregate); Replaced by D491
- D170 Withdrawn 1977; Specification for Bituminous Grout for Use in Waterproofing Above Ground Level D171 Withdrawn 1977; Specification for Bituminous Grout for Use in
- Waterproofing Below Ground Level
- Withdrawn 1926; Specification for Coal-Tar Saturated Roofing Melt for Use in Waterproofing and in Constructing Built Up Roofs; Replaced by D226, D227
- D173/D173M-03(2011)^{c1} Specification for Bitumen-Saturated Cotton Fabrics Used in Roofing and Waterproofing, 04.04
- D174 Withdrawn 1939; Specification for Burlap Saturated with Bituminous Substances for Use in Waterproofing
 D175 Withdrawn 1929; Methods of Testing Electrical Insulating Materials for Voltage Effects at Radio Frequencies
- D176 Withdrawn 2013; Test Methods for Solid Filling and Treating Compounds Used for Electrical Insulation
- Withdrawn 1934; Methods of Testing Rubber Hose; Replaced by D380 D178-01(2010) Specification for Rubber Insulating Matting, 10.03
- D179 Withdrawn 1975; Methods of Testing Cotton Tire Cords and Cord Fabrics Made from Cotton
- D180 Withdrawn 1968; Methods of Testing Tolerances for Cotton Yarns; Replaced by D2645
- D181 Withdrawn 1976; Specification for Tolerances for Cotton Fabrics for Manufacture of Hose and Belts
- D182 Withdrawn 1940; Specification for ASTM Thermometer; Replaced by E1 D183
- Withdrawn 1940; Specification for ASTM Thermometer; Replaced by E1 Withdrawn 1940; Specification for ASTM Thermometer; Replaced by E1
- D185-07(2012) Test Methods for Coarse Particles in Pigments, 06.03 D186 Withdrawn 1940; Methods of Chemical Analysis of White Pigments; Combined with D 34
- D187-08(2013) Test Method for Burning Quality of Kerosine, 05.01 D188 Withdrawn 1943; Methods of Test for Neutralization of Acid And Base
- Members by Potentiometric Titration; Replaced by D664, D974

 D189-06(2010)^{c1} Test Method for Conradson Carbon Residue of Petroleum Products, 05.01
- D190 Withdrawn 1939; Specification for Crushed Stone, Crushed Slag, and Gravel for Water-Bound Macadam Base and Surface Courses of Pavements; Replaced by D693
- Withdrawn 1939; Specification for Crushed Stone, Crushed Slag, and Gravel for Waterbound Macadam Base and Surface Courses of Pavements; Replaced by D693
- D192 Withdrawn 1943; Specification for Crushed Stone and Crushed Slag for Bituminous Macadam Base and Surface Courses of Pavements; Replaced by D693 D193 Withdrawn 1939; Specification for Broken and Crushed Slag Stone for
- Bituminous Macadam Base and Surface Courses of Pavements: Replaced by D693
- Withdrawn 1939; Specification for Crushed Stone and Crushed Slag for Bituminous Macadam Base and Surface Courses of Pavements; Replaced by D693
- D195 Withdrawn 1939; Specification for Crushed Stone and Crushed Slag for Bituminous Macadam Base and Surface Courses of Pavements;
- Replaced by D693 D196 Withdrawn 1939; Specification for Crushed Stone, Crushed Slag, and Gravel for Bituminous Concrete Base and Surface Courses of Pavements;
- Replaced by D692
 -87(2012) Test Method for Sampling and Fineness Test of Pulverized Coal, **05.06**
- D198-14 Test Methods of Static Tests of Lumber in Structural Sizes, 04.10
 D199 Withdrawn 1962; Methods for Chemical Analysis of Zinc Chloride
 D200 Withdrawn 1938; Specification for Coal-Tar Pitch for Roofing
- Damp-proofing and Waterproofing; Replaced by D450 D201 Withdrawn 1938; Specification for Coal-Tar Pitch for Roofing
- Damp-proofing and Waterproofing; Replaced by D450 D202-08 Test Methods for Sampling and Testing Untreated Paper Used for
- Electrical Insulation, 10.01

- D203 Withdrawn 1937; Methods of Testing Tolerances for Cotton Yarns
 D204-02(2010)^{c1} Test Methods for Sewing Threads, 07.01
 D205 Withdrawn 1955; Specification for Osnaburg Cement Sacks
 D206 Withdrawn 1953; Abridged Volume Correction Table for Petroleum Oils; Replaced by D1250

D207 D313

- D207 Withdrawn 2000; Specification for Dry Bleached Lac
- D208 Withdrawn 1940; Specification for Zinc Sulfide Pigments
- Specification for Lampblack Pigment, 06.03 D209-81(2012) D210-05(2011) Specification for Bone Black Pigment, 06.03
- D211-67(2012)
- Specification for Chrome Yellow and Chrome Orange Pigments, 06.03
- D212 Withdrawn 1994; Specification for Chrome Green Pigment
- D213
- Withdrawn 1940; Specification for Reduced Chrome Green Withdrawn 1929; Methods of Testing Shellac; Replaced by D29 D214 Withdrawn 2005; Practice for the Chemical Analysis of White Linseed D215
- Oil Paints D216 Withdrawn 1988; Method for Distillation of Natural Gasoline; Replaced by D86
- D217-10 Test Methods for Cone Penetration of Lubricating Grease, 05.01 D218 Withdrawn 1940; Methods of Test for Color of Lubricating Oil and Petroleum by Means of ASTM Union Colorimeter
- D219 Withdrawn 1979; Method of Test for Burning Quality of Long-Time Burning Oil for Railway Use
- D220 Withdrawn 1940; Method of Test for Moisture Equivalent of Soils
- D221 Redesignated C121
- D222 Redesignated C120
- Withdrawn 1940; Specification for Asphalt Mastic for Use in Water-D223 proofing (Asphalt Cement, Mineral Filler, Mineral Aggregate)

 D224 Withdrawn 2002; Specification for Smooth-Surfaced Asphalt Roll Roofing
- (Organic Felt); Replaced by D6380
- Withdrawn 2012; Specification for Asphalt Shingles (Organic Felt) Surfaced With Mineral Granules, 04.04
- D226/D226M-09 Specification for Asphalt-Saturated Organic Felt Used in
- Roofing and Waterproofing, **04.04 D227/D227M-03(2011)**^{c1} Specification for Coal-Tar-Saturated Organic Felt Used in Roofing and Waterproofing, **04.04 D228/D228M-09**^{c2} Test Methods for Sampling, Testing, and Analysis of Asphalt Roll Roofing, Cap Sheets, and Shingles Used in Roofing and Waterproofing, 04.04
- D229-13 Test Methods for Rigid Sheet and Plate Materials Used for Electrical Insulation, 10.01
- D230 Withdrawn 1976; Specification for Numbered Cotton Duck and Army
- D231 Withdrawn 1981; Methods of Testing Tolerances for Knit Goods; Replaced by D3887
- D232 Withdrawn 1943; Method of Test for Estimating Hard Scoured Wool in
- Wool in the Grease (Mill Scale Operations)

 D233-12 Test Methods of Sampling and Testing Turpentine, 06.03

 D234 Withdrawn 2007; Specification for Raw Linseed Oil
- D235-02(2012) Specification for Mineral Spirits (Petroleum Spirits) (Hydrocarbon Dry Cleaning Solvent), 06.04
- D236 Withdrawn 1934; Specification for Spirits of Distilled Wood Turpentine; Replaced by D13
- D237 Withdrawn 2006; Specification for Orange Shellac and Other Lacs D238 Withdrawn 1928; Method of Test for Specific Gravity of Pigments; Combined with D 153
- D239 Withdrawn 1963; Method of Test for Burning Quality of Mineral Seal Oil D240-09 Test Method for Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter, 05.01
- D241 Withdrawn 1977; Specification for Asphalt Filler for Brick Pavements D242/D242M-09 Specification for Mineral Filler For Bituminous Paving Mixtures, 04.03
- D243-08 Test Method for Residue of Specified Penetration, 04.03 D244-09 Test Methods and Practices for Emulsified Asphalts, 04.03
- D245-06(2011) Practice for Establishing Structural Grades and Related Allowable Properties for Visually Graded Lumber, 04.10
- D246 Withdrawn 2006; Test Method for Distillation of Creosote and Creosote-Coal Tar Solutions D247 Redesignated C119
- D248 Withdrawn 1943; Specification for Asphalt Roofing Surfaced with Fine Mineral Granules
- D249 Withdrawn 2002; Specification for Asphalt Roll Roofing (Organic Felt) Surfaced with Mineral Granules; Replaced by D6380
- D250 Withdrawn 1991; Specification for Asphalt-Saturated Asbestos Felt Used in Roofing and Waterproofing
- D251 Withdrawn 1938; Specification for Coal-Tar Pitch for Roofing, Dampproofing, and Waterproofing; Replaced by D450 D252 Withdrawn 1938; Specification for Coal-Tar Pitch for Roofing,
- Dampproofing, and Waterproofing; Replaced by D450
 D253 Withdrawn 1928; Specification for Light-Body Coal-Tar or Water-Gas-Tar Protective Coating with Solvent Vehicle, for Cold Application, for Damp-proofing Masonry Structures
- D254 Withdrawn 1928, Specification for Heavy-Body Coal-Tar or Water-Gas-Tar Protective Coating with Solvent Vehicle, for Cold Application, for Dampproofing Masonry Structures
- D255 Withdrawn 2000; Method for Steam Distillation of Bituminous Protective Coatings
- D256-10 Test Methods for Determining the Izod Pendulum Impact Resistance of Plastics, 08.01
- D257-07 Test Methods for DC Resistance or Conductance of Insulating Materials, 10.01
- D258 Withdrawn 1956; Methods of Testing Spun and Filament Yarns Made Wholly or in Part of Man-Made Organic Base Fiber D259 Withdrawn 1989; Specification for Woven Tapes
- Withdrawn 2007; Specification for Linseed Oil

- D261 Withdrawn 2006; Specification for Iron Blue Pigment
- D262 Withdrawn 2006; Specification for Ultramarine Blue Pigment
- D263-05(2011) Specification for Chrome Oxide Green Pigment, 06.03 Withdrawn 1949; Specification for Pure Para Red Toner; Replaced by D475
- D265 Withdrawn 1935; Specification for Titanium Barium Pigment; Replaced by D476
- D266 Withdrawn 1949; Specification for Aluminum Pigments Powder and Paste for Paints; Replaced by D962 D267-82(2008)^{c1} Specification for Gold Bronze Powder, 06.03
- D268-01(2012) Guide for Sampling and Testing Volatile Solvents and Chemical Intermediates for Use in Paint and Related Coatings and Material, 06.04
- D269-97(2011) Test Method for Insoluble Matter in Rosin and Rosin Derivatives, 06.03
- D270 Withdrawn 1984; Methods of Sampling Petroleum and Petroleum Products; Replaced by D4057, D4177
- D271 Withdrawn 1974; Methods of Laboratory Sampling and Analysis of Coal and Coke; Replaced by D3176, D3180
- D272 Withdrawn 1941; Methods of Analysis of Roofing Felt for Fiber Composition
- D273 Withdrawn 1973; Methods of Test for Conducting Paths in Electrical Slate
- D274 Withdrawn 1967; Tolerances for Certain Light and Medium Weight Cotton Fabrics
- D275 Withdrawn 1942; Methods of Test for Cuban (Jute) Raw Sugar Bags
- D276-12 Test Methods for Identification of Fibers in Textiles, 07.01
 D277 Withdrawn 1948; Specification for Mercuric Oxide for Use in Anti-Fouling [aints (Dry Cuprous Oxide, Dry Mercuric Oxide); Replaced by D911, D912
- D278 Withdrawn 1953; Method of Test for Common Properties of Certain Pigments; Replaced by D1208

 D279-02(2012) Test Methods for Bleeding of Pigments, 06.03
- D279-02(2012) Test Methods for Bleeding of Pigments, 06.03
 D280-01(2012) Test Methods for Hygroscopic Moisture (and Other Matter Volatile Under the Test Conditions) in Pigments. **06.03**
- **D281-12** Test Method for Oil Absorption of Pigments by Spatula Rub-out, 06.01
- D282 Withdrawn 1930; Methods of Test for Mass Color and Tinting Strength of **Pigments**
- D283 Withdrawn 2008; Test Methods for Chemical Analysis of Cuprous Oxide and Copper Pigments
- D284 Withdrawn 2003; Test Methods for Chemical Analysis of Mercuric Oxide Pigment
- Withdrawn 1986; Method of Test for Distillation of Crude Petroleum Withdrawn 1967; Method of Test for Autogenous Ignition Temperatures D285 D286 of Petroleum Products
- D287-12b Test Method for API Gravity of Crude Petroleum and Petroleum Products (Hydrometer Method), 05.01
- D288 Withdrawn 1981; Definition of Terms Relating to Petroleum Withdrawn 1972; Method of Test for Abrasion of Graded Coarse Aggregates by Use of the Deval Machine; Replaced by C131, C535
- D290 Withdrawn 2000; Practice for Bituminous Mixing Plant Inspection
- D291-07(2012) Test Method for Cubic Foot Weight of Crushed Bituminous Coal. 05.06
- D292 Withdrawn 1986; Method of Test for Cubic Foot Weight of Coke
- D293-93(2010) Test Method for the Sieve Analysis of Coke, 05.06
 D294 Withdrawn 1976; Method of Test for Tumbler Test for Coke; Replaced by D3402
- D295-12 Test Methods for Varnished Cotton Fabrics Used for Electrical Insulation, 10.01
- D296 Withdrawn 1984; Specification for Rubber-Lined Fire Hose with Woven
- D297-13 Test Methods for Rubber Products—Chemical Analysis, 09.01
 D298 Withdrawn 1938; Specification for 23/5/3 Carded American Tire Cord
 D299/D299M-04(2009)^{c1} Specification for Asbestos Yarns, 04.05
- D300 Withdrawn 1940; Specification for ASTM Thermometers; Replaced by E1
- D301 Withdrawn 2011; Test Methods for Soluble Cellulose Nitrate D302 Withdrawn 1987; Specification for Ethyl Acetate (85 to 88% Grade);
- Replaced by D4614
- D303 Withdrawn 1987; Specification for n-Butyl Acetate (90 to 92% Grade); Replaced by D4615
- D304-11 Specification for n-Butyl Alcohol (Butanol), 06.04
 D305-84(2008) Test Method for Solvent-Extractable Material in Black Pigments, 06.03
- D306 Withdrawn 1939; Method of Sampling and Testing Aluminum Powder and Paste; Replaced by D480
- D307 Withdrawn 1968; Method of Test for Spectral Characteristics and Color of Objects and Materials; Replaced by E308 D308 Withdrawn 1940; Method of Test for Oil Content of Petroleum Waxes;
- Replaced by D721
- D309 Withdrawn 1943; Specification for Crushed Stone, Crushed Slag, and Gravel for Bituminous Concrete Base and Surface Courses of Pavements; Replaced by D692
- D310 Withdrawn 1988; Test Method for Size of Anthracite; Replaced by D4749
- D311 Withdrawn 1988; Method for Sieve Analysis of Crushed Bituminous Coal; Replaced by D4749
- D312-00(2006) Specification for Asphalt Used in Roofing, 04.04
- D313 Withdrawn 1982; Method of Test for Coarse Particles in Mixtures of Asphalt and Mineral Matter

D314 D425

- D314 Withdrawn 1970; Method of Test for Hardness of Rubber; Replaced by D1415
- D315/D315M-95(2009)^{c1} Specification for Woven Asbestos Tape, 04.05 D316 Withdrawn 1938; Methods of Test for Chafer Tire Fabrics Other Than Cord Fabrics
- D317 Withdrawn 1956; Specification for Oil Putty for Glazing
- D318 Withdrawn 1976; Specification for Amyl Acetate (Synthetic) (85 to 88% grade)
 D319 Withdrawn 2010; Specification for Amyl Alcohol (Synthetic)
- D320 Withdrawn 1953; Specification for Butyl Propionate (90 to 93% grade)
- D321 Withdrawn 1953; Specification for Ethyl Lactate (Synthetic)
- D322-97(2012) Test Method for Gasoline Diluent in Used Gasoline Engine Oils by Distillation, 05.01
- D323-08 Test Method for Vapor Pressure of Petroleum Products (Reid Method), 05.01
- D324 Withdrawn 1964; Definitions of Terms Relating to Timber Preservatives D325 Withdrawn 1945; Method of Test for Comparing Thermal Conductivities of Solid Electrical Insulating Materials
- D326 Withdrawn 1935; Method of Compression Testing of Natural Building Stone
- D327 Redesignated C99 D328 Redesignated C97

- D329-07(2013) Specification for Acetone, 06.04 D330-07(2013) Specification for 2-Butoxyethanol, 06.04
- Specification for 2-Ethoxyethanol, 06.04
- D332-87(2011) Test Method for Relative Tinting Strength of White Pigments by Visual Observation, 06.01
- D333-01(2013) Guide for Clear and Pigmented Lacquers, 06.02
- D334 Withdrawn 1967; Methods of Test for Cotton Goods for Rubber and Pyroxylin Coating
- D335 Withdrawn 1989; Specification for Cotton Tapes Woven for Electrical Purposes
- D336 Withdrawn 1938; Methods of Test for Tire Fabrics Other Than Cord **Fabrics**
- D337 Redesignated E337
- D338 Withdrawn 1935; Method of Test for Modulus of Elasticity of Natural Building Stone
- D339 Withdrawn 1935; Method of Shear Testing of Natural Building Stone D340 Withdrawn 1935; Definitions of Terms Relating to Natural Building Stone
- D341-09 Practice for Viscosity-Temperature Charts for Liquid Petroleum Products, 05.01
- D342 Withdrawn 1936; Specification for Acetate Ester of Ethylene Glycol Monoethyl Ether (90 to 91% Grade)
 D343 Withdrawn 1982; Specification for 2-Ethoxyethyl Acetate (95% Grade)
- D344-11 Test Method for Relative Hiding Power of Paints by the Visual Evaluation of Brushouts, 06.01
- D345-02(2010) Test Method for Sampling and Testing Calcium Chloride for Roads and Structural Applications, 04.03
- D346/D346M-11 Practice for Collection and Preparation of Coke Samples for Laboratory Analysis, 05.06
- D347 Withdrawn 2006; Tables for Volume and Specific Gravity Correction for Creosote, Creosote-Coal Tar Solutions, and Coal Tar
- D348-13 Test Methods for Rigid Tubes Used for Electrical Insulation, 10.01
 D349-13 Test Methods for Laminated Round Rods Used for Electrical Insulation, 10.01
- D350-13 Test Methods for Flexible Treated Sleeving Used for Electrical Insulation, 10.01
- D351-14 Classification for Natural Muscovite Block Mica and Thins Based on
- Visual Quality, 10.01 -97(2008)^{c1} Test Methods for Pasted Mica Used in Electrical Insulation, D352-97(2008)⁶¹ 10.01
- D353 Withdrawn 1995; Specification for Natural Rubber Insulation for Wire and Cable, 60°C Operation
- D354 Withdrawn 1967; Methods of Testing Tolerances for Tubular Sleeving and Braids
- D355 Withdrawn 1936; Method of Sampling Natural Building Stone and Sample for Testing
- D356 Withdrawn 1935; Method of Tension Testing of Natural Building Stone and Sample for Testing
 D357 Withdrawn 1970; Method of Test for Knock Characteristics of Motor
- Fuels Below 100 Octane Number by the Motor Method; Replaced by D2700
- D358-98(2012)⁶¹ Specification for Wood to Be Used as Panels in Weathering Tests of Coatings, 06.02
- D359 Withdrawn 1940; Specification for Shellac Varnish; Replaced by D360
- Specification for Shellac Varnishes, 06.03 D361
- Withdrawn 1968; Specification for Industrial 90 Benzene D362
- D363
- Withdrawn 1991; Specification for Industrial Grade Toluene Withdrawn 2005; Specification for Tricresyl Phosphate Withdrawn 1982; Specification for Industrial Grade Xylene D364
- D365-01(2011) Guide for Soluble Nitrocellulose Base Solutions, 06.02
- D366 Withdrawn 1938; Specification for Concrete for Pavements
- Withdrawn 2006; Test Method for Xylene-Insoluble Matter in Creosote D368 Withdrawn 2006; Test Method for Specific Gravity of Creosote and Oil-Type Preservatives
- D369 Withdrawn 2006; Test Method for Specific Gravity of Creosote Fractions and Residues
- D370 Withdrawn 2006; Practice for Dehydration of Oil-Type Preservatives Withdrawn 2002; Specification for Asphalt Roll Roofing (Organic Felt) D371 Surfaced with Mineral Granules; Wide Selvage; Replaced by D6380

- D372 Withdrawn 2012; Specification for Flexible Treated Sleeving Used for Electrical Insulation
- Withdrawn 1994; Specification for Black and Yellow Straight-Cut and Bias-Cut Varnished Cotton Cloth and Tape for Electrical Insulation D374 Withdrawn 2013; Test Methods for Thickness of Solid Electrical
- Insulation D374M-13 Test Methods for Thickness of Solid Electrical Insulation (Metric), 10.01
- D375/D375M-95(2009)⁶¹ Specification for Asbestos Roving, 04.05
- D376 Withdrawn 1976; Methods of Test for Holland Cloth
 D377 Withdrawn 1976; Methods of Test for Small Amounts of Copper and Manganese in Textiles
- Test Methods for Rubber (Elastomeric) Conveyor Belting, Flat Type, D378-10 09.02
- D379 Withdrawn 1938; Methods of Test for Rubber Hose; Replaced by D380
- D380-94(2012) Test Methods for Rubber Hose, 09.02
 D381-12 Test Method for Gum Content in Fuels by Jet Evaporation, 05.01 D382 Withdrawn 1940; Specification for Titanium Barium Pigment; Replaced by D476
- D383 Withdrawn 1940; Specification for Titanium Calcium Pigment; Replaced
- by D476
 D384 Withdrawn 1939; Specification for Titanium Dioxide, Replaced by D476 D385 Withdrawn 1940; Specification for Zinc Sulfate Pigment; Replaced by D477
- Withdrawn 1940; Specification for Zinc Oxide; Replaced by D477 D387-00(2008) Test Method for Color and Strength of Chromatic Pigments with a Mechanical Muller, 06.01
- D388-12 Classification of Coals by Rank, 05.06
- D389 Withdrawn 1963; Specification for Classification of Coals by Grade D390 Withdrawn 2006; Specification for Coal-Tar Creosote for the Preservative Treatment of Piles, Poles, and Timbers of Marine, Land, and Fresh Water Use
- D391 Withdrawn 2006; Specification for Creosote-Coal Tar Solution D392 Withdrawn 1963; Methods of Testing Molding Powders Used in Manufacturing Molded Electrical Insulators
- Withdrawn 1938; Specification for Insulated Wire and Cable: Class A, 30% Heavy Rubber Compound
- D394 Withdrawn 1970; Method of Test for Abrasion Resistance of Rubber Compounds
- D395-03(2008) Test Methods for Rubber PropertyCompression Set, 09.01 D396-13b Specification for Fuel Oils, 05.01
- D397 Withdrawn 1951; Specification for Emulsified Asphalt; Replaced by D977
- Withdrawn 1950; Specification for Emulsified Asphalt; Replaced by D977 Withdrawn 1950; Specification for Emulsified Asphalt; Replaced by D977 D398 D399
- Withdrawn 1937; Specification for Emulsified Asphalt (Heavy
- Premix-Winter Grade) Withdrawn 1949; Specification for Emulsified Asphalt; Replaced by D977
- D402-08 Test Method for Distillation of Cutback Asphaltic (Bituminous) Products, 04.03
- D403 Withdrawn 1953; Methods of Testing and Tolerances for Yarns Containing Wool; Replaced by D1285
- D404 Withdrawn 1953; Methods of Testing and Tolerances for Yarns Containing Wool; Replaced by D1285

 D405 Withdrawn 1982; Specification for Blue Lead; Basic Sulfate

 D406 Withdrawn 1961; Method of Test for Relative Dry Hiding Power of White
- Piaments in Linseed Oil Vehicle
- D407 Withdrawn 1977; Definitions of Terms Relating to Gross Calorific Value and Net Calorific Value of Solid and Liquid Fuels; Replaced by D121 D408 Withdrawn 1951; Method of Test for Grindability of Coal by the Ball-Mill
- Method D409/D409M-12 Test Method for Grindability of Coal by the Hardgrove-
- Machine Method, 05.06
- D410 Withdrawn 1988; Method for Sieve Analysis of Coal
 D411 Withdrawn 2013; Test Methods for Shellac Used for Electrical Insulation
 D412-06a(2013) Test Methods for Vulcanized Rubber and Thermoplastic
 Elastomers—Tension, 09.01
- D413-98(2013) Test Methods for Rubber Property—Adhesion to Flexible Substraté, 09.01
- D414 Withdrawn 1955; Methods of Testing Cotton Fibers; Replaced by D1440,
- D1441, D1285, D1442, D1445, D1447, D1448
- D415 Withdrawn 1949; Methods of Testing Woven Textiles Fabrics D416 Withdrawn 1962; Methods of Test for Dimensional Changes in Laundering of Fabrics Woven or Partially of Man-Made Organic Base
- D417 Withdrawn 1937; Method of Test for Vapor Pressure of Petroleum Products; Replaced by D323
- D418 Withdrawn 1998; Test Methods for Testing Pile Yarn Floor Covering Construction
- D419 Withdrawn 1981; Specification for Test for Fineness of Wool; Replaced by D3991 D420 Withdrawn 2011; Guide to Site Characterization for Engineering Design
- and Construction Purposes
- D421-85(2007) Practice for Dry Preparation of Soil Samples for Particle-Size Analysis and Determination of Soil Constants, **04.08 D422-63(2007)^{c1}** Test Method for Particle-Size Analysis of Soils, **04.08**
- D423 Withdrawn 1983; Method of Test for Liquid Limit of Soils; Replaced by D4318
- D424 Withdrawn 1983; Method of Test for Plastic Limit and Plasticity Index of Soils; Replaced by D4318
- D425-88(2008) Test Method for Centrifuge Moisture Equivalent of Soils, 04.08

Fibers

D426 D535

- D426 Withdrawn 1959; Method of Test for Field Moisture Equivalent of Soils Withdrawn 2008: Test Method for Shrinkage Factors of Soils by the Mercury Method
- D428 Withdrawn 1940; Methods of Test for Accelerated Aging of Vulcanized Rubber by the Oven Method; Replaced by D572, D57
- D429-14 Test Methods for Rubber Property—Adhesion to Rigid Substrates, 09.01
- D430-06(2012) Test Methods for Rubber Deterioration—Dynamic Fatigue, 09.01
- D431 Withdrawn 1988; Method for Designating the Size of Coal from Its Sieve
- Analysis; Replaced by D4749
 D432 Withdrawn 1961; Specification for Zinc Chloride
 D433 Withdrawn 1966; Methods of Testing and Tolerances for Certain Carded Gray Goods
- D434 Withdrawn 2003; Test Method for Resistance to Slippage of Yarns in Woven Fabrics Using a Standard Seam
- D435 Withdrawn 1958; Method of Test for Color Fastness to Commercial Laundering and to Domestic Washing of Cotton and Textiles
- D436 Withdrawn 1958; Method of Test for Color Fastness of Dyed or Printed Wool, Silk, Rayon, or Acetate Fabric to Laundering or Domestic Washing D437 Withdrawn 1962; Method of Test for Shrinkage in Laundering of Woven
- Cotton Cloth
- D438 Withdrawn 1938; Method of Test for Saponification Number of Petroleum Products by Color-Indicator Titration; Replaced by D94 D439 Withdrawn 1991; Specification for Automotive Gasoline
- D440-07(2012) Test Method of Drop Shatter Test for Coal, 05.06
- D441-07(2012) Test Method of Tumbler Test for Coal, 05.06
- D442 Withdrawn 1939; Specification for Titanium-Magnesium Pigment; Replaced by D476
- D443 Withdrawn 1939; Specification for Zinc Sulfate Pigment
- D444-88(2008) Test Methods for Chemical Analysis of Zinc Yellow Pigment (Zinc Chromate Yellow), 06.03

 D445-12 Test Method for Kinematic Viscosity of Transparent and Opaque Liquids (and Calculation of Dynamic Viscosity), 05.01
- D446-12 Specifications and Operating Instructions for Glass Capillary Kinematic Viscometers, 05.01
- D447 Withdrawn 1998; Test Method for Distillation of Plant Spray Oils D448-12 Classification for Sizes of Aggregate for Road and Bridge
- Construction, 04.03 D449/D449M-03(2014)⁶¹ Specification for Asphalt Used in Dampproofing and
- Waterproofing, **04.04 D450/D450M-07(2013)**^{€1} Specification for Coal-Tar Pitch Used in Roofing,
- Dampproofing, and Waterproofing, 04.04

 D451/D451M-91(2013)^{c1} Test Method for Sieve Analysis of Granular Mineral
- Surfacing For Asphalt Roofing Products, **04.04 D452/D452M-91(2013)**^{c1} Test Method for Sieve Analysis of Surfacing for
- Asphalt Roofing Products, 04.04

 D453 Withdrawn 2006; Test Method for Tar Acids in Creosote-Coal Tar Solutions
- D454-04(2010) Test Method for Rubber Deterioration by Heat and Air Pressure, 09.01
- D455 Withdrawn 2000; Specification for Milled Toilet Soap
- D456
- Withdrawn 2001; Specification for Caustic Soda (Anhydrous) Withdrawn 2001; Specification for Modified Soda (Sesquicarbonate D457
- Type)
 D458 Withdrawn 2001; Specification for Soda Ash
 D459-09 Terminology Relating to Soaps and Other Detergents, 15.04
 D460-91(2014) Test Methods for Sampling and Chemical Analysis of Soaps and Soap Products, 15.04
- D461 Withdrawn 2003; Test Methods for Felt D462 Withdrawn 1977; Methods of Testing and Tolerances for Certain Wool and Part Wool Fabrics

- and Part Wool Fanics

 D463 Withdrawn 1947; Method of Test for Volumetric Determination of Small Amounts of Copper in Textiles

 D464-05(2010) Test Methods for Saponification Number of Naval Store Products Including Tall Oil and Other Related Products, 06.03

 D465-05(2010) Test Methods for Acid Number of Naval Stores Products Including Tall Oil and Other Related Products, 06.03
- D466 Withdrawn 1999; Test Methods for Films Deposited From Bituminous **Emulsions**
- D467 Withdrawn 1951; Specification for Laminated Thermosetting Materials;
- Replaced by D709

 D468 Withdrawn 1962; Methods of Testing Pin-Type, Lime-Glass Insulators; Combined with D 116
- D469 Withdrawn 1995; Specification for Natural Rubber Heat-Resisting
- Insulation for Wire And Cable, 75°C Operation

 D470-13 Test Methods for Crosslinked Insulations and Jackets for Wire and
- Cable, 10.01

 D471-12a Test Method for Rubber Property—Effect of Liquids, 09.01

 D472 Withdrawn 1981; Specification for Fineness of Wool Top and Assignment of Grade; Replaced by D3992
- D473-07(2012) Test Method for Sediment in Crude Oils and Fuel Oils by the Extraction Method, 05.01
- D474 Withdrawn 1948; Specification for Aluminum Powder and Paste for Paints; Replaced by D962
- D475 Withdrawn 2003; Specification for Pure Para Red Toner Pigment
- D476-13 Classification for Dry Pigmentary Titanium Dioxide Products, 06.03
 D477 Withdrawn 1987; Specification for Zinc Sulfide Pigments
 D478-02(2012) Specification for Zinc Yellow (Zinc Chromate) Pigments, 06.03
- D479 Withdrawn 1984; Method of Test for Reactivity of Paint Liquids

- D480-88(2008) Test Methods for Sampling and Testing of Flaked Aluminum Powders and Pastes, 06.03
- Withdrawn 1949; Method of Test for Acid Heat of Gasoline
- D482-13 Test Method for Ash from Petroleum Products, 05.01
- D483-04(2009)^{c1} Test Method for Unsulfonated Residue of Petroleum Plant Spray Oils, **05.01**
- D484 Withdrawn 1983; Specification for Hydrocarbon Dry Cleaning Solvents; Replaced by D235
- D485 Withdrawn 1942; Specification for Crushed Stone, Crushed Slag, and Gravel for Bituminous Concrete Base and Surface Courses of Pavements; Replaced by D692
- D486 Withdrawn 1942; Specification for Crushed Stone, Crushed Slag and Gravel for Bituminous Concrete Base and Surface Courses of Pavements; Replaced by D692
- D487 Withdrawn 1942; Specification for Crushed Stone and Crushed Slag and Gravel for Bituminous Macadam Base and Surface Courses of Pavements; Replaced by D693
- D488 Withdrawn 1942; Specification for Crushed Stone, Crushed Slag and Gravel for Waterbound Base and Surface Courses of Pavements
- D489 Withdrawn 1942; Specification for Crushed Stone, Crushed Slag and Gravel for Waterbound Base and Surface Courses
 D490-92(2011) Specification for Road Tar, 04.03
- Withdrawn 1990; Specification for Asphalt Mastic Used in Waterproofing D492 Withdrawn 1971; Method of Sampling Coals Classified According to Ash Content
- D493 Withdrawn 1969; Definitions of Terms Relating to Commercial Varities of Bituminous and Subbituminous Coals; Replaced by D2796
- D494-11 Test Method for Acetone Extraction of Phenolic Molded or Laminated Products, 08.01
- D495 Withdrawn 2013; Test Method for High-Voltage, Low-Current, Dry Arc Resistance of Solid Electrical Insulation
 Withdrawn 2000; Specification for Chip Soap
 Withdrawn 2000; Specification for Ordinary Laundry Bar Soap
 Whoselection
- D496
- D497
- D498 Withdrawn 2000; Specification for Powdered Soap (Nonalkaline Soap Powder)
- D499 Withdrawn 2000; Specification for White Floating Toilet Soap
- D500-95(2009) Test Methods of Chemical Analysis of Sulfonated and Sulfated Oils, 15.04
- D501-03(2009) Test Methods of Sampling and Chemical Analysis of Alkaline Detergents, 15.04

 D502-89(2009) Test Method for Particle Size of Soaps and Other Detergents,
- 15.04
- Withdrawn 1950; Specification for Bleached Wide Cotton Sheeting Withdrawn 1951; Specification for Single-Ply Bleached Cotton D503
- D504 Broadcloth
- D505 Withdrawn 1951; Specification for Terry (Turkish) Toweling
- Withdrawn 1958; Method of Test for Colorfastness to Light Textiles D506 Withdrawn 1955; General Methods of Testing and Tolerances for Spun Rayon Yarns and Threads
- D508 Withdrawn 1955; Methods of Testing and Tolerances for Yarns Spun
- from Wool Mixed with Fibers Other Than Wool

 D509-05(2011)^{c1} Test Methods of Sampling and Grading Rosin, 06.03 D510 Withdrawn 1975; Methods for Sampling Industrial Water; Replaced by D3370
- D511-09 Test Methods for Calcium and Magnesium In Water, 11.01
 D512-12 Test Methods for Chloride Ion In Water, 11.01
 Test Methods for Total and Dissolved Carbon Dioxide in Water,
- 11.01
- D514 Withdrawn 1996; Test Method for Hydroxide Ion in Water D515 Withdrawn 1998; Test Methods for Phosphorus in Water

- D516-11 Test Method for Sulfate Ion in Water, 11.01
 D517-98(2008) Specification for Asphalt Plank, 04.03
 D518 Withdrawn 2008; Test Method for Rubber Deterioration—Surface Cracking; Replaced by D1149
 D519-04(2013) Test Method for Length of Fiber in Wool Top, 07.01
- D519-04(2013) D520-00(2011)
- Specification for Zinc Dust Pigment, 06.03
- Test Methods for Chemical Analysis of Zinc Dust (Metallic Zinc D521-02(2012) Powder), 06.03
- D522-93a(2008) Test Methods for Mandrel Bend Test of Attached Organic Coatings, 06.01
- D523-08 Test Method for Specular Gloss, 06.01
 D524-10 Test Method for Ramsbottom Carbon Residue of Petroleum Products, 05.01
- D525-12a Test Method for Oxidation Stability of Gasoline (Induction Period Method), 05.01
- Withdrawn 1976; Method of Test for Tetraethyl-Lead in Gasoline D527 Withdrawn 1974; Method of Test for Bulking Thickness of Paper D528 Withdrawn 2010: Test Method for Machine Direction of Paper and
- Paperboard D529 Withdrawn 2013: Practice for Enclosed Carbon-Arc Exposures of Bituminous Materials
- D530 Withdrawn 1989; Methods of Testing Hard Rubber Products D531-00(2010) Test Method for Rubber Property—Pusey and Jones
- Indentation, 09.01 D532 Withdrawn 1996; Specification for Natural Rubber Jacket for Wire and
- Cable D533 Withdrawn 2000; Specification for Built Soap, Powdered
- D534 Withdrawn 2000; Specification for Alkaline Soap Powder
- Withdrawn 1959; Specification for Palm Oil Solid Soap (Type A, Straight; Type B, Blended)

D536 D646

- D536 Withdrawn 1959; Specification for Palm Oil Chip Soap (Type A, Straight; Type B, Blended)
- Withdrawn 2001; Specification for Sodium Metasilicate
- Withdrawn 2001; Specification for Trisodium Phosphate D538
- Withdrawn 1970; Methods of Test for Apparent Fluidity of Dispersions of D539 Cellulose Fibers
- D540 Withdrawn 1974; Methods of Testing Man-Made Staple Fibers; Replaced by D3660 D541 Withdrawn 1996; Specification for Single Jute Yarn
- D542-14 Test Method for Index of Refraction of Transparent Organic Plastics, 08.01
- D543-06 Practices for Evaluating the Resistance of Plastics to Chemical Reagents, 08.01
- D544 Withdrawn 1961; Specification for Preformed Expansion Joint Fillers for Concrete (Nonextruding and Resilient Types); Replaced by D1751, D1752
- D545-08 Test Methods for Preformed Expansion Joint Fillers for Concrete Construction (Nonextruding and Resilient Types), 04.03
- D546-10 Test Method for Sieve Analysis of Mineral Filler for Bituminous Paving Mixtures, 04.03
- Withdrawn 1987; Test Method for Index of Dustiness of Coal and Coke D547 D548 Withdrawn 2009; Test Method for Water-Soluble Acidity or Alkalinity of
- Paper D549 Withdrawn 1993; Test Methods for Rosin in Paper and Paperboard
- D550 Withdrawn 1958; Methods of Testing Glass Spool Insulators
- D551 Withdrawn 1966; Method of Measuring Shrinkage from Mold Dimensions of Molded Materials Used for Electrical Insulation
- D552 Withdrawn 1950; Method of Test for Cellular Rubber Products; Replaced by D1055, D1056
- D553 Withdrawn 1966; Methods of Test for Viscosity and Total Solids Content of Rubber Cements; Replaced by D1084
- D554 Withdrawn 1982; Specification for Amyl Acetate Made from Fusel Oil (85 to 88% Grade)
- D555 Withdrawn 2007; Guide for Testing Drying Oils D556 Withdrawn 1953; Specification for Materials for Soil-Aggregate Subbase, Base and Surface Courses; Replaced by D1241
- D557 Withdrawn 1953; Specification for Materials for Soil-Aggregate Subbase, Base and Surface Courses; Replaced by D1241
- D558-11 Test Methods for Moisture-Density (Unit Weight) Relations of Soil-Cement Mixtures, 04.08
- D561-82(2008) Specification for Carbon Black Pigment for Paint, 06.03 D562-10 Test Method for Consistency of Paints Measuring Krebs Unit (KU) Viscosity Using a Stormer-Type Viscometer, 06.01
- D563 Withdrawn 2004; Test Method for Phthalic Anhydride Content of Alkyd Resins and Resin Solutions
- D564-87(2008) Test Methods for Liquid Paint Driers, 06.01
- D565-99(2013) Test Method for Carbonizable Substances in White Mineral Oil,
- D566-02(2009) Test Method for Dropping Point of Lubricating Grease, 05.01 D567 Withdrawn 1967; Method for Calculating Viscosity Index; Replaced by D2270
- D568 Withdrawn 1991; Test Method for Rate of Burning and/or Extent and Time of Burning of Flexible Plastics in a Vertical Position D569 Withdrawn 1995; Method for Measuring the Flow Properties of
- Thermoplastic Molding Materials
- D570-98(2010)⁶¹ Test Method for Water Absorption of Plastics, 08.01 D571 Withdrawn 1982; Methods of Testing Rubber Hose for Automotive Hydraulic Brake System
- D572-04(2010) Test Method for RubberDeterioration by Heat and Oxygen, 09.01
- D573-04(2010) Test Method for Rubber—Deterioration in an Air Oven, 09.01 D574 Withdrawn 1984; Specification for Ozone-Resisting Insulation for Wire and Cable
- D575-91(2012) Test Methods for Rubber Properties in Compression, 09.01 D576 Withdrawn 1949; Specification for All Wool, All Cotton, and Wool and Cotton Blanketing (Household)
- D577 Withdrawn 1958; Methods of Testing Woven Asbestos Cloth
 D578/D578M-05(2011)^{c1} Specification for Glass Fiber Strands, 07.01
- D579/D579M-10 Specification for Greige Woven Glass Fabrics, 07.01 D580/D580M-10 Specification for Greige Woven Glass Tapes and Webbings, 07.01
- D581/D581M-12 Specification for Glass Fiber Greige Braided Tubular Sleeving, **07.01**
- D582 Withdrawn 1958; Methods of Test for Resistance of Textile Fabrics and Yarns to Insect Pests
- D583 Withdrawn 1972; Methods of Test for Water Resistance of Textile Fabrics
- D584-10 Test Method for Wool Content of Raw Wool-Laboratory Scale, 07.01
- D585 Withdrawn 2010; Practice for Sampling and Accepting a Single Lot of Paper, Paperboard, Fiberboard, and Related Product
- D586 Withdrawn 2009; Test Method for Ash in Pulp, Paper, and Paper **Products** D587 Withdrawn 1982; Method of Test for Casein in Paper (Qualitative)
- D588 Withdrawn 1980; Method of Test for Alpha, Beta, and Gamma-Cellulose in Paper
- D589 Withdrawn 2010; Test Method for Opacity of Paper (15° Diffuse Illuminant A, 89 % Reflectance Backing and Paper Backing) D590 Withdrawn 2009; Test Method for Petroleum Wax in Paper
- Withdrawn 1982; Method of Test for Starch in Paper

- D592 Withdrawn 1959; Specification for Olive Oil Solid Soap (Type A, Straight; Type B. Blended)
- Withdrawn 1975; Specification for Salt-Water Soap (Coconut Oil Type)
- Withdrawn 2001; Specification for Sodium Sesquisilicate
- Withdrawn 2001; Specification for Tetrasodium Pyrophosphate (Anhydrous)
- D596-01(2011) Guide for Reporting Results of Analysis of Water, 11.01 D597 Withdrawn 1965; Specification for Cut-Back Asphalt (Rapid Curing Type); Replaced by D2028
- Withdrawn 1965; Specification for Cut-Back Asphalt (Medium Curing
- Type); Replaced by D2027 Withdrawn 1967; Method of Test for Physical State of Cure of Vulcanized Rubber (T-50 Test) D599
- D600-07(2012) Specification for Liquid Paint Driers, 06.04
- D601 Withdrawn 2007; Specification for Oiticica Oil (Permanently Liquid) D602-81(2012) Specification for Barium Sulfate Pigments, 06.03
- D603 Withdrawn 2004; Specification for Aluminum Silicate Pigments (Hydrous)
- Withdrawn 2003; Specification for Diatomaceous Silica Pigment
- D605-82(2012) Specification for Magnesium Silicate Pigment (Talc), 06.03
- D606 Withdrawn 1952; Specification for Lead Titanate
 D607-82(2012) Specification for Wet Ground Mica Pigments, 06.03
 D608-05(2011) Specification for Dibutyl Phthalate, 06.04
- D609-00(2012) Practice for Preparation of Cold-Rolled Steel Panels for Testing Paint, Varnish, Conversion Coatings, and Related Coating
- Products, 06.01 D610-08(2012) Practice for Evaluating Degree of Rusting on Painted Steel
- Surfaces, 06.01 D611-12 Test Methods for Aniline Point and Mixed Aniline Point of Petroleum Products and Hydrocarbon Solvents, 05.01
- D612-88(2012) Test Method for Carbonizable Substances in Paraffin Wax,
- 05.01 D613-10a⁻¹ Test Method for Cetane Number of Diesel Fuel Oil, 05.05
- D614 Withdrawn 1971; Method of Test for Knock Characteristics of Aviation Fuels by the Aviation Method; Replaced by D2700
- D615 Withdrawn 1944; Specification for Aviation Gasolines
- Withdrawn 1951; Specification for Laminated Thermosettings Materials; Replaced by D709
- D617 Withdrawn 2003; Test Method for Punching Quality of Phenolic Laminated Sheets
- D618-13 Practice for Conditioning Plastics for Testing, 08.01
- D619 Withdrawn 2013; Test Methods for Vulcanized Fibre Used for Electrical Insulation
- D620 Withdrawn 1965; Method of Test for Colorfastness of Plastics to Light
 D621 Withdrawn 1994: Test Methods for Deformation of Plastics Under Load D622-99(2012) Test Methods for Rubber Hose for Automotive Air and Vacuum Brake System, 09.02
- D623-07(2014) Test Methods for Rubber Property—Heat Generation and
- Flexing Fatigue In Compression, 09.01

 D624-00(2012) Test Method for Tear Strength of Conventional Vulcanized Rubber and Thermoplastic Elastomers, 09.01
- D625 Withdrawn 1949; Specification for Medium-Weight Cotton Corduroy Fabrics
- D626 Withdrawn 1969; Specification for Fire-Retardant Properties of Treated Textile Fabrics
- Withdrawn 1958; Methods of Test for Evaluating Compounds Designed to Increase Resistance of Fabrics and Yarns to Insect Pests

 D628/D628M-95(2009)^{c1} Specification for Asbestos Tubular Sleeving, 04.05
- D629-08 Test Methods for Quantitative Analysis of Textiles, 07.01
- D630 Withdrawn 1981; Specification for Olive Oil Chip Soap (Type A, Straight; Type B, Blended)
- Withdrawn 1950; Specification for Emulsified Asphalt; Replaced by D977
- **D632-12** Specification for Sodium Chloride, **04.03**
- D633-11 Volume Correction Table for Road Tar, 04.03
- D634 Withdrawn 1963; Methods of Test for Product Uniformity of Phenolic Laminated Sheets
- D635-10 Test Method for Rate of Burning and/or Extent and Time of Burning of Plastics in a Horizontal Position, 08.01
- D636 Withdrawn 1960; Method of Test for Diffusion of Light by Plastics Withdrawn 1995; Test Method for Surface Irregularities of Flat Transparent Plastic Sheets
- D638-10 Test Method for Tensile Properties of Plastics, 08.01
 D638M Withdrawn 1996; Test Method for Tensile Properties of Plastics [Metric]
- Withdrawn 1989; Methods of Testing Battery Containers Made from Hard Rubber or Equivalent Materials
- D640 Withdrawn 1952; Specification and Methods of Test for Concentrated Ammonia Preserved Creamed and Centrifuged Natural Rubber Latex; Replaced by D1076
- D641 Withdrawn 1978; Method of Test for Conditioning Paperboard, Fiberboard, and Paperboard Containers for Testing; Replaced by D685
- D642-00(2010) Test Method for Determining Compressive Resistance of Shipping Containers, Components, and Unit Loads, 15.10
- D643 Withdrawn 2010; Test Method for Folding Endurance of Paper by the Schopper Tester
- D644 Withdrawn 2010; Test Method for Moisture Content of Paper and Paperboard by Oven Drying
- D645/D645M Withdrawn 2010; Test Method for Thickness of Paper and Paperboard
- D646-13 Test Method for Mass Per Unit Area of Paper and Paperboard of Aramid Papers (Basis Weight), 07.01

D647 D749

- D647 Withdrawn 1994; Practice for Design of Molds for Test Specimens of Plastic Molding Materials; Replaced by D1896, D3419, D3641, D4703,
- D648-07 Test Method for Deflection Temperature of Plastics Under Flexural Load in the Edgewise Position, 08.01
- D649 Withdrawn 1947; Method of Test for Compressive Strength of Electrical Insulating Materials; Replaced by D695
- D650 Withdrawn 1948; Tentative Method of Test for Flexural Strength of Electrical Insulating Materials; Replaced by D790
- Withdrawn 1991; Test Method for Tensile Strength of Molded Electrical D651 Insulating Materials
- D652 Withdrawn 1957; Method of Test for Measuring Mica Stampings Used in Electronic Devices and Incandescent Lamps
- Terminology Relating to Soil, Rock, and Contained Fluids, 04.08 D654 Withdrawn 1958; Specification for Coal-Tar Pitch for Steep Built-Up
- D655 Withdrawn 1971; Specification for Asphalt-Saturated and Coated Asbestos Felts for Use in Constructing Built-Up Roofs
- D656 Withdrawn 2003: Specification for Pure Toluidine Red Toner
- D657 Withdrawn 1979; Specification for Isopropyl Acetate
 D659 Withdrawn 1990; Method of Evaluating Degree of Chalking of Exterior Paints; Replaced by D4214
- D660-93(2011) Test Method for Evaluating Degree of Checking of Exterior Paints, **06.01**
- D661-93(2011) Test Method for Evaluating Degree of Cracking of Exterior Paints, **06.01**
- D662-93(2011) Test Method for Evaluating Degree of Erosion of Exterior Paints, **06.01**
- D663 Withdrawn 1948; Tentative Method of Test for Acid and Base Value Numbers of Petroleum Oils by Color-Indictor Titration; Replaced by D974
- D664-11a Test Method for Acid Number of Petroleum Products by Potentiometric Titration, 05.01
- D665-12 Test Method for Rust-Preventing Characteristics of Inhibited Mineral Oil in the Presence of Water, **05.01**
- D666 Withdrawn 1964; Method for Conversion of Kinematic Viscosity to Saybolt Furol Viscosity; Replaced by D2161
- D667 Withdrawn 1963; Methods of Testing Steatite Used as Electrical Insulation; Combined with D 116
- D668-12 Test Methods of Measuring Dimensions of Rigid Rods and Tubes Used for Electrical Insulation, 10.01
- D669 Withdrawn 2011; Test Method for Dissipation Factor and Permittivity Parallel with Laminations of Laminated Sheet and Plate Materials
- D670 Withdrawn 1954; Methods of Test for Sludge Formatting in Mineral Transformer Oil
- D671 Withdrawn 2002; Test Method for Flexural Fatigue of Plastics by Constant-Amplitude-of-Force
- D672 Withdrawn 1951; Method of Test for Luminuous Reflectance, Transmittance, and Color of Materials
- Withdrawn 1998; Test Method for Mar Resistance of Plastics
- D674 Withdrawn 1976; Recommended Practices for Long-Time Creep or Stress Relaxation of Plastics Under Tension or Compression at Different Temperatures; Replaced by D2990
- D675 Withdrawn 1961; Nomenclature of Descriptive Terms Pertaining to Plastics; Combined with D 883
- D676 Withdrawn 1965; Method of Test for Indentation of Rubber by Means of a Durometer; Replaced by D2240
 D677 Withdrawn 1958; Specification for Woven Asbestos Cloth; Replaced by
- D1571
- D678 Withdrawn 1947; Tentative Specifications for Finished, All-Cotton, Upholstery Tapestries
- D679 Withdrawn 1966; Methods of Testing and Tolerances for Certain Fine Staple Cotton Gray Goods
- D680 Withdrawn 1966; Methods of Testing and Tolerances for Certain All-Cotton and Rayon Fine Fancy Goods
- D681 Withdrawn 2000; Specification for Jute Rove and Plied Yarn for Electrical and Packing Purposes
- D682 Withdrawn 1958; Method of Test for Colorfastness of Dyed Acetate to Atmospheric Fumes
- D683 Withdrawn 1961; Methods of Test for Identification of Finishes on Textiles
- D684 Withdrawn 1958; Methods of Test for Resistance of Textile Materials to Microorganisms
- D685-12 Practice for Conditioning Paper and Paper Products for Testing, 15.10
- D686 Withdrawn 2011; Test Methods of Qualitative Examination of Mineral Filler and Mineral Coating of Paper
- D687 Withdrawn 1973; Method for Quantitative Determination of Coating on Mineral-Coated Paper
- D688
- willerar Guard Taper Withdrawn 1967; Method of Test for Pentosans in Paper Withdrawn 2009; Test Method for Internal Tearing Resistance of Paper D689
- Withdrawn 1981; Specification for Compound Chip Soap (with Rosin) D690 Withdrawn 1981; Specification for Compound Powdered Soap
- (Granulated, with Rosin)
- D692/D692M-09 Specification for Coarse Aggregate for Bituminous Paving Mixtures, 04.03
- D693 Withdrawn 2008; Specification for Crushed Aggregate for Macadam **Pavements**
- D694 Withdrawn 1977: Specification for Crushed Stone, Crushed Slag, and Crushed Gravel for Water-Bound Macadam Base Courses: Replaced by

D695-10 Test Method for Compressive Properties of Rigid Plastics, 08.01
D696-08⁻¹ Test Method for Coefficient of Linear Thermal Expansion of Plastics Between -30°C and 30°C with a Vitreous Silica Dilatometer, 08.01

- Withdrawn 1954; Method of Test for Water Vapor Permeability of Plastic Sheets; Replaced by E96
- D698-12^{c1} Test Methods for Laboratory Compaction Characteristics of Soil Using Standard Effort (12 400 ft-lbf/ft3 (600 kN-m/m3)), 04.08
- D699 Withdrawn 1978; Specification for Asphalt Sliding Organic Felt Surfaced with Mineral Granules
- D700 Withdrawn 1991; Specification for Phenolic Molding Compounds
 D701 Withdrawn 1982; Specification for Cellulose Nitrate (Pyroxylin) Plastic
- Sheets, Rods, and Tubes Withdrawn 1990; Specification for Cast Methacrylate Plastic Sheets
- Withdrawn 1987; Specification for Polystyrene Molding Compounds; Replaced by D4549
- D704-99(2012) Specification for Melamine-Formaldehyde Molding Compounds, 08.01
- D705-99(2012) Specification for Urea-Formaldehyde Molding Compounds, 08.01
- D706-09 Classification System and Basis for Specifications for Cellulose Acetate Molding and Extrusion Compounds, **08.01 D707-09** Classification System and Basis for Specification for Cellulose
- Acetate Butyrate Molding and Extrusion Compounds, 08.01
- D708 Withdrawn 1963; Specification for Vinyl Chloride Polymer and Copolymer Rigid Sheets
- D709-13 Specification for Laminated Thermosetting Materials, 10.01
 D710-13 Specification for Vulcanized Fibre Sheets, Rods, and Tubes Used for Electrical Insulation, 10.01
- D711-10 Test Method for No-Pick-Up Time of Traffic Paint, 06.02
- D712 Withdrawn 1958; Method of Test for Light Sensitivity of Traffic Paint D713-12 Practice for Conducting Road Service Tests on Fluid Traffic Marking Materials, 06.02
- D714-02(2009) Test Method for Evaluating Degree of Blistering of Paints, 06.01
- D715-86(2008) Test Methods for Analysis of Barium Sulfate Pigment, 06.03
- Test Methods for Evaluating Mica Pigment, 06.03 D716-86(2012)
- Test Methods for Analysis of Magnesium Silicate Pigment, D717-86(2008)
- D718-86(2008) Test Methods for Analysis of Aluminum Silicate Pigment, 06.03 D719 Withdrawn 2003; Test Methods for Analysis of Diatomaceous Silica Pigment
- D720-91(2010) Test Method for Free-Swelling Index of Coal, 05.06
 D721-06(2011) Test Method for Oil Content of Petroleum Waxes, 05.01
- D722 Withdrawn 2010; Test Method for Grease Resistance of Paper
- D723 Withdrawn 1985; Method of Test for Degree of Staining of Paper by Alkali
- D724 Withdrawn 2009; Test Method for Surface Wettability of Paper (Angle-of-Contact Method)
- Withdrawn 1980; Method for Identification of Wire Side of Paper; D725 Reinstated 1990 as D 5039
- D726 Withdrawn 2009; Test Method for Resistance of Nonporous Paper to Passage of Air
- D727 Withdrawn2011; Test Method for Kerosine Number of Roofing and Flooring Felt by the Vacuum Method
- D728 Withdrawn 1963; Specification for Vinyl Chloride-Acetate, Molding Compound Resin
- Withdrawn 2000; Specification for Vinylidene Chloride Molding D729 Compounds
- Withdrawn 1961; Specification for Low and Medium Voltage Pin-type Lime-Glass Insulators
- D731-10 Test Method for Molding Index of Thermosetting Molding Powder,
- 08.01 D732-10 Test Method for Shear Strength of Plastics by Punch Tool, 08.01
- D733 Redesignated F39 Withdrawn 1963; Specification for Insulated Wire and Cable: Vinly D734
- Chloride Plastic Insulating Compound; Replaced by D2219, D2220 Withdrawn 1968; Specification for Elastomer Compounds for Automotive Applications; Replaced by D2000
- Withdrawn 1966; Method of Test for Low-Temperature Brittleness of D736 Rubber and Rubber-Like Materials
- D737-04(2012) Test Method for Air Permeability of Textile Fabrics, 07.01
 D738 Withdrawn 1972; Methods of Testing and Tolerances for Rope Made from Bast and Leaf Fibers
- D739 Withdrawn 1972; Methods of Testing and Tolerances for Spun, Twisted, or Braided Products Made from Flax, Hemp, Ramie or Mixtures Thereof
- D740-11 Specification for Methyl Ethyl Ketone, 06.04 D741 Withdrawn 1972; Methods of Measuring Dimensions of Rigid Rods Used
- in Electrical Insulation; Replaced by D668 D742 Withdrawn 1956; Specification for Nonrigid Vinyl Chloride-Acetate Resin Plastics
- D743 Withdrawn 1948; Specification for Nonrigid Ethyl Cellulose Plastics
- Withdrawn 1956; Specification for Nonrigid Vinyl Chloride Plastics
- Withdrawn 1950; Specification for Nonrigid Vinyl Butyral Plastics
- D746-13 Test Method for Brittleness Temperature of Plastics and Elastomers by Impact, 08.01
- D747-10 Test Method for Apparent Bending Modulus of Plastics by Means of a Cantilever Beam, 08.01
- D748-00(2011) Specification for Natural Block Mica and Mica Films Suitable for Use in Fixed Mica-Dielectric Capacitors, 10.01
- Withdrawn 1976; Method of Calibrating a Light Source Used for

D749 D853

Accelerating the Deterioration of Rubber

D750-12 Practice for Rubber Deterioration Using Artificial Weathering Apparatus, 09.01

D751-06(2011) Test Methods for Coated Fabrics, 09.02

D752 Withdrawn 1984; Specification for Heavy-Duty Block Polychloroprene Jacket for Wire and Cable; Replaced by D4247

D753 Withdrawn 1984; Specification for General Purpose Polychloroprene Jacket for Wire and Cable; Replaced by D4247

D754 Withdrawn 1984; Specification for Synthetic Rubber Insulation for Wire and Cable, 75°C Operation

D755 Withdrawn 1984; Specification for Synthetic Rubber Insulation for Wire and Cable, 60°C Operation

D756 Withdrawn 1998; Practice for Determination of Weight and Shape Changes of Plastics Under Accelerated Service Conditions

D757 Withdrawn 1966; Method of Test for Incandescence Resistance of Rigid Plastics in a Horizontal Position

D758 Withdrawn 1969; Method of Test for Impact Resistance of Plastics at Subnormal and Supernormal Temperatures
D759 Withdrawn 1982; Practice for Conducting Physical Property Tests of

Plastics at Subnormal and Supernormal Temperatures

D760 Withdrawn 1952; Specification for Enclosures and Servicing Units for
Tests Above and Below Room Temperatures

D761 Withdrawn 1952; Specification for Enclosures and Servicing Units for Tests Above and Below Room Temperatures

D762 Withdrawn 1965; Method of Test for Hot Extraction of Asphaltic Materials and Recovery of Bitumen by the Modified Abson Procedure; Replaced by D1856

D763-06(2012) Specification for Raw and Burnt Umber Pigments, 06.03 D764 Withdrawn 1948; Specification for Raw Burnt Umber; Combined with D 763

D765-87(2009) Specification for Raw and Burnt Sienna Pigments, 06.03 Withdrawn 1948; Specification for Raw Burnt Sienna; Com-D766 bined with D 765

Withdrawn 1976: Specification for Venetion Red

D768-01(2012) Specification for Yellow Iron Oxide Hydrated, 06.03
D769-01(2012) Specification for Black Synthetic Iron Oxide, 06.03 D770-11 Specification for Isopropyl Alcohol, 06.04

D771 Withdrawn 1955; Method of Test for Daylight 45 degree, 0 degree

Luminus Directional Reflectance of Paint Finishes D772-86(2011) Test Method for Evaluating Degree of Flaking (Scaling) of Exterior Paints, 06.01

D773 Withdrawn 1982; Method of Test for Adhesiveness of Gummed Tape D774/D774M Withdrawn 2010; Test Method for Bursting Strength of Paper D775 Withdrawn 1993; Method of Drop Test for Loaded Boxes; Replaced by

D5276 D776 Withdrawn 2009; Test Method for Determination of Effect of Dry Heat on Properties of Paper and Board

D777 Withdrawn 2009; Test Method for Flammability of Treated Paper and

D778 Withdrawn 2010; Test Methods for Hydrogen Ion Concentration (pH) of Paper Extracts (Hot-Extraction and Cold-Extraction Procedures)

D779 Withdrawn 2011; Test Method for Water Resistance of Paper, Paperboard, and Other Sheet Materials by the Dry Indicator Method D780 Withdrawn 2009; Test Method for Printing Ink Permeation of Paper

(Castor Oil Test) Withdrawn 1984; Test Methods for Puncture and Stiffness of Paperboard D781 and Corrugated and Solid Fiberboard; Replaced by TAPPI T 803

D782 Withdrawn 1999; Test Method for Shipping Containers in Revolving Hexagonal Drum

D783 Withdrawn 1948; Tentative Method of Test for Water-Vapor Permeability of Paper and Paperboard; Replaced by E96

D784 Withdrawn 2013; Specification for Orange Shellac and Other Indian Lacs for Electrical Insulation

D785-08 Test Method for Rockwell Hardness of Plastics and Electrical

Insulating Materials, 08.01

D786 Withdrawn 1982; Specification for Cellulose Acetate Plastic Sheets D787-12 Specification for Ethyl Cellulose Molding and Extrusion Compounds, 08.01

D788-12 Classification System for Poly(Methyl Methacrylate) (PMMA) Molding and Extrusion Compounds, **08.01 D789-07^{c1}** Test Methods for Determination of Solution Viscosities of Polyamide

(PA), **08.01**1-10 Test Methods for Flexural Properties of Unreinforced and Reinforced D790-10

Plastics and Electrical Insulating Materials, 08.01

D790M Withdrawn 1996; Test Methods for Flexural Properties of Unreinforced

and Reinforced Plastics and Electrical Insulating Materials [Metric]

D791 Withdrawn 1967; Method of Test for Luminous Reflectance, Transmit-

tance, and Color of Materials; Replaced by E308

D792-13 Test Methods for Density and Specific Gravity (Relative Density) of Plastics by Displacement, 08.01 D793 Withdrawn 1982; Method of Test for Short-Time Stability at Elevated

Temperatures of Plastics conCaining Chlorine D794 Withdrawn 1998; Practice for Determining Permanent Effect of Heat on

D795 Withdrawn 1971; Recommended Practice for Accelerated Weathering of

Plastics Using S-1 Mercury Arc Lamp
D796 Withdrawn 1992; Practice for Compression Molding Test Specimens of
Phenolic Molding Compounds; Replaced by D5224
D797 Withdrawn 1994; Test Methods for Rubber Property—Young's Modulus

at Normal and Subnormal Temperatures

D798 Withdrawn 1949; Specification and Methods of Test for Sponge and Expanded Cellular Rubber Products; Replaced by D1055, D1056 Withdrawn 2000; Specification for Liquid Toilet Soap

D800-05(2014) Test Methods of Chemical Analysis of Industrial Metal Cleaning Compositions, 15.04

D801-02(2013) Test Methods for Sampling and Testing Dipentene, 06.03
D802-02(2013) Test Methods for Sampling and Testing Pine Oils, 06.03 D802-02(2013) Test Methods for Sampling and Testing Pine Oils, 06.03
D803-12 Test Methods for Testing Tall Oil, 06.03
D804-12 Terminology Relating to Pine Chemicals, Including Tall Oil and

Related Products, 06.03

D805 Withdrawn 1976; Methods of Testing Veneer, Plywood, and Other Glued

Veneer Constructions; Replaced by D3499, D3500, D3501

Test Method for Cement Content of Hardened Soil-Cement Mixtures, 04.08

D807-14 Practice for Assessing the Tendency of Industrial Boiler Waters to Cause Embrittlement (USBM Embrittlement Detector Method), 11.01 D808-11 Test Method for Chlorine in New and Used Petroleum Products (High

Pressure Decomposition Device Method), 05.01 D809 Withdrawn 1952; Method of Test for Phosphorous in Lubricating Oils,

Lubricating Oil Additives and Their Concentrates; Replaced by D1091 D810 Withdrawn 1963; Methods of Test for Sulfated Residue, Lead, Iron and Copper in Lubricating Oils Withdrawn 1989; Method for Chemical Analysis for Metals in New and

Used Lubricating Oils

Withdrawn 1948; Specification for GR-S (Synthetic Rubber) Sheath Compound for Electrical Insulated Cords and Cables Where Extreme Abrasion Resistance Is Not Required

D813-07(2014) Test Method for Rubber Deterioration—Crack Growth, 09.01
D814-95(2010) Test Method for Rubber PropertyVapor Transmission of Volatile Liquids, **09.01**

D815 Withdrawn 1989; Method of Testing Coated Fabrics—Hydrogen Permeanance

D816-06(2011) Test Methods for Rubber Cements, 09.01

D817-12 Test Methods of Testing Cellulose Acetate Propionate and Cellulose Acetate Butyrate, 06.03

Withdrawn 1953; Specification for Natural Rubber Cups for Use in Hydraulic Actuating Cylinders

D819 Withdrawn 1959; Specification for Cast Allyl Plastic Sheets, Rods, Tubes, and Shapes

D820-93(2009) Test Methods for Chemical Analysis of Soaps Containing Synthetic Detergents, 15.04

D821 Withdrawn 1984; Method of Evaluating Degree of Abrasion, Erosion, or a Combination of Both in Road Service Test of Traffic Paints

D822/D822M-13 Practice for Filtered Open-Flame Carbon-Arc Exposures of

Paint and Related Coatings, 06.01

D823-95(2012)^{c1} Practices for Producing Films of Uniform Thickness of Paint, Varnish, and Related Products on Test Panels, 06.01

D824 Withdrawn 2010; Test Method for Rate of Absorption of Water by Bibulous Papers D825

Withdrawn 1973; Methods of Test for Ply Adhesion of Paper D826 Withdrawn 1985; Methods of Test for Degree of Wet Curl of Paper

Withdrawn 1981; Method of Test for Edge Tearing Strength of Paper D828 Withdrawn 2009; Test Method for Tensile Properties of Paper and Paperboard Using Constant-Rate-of-Elongation Apparatus D829 Withdrawn 2009; Test Method for Wet Tensile Breaking Strength of

Paper and Paper Products

D830 Withdrawn 1948; Method of Test for Water Vapor Permeability of Paper and Paperboard; Replaced by E96

D831/D831M-12 Test Method for Gas Content of Cable and Capacitor Oils,

D832-07(2012) Practice for Rubber Conditioning For Low Temperature Testing, **09.01**

Withdrawn 1960; Methods of Identification and Quantitative Analysis of D833 Synthetic Elastomers: Combined with D 297

D834 Withdrawn 1984; Methods of Test for Free Ammonia in Phenol-Formaldehyde Molded Materials; Combined with D 297

Withdrawn 1997; Specification for Refined Benzene-485 D835

Withdrawn 1991; Specification for Industrial Grade Benzene D836 Withdrawn 1963; Specification for Industrial 90 Benzene D837

D838 Withdrawn 1978; Specification for Refined Solvent Naphtha

D839 Withdrawn 1975; Specification for Crude Light Solvent Naphtha
D840 Withdrawn 1975; Specification for Crude Heavy Solvent Naphtha
D841-13 Specification for Nitration Grade Toluene, 06.04

Withdrawn 1963; Specification for Industrial Grade Toluene D843-06(2011)⁶¹ Specification for Nitration Grade Xylene, 06.04

Withdrawn 1963; Specification for Industrial Grade Xylene Withdrawn 1982; Specification for Five-Degree Xylene

 D846 Withdrawn 1991; Specification for Ten-Degree Xylene
 D847-08 Test Method for Acidity of Benzene, Toluene, Xylenes, Solvent Naphthas, and Similar Industrial Aromatic Hydrocarbons, 06.04 D848-09 Test Method for Acid Wash Color of Industrial Aromatic Hydrocar-

bons, 06.04 D849-11 Test Method for Copper Strip Corrosion by Industrial Aromatic

Hydrocarbons, 06.04

D850-11 Test Method for Distillation of Industrial Aromatic Hydrocarbons and Related Materials, 06.04 D851 Withdrawn 1975: Method of Test for Paraffins in Industrial Aromatic

Hydrocarbons D852-13 Test Method for Solidification Point of Benzene, 06.04

Withdrawn 2013; Test Method for Hydrogen Sulfide and Sulfur Dioxide

D853 D956

- Content (Qualitative) of Industrial Aromatic Hydrocarbons
- D854-10 Test Methods for Specific Gravity of Soil Solids by Water Pycnometer, 04.08
- Withdrawn 1977; Method of Analysis of Oil-Soluble Sodium Petroleum Sulfonates
- D856 Withdrawn 1991; Test Methods for Sampling and Testing Pine Tars and Pine-Tar Oils
- D857-12 Test Method for Aluminum in Water, 11.01
- D858-12 Test Methods for Manganese in Water, 11.01
 D859-10 Test Method for Silica in Water, 11.01
- D860 Withdrawn 1975; Method of Sampling Water from Boilers; Replaced by D3370
- D861-07(2013) Practice for Use of the Tex System to Designate Linear Density of Fibers, Yarn Intermediates, and Yarns, 07.01
- D862 Withdrawn 1972; Methods of Test for Evaluating Treated Textiles for Pemanence of Resistance to Microorganisms
- D863 Withdrawn 1948; Method of Measuring the Flow of Properties of Thermoplastic Molding Materials; Combined with D 569
- D864 Withdrawn 1989; Test Method for Coefficient of Cubical Thermal Expansion of Plastics
- D865-11 Test Method for Rubber—Deterioration by Heating in Air (Test Tube Enclosure), 09.01
- D866 Withdrawn 2009; Specification for Crosslinked Styrene-Butadiene (SBR) Synthetic Rubber Jacket for Wire and Cable
- Withdrawn 1995; Specification for Pumice Pigment
- D868-10 Practice for Determination of Degree of Bleeding of Traffic Paint,
- D869-85(2011) Test Method for Evaluating Degree of Settling of Paint, 06.01 D870-09 Practice for Testing Water Resistance of Coatings Using Water
- Immersion, 06.01

 D871-96(2010) Test Methods of Testing Cellulose Acetate, 06.03

 D872 Withdrawn 1991; Test Method for Sulfonation Index of Road Tars
- D873-12 Test Method for Oxidation Stability of Aviation Fuels (Potential Residue Method), 05.01
- D874-13a Test Method for Sulfated Ash from Lubricating Oils and Additives, 05.01
- D875 Withdrawn 1984; Method for Calculating of Olefins and Aromatics in Petroleum Distillates from Bromine Number and Acid Absorption
- D876-13 Test Methods for Nonrigid Vinyl Chloride Polymer Tubing Used for Electrical Insulation, 10.01
- D877/D877M-13 Test Method for Dielectric Breakdown Voltage of Insulating Liquids Using Disk Electrodes, 10.03
- D878-01(2006) Test Method for Inorganic Chlorides and Sulfates in Insulating
 Oils. 10.03
- D879 Withdrawn 1982; Specification for Communication and Signal Pin-Type Lime-Glass Insulators
- D880-92(2008) Test Method for Impact Testing for Shipping Containers and Systems, 15.10
- D881 Withdrawn 1995; Test Method for Deviation of Line of Sight Through Transparent Plastics
- D882-12 Test Method for Tensile Properties of Thin Plastic Sheeting, 08.01 D883-12 Terminology Relating to Plastics, 08.01
- D884 Withdrawn 1962; Methods of Estimating Blocking of Plastic Sheets
 D885M Withdrawn 1998; Replaced by D885
 D885/D885M-10a(2014)^{c1} Test Methods for Tire Cords, Tire Cord Fabrics, and
- Industrial Filament Yarns Made from Manufactured Organic-Base Fibers, 07.01
- Withdrawn 1973; Methods of Impregnation & Penetration of Glass Yarn D886 with Insulating Varnish
- D887-13 Practices for Sampling Water-Formed Deposits, 11.02
 D888-12^{c1} Test Methods for Dissolved Oxygen in Water, 11.01
- Test Methods for Dissolved Oxygen in Water, 11.01
- D889-13 Test Method for Volatile Oil in Rosin, 06.03
 D890-12 Test Method for Water in Liquid Pine Chemicals, 06.03
- D891-09 Test Methods for Specific Gravity, Apparent, of Liquid Industrial Chemicals, 15.05
- D892-13 Test Method for Foaming Characteristics of Lubricating Oils, 05.01
- Test Method for Insolubles in Used Lubricating Oils, 05.01 D894 Withdrawn 1950; Method of Test for Sulfur in Petroleum Products and
- Lubricating Oils by Bomb Method; Combined with D 129
- D895 Withdrawn 1999; Test Method for Water Vapor Permeability of Packages D896-04(2010)^{c1} Practice for Resistance of Adhesive Bonds to Chemical Reagents, 15.06

 1-08 Test Method for Tensile Properties of Adhesive Bonds, 15.06 D897-08
- D898 Withdrawn 2006; Test Method for Applied Weight Per Unit Area of Dried Adhesive Solids
- D899-00(2013) Practice for Applied Weight Per Unit Area of Liquid Adhesive, 15.06
- D900 Withdrawn 1975; Methods of Test for Calorific Value of Gaseous Fuels by the Water-Flow Calorimeter D901 Withdrawn 2004; Test Methods for Askarels
- D902-12 Test Methods for Flexible Resin-Coated Glass Fabrics and Glass Fabric Tapes Used for Electrical Insulation, 10.01
- D903-98(2010) Test Method for Peel or Stripping Strength of Adhesive Bonds, 15.06
- D904-99(2013) Practice for Exposure of Adhesive Specimens to Artificial Light, 15.06
- D905-08(2013) Test Method for Strength Properties of Adhesive Bonds in Shear by Compression Loading, 15.06

 D906-98(2011) Test Method for Strength Properties of Adhesives in Plywood
- Type Construction in Shear by Tension Loading, 15.06

- D907-12a Terminology of Adhesives, 15.06
 D908 Withdrawn 1969; Method of Test for Knock Characteristics of Motor Fuels of 100 Octane Number and Below by the Research Method; Replaced by D2699

 D909-07(2012)^{c1} Test Method for Supercharge Rating of Spark-Ignition
- Aviation Gasoline, 05.05
- D910-13 Specification for Aviation Gasolines, 05.01
- D911 Withdrawn 1994; Specification for Mercuric Oxide for Use in Antifouling Paints
- D912 Withdrawn 2004; Specification for Cuprous Oxide for Use in Antifouling Paints

- D913-10 Practice for Evaluating Degree of Traffic Paint Line Wear, 06.02
 D914-12 Test Methods for Ethylcellulose, 06.03
 D915 Withdrawn 1987; Method of Testing Soil-Bituminous Mixtures
 D916 Withdrawn 1964; Method of Test for Shear Strength of Flexible Road Surfaces, Subgrades, and Fills by the Burggraf Shear Apparatus
 D917 Withdrawn 1981; Method of Test for Bleeding Resistance of Asphalted
- Paper at 65°C
- D918 Withdrawn 2011; Test Method for Blocking Resistance of Paper and Paperboard
- D919 Withdrawn 2009; Test Method for Copper Number of Paper and Paperboard
- D920 Withdrawn 1989; Method of Test for Blocking Resistance of Paper and Paperboard
- D921 Withdrawn 1980; Method of Test for Titanium Dioxide in Paper
- D922-11 Specification for Nonrigid Vinyl Chloride Polymer Tubing, 10.01
- D923-07 Practices for Sampling Electrical Insulating Liquids, 10.03
- Test Method for Dissipation Factor (or Power Factor) and Relative D924-08 Permittivity (Dielectric Constant) of Electrical Insulating Liquids, 10.03
- D925-14 Test Methods for Rubber Property—Staining of Surfaces (Contact,
- Migration, and Diffusion), 09.01

 D926-08(2013) Test Method for Rubber Property—Plasticity and Recovery (Parallel Plate Method), 09.01

 D927 Withdrawn 1959; Method of Test for Viscosity of Rubber and
- Rubber-Like Materials by the Shearing Disc Viscometer; Replaced by D1646
- D928-03(2009) Specification for Sodium Bicarbonate, 15.04 D929 Withdrawn 2001; Specification for Borax
- D930 Withdrawn 2001; Test Method of Total Immersion Corrosion Test of Water-Soluble Aluminum Cleaners
- D931 Withdrawn 1956; Method of Test for Thiophene in Benzene; Replaced bv D1685
- D932-85(2009) Test Method for Iron Bacteria in Water and Water-Formed Deposits, 11.02
- D933-84(2012) Practice for Reporting Results of Examination and Analysis of Water-Formed Deposits, 11.02
- D934-13 Practices for Identification of Crystalline Compounds in Water-Formed Deposits By X-Ray Diffraction, 11.02
- D935 Withdrawn 1968; Method of Corrosivity Test of Industrial Water; Replaced by D2688
- D936 Withdrawn 1991; Test Method for Aromatic Hydrocarbons in Olefin-Free Gasolines by Silica Gel Absorption
 D937-07(2012) Test Method for Cone Penetration of Petrolatum, 05.01
- D938-12 Test Method for Congealing Point of Petroleum Waxes, Including Petrolatum, 05.01
- D939 Withdrawn 1963; Method of Test for Saponification Number by Potentiometric Titration
- D940 Withdrawn 1949; Method of Test for Determination of Purity by Measurement of Freezing Points; Replaced by D1015, D1016
- D941 Withdrawn 1993; Test Method for Density and Relative Density (Specific Gravity) of Liquids by Lipkin Bicapillary Pycnometer

 D942-02(2007) Test Method for Oxidation Stability of Lubricating Greases by
- the Oxygen Pressure Vessel Method, **05.01 D943-04a(2010)**⁻¹ Test Method for Oxidation Characteristics of Inhibited
- Mineral Oils, 05.01
- D944 Withdrawn 1966; Specification for Mechanical Roll Felt; Replaced by D2475
- D945-06(2012) Test Methods for Rubber Properties in Compression or Shear (Mechanical Oscillograph), 09.01
- D946/D946M-09a Specification for Penetration-Graded Asphalt Cement for Use in Pavement Construction, 04.03
- D947 Withdrawn 1963; Specification for Hot-Mixed, Hot-Laid Asphaltic Concrete for Base and Surface Courses
- D948 Withdrawn 1954; Method of Test for Weight Loss of Plastics on Heating; Replaced by E95
- D949 Withdrawn 1949; Recommended Practice for Molding Test Specimens of Phenolic Materials
- D950-03(2011) Test Method for Impact Strength of Adhesive Bonds, 15.06 D951-99(2010) Test Method for Water Resistance of Shipping Containers by Spray Method, 15.10
- D952-10 Test Method for Bond or Cohesive Strength of Sheet Plastics and
- Electrical Insulating Materials, **08.01 D953-10** Test Method for Bearing Strength of Plastics, **08.01**D954 Withdrawn 1962; Methods of Test for Apparent Density and Bulk Factor of Nonpouring Molding Powders **D955-08** Test Method of Measuring Shrinkage from Mold Dimensions of
- Thermoplastics. 08.01
- D956 Withdrawn 1992; Practice for Compression Molding Specimens of Amino Molding Compounds; Replaced by D5224

D957 D1058

- **D957-12** Practice for Determining Surface Temperature of Molds for Plastics, 08.01
- D958 Withdrawn 1995; Practice for Determining Temperatures of Standard ASTM Molds for Test Specimens of Plastics; Replaced by D957
- D959 Withdrawn 1993; Method of Drop Test for Filled Bags; Replaced by D5276
- D960 Withdrawn 2007; Specification for Raw Castor Oil
- D961 Withdrawn 2007; Specification for Dehydrated Castor Oil
 D962-81(2008)^{c1} Specification for Aluminum Powder and Paste Pigments for Paints, **06.03**
- D963 Withdrawn 1993; Specification for Copper Phthalocyanine Blue Pigment D964-03(2008)^{c1} Specification for Metallic Copper Powder for Use in Antifouling Paints, 06.03
- D965 Withdrawn 1961; Specification for Heavy Petroleum Spirits (Heavy Mineral Spirits)
- D966 Withdrawn 1982; Specification for Secondary Butyl Acetate (85 to 88%
- grade)
 D967 Withdrawn 1951; Tentative Method of Testing Drying Oils; Replaced by D555
- D968-05(2010) Test Methods for Abrasion Resistance of Organic Coatings by
- Falling Abrasive, **06.01**D969 Withdrawn 2010; Test Method for Laboratory Determination of Degree of Bleeding of Traffic Paint; Replaced by D868
- D970 Withdrawn 2003; Test Methods for Para Red and Toluidine Red Pigments
- D971-12 Test Method for Interfacial Tension of Oil Against Water by the Ring Method, 10.03
- D972-02(2008) Test Method for Evaporation Loss of Lubricating Greases and Oils, **05.01**
- D973 Withdrawn 1969; Test for Butadiene Content of Polymerization Grade Butadiene and Butadiene Concentrate
- D974-12 Test Method for Acid and Base Number by Color-Indicator Titration, 05.01
- D975-13 Specification for Diesel Fuel Oils. 05.01
- D976-06(2011) Test Method for Calculated Cetane Index of Distillate Fuels, 05.01
- D977-13^{€1} Specification for Emulsified Asphalt, 04.03
- D978 Withdrawn 1963; Specification for Asphaltic Mixtures for Sheet Asphalt Pavements
- D979/D979M-12 Practice for Sampling Bituminous Paving Mixtures, 04.03 D980 Withdrawn 1965; Method of Sampling and Analysis of Coal for Volatile
- Matter Determination in Connection with Smoke Ordinance D981 Withdrawn 1974; Methods of Testing Analytical Filter Papers
- D982-05(2009) Test Method for Organic Nitrogen in Paper and Paperboard, 10.01
- D983 Withdrawn 1981; Method of Test for Paraffin Wax Absorptiveness of Paper
- D984 Withdrawn 2010; Test Methods for Reducible Sulfur in Paper
- D985 Withdrawn 2010; Test Method for Brightness of Pulp, Paper, and Paperboard (Directional Reflectance at 457 nm)
- D986 Withdrawn 1966; Method of Preparation of Magnesium Oxide Standard for Spectral Reflectivity; Replaced by E259
- D987 Withdrawn 1969; Method of Test for Stretch of Paper and Paper Products Under Tension
- D988 Withdrawn 1958; Methods of Test for Water Vapor Permeability of Paper and Paperboard; Replaced by E96

 D989 Withdrawn 1967; Method of Test for Detection of Free Sulfur in Electrical
- Insulating Oils; Replaced by D1275
- D990 Withdrawn 1974; Recommended Practice for Interlaboratory Testing of Textile Materials; Replaced by D2904
- D991-89(2010) Test Method for Rubber Property—Volume Resistivity Of Electrically Conductive and Antistatic Products, 09.01
- D992 Withdrawn 1984; Method of Test for Nitrate Ion in Water D993 Withdrawn 1987; Method of Test for Sulfate-Reducing Bacteria in Water and Water-Formed Deposits; Replaced by D4412

 D994/D994M-11 Specification for Preformed Expansion Joint Filler for
- Concrete (Bituminous Type), 04.03
- D995 Withdrawn 2009; Specification for Mixing Plants for Hot-Mixed, Hot-Laid Bituminous Paving Mixtures
- D996-10a Terminology of Packaging and Distribution Environments, 15.10
 D997 Withdrawn 1993; Method for Drop Test for Loaded Cylindrical
- Containers; Replaced by D5276

 D998 Withdrawn 1999; Test Method for Penetration of Liquids into Submerged Loaded Shipping Containers
- D999-08 Test Methods for Vibration Testing of Shipping Containers, 15.10
 D1000-10 Test Methods for Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications, 10.01
- D1001 Withdrawn 1961; Specification for Sieve Analysis of Granular Mineral Surfacing for Asphalt Roofing and Shingles

 D1002-10 Test Method for Apparent Shear Strength of Single-Lap-Joint
- Adhesively Bonded Metal Specimens by Tension Loading (Metal-to-Metal), 15.06
- D1003-13 Test Method for Haze and Luminous Transmittance of Transparent Plastics, 08.01
- D1004-13 Test Method for Tear Resistance (Graves Tear) of Plastic Film and Sheeting, **08.01**
- D1005-95(2013) Test Method for Measurement of Dry-Film Thickness of Organic Coatings Using Micrometers, 06.01
 D1006/D1006M-13 Practice for Conducting Exterior Exposure Tests of Paints
- on Wood, 06.01

- D1007-11 Specification for sec-Butyl Alcohol, 06.04
- D1008 Withdrawn 1985; Methods of Test for Water Vapor Transmission of Shipping Containers
- D1009 Withdrawn 1972; Recommended Code for Designating Form of Material and Direction of Testing Plastics
- D1010 Withdrawn 1981; Methods of Testing Asphalt Emulsions for Use As
- Protective Coatings for Metal; Replaced by D2939

 D1011 Withdrawn 1977; Method of Test for Night Visibility of Traffic Paints

 D1012 Withdrawn 1975; Method of Test for Analine Point and Mixed Aniline Point of Hydrocarbon Solvents; Replaced by D611
- D1013 Withdrawn 2007; Test Method for Determining Total Nitrogen in Resins and Plastics
- D1014-09 Practice for Conducting Exterior Exposure Tests of Paints and Coatings on Metal Substrates, 06.01
- D1015-05(2010) Test Method for Freezing Points of High-Purity Hydrocarbons,
- D1016-05(2010) Test Method for Purity of Hydrocarbons from Freezing Points, 05.01
- D1017 Withdrawn 1981; Test Method for Benzene and Toluene in 250°F and
- Lighter Petroleum Products by Ultraviolet Spectrophotometry

 D1018-11 Test Method for Hydrogen In Petroleum Fractions, 05.01

 D1019 Withdrawn 1986; Method of Test for Olefinic Plus Aromatic
- Hydrocarbons in Petroleum Distillates D1020 Withdrawn 1984; Method of Test for Alpha Acetylenes in Butadiene,
- Butadiene Concentrates, and Butane-Butene Mixtures (Silver Nitrate
- D1021 Withdrawn 1983; Method of Test for Oxygen in Light Hydrocarbon Vapors
- D1022 Withdrawn 1984; Method of Test for Peroxide Content of Light Hydrocarbons
 D1023 Withdrawn 1984; Method of Test for Separation of Residue from
- Butadiene
- D1024 Withdrawn 1970; Method of Test for Butadiene Dimer and Styrene in Butadiene Concentrates D1025-10 Test Method for Nonvolatile Residue of Polymerization-Grade
- Butadiene, 05.01
- D1026 Withdrawn 1991; Test Method for Sodium in Lubricating Oils and Additives (Gravimetric Method)
- D1027 Withdrawn 1980; Methods for Creasing Paper for Permeability Tests
 D1028 Withdrawn 1982; Test Method for Ply Separation (Wet) of Solid and
 Corrugated Fiberboard; Replaced by TAPPI T 812
- D1029 Withdrawn 2001; Test Method for Peeling Resistance of Paper and Paperboard
- D1030 Withdrawn 2011; Test Method for Fiber Analysis of Paper and Paperboard, 15.09
- D1031 Withdrawn 1992; Specification for Creosoted End-Grain Wood Block Flooring for Interior Use D1032 Withdrawn 1993; Specification for Chromated Zinc Chloride
- D1033 Withdrawn 1933; Methods of Chemical Analysis of Chromated Zinc
- Chloride D1034 Withdrawn 2000; Specification for Fluor-Chrome-Arsenate-Phenol
- D1035 Withdrawn 2000; Test Methods for Chemical Analysis of Fluor-Chrome-Arsenate-Phenol
- D1036-99(2012) Test Methods of Static Tests of Wood Poles, 04.10
 D1037-12 Test Methods for Evaluating Properties of Wood-Base Fiber and Particle Panel Materials, 04.10
 D1038-11 Terminology Relating to Veneer and Plywood, 04.10
 D1039-94(2010) Test Methods for Glass-Bonded Mica Used as Electrical Insulation, 10.01
 D1040-Withdrawn 1081: Specification for Uninhibited Mineral Insulating Oil
- D1040 Withdrawn 1981; Specification for Uninhibited Mineral Insulating Oil for Use in Transformers and in Oil Circuit Breakers
- D1041 Redesignated E104
- D1042-12 Test Method for Linear Dimensional Changes of Plastics Caused by Exposure to Heat and Moisture, 08.01
- D1043-10 Test Method for Stiffness Properties of Plastics as a Function of Temperature by Means of a Torsion Test, 08.01
- D1044-13 Test Method for Resistance of Transparent Plastics to Surface Abrasion, 08.01
- D1045-14 Test Methods for Sampling and Testing Plasticizers Used in Plastics, 08.01
- D1046 Withdrawn 1955; Recommended Practice for Transfer Molding of Specimens of Phenolic Materials
- D1047-11 Specification for Poly(Vinyl Chloride) Jacket for Wire and Cable, 10.01
- D1048-12 Specification for Rubber Insulating Blankets, 10.03
- D1049-98(2010) Specification for Rubber Insulating Covers, 10.03 Specification for Rubber Insulating Line Hose, 10.03
- D1050-05(2011)
- D1051-08 Specification for Rubber Insulating Sleeves, 10.03
 D1052-09(2014) Test Method for Measuring Rubber Deterioration—Cut
 Growth Using Ross Flexing Apparatus, 09.01
 D1053-92a(2012) Test Methods for Rubber Property—Stiffening at Low
- Temperatures: Flexible Polymers and Coated Fabrics, 09.01
- D1054 Withdrawn 2010; Test Method for Rubber Property-Resilience Using a Goodyear-Healey Rebound Pendulum
- D1055 Withdrawn 2014; Specifications for Flexible Cellular Materials—Latex Foam D1056-14 Specification for Flexible Cellular Materials—Sponge or Expanded
- Rubber, **08.01**D1057 Withdrawn 1973; Methods of Testing Single Kraft Yarn
- D1058 Withdrawn 1963; Method of Test for Stretch of Hosiery

D1059 D1160

- D1059 Withdrawn 2010; Test Method for Yarn Number Based on Short-Length Specimens
- D1060-10 Practice for Core Sampling of Raw Wool in Packages for Determination of Percentage of Clean Wool Fiber Present, 07.01 D1061/D1061M-95(2009)^{c1} Specification for Asbestos Lap, 04.05
- D1062-08 Test Method for Cleavage Strength of Metal-to-Metal Adhesive Bonds, **15.06**
- D1063 Withdrawn 1991; Test Method for Ash in Rosin D1064 Withdrawn 2002; Test Methods for Iron in Rosin Tall Oil Fatty Acids And Other Related Products
- D1065-96(2010) Test Method for Unsaponifiable Matter in Naval Stores, Including Rosin, Tall Oil, and Related Products, 06.03
 D1066-11 Practice for Sampling Steam, 11.01
- Test Methods for Acidity or Alkalinity of Water, 11.01
- D1068-10 Test Methods for Iron in Water, 11.01
- D1069 Withdrawn 1974; Methods of Test for Particulate and Dissolved Matter in Waste Water
- D1070-03(2010) Test Methods for Relative Density of Gaseous Fuels, 05.06 D1071-83(2008) Test Methods for Volumetric Measurement of Gaseous Fuel Samples, 05.06
- D1072-06(2012) Test Method for Total Sulfur in Fuel Gases by Combustion and Barium Chloride Titration, 05.06
- D1073-11 Specification for Fine Aggregate for Bituminous Paving Mixtures, 04.03
- D1074-09 Test Method for Compressive Strength of Bituminous Mixtures, 04.03
- D1075-11 Test Method for Effect of Water on Compressive Strength of Compacted Bituminous Mixtures, 04.03
- D1076-10 Specification for Rubber—Concentrated, Ammonia Preserved, Creamed, and Centrifuged Natural Latex, 09.01
- D1077 Withdrawn 1959; Method of Test for Curing Characteristics of Vulcanizable Rubber Nixture During Heating by the Shearing Disk
- Viscometer; Replaced by D1646

 D1078-11 Test Method for Distillation Range of Volatile Organic Liquids, 06.04

 D1079-13^{c1} Terminology Relating to Roofing and Waterproofing, 04.04

 D1080 Withdrawn 1978; Specification for Saturable Papers for Laminated
- Electrical Insulation
- D1081 Withdrawn 1984; Method of Test for Evaluating Rubber Property Sealing Pressure
- D1082-00(2011) Test Method for Dissipation Factor and Permittivity (Dielectric Constant) of Mica, 10.01
 D1083 Withdrawn 2001; Test Methods for Mechanical Handling of Unitized

- Loads and Large Shipping Cases and Crates

 D1084-08 Test Methods for Viscosity of Adhesives, 15.06

 D1085 Withdrawn 1996; Practice for Gaging Petroleum and Petroleum

 Products (Available as Separate Reprint Only)
- D1086 Withdrawn 1995; Method for Measuring the Temperature of Petroleum and Petroleum Products
- D1087 Withdrawn 1965; Recommended Practice for Volume Calculations and Corrections in the Measurement of Petroleum and Petroleum Products
- D1088 Withdrawn 1984; Method of Test for Boiling Point Range of Polymerization-Grade Butadiene
- D1089 Withdrawn 1984; Method of Test for Carbonyl Content of Butadiene; Replaced by D4423
- D1090 Withdrawn 1952; Factors and Tables for Volume Correction and Specific Gravity Conversion of Liquefied Petroleum Gases; Replaced by D1250
- D1091-11 Test Methods for Phosphorus in Lubricating Oils and Additives, 05.01
- D1092-12 Test Method for Measuring Apparent Viscosity of Lubricating Greases, 05.01
- D1093-11 Test Method for Acidity of Hydrocarbon Liquids and Their Distillation
- Residues, 05.01

 D1094-07(2013) Test Method for Water Reaction of Aviation Fuels, 05.01

 D1095 Withdrawn 1961; Method of Test for Analysis of 60 Octane Number Isooctane-Normal Heptane ASTM Knock Test Reference Fuel Blends by Infrared Spectrophotometry
- D1096 Withdrawn 1984; Method of Test for 1,3-Butadiene in C-4 and Lighter Hydrocarbon Mixtures by Ultraviolet Spectrophotometry
- D1097 Withdrawn 1965; Method of Test for Bitumen Content of Paving Mixtures by Centrifuge; Replaced by D2172
- D1098 Withdrawn 1986; Method of Static Bending Test for Corrugated Paperboard
- D1099 Withdrawn 1981; Method of Test for Water-Soluble Sulfates in Paper and Paperboard D1100 Redesignated E832
- D1101-97a(2013) Test Methods for Integrity of Adhesive Joints in Structural Laminated Wood Products for Exterior Use, 15.06
 D1102-84(2013) Test Method for Ash in Wood, 04.10
 D1103 Withdrawn 1986; Method of Test for Alpha-Cellulose in Wood
 D1104 Withdrawn 1986; Method of Test for Holocellulose in Wood

- D1105-96(2013) Test Method for Preparation of Extractive-Free Wood, 04.10
- D1106-96(2013) Test Method for Acid-Insoluble Lignin in Wood, 04.10 D1107-96(2013) Test Method for Ethanol-Toluene Solubility of Wood, 04.10
- D1108-96(2013) Test Method for Dichloromethane Solubles in Wood, 04.10 D1109-84(2013) Test Method for 1 % Sodium Hydroxide Solubility of Wood, 04.10
- D1110-84(2013) Test Methods for Water Solubility of Wood, 04.10
 D1111 Withdrawn 1976; Specification for Chip or Granular Soap for Low-Temperature Washing (Low and Medium Titer)

- D1112 Withdrawn 1976; Specification for Solid Soap for Low-Temperature Washing (Low and Medium Titer)
- 3-13 Test Method for Vegetable Matter and Other Alkali-Insoluble Impurities in Scoured Wool, 07.01
- D1114 Withdrawn 1966; Specification for Mechanical Sheet Felt; Replaced by D2475
- D1115 Withdrawn 1963; Method of Test for Snag Resistance of Hosiery
- D1116 Withdrawn 1981; Method of Test for Resistance of Pile Floor Coverings to Attack by Black Carpet Beetle Larvae
- D1117 Withdrawn 2009; Guide for Evaluating Nonwoven Fabrics
 D1118/D1118M-95(2009) 1 Test Method for Magnetic Rating of Asbestos Fiber and Asbestos Textiles, 04.05
- D1119-05(2009) Test Method for Percent Ash Content of Engine Coolants, 15.05 D1120-11^{c1}
- Test Method for Boiling Point of Engine Coolants, 15.05
- D1121-11 Test Method for Reserve Alkalinity of Engine Coolants and Antirusts, 15.05
- D1122-13 Test Method for Density or Relative Density of Engine Coolant
 Concentrates and Engine Coolants By The Hydrometer, 15.05
 D1123-99(2009) Test Methods for Water in Engine Coolant Concentrate by the
- Karl Fischer Reagent Method, 15.05
- D1124 Withdrawn 1993; Specification for Hydrometer-Thermometer Field Tester For Engine Coolants
- D1125-14 Test Methods for Electrical Conductivity and Resistivity of Water, 11.01
- D1126-12 Test Method for Hardness in Water, 11.01
- D1127 Withdrawn 1962; Methods of Test for Sodium and Potassium in Industrial Water
- D1128 Withdrawn 1982; Method for Identification of Types of Microorganisms and Microscopic Matter in Water and Waste Water
- D1129-13 Terminology Relating to Water, 11.01
- D1130 Withdrawn 1977; Recommended Practice for Injection Molding of Specimens of Thermoplastic Materials D1131 Withdrawn 2003; Test Methods of Testing Rosin Oils
- D1132 Withdrawn 1967; Method of Test for Heptane Number of Hydrocarbon Solvents
- D1133-13 Test Method for Kauri-Butanol Value of Hydrocarbon Solvents, 06.04
- D1134 Withdrawn 1961; Method of Test for Nitrocellulose Diluting Power of Hydrocarbon Solvents; Combined with D 1720
- D1135-86(2009) Test Methods for Chemical Analysis of Blue Pigments, 06.03 D1136 Withdrawn 1980; Method for Analysis of Natural Gases by the Volumetric-Chemical Method
- D1137 Withdrawn 1982; Method for Analysis of Natural Gases and Related Types of Gaseous Mixtures by the Mass Spectrometer
 D1138 Withdrawn 1981; Method of Test for Resistance to Plastic Flow of
- Fine-Aggregate Bituminous Mixtures by Means of the Hubbard-Field Apparatus
- D1139/D1139M-09 Specification for Aggregate for Single or Multiple Bituminous Surface Treatments, 04.03
- D1140-00(2006) Test Methods for Amount of Material in Soils Finer than No. 200 (75-µm) Sieve, 04.08

 D1141-98(2013) Practice for the Preparation of Substitute Ocean Water, 11.02
- D1142-95(2012) Test Method for Water Vapor Content of Gaseous Fuels by, 05.06
- D1143 Withdrawn 2006; Test Method for Piles Under Static Axial Compressive
- D1143/D1143M-07(2013) Test Methods for Deep Foundations Under Static Axial Compressive Load, 04.08
- D1144-99(2011) Practice for Determining Strength Development of Adhesive Bonds, **15.06**
- D1145 Withdrawn 1987; Test Method for Sampling Natural Gas
 D1146-00(2013) Test Method for Blocking Point of Potentially Adhesive Layers, 15.06
- D1147 Redesignated F36
- D1148-13 Test Method for Rubber Deterioration—Discoloration from Ultraviolet (UV) or UV/Visible Radiation and Heat Exposure of Light-Colored Surfaces, 09.01
- D1149-07(2012) Test Methods for Rubber Deterioration—Cracking in an Ozone Controlled Environment, 09.01
- D1150 Withdrawn 1992; Single and Multi-Panel Forms for Recording Results of Exposure Tests of Paints

 D1151-00(2013) Practice for Effect of Moisture and Temperature on Adhesive
- Bonds, 15.06
 D1152-06(2012) Specification for Methanol (Methyl Alcohol), 06.04
 D1153-12 Specification for Methyl Isobutyl Ketone, 06.04

- D1154 Withdrawn 1957; Method of Test for Purity of Acetone and Methyl Ethyl Ketone
- D1155-10 Test Method for Roundness of Glass Spheres, 06.02 D1156 Withdrawn 1984; Method of Test for Total Chlorine in Poly(Vinyl Chloride) Polymers and Copolymers Used for Surface Coatings
- D1157-91(2009) Test Method for Total Inhibitor Content (TBC) of Light
- Hydrocarbons, **05.01**D1158 Withdrawn 1984; Method of Test for Bromine Number of Petroleum Distillates by Color-Indicator Titration; Replaced by D1159

 D1159-07(2012) Test Method for Bromine Numbers of Petroleum Distillates
- and Commercial Aliphatic Olefins by Electrometric Titration, 05.01
- **D1160-13** Test Method for Distillation of Petroleum Products at Reduced Pressure, 05.01

D1161 D1261

- D1161 Withdrawn 1981; Method of Test for Total Chloride Content of Paper and Paper Products
- Withdrawn 1974; Method of Test for Water-Soluble Matter in Paper
- D1163 Withdrawn 1986; Method of Test for Lint of Paper Towels
- D1164 Withdrawn 1985; Test Method for Ring Crush of Paperboard; Replaced by TAPPI T 818
- D1165-13 Nomenclature of Commercial Hardwoods and Softwoods, 04.10 D1166-84(2013) Test Method for Methoxyl Groups in Wood and Related Materials, 04.10
- Withdrawn 1972; Methods of Testing Asphalt-Base Emulsions for Use As Protective Coatings for Built-Up Roofs; Replaced by D2939
 D1168 Withdrawn 2014; Test Methods for Hydrocarbon Waxes Used for
- Electrical Insulation
- D1169-11 Test Method for Specific Resistance (Resistivity) of Electrical Insulating Liquids, 10.03
- D1170 Withdrawn 1968; Specification for Nonmetallic Gasket Materials for General Automotive and Aeronautical Purposes; Combined with F 104
- D1171-99(2007) Test Method for Rubber Deterioration—Surface Ozone Cracking Outdoors or Chamber (Triangular Specimens), 09.01
- D1172-95(2007) Guide for pH of Aqueous Solutions of Soaps and Detergents,
- 15.04

 D1173-07 Test Method for Foaming Properties of Surface-Active Agents, 15.04

 D1174 Withdrawn 1983; Method of Test for Effect of Bacterial Contamination on Permanence of Adhesive Preparations and Adhesives Bonds
- D1175 Withdrawn 1982; Method of Test for Abrasion Resistance of Textile Fabrics (Oscillatory Cylinder and Uniform Abrasion); Replaced by D4157, D4158
- D1176-14 Practice for Sampling and Preparing Aqueous Solutions of Engine Coolants or Antirusts for Testing Purposes, 15.05
- D1177-12 Test Method for Freezing Point of Aqueous Engine Coolants, 15.05
 D1178 Withdrawn 1971; Method of Test for Chloroform-Extractable Matter in
 Industrial Water and Industrial Waste Water
- D1179-10 Test Methods for Fluoride Ion in Water, 11.01
- D1180 Withdrawn 1980; Method of Test for Warpage of Sheet Plastics
 D1181 Withdrawn 1979; Method of Test for Warpage of Sheet Plastics
- Withdrawn 1962; Method of Test for Apparent Density and Bulk Factor D1182 of Granular Thermoplastic Molding Powder
- D1183-03(2011) Practices for Resistance of Adhesives to Cyclic Laboratory Aging Conditions, 15.06
- D1184-98(2012) Test Method for Flexural Strength of Adhesive Bonded Laminated Assemblies, 15.06
- D1185-98a(2009) Test Methods for Pallets and Related Structures Employed in Materials Handling and Shipping, 15.10
 D1186 Withdrawn 2006; Test Methods for Nondestructive Measurement of Dry
- Film Thickness of Nonmagnetic Coatings Applied to a Ferrous Base; Replaced by D7091
- D1187/D1187M-97(2011)⁶¹ Specification for Asphalt-Base Emulsions for Use
- as Protective Coatings for Metal, **04.04 D1188-07**Test Method for Bulk Specific Gravity and Density of Compacted Bituminous Mixtures Using Coated Samples, 04.03
- D1189 Withdrawn 1980; Method of Test for Vacuum Distillation of Liquid and Semi-Solid Asphaltic Materials to Obtain a Residue of Specified Penetration
- D1190 Withdrawn 2002; Specification for Concrete Joint Sealer, Hot-Poured Elastic Type
- D1191 Withdrawn 1996; Test Methods for Concrete Joint Sealers; Replaced by D5329
- D1192 Withdrawn 2003; Guide for Equipment for Sampling Water and Steam in Closed Conduits; Replaced by D1066, D3370
- D1193-06(2011) Specification for Reagent Water, 11.01
- D1194 Withdrawn 2002; Test Method for Bearing Capacity of Soil for Static Loads at Shallow Depths
- D1195/D1195M-09 Test Method for Repetitive Static Plate Load Tests of Soils and Flexible Pavement Components, for Use in Evaluation and Design of Airport and Highway Pavements, 04.03
 D1196/D1196M-12 Test Method for Nonrepetitive Static Plate Load Tests of
- Soils and Flexible Pavement Components, for Use in Evaluation and Design of Airport and Highway Pavements, 04.03
- D1197 Redesignated E197
 D1198 Withdrawn 2007; Test Method for Solvent Tolerance of Amine Resins
 D1199-86(2008) Specification for Calcium Carbonate Pigments, 06.03
 D1200-10 Test Method for Viscosity by Ford Viscosity Cup, 06.01
 D1201-13 Specification for Thermosetting Polyester Molding Compounds,

- 08.01 D1202 Withdrawn 1991; Specification for Plasticized Cellulose Acetate Sheet
- and Film for Primary Insulation

 D1203-10 Test Methods for Volatile Loss From Plastics Using Activated
- Carbon Methods, 08.01
- D1204-14 Test Method for Linear Dimensional Changes of Nonrigid
 Thermoplastic Sheeting or Film at Elevated Temperature, 08.01
 D1205 Withdrawn 1974; Methods of Testing Adhesives for Brake Lining and
- Other Friction Materials
- D1206 Withdrawn 1981; Method of Test for Resistance to Aging of Vulcanized Rubber by Measurement of Creep
- D1207 Withdrawn 1972; Recommended Practice for Classifying Elastomeric Compounds for Resilient Automotive Mountings
- D1208-96(2012) Test Methods for Common Properties of Certain Pigments, 06.03
- D1209-05(2011) Test Method for Color of Clear Liquids (Platinum-Cobalt Scale), 06.04

- D1210-05(2010) Test Method for Fineness of Dispersion of Pigment-Vehicle Systems by Hegman-Type Gage, 06.01
- Withdrawn 2006; Test Method for Temperature-Change Resistance of Clear Nitrocellulose Lacquer Films Applied to Wood
- D1212-91(2013) Test Methods for Measurement of Wet Film Thickness of Organic Coatings, 06.01
- D1213 Withdrawn 1985; Method of Test for Crushing Resistance of Glass Spheres

- D1214-10 Test Method for Sieve Analysis of Glass Spheres, 06.02
 D1215 Withdrawn 1980; Specification for Farm Tractor Fuels
 D1216 Withdrawn 1976; Method of Analysis of Calcium and Barium Petroleum Sulfonates
- D1217-12 Test Method for Density and Relative Density (Specific Gravity) of Liquids by Bingham Pycnometer, 05.01
- D1218-12 Test Method for Refractive Index and Refractive Dispersion of Hydrocarbon Liquids, 05.01
- D1219 Withdrawn 1976; Method of Test for Mercaptan Sulfur in Aviation Turbine Fuels (Color-Indicator Method); Replaced by D3227
- D1220 Withdrawn 1996; Practice for Measurement and Calibration of Upright Cylindrical Tanks
- D1221 Withdrawn 1975; Method of Test for Pinholes in Glassine and Other Greaseproof Papers
- D1222 Withdrawn 1962; Method of Test for Contrast Glass of Paper at 57.5 Deg
- D1223 Withdrawn 2010; Test Method for Specular Gloss of Paper and Paperboard at 75°
- D1224 Withdrawn 2010; Test Methods for Zinc and Cadmium in Paper D1225 Withdrawn 1985; Test Method for Flat Crush of Corrugated
- Paperboard; Replaced by TAPPI T 808 D1226 Withdrawn 1983; Specification for Asphalt Insulating Siding Surfaced with Mineral Granules
- D1227-13 Specification for Emulsified Asphalt Used as a Protective Coating for Roofing, **04.04**D1228 Withdrawn 1983; Methods of Testing Asphalt Insulating Siding
- Surfaced with Mineral Granules
- D1229-03(2008) Test Method for Rubber Property—Compression Set at Low Temperatures, 09.01
- D1230-10 Test Method for Flammability of Apparel Textiles, 07.01 D1231 Withdrawn 1962; Method of Test for Dimensional Change of Knit
- Cotton Fabrics D1232 Withdrawn 1962; Method of Test for Dimensional Change of Knit Rayon Fabrics
- D1233 Withdrawn 2000; Specification for Twine Made for Bast and Leaf Fibers D1234-13 Test Method of Sampling and Testing Staple Length of Grease Wool. 07.01
- D1235 Withdrawn 1963; Tolerances for Filament Acetate Yarns; Replaced by D2497
- D1236 Withdrawn 1963; Tolerances for Filament Nylon Yarns; Replaced by D2497
- D1237 Withdrawn 1963; Tolerances for Filament Rayon Yarns; Replaced by D2497
- D1238-13 Test Method for Melt Flow Rates of Thermoplastics by Extrusion Plastometer, 08.01
- D1239-07 Test Method for Resistance of Plastic Films to Extraction by
- Chemicals, **08.01 D1240-12** Test Methods for Rosin Acids Content of Pine Chemicals, Including Rosin, Tall Oil, and Related Products, **06.03**
- D1241-07 Specification for Materials for Soil-Aggregate Subbase, Base, and Surface Courses, 04.08
- D1242 Withdrawn 2003; Test Methods for Resistance of Plastic Materials to Abrasion
- D1243-95(2008) Test Method for Dilute Solution Viscosity of Vinyl Chloride Polymers, 08.01
 D1244-98(2011) Practice for Designation of Yarn Construction, 07.01
- D1245-11 Practice for Examination of Water-Formed Deposits by Chemical Microscopy, 11.02
- D1246-10 Test Method for Bromide Ion in Water, 11.01
 D1247 Withdrawn 1987; Method of Sampling Manufactured Gas
- D1248-12 Specification for Polyethylene Plastics Extrusion Materials for Wire and Cable, 08.01
- D1249 Withdrawn 2007; Specification for Octyl Ortho-Phthalate Ester Plasticizers D1250-08(2013) Guide for Use of the Petroleum Measurement Tables, 05.01
- D1251 Withdrawn 1999; Test Method for Water Vapor Permeability of Packages by Cycle Method

 D1252-06(2012)^{c1} Test Methods for Chemical Oxygen Demand (Dichromate
- Oxygen Demand) of Water, 11.02
- D1253-14 Test Method for Residual Chlorine in Water, 11.01
 D1254 Withdrawn 1981; Method of Test for Nitrite Ion in Water
 D1255 Withdrawn 1968; Methods of Test for Sulfides in Industrial Water and
- Industrial Waste Water
- D1256 Withdrawn 1967; Scheme for Analysis of Industrial Water and Industrial Waste Water
- D1257-07(2012) Specification for High-Gravity Glycerin, 06.04
- D1258 Withdrawn 2011; Test Methods for High-Gravity Glycerin
- D1259-06(2012) Test Methods for Nonvolatile Content of Resin Solutions, 06.01
- D1260 Withdrawn 1966; Method of Test for Color Difference Using the Hunter Multipurpose Reflectometer; Combined with D 2244
- D1261 Withdrawn 1984; Method of Test for Effect of Grease on Copper

D1262 D1361

- D1262 Withdrawn 1991; Test Method for Lead in New and Used Greases Withdrawn 2010; Test Method for Leakage Tendencies of Automotive Wheel Bearing Greases
- D1264-12 Test Method for Determining the Water Washout Characteristics of Lubricating Greases, 05.01
- D1265-11 Practice for Sampling Liquefied Petroleum (LP) Gases, Manual Method, 05.01
- D1266-13 Test Method for Sulfur in Petroleum Products (Lamp Method), 05.01
 D1267-12 Test Method for Gage Vapor Pressure of Liquefied Petroleum (LP)
 Gases (LP-Gas Method), 05.01
 D1268 Withdrawn 1975; Method of Test for Unsaturated Light Hydrocarbons
- (Silver-Mercuric Nitrate Method)
- D1269 Withdrawn 1975; Method of Test for Lead Antiknock Compounds in Gasoline (Polarographic Method)
- D1270 Withdrawn 1959; Method of Test for Dimensional Changes of Paper with Changes in Moisture Conditions
- D1271 Withdrawn 1970; Specification for Copperized Chromated Zinc Chloride
- D1272 Withdrawn 2006; Specification for Pentachlorophenol D1273 Withdrawn 1970; Methods for Chemical Analysis of Copperized
- Chromated Zinc Chloride
- D1274 Withdrawn 2006; Test Methods for Chemical Analysis of Pentachlorophenol
 D1275-06 Test Method for Corrosive Sulfur in Electrical Insulating Oils, 10.03
- D1276 Withdrawn 1985; Method of Test for Water Vapor Transmission of Shipping Containers by Cycle Method
- D1277 Withdrawn 1972; Specification for Nonrigid Thermoplastic Compounds for Automotive and Aeronautical Applications
- D1278-91a(2011) Test Methods for Rubber from Natural Sources Chemical Analysis, 09.01
- D1279 Withdrawn 1999; Test Method for Buffering Action of Metal Cleaners D1280-00(2007) Guide for Total Immersion Corrosion Test for Soak Tank Metal Cleaners, 15.04
- D1281 Withdrawn 1989; Test Method for Rinsing Properties of Metal Cleaners D1282-05(2009) Test Method for Resistance to Airflow as an Indication of Average Fiber Diameter of Wool Top, Card Sliver, and Scoured Wool,
- D1283-05(2013) Test Method for Alkali-Solubility of Wools, 07.01
- D1284 Withdrawn 1991; Test Methods for Relaxation and Consolidation Dimensional Changes of Stabilized Knit Wool Fabrics
- D1285 Withdrawn 1967; Tolerances for Yarns Containing Wool; Replaced by D2644, D2645
- D1286 Withdrawn 1983; Method of Test for Effect of Mold Contamination on Permanence of Adhesives Preparations and Adhesives Bonds; Replaced bv D4300
- D1287-11 Test Method for pH of Engine Coolants and Antirusts, 15.05 D1288 Withdrawn 1985; Method of Test for Total Ash and Silica in Water-Emulsion Polishes
- D1289 Withdrawn 1969; Method of Test for Nonvolatile Matter (Total Solids) in Water-Emulsion Waxes; Replaced by D2834
- D1290-95(2008) Test Method for Sediment in Water-Emulsion Polishes by Centrifuge, 15.04
- D1291-06(2011) Practice for Estimation of Chlorine Demand of Water, 11.02
- D1292-10 Test Method for Odor in Water, 11.01
 D1293-12 Test Methods for pH of Water, 11.01
 D1294-05(2013) Test Method for Tensile Strength and Breaking Tenacity of Wool Fiber Bundles 1-in. (25.4-mm) Gage Length, 07.01
 D1295 Withdrawn 1978; Method of Test for Wrinkle Recovery of Textile
- Fabrics Using the Vertical Strip Apparatus

 D1296-01(2012) Test Method for Odor of Volatile Solvents and Diluents, 06.04
- D1297 Withdrawn 1967; Method of Test for No-Dirt-Retention Time of Traffic Paint
- D1298-12b Test Method for Density, Relative Density, or API Gravity of Crude
 Petroleum and Liquid Petroleum Products by Hydrometer Method, 05.01
 D1299 Withdrawn 1992; Test Method for Shrinkage of Molded and Laminated
- Thermosetting Plastics at Elevated Temperature

 D1300 Withdrawn 1963; Specification and Methods of Test for Laminated
- Thermosetting Decorative Sheets

 D1301-91(2008) Test Methods for Chemical Analysis of White Lead Pigments, 06.03
- D1302 Withdrawn 1968; Method for Analysis of Carbureted Water Gas by the Mass Spectrometer
- D1303 Withdrawn 1986; Method of Test for Total Chlorine in Vinyl Chloride
- Polymers and Copolymers

 D1304-99(2012) Test Methods for Adhesives Relative to Their Use as Electrical Insulation, 15.06
- D1305-99(2009) Specification for Electrical Insulating Paper and Paperboard—Sulfate (Kraft) Layer Type, 10.01

 D1306 Withdrawn 2004; Test Method for Phthalic Anhydride Content of Alkyd Resins and Esters Containing Other Dibasic Acids (Gravimetric)

 D1307 Withdrawn 1982; Method of Test for Phthalic Anhydride Content of
- Alkyd Resins and Esters Containing Other Dibasic Acids (Spectrophotometric)
- Test Method for Effect of Household Chemicals on Clear and D1308-02(2013) Pigmented Organic Finishes, 06.02
- D1309-93(2010) Test Method for Settling Properties of Traffic Paints During Storage, **06.02**
- D1310-01(2007) Test Method for Flash Point and Fire Point of Liquids by Tag Open-Cup Apparatus, 06.01
 D1311 Withdrawn 1968; Method of Test for Viscosity Reduction Power of
- Hydrocarbon Solvents

- D1312 Withdrawn 2007; Test Methods for Apparent Free Phenols in Synthetic Phenolic Resins or Solutions Used for Coating Purposes
- D1313 Withdrawn 1988; Method of Test for Sludge Formation in Mineral Transformer Oil by High-Pressure Oxidation Bomb
- D1314 Withdrawn 1965; Method of Test for Sludge Formation in Mineral Transformer Oil by Sludge Accumulation; Replaced by D2440
- D1315 Withdrawn 1981; Method of Test for Water in Insulating Oils by Extraction
- D1316-06(2011) Test Method for Fineness of Grind of Printing Inks By the NPIRI Grindometer, 06.02

 D1317 Withdrawn 1994; Test Method for Chlorine in New and Used Lubricants
- (Sodium Alcoholate Method)
- D1318-00(2011) Test Method for Sodium in Residual Fuel Oil (Flame Photometric Method), 05.01
- D1319-13 Test Method for Hydrocarbon Types in Liquid Petroleum Products by Fluorescent Indicator Adsorption, 05.01
- D1320 Withdrawn 1991; Test Method for Tensile Strength of Paraffin Wax
- D1321-10 Test Method for Needle Penetration of Petroleum Waxes, 05.01
 D1322-12^{€1} Test Method for Smoke Point of Kerosine and Aviation Turbine Fuel, **05.01**
- D1323 Withdrawn 1980; Methods of Test for Mercaptan Sulfur in Aviation Turbine Fuels; Replaced by D3227

 D1324 Withdrawn 2000; Specification for Modified Wood

 D1325 Withdrawn 2006; Specification for Ammoniacal Copper Arsenate and
- Ammoniacal Copper Zinc Arsenate
- D1326 Withdrawn 2006; Test Method for Chemical Analysis of Ammoniacal Copper Arsenate and Ammoniacal Copper Zinc Arsenate

 D1327/D1327M-04(2012)^{c1} Specification for Bitumen-Saturated Woven Burlap
- Fabrics Used in Roofing and Waterproofing, 04.04
- D1328 Withdrawn 1992; Test Method for Staining Properties of Asphalt; Replaced by D2746
- D1329-08 Test Method for Evaluating Rubber Property—Retraction at Lower Temperatures (TR Test), 09.01
- D1330-04(2010) Specification for Rubber Sheet Gaskets, 09.02
- **D1331-11** Test Methods for Surface and Interfacial Tension of Solutions of Surface-Active Agents, 06.01
- D1332 Withdrawn 1972; Methods of Test for Build-Up and Spread of Glass Yarn As Wrap (Serving) or Braid Over Electrical Conductors; Replaced by
- D1333 Withdrawn 1960; Methods of Testing Elastic Fabrics; Replaced by D1775
- D1334-05(2009) Test Method for Wool Content of Raw Wool—Commercial Scale, 07.01
 D1335-12 Test Method for Tuft Bind of Pile Yarn Floor Coverings, 07.01
- D1336-07(2011) Test Method for Distortion of Yarn in Woven Fabrics, 07.01
- **D1337-10** Practice for Storage Life of Adhesives by Viscosity and Bond Strength, 15.06
- D1338-99(2011) Practice for Working Life of Liquid or Paste Adhesives by Consistency and Bond Strength, 15.06
- D1339 Withdrawn 1990; Test Methods for Sulfite Ion in Water D1340 Withdrawn 1971; Method of Test for Oily Matter in Industrial Waste
- D1341 Withdrawn 1974; Method for Determination of Thickness of Internal Deposits on Tubular Heat Exchange Surfaces
- D1342 Withdrawn 2007; Test Method for Paraffin-Type Hydrocarbons in -Carnauba Wax
- D1343-95(2011) Test Method for Viscosity of Cellulose Derivatives by Ball-Drop Method, 06.03
- D1344 Withdrawn 1987; Methods of Testing Cross-Lap Specimens for Tensile Properties of Adhesives
- D1345 Withdrawn 1985; Method of Test for Evaluating Acute Toxicity of Water
- to Fresh-Water Fishes
- D1346 Withdrawn 1986; Methods of Testing Electrical Insulating Varnishes for 180°C and Above; Replaced by D115
 D1347 Withdrawn 2003; Test Methods for Methylcellulose
- D1348-94(2008) Test Methods for Moisture in Cellulose, 06.03
- Practice for Rubber—Standard Temperatures for Testing, 09.01 D1350 Withdrawn 1965; Specification for Construction of Rubber Insulated Wire and Cable
- D1351-08 Specification for Thermoplastic Polyethylene Insulation for Electrical
- Wire and Cable, 10.01

 D1352 Withdrawn 2006; Specification for Ozone-Resisting Butyl Rubber Insulation for Wire and Cable
- D1353-13 Test Method for Nonvolatile Matter in Volatile Solvents for Use in Paint, Varnish, Lacquer, and Related Products, 06.04

 D1354 Withdrawn 1979; Method of Test for Concentration of Odorous Vapors
- (Adsorption Method)
- D1355 Withdrawn 1980; Method of Continous Analysis and Automatic Recording of the Sulfur Dioxide Content of the Atmosphere
- D1356-14a Terminology Relating to Sampling and Analysis of Atmospheres, 11.07
- D1357-95(2011) Practice for Planning the Sampling of the Ambient Atmosphere, 11.07
- D1358 Withdrawn 2003; Test Method for Spectrophotometric Diene Value of
- Dehydrated Castor Oil and Its Derivatives
 D1359 Withdrawn 1967; Method of Test for No-Smear Time of Traffic Paint
 D1360-98(2011) Test Method for Fire Retardancy of Paints (Cabinet Method),
- D1361 Withdrawn 1977; Method of Test for Wire Retardancy of Points (Stick and Wick Method)

D1362 D1457

- D1362 Withdrawn 1974; Method of Test for Alcohol Content of Ketones; Replaced by D2804
- D1363-06(2011) Test Method for Permanganate Time of Acetone and Methanol, 06.04
- D1364-02(2012) Test Method for Water in Volatile Solvents (Karl Fischer Reagent Titration Method), 06.04
- D1365 Withdrawn 1966; Method of Test for Color Difference Using Color Difference Meters of the Hunterlab or Gardner Types; Combined with D 2244
- D1366-86(2012) Practice for Reporting Particle Size Characteristics of Pigments, 06.03 67 Withdrawn 2006; Test Method for Lubricating Qualities of Graphites
- D1367 D1368 Withdrawn 1994; Test Method for Trace Concentrations of Lead in Primary Reference Fuels
- D1369-84(2012) Practice for Quantities of Materials for Bituminous Surface Treatments, 04.03
- D1370/D1370M-12 Test Method for Contact Compatibility Between Asphaltic Materials (Oliensis Test), 04.04
- D1371 Withdrawn 1983; Recommended Practice for Cleaning Plastic Specimens for Industrial Resistance, Surface Resistance, and Volume
- Resistivity Testing
 D1372 Withdrawn 1980; Methods of Testing Package Cushioning Materials
 D1373 Withdrawn 1987; Specification for Medium-Voltage Rubber Insulating Таре
- D1374 Withdrawn 2000; Test Method of Aerated Total Immersion Corrosion Test for Metal Cleaners
- D1375 Withdrawn 1977; Tests for Pilling Resistance and Other Related Surface Changes of Textile Fabrics; Replaced by D3511, D3512
- D1376 Withdrawn 1980; Methods of Testing Warp Knit Fabrics; Replaced by D3887
- D1377 Withdrawn 1960; Methods of Testing Wide Elastic Fabrics; Replaced by D1775
- D1378 Withdrawn 1957; Methods of Test for Absorbency Time and Absorptive Capacity of Nonwoven Fabrics: Combined with D 1117
- D1379 Withdrawn 1976; Abrasion Resistance of Textile Yarns
- D1380 Withdrawn 1967; Methods of Testing Spun and Filament Yarns Made Wholly or in Part of Man-Made Organic Base Fibers; Replaced by D1422, D1423, D1907, D2256, D2257, D2494
- D1381 Withdrawn 1981; Specification for Fineness of Mohair Top and
- Assignment of Grade; Replaced by D3992 D1382 Withdrawn 1991; Test Method for Susceptibility of Dry Adhesive Films to Attack by Roaches
- D1383 Withdrawn 1991; Test Method for Susceptibility of Dry Adhesive Films
- to Attack by Laboratory Rats

 D1384-05(2012) Test Method for Corrosion Test for Engine Coolants in Glassware, 15.05
- D1385-07(2013)⁶¹ Test Method for Hydrazine in Water, 11.01
- D1386-10 Test Method for Acid Number (Empirical) of Synthetic and Natural Waxes, 15.04
- D1387-89(2012) Test Method for Saponification Number (Empirical) of Synthetic and Natural Waxes, 15.04
- D1388-14 Test Method for Stiffness of Fabrics, 07.01
- D1389 Withdrawn 2013; Test Method for Proof-Voltage Testing of Thin Solid Electrical Insulating Materials
- D1390 Withdrawn 1989; Test Method for Rubber Property—Stress Relaxation in Compression
- D1391 Withdrawn 1987; Method for Measurement of Odor in Atmospheres (Dilution Method)
- D1392 Withdrawn 2007; Specification for Safflower Oil
 D1393 Withdrawn 1977; Method of Test for Flash Point of Drying Oils D1394-76(2009) Test Methods for Chemical Analysis of White Titanium
- Pigments, 06.03 D1395 Withdrawn 1989; Test Method for Abrasion Resistance of Clear Floor Coatings
- D1396 Withdrawn 2007; Test Methods for Chemical Analysis of Poly(Vinyl Butyral)
- D1397 Withdrawn 2007; Test Method for Unsaponifiable Matter in Alkyd Resins and Resin Solutions
- D1398 Withdrawn 2007; Test Method for Fatty Acid Content of Alkyd Resins and Alkyd Resin Solutions
- D1399 Withdrawn 2005; Test Method for Unsaponifiable Contents of Tricresyl Phosphate
- D1400 Withdrawn 2006; Test Method for Nondestructive Measurement of Dry Film Thickness of Nonconductive Coatings Applied to a Nonferrous Metal Base; Replaced by D7091
- D1401-12 Test Method for Water Separability of Petroleum Oils and Synthetic Fluids, **05.01**
- D1402 Withdrawn 1985; Method of Test for Effect of Copper on Oxidation Stability of Lubricating Greases by the Oxygen Bomb Method

 D1403-10 Test Methods for Cone Penetration of Lubricating Grease Using
- One-Quarter and One-Half Scale Cone Equipment, **05.01**
- D1404/D1404M-99(2008) Test Method for Estimation of Deleterious Particles in Lubricating Grease, 05.01
- D1405/D1405M-08(2013) Test Method for Estimation of Net Heat of Combustion of Aviation Fuels, 05.01
- D1406 Withdrawn 1996; Practice for Liquid Calibration of Tanks D1407 Withdrawn 1996; Practice for Measurement and Calibration of Barge Tanks
- D1408 Withdrawn 1996; Practice for Measurement and Calibration of Spherical and Spheroidal Tanks (Available as Separate Reprint Only)

- D1409 Withdrawn 1996; Practice for Measurement and Calibration of Tank Car Tanks
- D1410 Withdrawn 1996; Practice for Measurement and Calibration of Stationary Horizontal Tanks
- D1411-09 Test Methods for Water-Soluble Chlorides Present as Admixtures in Graded Aggregate Road Mixes, 04.08
- D1412-07 Test Method for Equilibrium Moisture of Coal at 96 to 97 Percent
- Relative Humidity and 30°C, **05.06 D1413-07** c1 Test Method for Wood Preservatives by Laboratory Soil-Block Cultures, 04.10
 D1414-94(2013) Test Methods for Rubber O-Rings, 09.02
 D1415-06(2012) Test Method for Rubber Property—International Hardness,
- 09.01
- D1416 Withdrawn 1996; Test Methods for Rubber from Synthetic Sources-Chemical Analysis; Replaced by D5667
- D1417-10 Test Methods for Rubber Latices—Synthetic, 09.01
- D1418-10a Practice for Rubber and Rubber Latices—Nomenclature, 09.01 D1419 Withdrawn 1964; Recommended Practice for Description of Types of Styrene Butadiene Rubbers (SBR) and Butadiene Rubbers (BR)
- D1420 Withdrawn 1964; Recommended Practice for Description of Types of Styrene Butadiene Rubber (SBR) and Butadiene Rubbers (BR) Latices D1421 Withdrawn 1977; Recommended Practice for Interlaboratory Testing of
- Rubber and Rubber-Like Materials
- D1422/D1422M-13 Test Method for Twist in Single Spun Yarns by the Untwist-Retwist Method, 07.01
- D1423-02(2008) Test Method for Twist in Yarns by Direct-Counting, 07.01
 D1424-09(2013) Test Method for Tearing Strength of Fabrics by Falling-
- Pendulum (Elmendorf-Type) Apparatus, 07.01
- D1425 Withdrawn 2005; Test Method for Unevenness of Textile Strands Using
- Capacitance Testing Equipment

 D1425/D1425M-14 Test Method for Evenness of Textile Strands Using
 Capacitance Testing Equipment, 07.01
- D1426-08 Test Methods for Ammonia Nitrogen In Water, 11.01
- D1427 Withdrawn 1982; Methods of Test for Residual Chlorine in Waste Water
- D1428 Withdrawn 1990; Test Methods for Sodium and Potassium in Water and Water-Formed Deposits by Flame Photometry
- D1429-13 Test Methods for Specific Gravity of Water and Brine, 11.01
- D1430-11 Classification System for Polychlorotrifluoroethylene (PCTFE) Plastics, 08.01
- D1431 Withdrawn 1985; Specification for Styrene-Acrylonitrile Copolymer Molding and Extrusion Materials; Replaced by D4203
- D1432 Withdrawn 1964; Specification for Nonrigid Vinyl Chloride Polymer and Copolymer Extrusion Compounds; Replaced by D287
 D1433 Withdrawn 1987; Method of Test for Rate of Burning and or Extent and
- Time of Burning of Flexible Thin Plastic Sheeting Supported on a 45° Incline
- D1434-82(2009)⁶¹ Test Method for Determining Gas Permeability Characteristics of Plastic Film and Sheeting, 15.10
- D1435-13 Practice for Outdoor Weathering of Plastics, 08.01
- D1436-97(2008) Test Methods for Application of Emulsion Floor Polishes to Substrates for Testing Purposes, 15.04
- D1437 Withdrawn 1985; Method of Test for Flash Point of Solvent-Type Liquid Waxes
- D1438 Withdrawn 1960; Method of Test for Pentosans in Cellulose (Aniline Acetate Colorimetric Method); Replaced by D1787

 D1439-03(2008)^{c1} Test Methods for Sodium Carboxymethylcellulose, 06.03
- D1440-07(2012) Test Method for Length and Length Distribution of Cotton Fibers (Array Method), 07.01
- D1441-12 Practice for Sampling Cotton Fibers for Testing, 07.01
- D1442-06(2012) Test Method for Maturity of Cotton Fibers (Sodium Hydroxide
- Swelling and Polarized Light Procedures), **07.01**D1443 Withdrawn 1964; Method of Test for Maturity of Cotton Fibers (Random Sample-Sodium Hydroxide Swelling Method); Replaced by D1442
- D1444 Withdrawn 1979; Method of Test for Cross-Sectional Characteristics of Cotton Fibers
- D1445/D1445M-12 Test Method for Breaking Strength and Elongation of Cotton Fibers (Flat Bundle Method), 07.01
- D1446 Withdrawn 1978; Method of Test for Number of Neps in Cotton Samples
- D1447-07(2012)^{c1} Test Method for Length and Length Uniformity of Cotton Fibers by Photoelectric Measurement, 07.01
 D1448-11 Test Method for Micronaire Reading of Cotton Fibers, 07.01 D1449 Withdrawn 1978; Method of Test for Specific Area and Immaturity Ratio
- of Cotton Fibers (Arealometer Method)
- D1450 Withdrawn 1968; Method of Test for Maturity of Cotton Fibers (Polarized-Light Method); Replaced by D1442
 D1451 Withdrawn 1969; Method of Test for Non-Lint Content of Cotton (Shirley Analyzer Method); Replaced by D2812
 D1452-09 Practice for Soil Exploration and Sampling by Auger Borings, 04.08 D1453 Withdrawn 1967; Tolerances for Spun Rayon and Acetate Yarns; Replaced by D4645
- D1454 Withdrawn 1967; Tolerances for Yarns Spun from Mixed Fibers; Replaced by D4644, D4645
- D1455-87(2008) Test Method for 60° Specular Gloss of Emulsion Floor Polish, 15.04
- D1456-86(2010) Test Method for Rubber Property—Elongation at Specific Stress. 09.01
- D1457 Withdrawn 1996; Specification for Polytetrafluoroethylene (PTFE) Molding and Extrusion Materials; Replaced by D4894, D4895

D1458 D1561/D1561M

- D1458-13 Test Methods for Fully Cured Silicone Rubber-Coated Glass Fabric and Tapes for Electrical Insulation, 10.01
- Withdrawn 2009; Specification for Silicone Varnished Glass Cloth and Tape for Electrical Insulation
- D1460-86(2010) Test Method for Rubber Property—Change in Length During Liquid Immersion, 09.01
- D1461-11 Test Method for Moisture or Volatile Distillates in Bituminous Paving Mixtures. 04.03
- D1462 Withdrawn 2007; Specification for Refined Soybean Oil
- D1463 Withdrawn 1989; Specification for Biaxially Oriented Styrene Plastics Sheet
- D1464-12 Practice for Differential Dyeing Behavior of Cotton, 07.01
 D1465-10 Test Method for Blocking and Picking Points of Petroleum Wax, D1465-10
- 05.01 D1466 Withdrawn 2003; Test Method for Sampling Liquid Oils and Fatty Acids
- Commonly Used in Paints, Varnishes, and Related Materials D1467 Withdrawn 2003; Guide for Testing Fatty Acids Used in Protective Coatings
- D1468 Withdrawn 2005; Test Method for Volatile Matter in Tricresyl Phosphate D1469 Withdrawn 2003; Test Method for Total Rosin Acids Content of Coating
- Vehicles D1470 Withdrawn 1962; Method of Test for Dimensional Change of Knit
- Fabrics D1471 Withdrawn 1976; Method of Test for Two-Parameter, 60° Specular
- Gloss D1472 Withdrawn 1972; Method of Test for Set Time for Thermosetting
- Phenol-Formaldehyde Varnishes D1473 Withdrawn 1988; Method of Test for 2,6-ditertiary-Butyl para-Cresol in
- Electrical Insulating Oils D1474-98(2008) Test Methods for Indentation Hardness of Organic Coatings,
- 06.01 D1475-98(2012) Test Method For Density of Liquid Coatings, Inks, and
- Related Products, 06.01 D1476-02(2012) Test Method for Heptane Miscibility of Lacquer Solvents, 06.04
- Withdrawn 1967; Method of Test for Freezing Point of Aviation Fuels;
- Replaced by D2386 D1478-11 Test Method for Low-Temperature Torque of Ball Bearing Grease,
- 05.01 D1479 Withdrawn 1988; Method of Test for Emulsion Stability of Soluble
- Cutting Oils D1480-12 Test Method for Density and Relative Density (Specific Gravity) of
- Viscous Materials by Bingham Pycnometer, **05.01 D1481-12** Test Method for Density and Relative Density (Specific Gravity) of
- Viscous Materials by Lipkin Bicapillary Pycnometer, **05.01**D1482 Withdrawn 1966; Method of Test for Color Difference Using the
- General Electric Spectrophotometer; Combined with D 2244 D1483-12 Test Method for Oil Absorption of Pigments by Gardner-Coleman
- Method, 06.01 D1484 Withdrawn 1965; Method of Test for Penetration of Hard Rubber by
- Type D Durometer; Replaced by D2240 D1485-07(2011) Practice for Rubber from Natural Sources—Sampling and
- Sample Preparation, 09.01

 D1486 Withdrawn 1968; Methods of Testing Tufted Pile Floor Coverings

 D1487 Withdrawn 1962; Method of Test for Shrinkage in Laundering and

 Dimensional Restorability of Warp Knit Fabrics

 D1488-00(2013) Test Method for Amylaceous Matter in Adhesives, 15.06
- D1489-09 Test Method for Nonvolatile Content of Aqueous Adhesives, 15.06 D1490-01(2013) Test Method for Nonvolatile Content of Urea-Formaldehyde Resin Solutions, 15.06
- D1491 Withdrawn 1986; Method of Test for Bromine Index of Aromatic Hydrocarbons by Potentiometric Titration
- D1492-13 Test Method for Bromine Index of Aromatic Hydrocarbons by Coulometric Titration, 06.04
- D1493 Withdrawn 2004; Test Method for Solidification Point of Industrial Organic Chemicals
- D1494-12 Test Method for Diffuse Light Transmission Factor of Reinforced Plastics Panels, 08.03
- D1495 Withdrawn 1966; Method of Test for Color Difference Using the Color Eye; Combined with D 2244
- D1496 Withdrawn 1975; Methods of Sampling Homogenous Waste Water;
- Replaced by D3370 7 Withdrawn 1962; Method of Test for Iron in High-Purity Industrial Water; Replaced by D1068
- D1498-14 Test Method for Oxidation-Reduction Potential of Water, 11.01
- D1499-13 Practice for Filtered Open-Flame Carbon-Arc Exposures of Plastics, 08.01 D1500-12 Test Method for ASTM Color of Petroleum Products (ASTM Color
- Scale), 05.01
 D1501 Withdrawn 1981; Recommended Practice for Exposure of Plastics to
- Fluorescent Sunlamp D1502 Withdrawn 1984; Method of Test for Transverse Load of Corrugated
- Reinforced Plastic Panels D1503 Withdrawn 1964; Specification for Cellulose Acetate Butyrate (CAB)
- Plastic Pipe, Schedule 40 D1504 Withdrawn 1989; Recommended Practice for Determining Orientation Release Stress of Plastic Sheeting D1505-10 Test Method for Density of Plastics by the Density-Gradient
- Technique, 08.01
- D1506-99(2013) Test Methods for Carbon Black—Ash Content, 09.01

- D1507 Withdrawn 1960; Method of Test for Attrition of Pelleted Carbon Black D1508-12 Test Method for Carbon Black, Pelleted Fines and Attrition, 09.01
- D1509-95(2012) Test Methods for Carbon Black—Heating Loss, 09.01
- D1510-13 Test Method for Carbon Black—lodine Adsorption Number, 09.01 D1511-12 Test Method for Carbon Black—Pellet Size Distribution, 09.01
- D1512-05(2012) Test Methods for Carbon Black—pH Value, 09.01
 D1513-05(2012) Test Method for Carbon Black, Pelleted—Pour Density, 09.01
- D1514-04(2011) Test Method for Carbon Black—Sieve Residue, 09.01
 D1515 Withdrawn 1970; Method of Test for Area of Leather
 D1516-05(2010) Test Method for Width of Leather, 15.04

- D1517-10 Terminology Relating to Leather, 15.04
 D1518-14 Test Method for Thermal Resistance of Batting Systems Using a Hot Plate, 07.01
- D1519-95(2009)^{c1} Test Methods for Rubber Chemicals—Determination of Melting Range, 09.01
- D1520 Withdrawn 1984; Specification for Synthetic Rubber Heat- or Moisture-Resisting Insulation for Wire and Cable; Replaced by D1679
- D1521 Withdrawn 1976; Specification for Synthetic Rubber Performance, Moisture-Resisting Insulation for Wire and Cable
- D1522 Withdrawn 1963; Methods for Testing Carbon Blacks in Natural Rubber D1523 Withdrawn 2011; Specification for Synthetic Rubber Insulation for Wire and Cable, 90°C Operation

 D1524-94(2010) Test Method for Visual Examination of Used Electrical
- Insulating Oils of Petroleum Origin in the Field, 10.03
- D1525-09 Test Method for Vicat Softening Temperature of Plastics, 08.01
 D1526 Withdrawn 1964; Method of Test for Determination of Bierbaum Scratch Hardness of Plastic Materials
- D1527-99(2005) Specification for Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe, Schedules 40 and 80, 08.04

- Thin Plastic Sheeting; Combined with D 882
 D1531 Withdrawn 2012; Test Methods for Relative Permittivity (Dielectric
- Constant) and Dissipation Factor by Fluid Displacement Procedures D1532 Withdrawn 1992; Specification for Polyester Glass-Mat Sheet
- Laminate; Replaced by D709

 D1533-12 Test Method for Water in Insulating Liquids by Coulometric Karl Fischer Titration, 10.03
- D1534-95(2008) Test Method for Approximate Acidity in Electrical Insulating Liquids by Color-Indicator Titration, 10.03
 D1535-13 Practice for Specifying Color by the Munsell System, 06.01
 D1536 Withdrawn 1966; Method of Test for Color Difference Using the
- Colormaster Differential Calorimeter; Combined with D 2244
- D1537 Withdrawn 2007; Specification for Distilled Soybean Fatty Acids
 D1538 Withdrawn 2007; Specification for Distilled Linseed Fatty Acids
 D1539 Withdrawn 2007; Specification for Dehydrated Castor Acids
 D1540 Withdrawn 1992; Practice for Effect of Chemical Agents on Organic
- Finishes Used in the Transportation Industry
- D1541 Withdrawn 2006; Test Method for Total Iodine Value of Drying Oils and Their Derivatives
- D1542 Withdrawn 1997; Test Method for Qualitative Detection of Rosin in Varnishes
- D1543 Withdrawn 1992; Test Method for Color Permeance of White Architectural Enamels
- D1544-04(2010) Test Method for Color of Transparent Liquids (Gardner Color Scale), 06.01
- Test Method for Viscosity of Transparent Liquids by Bubble Time D1545-13
- Method, 06.01
- D1546 Withdrawn; Practice for Testing the Performance of Clear Floor Sealers D1547 Withdrawn 1990; Specification for Extruded Acrylic Plastic Sheet D1548 Withdrawn 1997; Test Method for Vanadium in Navy Special Fuel Oil
- Withdrawn 1985; Method of Test for Zinc in Lubricating Oils and D1549 Additives (Polarographic Method)

 D1550-94(2009) Standard ASTM Butadiene Measurement Tables, 05.01
- D1551 Withdrawn 1977; Method of Test for Sulfur in Petroleum Oils (Quartz-Tube Method)
- D1552-08 Test Method for Sulfur in Petroleum Products (High-Temperature Method), 05.01
- D1553 Withdrawn 1991; Method for Analysis of Graphites Used as Lubricants
 D1554-10 Terminology Relating to Wood-Base Fiber and Particle Panel Materials, 04.10
- D1555-09 Test Method for Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane, 06.04
- D1555M-08^{c1} Test Method for Calculation of Volume and Weight of Industrial Aromatic Hydrocarbons and Cyclohexane Metric, **06.04 D1556-07** Test Method for Density and Unit Weight of Soil in Place by
- Sand-Cone Method. 04.08
- D1557-12 Test Methods for Laboratory Compaction Characteristics of Soil Using Modified Effort (56,000 ft-lbf/ft³) (2,700 kN-m/m³), 04.08
 D1558-10 Test Method for Moisture Content Penetration Resistance
- Relationships of Fine-Grained Soils, 04.08
- D1559 Withdrawn 1998; Test Method for Resistance to Plastic Flow of Bituminous Mixtures Using Marshall Apparatus

 D1560-09a Test Methods for Resistance to Deformation and Cohesion of Bituminous Mixtures by Means of Hveem Apparatus, 04.03

 D1561/D1561M-13 Practice for Preparation of Bituminous Mixture Test
- Specimens by Means of California Kneading Compactor, 04.03

D1562 D1662

- D1562-09 Classification System and Basis for Specification for Cellulose Acetate Propionate Molding and Extrusion Compounds, 08.01
- D1563 Withdrawn 1985; Method of Test for Peroxide Number of Mineral Insulating Oils
- D1564 Withdrawn 1979; Testing Flexible Cellular Materials—Slab Urethane Foam; Replaced by D3574
- D1565 Withdrawn 1998; Specification for Flexible Cellular Materials—Vinyl
- Chloride Polymers and Copolymers (Open-Cell Foam)
 D1567 Withdrawn 2000; Test Method for Detergent Cleaners for Evaluation of Corrosive Effects on Certain Porcelain Enamels
- D1568-05(2014) Test Methods for Sampling and Chemical Analysis of Alkylbenzene Sulfonates, 15.04
- D1569-05(2014) Test Methods for Detergent Alkylate, 15.04
- D1570-95(2009) Test Methods for Sampling and Chemical Analysis of Fatty Alkyl Sulfates, 15.04 D1571/D1571M-95(2009)^{c1} Specification for Woven Asbestos Cloth, 04.05
- D1572 Withdrawn 1962; Specification and Methods of Test for Industrial Asbestos Tapes
- D1573/D1573M-95(2009)^{€1} Test Method for Heat Aging of Asbestos Textiles, 04.05
- D1574-04(2013) Test Method for Extractable Matter in Wool and Other Animal Fibers, **07.01**
- D1575-13 Test Method for Fiber Length of Wool in Scoured Wool and in Card Sliver, 07.01
- D1576-13 Test Method for Moisture in Wool by Oven-Drying, 07.01
- D1577-07(2012) Test Methods for Linear Density of Textile Fibers, 07.01 D1578-93(2011) Test Method for Breaking Strength of Yarn in Skein Form,
- D1579-01(2013) Test Method for Filler Content of Phenol, Resorcinol, and Melamine Adhesives, 15.06
- D1580 Withdrawn 1992; Specification for Liquid Adhesives for Automatic
- Machine Labeling of Glass Bottles

 D1581 Withdrawn 1992; Test Method for Bonding Permanency of Water- or
 Solvent-Soluble Liquid Adhesives for Labeling Glass Bottles

 D1582-98(2011) Test Method for Nonvolatile Content of Liquid Phenol,
- Resorcinol, and Melamine Adhesives, 15.06
- D1583-01(2013) Test Method for Hydrogen Ion Concentration of Dry Adhesive Films, 15.06
- D1584 Withdrawn 1992; Test Method for Water Absorptiveness of Paper Labels
- D1585-96(2011) Test Methods for Fatty Acids Content of Naval Stores, Including Rosin, Tall Oil, and Related Products, 06.03
- D1586-11 Test Method for Standard Penetration Test (SPT) and Split-Barrel
- Sampling of Soils, **04.08 D1587-08(2012)**^{c1} Practice for Thin-Walled Tube Sampling of Soils for Geotechnical Purposes, 04.08
- D1588 Withdrawn 1984; Methods of Test for Dissolved and Gaseous Hydrogen in Water
- D1589 Withdrawn 1981; Methods of Test for Dissolved Oxygen in Waste Water
- D1590 Withdrawn 1995; Test Method for Surface Tension of Water D1591 Withdrawn 1967; Method of Test for Effect of Water in Tubular Heat
- Exchangers D1592 Withdrawn 1962; Specification for Glass Fabric Reinforced Epoxy
- Resin Laminates; Combined with D 709 D1593-13 Specification for Nonrigid Vinyl Chloride Plastic Film and Sheeting, 08.01
- D1594 Withdrawn 1961; Specification for Methylstyrene-Acrylonitrile Copolymer Molding and Extrusion Material
- D1595 Withdrawn 1960; Specification for Polymethylstyrene Molding and Extrusion Material
- D1596-97(2011) Test Method for Dynamic Shock Cushioning Characteristics of
- Packaging Material, 15.10

 D1597 Withdrawn 1984; Method of Test for Melamine Content of Nitrogen Resins
- D1598-02(2009) Test Method for Time-to-Failure of Plastic Pipe Under Constant Internal Pressure, 08.04
- D1599-99(2011) Test Method for Resistance to Short-Time Hydraulic Pressure of Plastic Pipe, Tubing, and Fittings, 08.04
- D1600-14 Terminology for Abbreviated Terms Relating to Plastics, 08.01
 D1601-12 Test Method for Dilute Solution Viscosity of Ethylene Polymers, 08.01
- D1602 Withdrawn 1989; Test Method for Bearing Load of Corrugated
 Reinforced Plastics Panels
 D1603-12 Test Method for Carbon Black Content in Olefin Plastics, 08.01
- D1604 Withdrawn 1982; Method for Measurement of Flatness of Plasitcs Sheet or Tubing
- D1605 Withdrawn 1992; Practices for Sampling Atmospheres for Analysis of Gases and Vapors
- D1606 Withdrawn 1977; Method of Test for Inorganic Fluoride in the Atmosphere; Replaced by D32666, D3267, D3268, D3269, D3270
- D1607-91(2011) Test Method for Nitrogen Dioxide Content of the Atmosphere (Griess-Saltzman Reaction), 11.07
- D1608-98(2009) Test Method for Oxides of Nitrogen in Gaseous Combustion Products (Phenol-Disulfonic Acid Procedures), 11.07
- D1609 Withdrawn 1982; Method of Test for Oxidant Ozone Content of the Atmosphere
- D1610-01(2013) Practice for Conditioning Leather and Leather Products for Testing, 15.04

- D1611-12 Test Method for Corrosion Produced by Leather in Contact with Metal, 15.04
- D1612 Withdrawn 2011; Test Method for Acetone in Methanol
- D1613-06(2012) Test Method for Acidity in Volatile Solvents and Chemical Intermediates Used in Paint, Varnish, Lacquer, and Related Products,
- D1614-09 Test Method for Alkalinity in Acetone, 06.04
- D1615 Withdrawn 2004; Test Methods for Glycerol, Ethylene Glycol, and Pentaerythritol in Alkyd Resins
- D1616 Withdrawn 1982; Method of Test for Copper Corrosion by Mineral Spirits (Copper Strip Test); Replaced by D130
- D1617-07(2012) Test Method for Ester Value of Solvents and Thinners, 06.04
 D1618-99(2011) Test Method for Carbon Black Extractables—Transmittance of Toluene Extract, 09.01
- D1619-11 Test Methods for Carbon Black—Sulfur Content, 09.01
- D1620 Withdrawn 1973; Method of Test for Volatile Content of Carbon Black
 D1621-10 Test Method for Compressive Properties of Rigid Cellular Plastics, 08.01
- D1622-08 Test Method for Apparent Density of Rigid Cellular Plastics, 08.01 D1623-09 Test Method for Tensile and Tensile Adhesion Properties of Rigid Cellular Plastics, 08.01
- D1624 Withdrawn 2006; Specification for Acid Copper Chromate
 D1625 Withdrawn 2006; Specification for Chromated Copper Arsenate
- D1626 Withdrawn 1970; Specification for Chromated Zinc Arsenate
- D1627 Withdrawn 2006; Test Methods for Chemical Analysis of Acid Copper Chromate
- D1628 Withdrawn 2006; Test Methods for Chemical Analysis of Chromated Copper Arsenate
- D1629 Withdrawn 1970; Method for Chemical Analysis of Chromated Zinc Arsenate
- D1630-06(2012) Test Method for Rubber Property—Abrasion Resistance (Footwear Abrader), 09.01
- D1631-10 Test Method for Water in Phenol and Related Materials by the Iodine Reagent Method, 06.04
- D1632-07 Practice for Making and Curing Soil-Cement Compression and Flexure Test Specimens in the Laboratory, 04.08
 D1633-00(2007) Test Methods for Compressive Strength of Molded Soil-Cement Cylinders, 04.08
- D1634-00(2006) Test Method for Compressive Strength of Soil-Cement Using Portions of Beams Broken in Flexure (Modified Cube Method), 04.08
- D1635/D1635M-12 Test Method for Flexural Strength of Soil-Cement Using Simple Beam with Third-Point Loading, 04.08
- D1636-13 Specification for Allyl Molding Compounds, 08.01
- D1637 Withdrawn 1990; Test Method for Tensile Heat Distortion Temperature of Plastic Sheeting
- D1638 Withdrawn 1991; Methods of Testing Urethane Foam Isocyanate Raw Materials
- D1639 Withdrawn 2005; Test Method for Acid Value of Organic Coating Materials
- D1640-03(2009) Test Methods for Drying, Curing, or Film Formation of Organic Coatings at Room Temperature, 06.01
- D1641 Withdrawn 2013; Practice for Conducting Outdoor Exposure Tests of Varnishes
- D1642 Withdrawn 1999; Test Methods for Elasticity or Toughness of Varnishes D1643 Withdrawn 1993; Test Methods for Gas Checking and Draft Test of Varnish Films
- D1644-01(2012) Test Methods for Nonvolatile Content of Varnishes, 06.01 D1645 Withdrawn 1970; Method of Test for Print Resistance of Varnishes; Replaced by D1640
- D1646-07(2012) Test Methods for Rubber—Viscosity, Stress Relaxation, and Pre-Vulcanization Characteristics (Mooney Viscometer), 09.01
 D1647 Withdrawn 2004; Test Methods for Resistance of Dried Films of
- Varnishes to Water and Alkali
- D1648-86(2008) Specification for Basic Lead Silicochromate Pigment, 06.03 D1649-01(2012) Specification for Strontium Chromate Pigment, 06.03 D1650 Withdrawn 1997; Test Methods of Sampling and Testing Shellac Varnish
- D1651 Withdrawn 1982; Method of Test for Phthalic Acid Isomers and Benzoic Acid in Alkyd Resins and Esters
- D1652-11^{c1} Test Method for Epoxy Content of Epoxy Resins, 06.03
- D1653-13 Test Methods for Water Vapor Transmission of Organic Coating Films, **06.01**
- D1654-08 Test Method for Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments, **06.01 D1655-13** Specification for Aviation Turbine Fuels, **05.01**
- D1656 Withdrawn 1969; Method of Test for Knock Characteristics of Motor Fuels Above 100 Octane Number by the Research Method; Replaced by D2699
- D1657-12^{c1} Test Method for Density or Relative Density of Light Hydrocarbons by Pressure Hydrometer, 05.01
- D1658 Withdrawn 1984; Method of Test for Carbon Number Distribution of Aromatic Compounds in Naphthas by Mass Spectrometry
- D1659 Withdrawn 1984; Method of Test for Maximum Fluidity Temperature of Residual Fuel Oil
- D1660 Withdrawn 1992; Test Method for Thermal Stability of Aviation Turbine Fuels; Replaced by D3241
- D1661 Withdrawn 1990; Test Method for Thermal Stability of U. S. Navy Special Fuel Oil
- D1662-08 Test Method for Active Sulfur in Cutting Oils, 05.01

D1663 D1759

- D1663 Withdrawn 1976; Specification for Hot-Mixed, Hot-Laid Asphalt Paving Mixtures: Replaced by D3515
- D1664 Withdrawn 1992; Test Method for Coating and Stripping of Bitumen-Aggregate Mixtures
- D1665-98(2009) Test Method for Engler Specific Viscosity of Tar Products, 04.03

- 04.03
 D1666-11 Test Methods for Conducting Machining Tests of Wood and Wood-Base Panel Materials, 04.10
 D1667-05(2011) Specification for Flexible Cellular Materials—Poly (Vinyl Chloride) Foam (Closed-Cell), 08.01
 D1668-97a(2006) Specification for Glass Fabrics (Woven and Treated) for Roofing and Waterproofing, 04.04
 D1669/D1669M-07(2013)^{c1} Practice for Preparation of Test Panels for
- Accelerated and Outdoor Weathering of Bituminous Coatings, 04.04 D1670/D1670M-11 Test Method for Failure End Point in Accelerated and
- Outdoor Weathering of Bituminous Materials, 04.04 D1671 Withdrawn 1984; Method of Test for Absorbed Gamma Radiation Dose
- in the Fricke Dosimeter; Replaced by E1026 D1672 Withdrawn 1984; Recommended Practices for Exposure of Polymeric
- Materials to High-Energy Radiation; Replaced by E1027
 D1673 Withdrawn 2006; Test Methods for Relative Permittivity And Dissipation
 Factor of Expanded Cellular Polymers Used For Electrical Insulation
 D1674 Withdrawn 1992; Methods of Testing Polymerizable Embedding
- Compounds Used for Electrical Insulation
- D1675-03(2011) Test Methods for Polytetrafluoroethylene Tubing, 10.01
 D1676-03(2011) Test Methods for Film-Insulated Magnet Wire, 10.02
- D1677-02(2011) Methods for Sampling and Testing Untreated Mica Paper Used for Electrical Insulation, 10.01
- D1678 Withdrawn 1962; Methods of Testing Flexible Vinyl Plastic Coated
- Sleeving Used for Electrical Insulation

 D1679 Withdrawn 2006; Specification for Synthetic Rubber Heat-and
 Moisture-Resisting Insulation for Wire and Cable, 75 °C Operation

 D1680 Withdrawn 1989; Methods of Testing Rubber Hose for Automotive Air
- Conditioning Systems
 D1681-05(2014) Test Method for Synthetic Anionic Active Ingredient in
- Detergents by Cationic Titration Procedure, 15.04
- D1682 Withdrawn 1992; Test Methods for Breaking Load and Elongation of Textile Fabric; Replaced by D5034 and D5035
- D1683/D1683M-11a Test Method for Failure in Sewn Seams of Woven Apparel Fabrics, 07.01
- D1684-07(2012) Practice for Lighting Cotton Classing Rooms for Color Grading, 07.01
- D1685 Withdrawn 2009; Test Method for Traces of Thiophene in Benzene by Spectrophotometry

 D1686-10 Test Method for Color of Solid Aromatic Hydrocarbons and Related
- Materials in the Molten State (Platinum-Cobalt Scale), 06.04
- D1687-12 Test Methods for Chromium in Water, 11.01 D1688-12 Test Methods for Copper in Water, 11.01
- D1689 Withdrawn 1964; Method of Test for Silica in High-Purity Water; Combined with D 859
- D1690 Withdrawn 1981; Test for Gamma Radioactivity of Water
- D1691-12 Test Methods for Zinc in Water, 11.01
 D1692 Withdrawn 1978; Method of Test for Rate of Burning or Extent and
 Time of Burning of Cellular Plastics Using a Specimen Supported by a Horizontal Screen
- D1693-13 Test Method for Environmental Stress-Cracking of Ethylene Plastics, 08.01
- D1694 Withdrawn 2005; Specification for Threads 60° (Stub) for Fiberglass (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe
- D1695-07(2012) Terminology of Cellulose and Cellulose Derivatives, 06.03 D1696-95(2011) Test Method for Solubility of Cellulose in Sodium Hydroxide,
- 06.03 D1697 Withdrawn 1974; Method of Sampling Casein and Similar Protein Materials
- D1698-03(2008) Test Method for Sediments and Soluble Sludge in Service-Aged Insulating Oils, 10.03
- D1699 Withdrawn 1967; Method of Test for Bond Strength of Leather Belting D1700 Withdrawn 1963; Specification for Low Voltage Rubber Insulating Gloves; Combined with D 120
- D1701 Withdrawn 2000; Test Methods for Scavenger Content of Askarels
 D1702 Withdrawn 1991; Method for Visual Examination of Used Chlorinated
 Aromatic Hydrocarbons (Askarels) in the Field
 D1703 Withdrawn 1982; Recommended Practice for Presentation of Capillary
- Flow Data on Molten Thermoplastics; Replaced by D3805
- D1704/D1704M Withdrawn 2000; Test Method for Determining the Amount of Particulate Matter in the Atmosphere by Measurement of the Light Absorbance of a Filtered Sample
- D1705 Withdrawn 1998; Test Method for Particle Size Analysis of Powdered Polymers and Copolymers of Vinyl Chloride D1706 Withdrawn 1967; Method of Test for Indentation Hardness of Plastics
- by Means of a Durometer
- D1707 Withdrawn 1967; Definition of Terms Relating to Soil Dynamics; Combined with D 653
- D1708-13 Test Method for Tensile Properties of Plastics by Use of Microtensile Specimens, 08.01
- D1709-09 Test Methods for Impact Resistance of Plastic Film by the Free-Falling Dart Method, **08.01 D1710-08** Specification for Extruded Polytetrafluoroethylene (PTFE) Rod,
- Heavy Walled Tubing and Basic Shapes, **08.01 D1711-13** Terminology Relating to Electrical Insulation, **10.01**

D1712-09 Practice for Resistance of Plastics to Sulfide Staining, 08.01 D1713 Withdrawn 1992; Test Method for Bonding Permanency of Water- or Solvent-Soluble Liquid Adhesives for Automatic Machine Sealing Top Flaps of Fiberboard Specimens

- D1714 Withdrawn 1992; Test Method for Water Absorptiveness of Fiberboard Specimens for Adhesives
- D1715 Withdrawn 1968; Method of Test for Gas Evolved from Chemical
- Blowing Agents for Cellular Plastics D1716 Withdrawn 1993; Test Method for Cellulose Chain Length Uniformity by Fractional Precipitation of Cellulose Nitrate
- D1717 Withdrawn 1984; Method of Test for Analysis of Commerical Butane-Butene Mixtures and Isolutylene by Gas Chromatography

 D1718-09 Specification for Isobutyl Acetate (95 % Grade), 06.04

 D1719-11 Specification for Isobutyl Alcohol, 06.04

- D1720-03(2012) Test Method for Dilution Ratio of Active Solvents in Cellulose Nitrate Solutions, 06.04
- D1721 Withdrawn 2012; Test Method for Permanganate Time of Tricresyl Phosphate
- D1722-09 Test Method for Water Miscibility of Water-Soluble Solvents, 06.04 D1723 Withdrawn 1966; Method of Test for Water Solubility of Acetone, Combined with D 1722
- D1724 Withdrawn 1978; Method for Qualitative Determination of Fish Oil in
- Drying Oils and Drying Oil Fatty Acids; Replaced by D555, D3725

 D1725-12 Practice for Preparing Resin Solutions for Viscosity Measurement by Bubble Time Method, 06.03
- D1726-11 Test Methods for Hydrolyzable Chloride Content of Liquid Epoxy Resins, 06.03
- D1727 Withdrawn 1984; Method of Test for Urea Content of Nitrogen Resins D1728 Withdrawn 1991; Test Method for Phthalate Ester Color of High-Gravity Glycerin
- D1729-96(2009) Practice for Visual Appraisal of Colors and Color Differences of Diffusely-Illuminated Opaque Materials, 06.01
- D1730-09 Practices for Preparation of Aluminum and Aluminum-Alloy Surfaces for Painting, 02.05

 D1731-09 Practices for Preparation of Hot-Dip Aluminum Surfaces for
- Painting, 02.05
- D1732-03(2013) Practices for Preparation of Magnesium Alloy Surfaces for Painting, 02.05
- D1733 Withdrawn 1980; Method for Preparation of Aluminum Alloy Panels for Testing Paint, Varnish, Lacquer, and Related Products; Replaced by D1730
- D1734-93(2013) Practice for Making Cementitious Panels for Testing Coatings, 06.02
 D1735-08 Practice for Testing Water Resistance of Coatings Using Water Fog
- Apparatus, 06.01
- D1736 Withdrawn 1997; Test Method for Efflorescence of Interior Wall Paints
 D1737 Withdrawn 1988; Method of Test for Elongation of Attached Organic Coatings with Cylindrical Mandrel Apparatus; Replaced by D522
- D1738 Withdrawn 1970; Method of Test for Hiding Power of Nonchromatic Paints; Replaced by D2805
- D1739-98(2010) Test Method for Collection and Measurement of Dustfall (Settleable Particulate Matter), 11.07
- D1740 Withdrawn 2006; Test Method for Luminometer Numbers of Aviation Turbine Fuels
- D1741 Withdrawn 1991; Test Method for Functional Life of Ball Bearing Greases
- D1742-06 Test Method for Oil Separation from Lubricating Grease During Storage, 05.01

 D1743-13 Test Method for Determining Corrosion Preventive Properties of
- Lubricating Greases, 05.01
- D1744-13 Test Method for Determination of Water in Liquid Petroleum
- Products by Karl Fischer Reagent, **05.01** D1745 Withdrawn 1966; Method for Calculation of Absolute Viscosity; Combined with D 445
- Test Method for Transparency of Plastic Sheeting, **08.01**Test Method for Refractive Index of Viscous Materials, **05.01** D1746-09 D1747-09
- Test Method for Rust Protection by Metal Preservatives in the D1748-10 Humidity Cabinet, 05.01
- D1749 Withdrawn 2010; Practice for Interlaboratory Evaluation of Test
 Methods Used with Paper and Paper Products
 D1750 Withdrawn 1986; Tables for Positive Displacement Meter Prover Tanks
 D1751-04(2013)^{c1} Specification for Preformed Expansion Joint Filler for
 Concrete Paving and Structural Construction (Nonextruding and Resilient
- Bituminous Types), 04.03
 D1752-04a(2013) Specification for Preformed Sponge Rubber Cork and Recycled PVC Expansion Joint Fillers for Concrete Paving and Structural Construction, 04.03
- D1753 Withdrawn 1977; Specification for Hot-Mixed, Hot-Laid Tar Paving Mixtures; Replaced by D3515
 D1754/D1754M-09 Test Method for Effects of Heat and Air on Asphaltic
- Materials (Thin-Film Oven Test), **04.03**
- D1755-09 Specification for Poly(Vinyl Chloride) Resins, 08.01
- D1756 Withdrawn 2013; Test Method for Determination as Carbon Dioxide of Carbonate Carbon in Coal; Replaced by D6316
- D1757 Withdrawn 2009; Test Method for Sulfate Sulfur in Ash from Coal and Coke
 D1758-06 Test Method of Evaluating Wood Preservatives by Field Tests with
- Stakes, **04.10**D1759 Withdrawn 1978; Method of Conducting Shear-Block Test for Quality Control of Glue Bonds in Scarf Joints

D1760 D1862

- D1760 Withdrawn 2006; Specification for Pressure Treatment of Timber Products
- D1761-12 Test Methods for Mechanical Fasteners in Wood, 04.10
- D1762-84(2013) Test Method for Chemical Analysis of Wood Charcoal, 04.10 D1763-00(2013) Specification for Epoxy Resins, 08.01
- D1764 Withdrawn 2003; Specification for Rubber Latex Products for Automotive Applications
- D1765-13 Classification System for Carbon Blacks Used in Rubber Products, 09.01
- D1766-05(2011) Test Method for Rubber Chemicals—Solubility, 09.01
 D1767-89(2009) Test Method for Ethylene Diamine Tetraacetate (EDTA) in Soaps or Synthetic Detergents, 15.04

 D1768-89(2009) Test Method for Sodium Alkylbenzene Sulfonate in Synthetic
- Detergents by Ultraviolet Absorption, 15.04
- D1769 Withdrawn 1989; Test Method for Linear Density of Cotton Fibers
- (Array Sample)
 D1770-94(2012) 1 Test Method for Neps, Vegetable Matter, and Colored Fiber in Wool Top, 07.01
- D1771 Withdrawn 1981; Method of Sample Reweighing of Lots of Packaged Raw Wool
- D1772 Withdrawn 1966: Method of Test for Imperfection Count of Textile Yarns
- D1773 Withdrawn 1962; Method of Test for Dimensional Change of Knitted Fabrics in Laundering and Dimensional Restorability of the Laundered Fabric
- D1774 Withdrawn 2000; Test Methods for Elastic Properties of Textile Fibers D1775 Withdrawn 2000; Test Method for Tension and Elongation of Wide
- Elastic Fabrics (Constant-Rate-of-Load Type Tensile Testing Machine)

 D1776-08^{€1} Practice for Conditioning and Testing Textiles, 07.01
- D1777-96 (2011)¹⁷ Test Method for Thickness of Textile Materials, 07.01
 D1778 Withdrawn 1966; Method of Test for Colorfastness to Commercial
 Laundering and to Domestic Washing of Tuffed Rugs and Carpets
- D1779-98(2011) Specification for Adhesive for Acoustical Materials, 15.06 D1780-05(2012) Practice for Conducting Creep Tests of Metal-to-Metal Adhesives, 15.06
- Test Method for Climbing Drum Peel for Adhesives, 15.06 D1781-98(2012) D1782-95(2009) Test Methods for Operating Performance of Particulate Cation-Exchange Materials, 11.02
- D1783-01(2012) Test Methods for Phenolic Compounds in Water, 11.02
 D1784-11 Specification for Rigid Poly(Vinyl Chloride) (PVC) Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds, 08.01
- D1785-12 Specification for Poly(Vinyl Chloride) (PVC) Plastic Pipe, Schedules 40, 80, and 120, **08.04 D1786-10** Specification for Toluene Diisocyanate, **08.01**

- D1787 Withdrawn 1995; Test Method for Pentosans in Cellulose
 D1788 Withdrawn 1989; Specification for Rigid Acrylonitrile-Butadiene-Styrene (ABS) Plastics
- D1789 Withdrawn 1984; Test Method for Welding Performance of Poly(Vinyl Chloride) Structures
- D1790-08 Test Method for Brittleness Temperature of Plastic Sheeting by Impact, 08.01
- D1791-93(2008) Test Method for Accelerated Aging of Liquid Water-Emulsion Floor Polishes, **15.04 D1792-06(2012)** Test Method for Long-Term Removability Properties of
- Emulsion Floor Polishes, 15.04

 D1793-92(2008) Test Method for Water Spotting of Emulsion Floor Polishes,
- 15.04
- D1794 Withdrawn 1993; Test Method for Alcohol-Benzene Soluble Matter in Cellulose
- D1795-13 Test Method for Intrinsic Viscosity of Cellulose, 06.03 D1796-11^{c1} Test Method for Water and Sediment in Fuel Oils by the
- Centrifuge Method (Laboratory Procedure), **05.01**D1797 Withdrawn 1974; Method of Test for Ash in Casein and Isolated Soy
- Protein D1798 Withdrawn 1974; Method of Test for Fixed Ash in Casein and Isolated
- Sov Protein D1799-03a(2008) Practice for Carbon Black—Sampling Packaged Shipments,
- D1800 Withdrawn 1974; Method of Test for Alkali Requirement of Casein and
- Isolated Soy Protein D1801 Withdrawn 1974; Method of Test for Free Acidity in Casein and
- Isolated Soy Protein D1802 Withdrawn 1974; Method of Test for Moisture in Casein and Isolated
- Soy Protein D1803 Withdrawn 1974; Method of Test for Nitrogen in Casein and Isolated
- Soy Protein D1804 Withdrawn 1974; Method of Test for Oil in Casein and Isolated Soy Protein
- D1805 Withdrawn 1972; Recommended Practice for Estimating Relative Temperature Limits of Dielectric Liquids
- D1806 Withdrawn 1962; Method of Test for Refractive Index of Askarels; Combined with D 1807
- D1807 Withdrawn 2014; Test Methods for Refractive Index and Specific Optical Dispersion of Electrical Insulating Liquids
- D1808 Withdrawn 1980; Method of Test for Volume of Oil in Oil-Contaminated Askarels
- D1809 Withdrawn 1967; Method for Sampling Askarels; Combined with D 923 D1810 Withdrawn 2000; Test Method for Specific Gravity of Askarels/i D1811 Withdrawn 1961; Method of Test for Free Chlorides in Askarels;
- Replaced by D1821

- D1812 Withdrawn 1981; Method of Test for Plasitc Properties of Coal by Gieseler Plastometer
- D1813-13 Test Method for Measuring Thickness of Leather Test Specimens, 15.04
- D1814-70(2010) Test Method for Measuring Thickness of Leather Units, 15.04
 D1815-00(2010) Test Method for Water Absorption (Static) of Vegetable Tanned Léather, 15.04
- D1816-12 Test Method for Dielectric Breakdown Voltage of Insulating Liquids Using VDE Electrodes, 10.03
- D1817-05(2011) Test Method for Rubber Chemicals—Density, 09.01 D1818 Withdrawn 1990; Specification for Continuity of Quality of Electrical Insulating Oil for Low-Pressure Cable Systems
- D1819 Withdrawn 1990; Specification for Continuity of Quality of Electrical Insulating Oil for High-Pressure Cable Systems
- D1820 Withdrawn 2000; Test Method for Hydrolyzable Chlorine Compounds in Chlorinated Aromatic Hydrocarbons (Askarels)
 D1821 Withdrawn 2000; Test Method for Inorganic Chlorides in Askarels
- D1822-13 Test Method for Tensile-Impact Energy to Break Plastics and Electrical Insulating Materials, 08.01
- D1822M Withdrawn 1996; Test Method for Tensile-Impact Energy to Break Plastics and Electrical Insulating Materials
- D1823-95(2009) Test Method for Apparent Viscosity of Plastisols and Organosols at High Shear Rates by Extrusion Viscometer, 08.01
- D1824-95(2010) Test Method for Apparent Viscosity of Plastisols and Organosols at Low Shear Rates, 08.01
- D1825 Withdrawn 2011; Practice for Etching and Cleaning Copper-Clad Electrical Insulating Materials and Thermosetting Laminates for Electrical Testina
- D1826-94(2010) Test Method for Calorific (Heating) Value of Gases in Natural Gas Range by Continuous Recording Calorimeter, 05.06
- D1827 Withdrawn 2009; Test Method for Gas Content (Nonacidic) of Insulating Liquids by Displacement with Carbon Dioxide
- D1828-01(2013) Practice for Atmospheric Exposure of Adhesive-Bonded Joints and Structures, 15.06
- D1829 Withdrawn 2001; Test Method for Electrical Resistance of Ceramic Materials at Elevated Temperatures
- D1830-99(2012) Test Method for Thermal Endurance of Flexible Sheet Materials Used for Electrical Insulation by the Curved Electrode Method, 10.01
- D1831-11 Test Method for Roll Stability of Lubricating Grease, 05.01
- D1832-04(2009) Test Method for Peroxide Number of Petroleum Wax, 05.01 D1833-87(2012) Test Method for Odor of Petroleum Wax, 05.01
- D1834 Withdrawn 2004; Test Method for 20° Specular Gloss of Waxed Paper D1835-13 Specification for Liquefied Petroleum (LP) Gases, 05.01
- D1836-07(2013) Specification for Commercial Hexanes, 06.04
- D1837-11 Test Method for Volatility of Liquefied Petroleum (LP) Gases, 05.01 D1838-12a Test Method for Copper Strip Corrosion by Liquefied Petroleum
- (LP) Gases, **05.01 D1839-11** Test Method for Amyl Nitrate in Diesel Fuels, **05.01**
- D1840-07(2013) Test Method for Naphthalene Hydrocarbons in Aviation Turbine Fuels by Ultraviolet Spectrophotometry, 05.01
- D1841 Withdrawn 2007; Specification for Distilled Coconut Fatty Acids
 D1842 Withdrawn 2007; Specification for Distilled Corn Fatty Acids
 D1843 Withdrawn 2007; Specification for Fractionated and Distilled
- Cottonseed Fatty Acids
- D1844-86(2008) Test Methods for Chemical Analysis of Basic Lead Silicochromate, 06.03
- D1845-86(2008) Test Methods for Chemical Analysis of Strontium Chromate Pigment, 06.03

 D1846 Withdrawn 1966; Method of Test for Water-Soluble Matter in Iron Oxide
- Pigments by Specific Resistance Method; Combined with D 2448 D1847 Withdrawn 2007; Test Methods for Total Chlorine Content of Epoxy Resins
- D1848 Withdrawn 2003; Classification for Reporting Paint Film Failures Characteristic of Exterior Latex Paints
- D1849-95(2008) Test Method for Package Stability of Paint, 06.02
- D1850 Withdrawn 1991; Specification for Concrete Joint Sealer D1851 Withdrawn 1991; Methods of Testing Concrete Joint Sealer
- D1852 Withdrawn 1991; Specification for Jet-Fuel-Resistant Concrete Joint Sealer, Cold-Application Elastic Type
- D1853 Withdrawn 1991; Methods of Testing Jet-Fuel-Resistant Concrete Joint
- Sealer for Concrete, Cold-Application Elastic Type
 D1854 Withdrawn 2006; Specification for Jet-Fuel-Resistant Concrete Joint
 Sealer, Hot-Applied Elastic Type; Replaced by D 7116
 D1855 Withdrawn 1996; Test Methods for Jet-Fuel-Resistant Concrete Joint
- Sealer, Hot-Poured Elastic Type

 D1856-09 Test Method for Recovery of Asphalt From Solution by Abson
- Method, 04.03
- D1857/D1857M-04(2010) Test Method for Fusibility of Coal and Coke Ash,
- D1858 Withdrawn 2006; Specification for Creosote-Petroleum Solution D1859 Withdrawn 2006; Specification for Petroleum for Blending with Creosote
- D1860 Withdrawn 2006; Test Method for Moisture and Creosote-Type Preservative in Wood
- D1861 Withdrawn 1992; Specification for Homogeneous Bituminized Fiber Drain and Sewer Pipe
- D1862 Withdrawn 1992; Specification for Laminated-Wall Bituminized Fiber Drain and Sewer Pipe

D1863/D1863M D1957

- D1863/D1863M-05(2011)^{€1} Specification for Mineral Aggregate Used on Built-Up Roofs, 04.04
- D1864/D1864M-89(2009)^{€1} Test Method for Moisture in Mineral Aggregate Used on Built-Up Roofs, 04.04
- D1865/D1865M-09 Test Method for Hardness of Mineral Aggregate Used on Built-Up Roofs, 04.04
- D1866 Withdrawn 1991; Test Method for Translucency of Mineral Aggregate Used on Built-Up Roofs
- D1867-13 Specification for Copper-Clad Thermosetting Laminates for Printed Wiring, 10.01

 D1868-13 Test Method for Detection and Measurement of Partial Discharge
- (Corona) Pulses in Evaluation of Insulation Systems, 10.01
- D1869-95(2010) Specification for Rubber Rings for Asbestos-Cement Pipe, 09.02
- D1870 Withdrawn 1998; Practice for Elevated Temperature Aging Using a Tubular Oven
- D1871-04(2014) Test Method for Adhesion Between Tire Bead Wire and Rubber, 07.01
 D1872 Withdrawn 1991; Method of Testing Rubber Chemical—Free
- 2-Mercaptobenzothiazole in Benzothiazyl Disulfide; Replaced by D5044
 D1873 Withdrawn 1991; Method of Testing Rubber Chemical—Total
 2-Mercaptobenzothiazole in Benzothiazyl Disulfide; Replaced by D1051
 D1874-62(2010) Specification for Water- or Solvent-Soluble Liquid Adhesives
- for Automatic Machine Sealing of Top Flaps of Fiberboard Shipping Cases, 15.10 D1875-03(2013) Test Method for Density of Adhesives in Fluid Form, 15.06
- D1876-08 Test Method for Peel Resistance of Adhesives (T-Peel Test), 15.06
 D1877 Withdrawn 1985; Method of Test for Permanence of Adhesive-Bonded Joints in Plywood Under Mold Conditions
- D1878 Withdrawn 1970; Method of Test for Pressure-Sensitive Tack of Adhesives
- D1879-06(2014) Practice for Exposure of Adhesive Specimens to Ionizing Radiation, 15.06
- D1880 Withdrawn 1975: Recommended Practice for Selection of Engine Antifreezers for Use in Automotive Cooling Systems, Ethylene Glycol and Methanol Types; Replaced by D3306

 D1881-97(2009) Test Method for Foaming Tendencies of Engine Coolants in
- Glassware, 15.05
- D1882-96(2012) Test Method for Effect of Cooling System Chemical Solutions on Organic Finishes for Automotive Vehicles, **15.05 D1883-07**^{c2} Test Method for CBR (California Bearing Ratio) of Laboratory-
- Compacted Soils, 04.08
- D1884 Withdrawn 1968; Methods of Test for Acidity and Alkalinity of Industrial Water; Replaced by D1067 D1885 Withdrawn 1962; Method of Test for Chloride Ion in High-Purity
- Industrial Water; Combined with D 512
- D1886-08 Test Methods for Nickel in Water, 11.01
- D1887 Withdrawn 1962; Method of Test for Sodium in High-Purity Industrial Water by Flame Photometry
- D1888 Withdrawn 1991; Test Methods for Particulate and Dissolved Matter, Solids, or Residue in Water
- D1889 Withdrawn 2007; Test Method for Turbidity of Water; Replaced by D6698 and D6855
- D1890-05(2012) Test Method for Beta Particle Radioactivity of Water, 11.02 D1891 Withdrawn 1971; Method of Test for Hexane-Extractable Matter in Industrial Waste Water
- D1892 Withdrawn 1987; Specification for Styrene-Butadiene Molding and Extrusion Materials; Replaced by D4549
 D1893 Withdrawn 1991; Test Method for Blocking of Plastic Film
- D1894-14 Test Method for Static and Kinetic Coefficients of Friction of Plastic Film and Sheeting, 08.01
 D1895-96(2010)^{€1} Test Methods for Apparent Density, Bulk Factor, and
- Pourability of Plastic Materials, 08.01

 D1896/D1896M-10 Practice for Transfer Molding Test Specimens of Thermosetting Compounds, 08.01

 D1897 Withdrawn 1992; Practice for Injection Molding Test Specimens of Thermosetting Compounds, 08.01
- Thermoplastic Molding and Extrusion Materials; Replaced by D3641 D1898 Withdrawn 1998; Practice for Sampling of Plastics D1899 Withdrawn 1977; Method of Test for Mass Concentration of Particulate
- Matter in the Atmosphere (Continuous-Measurement Light-Scattering Method)
- D1900-06(2011) Practice for Carbon Black—Sampling Bulk Shipments, 09.01 D1901-10 Test Method for Relative Evaporation Time of Halogenated, 15.05 D1902 Withdrawn 1987; Method of Test for Approximate Acidity and Polar Contamination in Used Mineral Transformer Oil by Spot Tests
- D1903-08 Practice for Determining the Coefficient of Thermal Expansion of Electrical Insulating Liquids of Petroleum Origin, and Askarels, 10.03
- D1904 Withdrawn 1969; Method of Test for Oxidation Characteristics of Mineral Transformer Oil
 D1905 Withdrawn 1978; Method of Test for Dimensional Changes in
- Laundering of Woven or Knitted Textiles
- D1906 Withdrawn 1968; Method of Test for Estimation of Effective Gage Length by Evaluation of Clamp Error in Single Fiber Testing D1907/D1907M-12 Test Method for Linear Density of Yarn (Yarn Number) by
- the Skein Method, 07.01
- D1908 Withdrawn 1998; Test Method for Needle-Related Damage Due to Sewing in Woven Fabric D1909-13 Standard Tables of Commercial Moisture Regains and Commercial
- Allowances for Textile Fibers, 07.01 Withdrawn 1982; Methods of Test for Construction Characteristics of

- Woven Fabrics; Replaced by D3773, D3774, D3775, D3776, D3882, D3883
- D1911 Withdrawn 1980; Specification for Asbestos-Cement Shingle Blanks to be Used as Panels in Weathering Tests of Exterior Architectural Paints
- D1912-00(2010) Test Method for Cold-Crack Resistance of Upholstery Leather, 15.04
- D1913-00(2010) Test Method for Resistance to Wetting of Garment-Type Leathers, 15.04
- D1914-95(2010) Practice for Conversion Units and Factors Relating to Sampling and Analysis of Atmospheres, 11.07
- D1915 Withdrawn 1996; Test Method for Chromatographic Analysis of Chemically Refined Cellulose; Replaced by D5896
- D1916 Withdrawn 2005; Test Method for Penetration of Adhesives
 D1917-03(2012) Test Methods for Rubber Property—Shrinkage of Raw and
 Compounded Hot-Polymerized Styrene-Butadiene Rubber (SBR), 09.01
 D1918/D1918M-95(2009)^{c1} Test Method for Asbestos Content of Asbestos
- Textiles, 04.05
- D1919 Withdrawn 1968; Specification for Glass-Fiber Reinforced Thermoset Corrugated Structural Plastics Panel
- D1920 Withdrawn 1982; Recommended Practice for Determining Light Dosage in Carbon-Arc Light Aging Apparatus
- D1921-12 Test Methods for Particle Size (Sieve Analysis) of Plastic Materials, 08.01
- D1922-09 Test Method for Propagation Tear Resistance of Plastic Film and Thin Sheeting by Pendulum Method, 08.01
- D1923 Withdrawn 1973; Method of Test for Tensile Properties of Thin Plastic Sheeting Using the Inclined Plane Testing Machine
- D1924 Redesignated G21 1969; Recommended Practice for Determining Resistance of Synthetic Polymeric Materials to Fungi
- D1925 Withdrawn 1995; Test Method for Yellowness Index of Plastics D1926-00(2011) Test Methods for Carboxyl Content of Cellulose, 06.03
- D1927 Withdrawn 1994; Specification for Rigid Poly(Vinyl Chloride) Plastic . Sheet
- D1928 Withdrawn 2001; Practice for Preparation of Compression-Molded
- Polyethylene Test Sheets and Test Specimens; Replaced by D4703 9-13a Test Method for Determining Ignition Temperature of Plastics, D1929-13a 08.01
- D1930 Withdrawn 1986; Specification for Kraft Dielectric Tissue, Capacitor Grade
- D1931 Withdrawn 2013; Specification for Fully Cured Silicone Rubber-Coated Glass Fabric and Tapes for Electrical Insulation
- D1932-13 Test Method for Thermal Endurance of Flexible Electrical Insulating Varnishes, 10.01
- D1933-03(2008) Specification for Nitrogen Gas as an Electrical Insulating Material, 10.03
- D1934-95(2012) Test Method for Oxidative Aging of Electrical Insulating Petroleum Oils by Open-Beaker Method, 10.03
- D1935 Withdrawn 1985; Method of Test for Steam Emulsion of Electrical Insulating Oils of Petroleum Origin D1936 Withdrawn 1987; Method of Test for Thermal Stability of Chlorinated
- Aromatic Hydrocarbons (Askarels)
 D1937-13 Test Method for Carbon Black, Pelleted—Mass Strength, 09.01
 D1938-08 Test Method for Tear-Propagation Resistance (Trouser Tear) of
- Plastic Film and Thin Sheeting by a Single-Tear Method, **08.01**D1939 Withdrawn 1999; Practice for Determining Residual Stresses in Extruded or Molded Acrylonitrile-Butadiene-Styrene (ABS) Parts by Immersion in Glacial Acetic Acid
- D1940 Withdrawn 1970; Method of Test for Porosity of Rigid Cellular Plastics D1941-91(2013) Test Method for Open Channel Flow Measurement of Water with the Parshall Flume, 11.01
- D1942 Withdrawn 1990; Test Method for Morpholine in Water; Replaced by D4983
- D1943-05(2012) Test Method for Alpha Particle Radioactivity of Water, 11.02 D1944 Withdrawn 1970; Method of Test for Porosity of Rigid Cellular Plastics D1945-03(2010) Test Method for Analysis of Natural Gas by Gas Chromatography, **05.06**
- D1946-90(2011) Practice for Analysis of Reformed Gas by Gas Chromatog-
- raphy, 05.06
 D1947 Withdrawn 1996; Test Method for Load-Carrying Capacity of Petroleum
 Oil and Synthetic Fluid Gear Lubricants
 Oil Characteristics of Motor
- D1948 Withdrawn 1969; Method of Test for Knock Characteristics of Motor Fuels Above 100 Octane Number by the Motor Method; Replaced by D2700
- D1949 Withdrawn 1991; Test Method for Separation of Tetraethyllead and Tetramethyllead in Gasoline
- D1950 Withdrawn 2003; Test Method for Acetone Tolerance of Heat-Bodied
- Drying Oils
 D1951 Withdrawn 2003; Test Method for Ash in Drying Oils and Fatty Acids
 D1952 Withdrawn 2003; Test Method for Quantitative Determination of Break in Drying Oils
- D1953 Withdrawn 1980; Method of Test for Drying Properties of Drying Oils; Replaced by D1640
- D1954 Withdrawn 2003; Test Method for Foots in Raw Linseed Oil (Volumetric Method)
- D1955 Withdrawn 2003; Test Method for Gel Time of Drying Oils D1956 Withdrawn 1975; Method of Test for Heat Bodying Rate of Drying Oils; Replaced by D555
- D1957 Withdrawn 2007; Test Method for Hydroxyl Value of Fatty Oils and

D1958 D2055

- D1958 Withdrawn 2003; Test Method for Chloroform Insoluble Matter in Oiticica Oil
- D1959 Withdrawn 2006; Test Method for Iodine Value of Drying Oils and Fatty Acids
- D1960 Withdrawn 2003; Test Method for Loss on Heating of Drying Oils D1961 Withdrawn 1975; Method of Test for Maleic Diene Value of Drying Oils; Replaced by D1358
- D1962 Withdrawn 2004; Test Method for Saponification Value of Drying Oils, Fatty Acids, and Polymerized Fatty Acids
 D1963 Withdrawn 2004; Test Method for Specific Gravity of Drying Oils, Varnishes, Resins, and Related Materials at 25/25°C

- D1964 Withdrawn 2003; Test Method for Tung Oil Quality
 D1965 Withdrawn 2007; Test Method for Unsaponifiable Matter in Drying Oils, Fatty Acids, and Polymerized Fatty Acids
- D1966 Withdrawn 2007; Test Method for Foots in Raw Linseed Oil (Gravimetric Method)
- D1967 Withdrawn 2003; Test Method for Measuring Color After Heating of Drying Oils
- D1968 Withdrawn 2010; Terminology Relating to Paper and Paper Products
- D1969-07(2012) Specification for 2-Ethylhexanol, 06.04
 D1970/D1970M-13a Specification for Self-Adhering Polymer Modified
 Bituminous Sheet Materials Used as Steep Roofing Underlayment for Ice Dam Protection, 04.04
- D1971-11 Practices for Digestion of Water Samples for Determination of Metals by Flame Atomic Absorption, Graphite Furnace Atomic Absorption, Plasma Emission Spectroscopy, or Plasma Mass Spectrometry, 11.01
- D1972 Withdrawn 2014; Practice for Generic Marking of Plastic Products D1973 Withdrawn 2000; Guide for Design of a Liner System for Containment of Wastes
- D1974/D1974M-10 Practice for Methods of Closing, Sealing, and Reinforcing Fiberboard Boxes, 15.10
- D1975-95(2010) Test Method for Environmental Stress Crack Resistance of
- Plastic Injection Molded Open Head Pails, **15.10 D1976-12** Test Method for Elements in Water by Inductively-Coupled Argon Plasma Atomic Emission Spectroscopy, 11.01

 D1977-03(2008) Test Method for Nickel and Vanadium in FCC Equilibrium
- Catalysts by Hydrofluoric/Sulfuric Acid Decomposition and Atomic Spectroscopic Analysis, 05.05
- D1978-91(2008) Guide for Analysis of Electrocoat Bath Samples, 06.01 D1979 Withdrawn 2006; Test Method for Free Formaldehyde Content of Amino Resins
- D1980 Withdrawn 2007; Test Method for Acid Value of Fatty Acids and Polymerized Fatty Acids
- D1981-11 Test Method for Measuring Color After Heating of Tall Oil Fatty Acids, 06.03
- D1982-85(2009) Test Method for Titer of Fatty Acids, 06.03
- D1983 Withdrawn 2003; Test Method for Fatty Acid Composition by Gas-Liquid Chromatography of Methyl Esters
- D1984 Withdrawn 1999; Specification for Tall Oil Fatty Acids
- D1985-13 Practice for Preparing Concrete Blocks for Testing Sealants, for Joints and Cracks, 04.03
- D1986-13 Test Method for Determining the Apparent Viscosity of Polyethylene Wax 15.04
- D1987-07(2012) Test Method for Biological Clogging of Geotextile or
- Soil/Geotextile Filters, 04.13

 D1988-06(2011) Test Method for Mercaptans in Natural Gas Using Length-of-Stain Detector Tubes, 05.06
- Withdrawn 2000; Test Method for Gross Calorific Value of Coal and D1989 Coke by Microprocessor Controlled Isoperibol Calorimeters; Replaced by
- D1990-14 Practice for Establishing Allowable Properties for Visually-Graded Dimension Lumber from In-Grade Tests of Full-Size Specimens, 04.10
- D1991-05(2010) Test Method for Rubber Chemicals—2-Mercaptobenzothiazole (MBT)—Assay, 09.01
- D1992-91(2013) Guide for Testing Synthetic Plasticizers Used in Rubber, 09.01
- D1993-03(2013) Test Method for Precipitated Silica-Surface Area by Multipoint BET Nitrogen Adsorption, 09.01
- D1995-92(2011) Test Methods for Multi-Modal Strength Testing of Autohesives (Contact Adhesives), 15.06
- D1996 Withdrawn 2009; Test Method for Determination of Phenolic
 Antioxidants and Erucamide Slip Additives in Low Density Polyethylene
 Using Liquid Chromatography (LC); Replaced by D6953
 D1997-13 Test Method for Laboratory Determination of the Fiber Content of
- Peat Samples by Dry Mass, 04.08
- D1998-13 Specification for Polyethylene Upright Storage Tanks, 08.01 D1999 Withdrawn 2000; Guide for Selection of Specimens and Test Parameters from ISO/IEC Standards
- D2000-12 Classification System for Rubber Products in Automotive Applications, 09.02
- D2001-07(2012) Test Method for Depentanization of Gasoline and Naphthas, 05.01
- D2002 Withdrawn 1998; Practice for Isolation of Representative Saturates Fraction from Low-Olefinic Petroleum Naphthas
- D2003 Withdrawn 1998; Test Method for Isolation of Representative Saturates Fraction from High-Olefinic Petroleum Naphthas
- D2004 Withdrawn 1984; Method of Test for Modulus of Rupture of Petroleum Wax
- D2005 Withdrawn 1986; Method of Test for Sealing Strength of Petroleum Wax

- D2006 Withdrawn 1976; Method of Test for Characteristic Groups in Rubber Extender and Processing Oils by the Precipitation Method
- D2007-11 Test Method for Characteristic Groups in Rubber Extender and Processing Oils and Other Petroleum-Derived Oils by the Clay-Gel Absorption Chromatographic Method, 05.01
- D2008-12 Test Method for Ultraviolet Absorbance and Absorptivity of Petroleum Products, 05.01
- D2009 Withdrawn 1995; Test Method for Evaluation of Engine Oils in Two-Stroke Cycle Turbo-Supercharged 6V92TA Diesel Engine
- D2010/D2010M-98(2010) Test Methods for Evaluation of Total Sulfation Activity in the Atmosphere by the Lead Dioxide Technique, 11.07
- D2011 Withdrawn 1982; Method for Continous Analysis and Automatic Recording of the Oxidant Content of the Atmosphere
- D2012 Withdrawn 1979; Method for Continous Measurement of Nitric Oxide, Nitrogen Dioxide, and Ozone in the Atmosphere
- D2013/D2013M-12 Practice for Preparing Coal Samples for Analysis, 05.06
 D2014-97(2010) Test Method for Expansion or Contraction of Coal by the Sole-Heated Oven, **05.06**D2015 Withdrawn 2000; Test Method for Gross Calorific Value of Coal and
- Coke by the Adiabatic Bomb Calorimeter
- D2016 Withdrawn 1989; Methods of Test for Moisture Content of Wood; Replaced by D4442, D4444
- D2017 Withdrawn 2014; Test Method of Accelerated Laboratory Test of Natural Decay Resistance of Woods
- D2018 Withdrawn 1969; Recommended Practice for Determining Design Stresses for Load-Sharing Lumber Members
- D2019 Withdrawn 2010; Test Method for Dirt in Paper and Paperboard D2020 Withdrawn 2009; Test Methods for Mildew (Fungus) Resistance of Paper and Paperboard
- D2021 Withdrawn 2000; Specification for Neutral Detergent, 40 Percent
- Alkylbenzene Sulfonate Type

 D2022-89(2008) Test Methods of Sampling and Chemical Analysis of
- Chlorine-Containing Bleaches, 15.04

 D2023-89(2009) Test Method of Analysis for Sodium Toluene Sulfonate in
- Detergents, **15.04 4-09** Test Method for Cloud Point of Nonionic Surfactants, **15.04** D2024-09 D2025 Redesignated F37 - 1962; Method of Test for Sealability of Gasket Materials
- D2026/D2026M-97(2010)^{€1} Specification for Cutback Asphalt (Slow-Curing Type), 04.03
- D2027/D2027M-13 Specification for Cutback Asphalt (Medium-Curing Type), 04.03
- D2028/D2028M-10 Specification for Cutback Asphalt (Rapid-Curing Type), 04.03
- D2029-97(2008) Test Methods for Water Vapor Content of Electrical Insulating Gases by Measurement of Dew Point, 10.03
- D2030 Withdrawn 2003; Test Method for Water Solubility of Refined Pyridine D2031 Withdrawn 2003; Test Method for Reducing Substances in Refined Pyridine
- D2032 Withdrawn 1987; Specification for Deuterium Oxide
 D2033 Withdrawn 1987; Method of Test for Consumption of Potassium
- Permanganate by Impurities in Deuterium Oxide

 D2034 Withdrawn 1983; Methods of Open Channel Flow Measurement of Water and Waste Water by Weirs
- D2035-13 Practice for Coagulation-Flocculation Jar Test of Water, 11.02 D2036-09 Test Methods for Cyanides in Water, 11.02
- D2037 Withdrawn 1981; Method of Test for Evaluating Inhibitory Toxicity of
- Water to Diatoms
- D2038 Withdrawn 1989; Method for Radioactive Barium in Water
- D2039 Withdrawn 1988; Method of Test for Radioactive Manganese in Industrial Water and Industrial Waste Water
- D2040 Withdrawn 1970; Method of Test for Strontium 90 in Industrial Water and Industrial Waste Water
- D2041/D2041M-11 Test Method for Theoretical Maximum Specific Gravity and Density of Bituminous Paving Mixtures, **04.03 2-09** Test Method for Solubility of Asphalt Materials in Trichloroethylene,
- D2042-09 04.03
- D2043 Withdrawn 2010; Test Method for Silver Tarnishing by Paper
- D2044 Withdrawn 1980; Method of Test for Moisture in Paper and Paperboard by Toluene Distillation
- D2045 Withdrawn 1971; Method of Test for Water Absorptiveness of Nonbibulous Paper and Paperboard (COBB Test)
 D2046 Withdrawn 1969; Method of Test for Nonvolatile Matter (Total Solids) in
- Solvent-Board Waxes; Replaced by D2834

 D2047-11 Test Method for Static Coefficient of Friction of Polish-Coated
- Flooring Surfaces as Measured by the James Machine, 15.04
 D2048-10 Test Method for Powdering of Floor Polish Films, 15.04
- D2049 Withdrawn 1984; Test Method for Relative Density of Cohesionless Soils; Replaced by D4253, D4254
- D2050-11 Terminology Relating to Fasteners and Closures Used with Textiles, 07.01
- D2051-14 Test Method for Durability of Finish of Zippers to Laundering, 07.01 D2052-05(2010) Test Method for Colorfastness of Zippers to Drycleaning, 07.01
- D2053-99(2010) Test Method for Colorfastness of Zippers to Light, 07.01
- D2054-99(2010) Test Method for Colorfastness of Zipper Tapes to Crocking, 07.01
- D2055 Withdrawn 1976; Method of Test for Colorfastness of Zipper Tapes to Perspiration

D2056 D2151

- D2056 Withdrawn 1970; Method of Test for Resistance of Finish of Zippers to Dry Abrasion
- D2057-05(2010) Test Method for Colorfastness of Zippers to Laundering, 07.01
- D2058-03(2014) Test Method for Durability of Finish of Zippers to Drycleaning, 07.01
- D2059/D2059M-03(2014) Test Method for Resistance of Zippers to Salt Spray (Fog), 07.01
- D2060-14 Test Methods for Measuring Zipper Dimensions, 07.01
- D2061-07(2013) Test Methods for Strength Tests for Zippers, 07.01
- D2062-03(2014) Test Methods for Operability of Zippers, 07.01
- D2063/D2063M-10(2012) Test Methods for Measurement of Torque Retention for Packages with Continuous Thread Closures Using Non-Automated (Manual) Torque Testing Equipment, 15.10

 D2064-91(2012) Test Method for Print Resistance of Architectural Paints,
- 06.02
- D2065-03(2011) Test Method for Determination of Edge Performance of Composite Wood Products Under Surfactant Accelerated Moisture Stress, 06.02
- D2066-07(2012) Test Methods for Relative Tinting Strength of Paste-Type Printing Ink Dispersions, 06.02
- D2067-97(2013) Test Method for Coarse Particles in Printing Ink Dispersions, 06.02
- D2068-13 Test Method for Determining Filter Blocking Tendency, 05.01 D2069 Withdrawn 2003; Specification for Marine Fuels
- D2070-91(2010) Test Method for Thermal Stability of Hydraulic Oils, 05.01

- D2071 Withdrawn 2007; Test Methods for Fatty Nitrogen Products
 D2072 Withdrawn 2007; Test Method for Water in Fatty Nitrogen Compounds
 D2073 Withdrawn 2007; Test Methods for Total, Primary, Secondary, and Tertiary Amine Values of Fatty Amines, Amidoamines, and Diamines by
- Referee Potentiometric Method D2074-07(2013) Test Methods for Total, Primary, Secondary, and Tertiary
- Amine Values of Fatty Amines by Alternative Indicator Method, 06.03

 D2075 Withdrawn 2007; Test Method for Iodine Value of Fatty Amines,
 Amidoamines, and Diamines

 D2076 Withdrawn 2007; Test Methods for Acid Value and Amine Value of
 Fatty Quaternary Ammonium Chlorides

 D2077 Withdrawn 2007; Test Method for Ash in Fatty Quaternary Ammonium
- Chlorides
- D2078 Withdrawn 2003; Test Method for Iodine Value of Fatty Quaternary Ammonium Chlorides
- D2079 Withdrawn 2007; Test Method for Nonvolatile Matter (Solids) in Fatty Quaternary Ammonium Chlorides
- D2080 Withdrawn 2007; Test Method for Average Molecular Weight of Fatty Quaternary Ammonium Chlorides
- D2081 Withdrawn 2007; Test Method for pH of Fatty Quaternary Ammonium Chlorides
- D2082 Withdrawn 2007; Test Method for Percent of Non-Amines in Fatty
- Nitrogen Compounds
 D2083 Withdrawn 2007; Test Method for Calculation of Percent of Primary,
- Secondary, and Tertiary Amines in Fatty Amines

 D2084-11 Test Method for Rubber Property—Vulcanization Using Oscillating
 Disk Cure Meter, 09.01
- D2085 Withdrawn 2006; Test Method for Determining Chloride Used in Calculating Pentachlorophenol in Solutions or Wood (Lime Ignition Method)
- D2086-08(2012) Test Method for Acidity in Vinyl Acetate and Acetaldehyde, 06.04
- D2087-06(2012) Test Method for Iron in Formaldehyde Solutions, 06.04 D2088 Withdrawn 1979; Method for Determination of Low Concentrations of
- Lead in Paint; Replaced by D3335 D2089 Withdrawn 1984; Method of Test for Water-Soluble Matter in White Pigments by Specific Resistance Method; Combined with D 2448
 D2090 Withdrawn 2007; Test Method for Clarity and Cleanness of Paint and
- Ink Liquids
- D2091-96(2011) Test Method for Print Resistance of Lacquers, 06.02 D2092 Withdrawn 2008; Guide for Preparation of Zinc-Coated (Galvanized) Steel Surfaces for Painting; Replaced by D6386 and D7396
- D2093-03(2011) Practice for Preparation of Surfaces of Plastics Prior to Adhesive Bonding, 15.06
- D2094-00(2014) Practice for Preparation of Bar and Rod Specimens for Adhesion Tests, 15.06
- D2095-96(2008) Test Method for Tensile Strength of Adhesives by Means of Bar and Rod Specimens, 15.06
- D2096-11 Test Method for Colorfastness and Transfer of Color in the Washing of Leather, 15.04

 D2097-03(2010) Test Method for Flex Testing of Finish on Upholstery Leather,
- 15.04
- D2098-13 Test Method for Dynamic Water Resistance of Shoe Upper Leather by the Dow Corning Leather Tester, 15.04
- D2099-14 Test Method for Dynamic Water Resistance of Shoe Upper Leather by the Maeser Water Penetration Tester, 15.04

 D2100/D2100M-95(2009)^{c1} Specification for Asbestos Textiles Used for
- Electrical Insulating Purposes, **04.05**D2101 Withdrawn 1995; Test Method for Tensile Properties of Single Man-Made Textile Fibers Taken from Yarns and Tows
- D2102-02(2012)⁶¹ Test Method for Shrinkage of Textile Fibers (Bundle Test), 07.01
- D2103-10 Specification for Polyethylene Film and Sheeting, 08.01

- D2104 Withdrawn 2010; Specification for Polyethylene (PE) Plastic Pipe, Schedule 40
- D2105-01(2014) Test Method for Longitudinal Tensile Properties of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Tube, 08.03
- D2106-07(2012) Test Methods for Determination of Amine Acid Acceptance (Alkalinity) of Halogenated Organic Solvents, 15.05
- D2107 Withdrawn 1975; Method of Test for Nonamine Acid Acceptance of Halogenated Organic Solvent, Decreasing Grade (Reflux Method)

 D2108-10 Test Method for Color of Halogenated Organic Solvents and, 15.05

 D2109-01(2011) Test Methods for Nonvolatile Matter in Halogenated Organic, 15.05
- D2110-00(2012) Test Method for pH of Water Extractions of Halogenated Organic Solvents and Their Admixtures, 15.05
- D2111-10 Test Methods for Specific Gravity and Density of Halogenated Organic, 15.05
- D2112-01a(2007) Test Method for Oxidation Stability of Inhibited Mineral Insulating Oil by Pressure Vessel, 10.03
- D2113-08 Practice for Rock Core Drilling and Sampling of Rock for Site Investigation, 04.08
- D2114 Withdrawn 1970; Specification for Rigid Poly(Vinyl Chloride-Vinyl Acetate) Compounds; Replaced by D1784
- D2115-10 Practice for Oven Heat Stability of Poly(Vinyl Chloride) Compositions, **08.01**
- D2116-07(2012) Specification for FEP-Fluorocarbon Molding and Extrusion Materials, 08.01
- D2117 Withdrawn 1994; Test Method for Melting Point of Semicrystalline Polymers by the Hot Stage Microscopy Method
- D2118-05(2009) Practice for Assigning a Standard Commercial Moisture Content for Wool and Its Products, 07.01
- D2119-09 Test Method for Aldehydes in Styrene Monomer, 06.04 D2120 Withdrawn 1992; Test Method for Inhibitor, p-tert-Butylcatechol, in Styrene Monomer
- D2121-07 Test Methods for Polymer Content of Styrene Monomer and AMS (α–Methylstyrene), **06.04**
- D2122-98(2010) Test Method for Determining Dimensions of Thermoplastic Pipe and Fittings, 08.04
- D2123 Withdrawn 1989; Specification for Rigid Poly(Vinyl Chloride-Vinyl Acetate) Plastic Sheet
- D2124-99(2011) Test Method for Analysis of Components in Poly(Vinyl Chloride) Compounds Using an Infrared Spectrophotometric Technique, 08.01
- D2125 Withdrawn 1971; Specification for Cellular Polystyrene
 D2126-09 Test Method for Response of Rigid Cellular Plastics to Thermal and Humid Aging, 08.01
- D2127 Withdrawn 1970; Method of Test for Water Absorption of Rigid Cellular Plastics: Replaced by D2842
- D2128 Withdrawn 1986; Specification for Rubberized Curled Hair
- D2129-05(2010) Test Method for Color of Clear Electrical, 10.03
 D2130-13 Test Method for Diameter of Wool and Other Animal Fibers by
- Microprojection, **07.01**D2131-97(2008)^{c1} Classification for Natural Muscovite Mica Splittings, **10.01**
- D2132-12 Test Method for Dust-and-Fog Tracking and Erosion Resistance of Electrical Insulating Materials, 10.01
- D2133 Withdrawn 1986; Specification for Acetal Resin Injection Molding and Extrusion Materials
- D2134-93(2012) Test Method for Determining the Hardness of Organic Coatings with a Sward-Type Hardness Rocker, 06.01
- D2135 Withdrawn 1989; Classification of Hard Rubbers
- D2136-02(2012) Test Method for Coated Fabrics—Low-Temperature Bend Test, **09.01 D2137-11** Test Methods for Rubber Property—Brittleness Point of Flexible
- Polymers and Coated Fabrics, **09.01**D2138 Withdrawn 1990; Test Method for Rubber Property—Adhesion to Textile Cord; Replaced by D4776, D4777
- D2139 Redesignated F38
- D2140-08 Practice for Calculating Carbon-Type Composition of Insulating Oils of Petroleum Origin, 10.03
- D2141 Withdrawn 1982; Method of Test for Adhesion Ratio of Polyethylene Film
- D2142 Withdrawn 1967; Method of Test for Rapid Estimation of Staple Length
- of Wool Tops

 D2143-00(2010) Test Method for Cyclic Pressure Strength of Reinforced, Thermosetting Plastic Pipe, **08.03 D2144-07(2013)** Practices for Examination of Electrical Insulating Oils by
- Infrared Absorption, 10.03

 D2145 Withdrawn 1979; Method of Test for Phenol Content of Phenol-Water
- Mixtures
- D2146 Withdrawn 1986; Specification for Propylene Plastic Molding and Extrusion Materials; Replaced by D4101
 D2147 Withdrawn 1979; Method of Test for Detection and Estimation of
- Water-Insoluble Impurities in Refined Phenol by Cloud Point Depression D2148-13 Test Methods for Bondable Silicone Rubber Tapes Used for
- Electrical Insulation, 10.01 D2149-13 Test Method for Permittivity (Dielectric Constant) And Dissipation Factor Of Solid Dielectrics At Frequencies To 10 MHz And Temperatures To 500°C, 10.01
- D2150 Withdrawn 1987; Specification for Woven Roving Glass Fabric for Polyester-Glass Laminates; Replaced by D4357
- D2151 Withdrawn 2003; Practice for Staining of Poly(Vinyl Chloride)

D2151 D2252

Compositions by Rubber Compounding Ingredients

Plastic Pipe Under Internal Pressure

D2152-13 Test Method for Adequacy of Fusion of Extruded Poly(Vinyl Chloride) (PVC) Pipe and Molded Fittings by Acetone Immersion, 08.04 D2153 Withdrawn 1976; Recommended Practice for Calculating Stress in

D2154 Withdrawn 1975; Specification for Special Duty Propane; Replaced by D1835

D2155-12 Test Method for Determination of Fire Resistance of Aircraft

Hydraulic Fluids by Autoignition Temperature, **05.01 D2156-09(2013)** Test Method for Smoke Density in Flue Gases from Burning Distillate Fuels, 05.01

D2157-94(2013) Test Method for Effect of Air Supply on Smoke Density in Flue Gases from Burning Distillate Fuels, 05.01

Test Method for Residues in Liquefied Petroleum (LP) Gases, 05.01 D2159 Withdrawn 1998; Test Method for Naphthenes in Saturates Fractions by Refractivity Intercept

D2160 Withdrawn 1997; Test Method for Thermal Stability of Hydraulic Fluids D2161-10 Practice for Conversion of Kinematic Viscosity to Saybolt Universal Viscosity or to Saybolt Furol Viscosity, 05.01

D2162-13 Practice for Basic Calibration of Master Viscometers and Viscosity Oil Standards, 05.01

D2163-07 Test Method for Determination of Hydrocarbons in Liquefied

Petroleum (LP) Gases and Propane/Propene Mixtures by Gas Chromatography, 05.01

Withdrawn 2005; Methods of Testing Structural Insulating Roof Deck D2165-94(2012)^{€1} Test Method for pH of Aqueous Extracts of Wool and Similar Animal Fibers, 07.01

D2166/D2166M-13 Test Method for Unconfined Compressive Strength of Cohesive Soil, 04.08

D2167-08 Test Method for Density and Unit Weight of Soil in Place by the Rubber Balloon Method, 04.08

D2168-10 Practices for Calibration of Laboratory Mechanical-Rammer Soil Compactors, 04.08

D2169 Withdrawn 1975: Method of Test for Odor in Casein

D2170/D2170M-10 Test Method for Kinematic Viscosity of Asphalts (Bitumens), **04.03**

D2171/D2171M-10 Test Method for Viscosity of Asphalts by Vacuum Capillary Viscometer, 04.03

D2172/D2172M-11 Test Methods for Quantitative Extraction of Bitumen From Bituminous Paving Mixtures, 04.03

D2173 Withdrawn 1984; Method of Test for Arsenic in Paper and Paperboard D2174 Withdrawn 1972; Method of Test for Tensile Energy Absorption of Paper

D2175 Withdrawn 2010; Test Method Book Bulk and Book Bulking Number of Paper

D2176 Withdrawn 2010; Test Method for Folding Endurance of Paper by the M.I.T. Tester

D2177 Withdrawn 2009; Test Method for Ink Absorption of Blotting Paper D2178 Withdrawn 2013; Specification for Asphalt Glass Felt Used in Roofing and Waterproofing

D2178/D2178M-13a Specification for Asphalt Glass Felt Used in Roofing and Waterproofing, 04.04

D2179 Withdrawn 2000; Specification for Combination Bar Soap

D2180-89(2008) Test Method for Active Oxygen in Bleaching Compounds, 15.04

D2181 Withdrawn 1969; Specification for Vinyl Acetate Resin Emulsion Adhesive

D2182 Withdrawn 1984; Method of Test for Strength Properties of Metal-to-Metal Adhesives by Compression Loading (Disk Shear)

Metal-to-Metal Adhesives by Compression Loading (Disk Shear)
D2183 Withdrawn 1991; Test Method for Flow Properties of Adhesives
D2184 Withdrawn 1987; Method of Testing Deuterium Oxide
D2185 Withdrawn 1970; Method of Test for Radioactive Cobalt in Industrial
Water and Industrial Waste Water
D2186-05(2009) Test Methods for Deposit-Forming Impurities in Steam, 11.02
D2187-94(2009)*1 Test Methods for Physical and Chemical Properties of

Particulate Ion-Exchange Resins, 11.02 D2188 Withdrawn 1984; Recommended Practice for Statistical Design in

Interlaboratory Testing of Plastics; Replaced by E691 D2189 Withdrawn 1975; Specification for Acetaldehyde

D2190-07(2013)

Specification for Vinyl Acetate, 06.04

Test Method for Acetaldehyde Content of Vinyl Acetate, 06.04

Test Method for Purity of Aldehydes and Ketones, 06.04

Test Method for Hydroquinone in Vinyl Acetate, 06.04 D2191-06(2012) D2192-06(2012) D2193-06(2012)

Test Method for Concentration of Formaldehyde Solutions, D2194-02(2012) 06.04

Withdrawn 2011; Test Methods for Pentaerythritol

D2196-10 Test Methods for Rheological Properties of Non-Newtonian Materials by Rotational (Brookfield type) Viscometer, 06.01

D2197-13 Test Method for Adhesion of Organic Coatings by Scrape Adhesion, 06.01

D2198 Withdrawn 2003; Test Method for Stain Removal From Multicolor Lacquers

D2199-03(2013) Test Method for Measurement of Plasticizer Migration From Vinyl Fabrics to Lacquers, 06.02

D2200-13 Practice for Use of Pictorial Surface Preparation Standards and

Guides for Painting Steel Surfaces, 06.02

D2201-99(2011) Practice for Preparation of Zinc-Coated and Zinc-Alloy-Coated Steel Panels for Testing Paint and Related Coating Products, 06.01

D2202-00(2010) Test Method for Slump of Sealants, 04.07

D2203-01(2011) Test Method for Staining from Sealants, 04.07

D2204 Withdrawn 1976; Method of Test for Perspiration Resistance of Organic Coatings

D2205-85(2010) Guide for Selection of Tests for Traffic Paints, 06.02 D2206 Withdrawn 1980; Test Method for Low Quantities of Mercury in Paint; Replaced by D3624
7-00(2010) Test Method for Bursting Strength of Leather by the Ball

D2207-00(2010) Method, 15.04

D2208-00(2010) Test Method for Breaking Strength of Leather by the Grab Method, 15.04

D2209-00(2010) Test Method for Tensile Strength of Leather, 15.04
D2210-13 Test Method for Grain Crack and Extension of Leather by the Mullen Test, 15.04

D2211-00(2010) Test Method for Elongation of Leather, 15.04
D2212-00(2010) Test Method for Slit Tear Resistance of Leather, 15.04

D2213-00(2010) Test Method for Compressibility of Leather, 15.04

D2214 Withdrawn 2008; Test Method for Estimating the Thermal Conductivity of Leather with the Cenco-Fitch Apparatus; Replaced by D7340
D2215 Withdrawn 1975; Method of Test for Total Fat in Casein and Isolated

Soy Protein

D2216-10 Test Methods for Laboratory Determination of Water (Moisture) Content of Soil and Rock by Mass, 04.08

D2217 Withdrawn 2007; Practice for Wet Preparation of Soil Samples for Particle-Size Analysis and Determination of Soil Constants

D2218-67(2012) Specification for Molybdate Orange Pigments, 06.03 Specification for Poly(Vinyl Chloride) Insulation for Wire and Cable,

60C Operation, 10.01 D2220-11 Specification for Poly(Vinyl Chloride) Insulation for Wire and Cable, 75°C Operation, 10.01

D2221-01(2010) Test Method for Creep Properties of Package Cushioning Materials, 15.10

D2222-13 Test Method for Methanol Extract of Vinyl Chloride Resins, 08.01 D2223 Withdrawn 1993; Test Method for Oxygen Impurity in Nitrogen (Electrochemical Method)

D2224 Withdrawn 1989; Test Method for Mean Molecular Weight of Mineral Insulating Oils by the Cryoscopic Method

D2225-04(2012) Test Methods for Silicone Fluids Used for Electrical Insulation, 10.03

D2226-93(2012) Classification for Various Types of Petroleum Oils for Rubber Compounding Use, 09.01

D2227-96(2011) Specification for Natural Rubber (NR) Technical Grades, 09.01

D2228-04(2009) Test Method for Rubber Property—Relative Abrasion Resistance by Pico Abrader Method, 09.01 D2229-10(2014) Test Method for Adhesion Between Steel Tire Cords and

Rubber, 07.01

D2230-96(2012) Test Method for Rubber PropertyExtrudability of Unvulcanized Compounds, 09.01

D2231 Withdrawn 1998; Practice for Rubber Properties in Forced Vibration; Replaced by D5992

D2232 Withdrawn 1995; Test Method for Evaporation Residue of Naphthalene D2233 Withdrawn 2003; Specification for Chlorinated Aromatic Hydrocarbons (Askarels) for Capacitors

D2234/D2234M-10 Practice for Collection of a Gross Sample of Coal, 05.06 D2235-04(2011) Specification for Solvent Cement for Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe and Fittings, 08.04

D2236 Withdrawn 1985; Method of Test for Dynamic Mechanical Properties of Plastics by Means of a Torsional Pendulum; Replaced by D4065

D2237 Withdrawn 1989; Method of Test for Rate-of-Rise (Volume Increase) Properties of Urethane Foaming Systems

D2238-92(2012)^{c1} Test Methods for Absorband

8-92(2012)^{c1} Test Methods for Absorbance of Polyethylene Due to Methyl Groups, 08.01

D2239-12a Specification for Polyethylene (PE) Plastic Pipe (SIDR-PR) Based on Controlled Inside Diameter, 08.04

D2240-05(2010) Test Method for Rubber Property—Durometer Hardness, 09.01

D2241-09 Specification for Poly(Vinyl Chloride) (PVC) Pressure-Rated Pipe (SDR Series), 08.04

D2242 Withdrawn 1971; Specification for Weathered Heavily Chalked Paint Panels for Use in Weathering Tests of Latex Paints

D2243-95(2008) Test Method for Freeze-Thaw Resistance of Water-Borne

Coatings, 06.02

D2244-11 Practice for Calculation of Color Tolerances and Color Differences from Instrumentally Measured Color Coordinates, 06.01
D2245-90(2011) Test Method for Identification of Oils and Oil Acids in

Solvent-Reducible Paints, 06.01

D2246 Withdrawn 1992; Test Method for Finishes on Primed Metallic Substates for Humidity-Thermal Cycle Cracking

D2247-11 Practice for Testing Water Resistance of Coatings in 100% Relative Humidity, 06.01

D2248-01a(2013) Practice for Detergent Resistance of Organic Finishes, 06.01

D2249 Withdrawn 2002; Test Method for Predicting the Effect of Weathering on Face Glazing and Bedding Compounds on Metal Sash
D2250 Withdrawn 1986; Method of Test for Physical and Electrical Breakdown

of Insulating Materials by Halogenated Organic Solvents and Their Admixtures

D2251-10 Test Method for Metal Corrosion by Halogenated Organic, 15.05

D2253 D2345

- D2253 Withdrawn 1995; Test Method for Color of Raw Cotton Using the Nickerson-Hunter Cotton Colorimeter
- D2254 Withdrawn 1970; Method of Test for Non-Lint Content of Cotton (SRRL Non-Lint Tester Method); Replaced by D2812
- D2255/D2255M-09(2013) Test Method for Grading Spun Yarns for
- Appearance, 07.01 D2256/D2256M-10^{c1} Test Method for Tensile Properties of Yarns by the Single-Strand Method, 07.01
- D2257-98(2012) Test Method for Extractable Matter in Textiles, 07.01
- Practice for Sampling Yarn for Testing, **07.01**Test Method for Shrinkage of Yarns, **07.01** D2258-99(2012)
- D2259-02(2011)
- D2260-03(2013) Tables of Conversion Factors and Equivalent Yarn Numbers Measured in Various Numbering Systems, 07.01
- D2261-13 Test Method for Tearing Strength of Fabrics by the Tongue (Single Rip) Procedure (Constant-Rate-of-Extension Tensile Testing Machine), 07.01
- D2262 Withdrawn 1995; Test Method for Tearing Strength of Woven Fabrics by the Tongue (Single Rip) Method (Constant-Rate-of-Traverse Tensile Testing Machine)
- D2263 Withdrawn 1976; Methods of Testing Automotive Fabrics
 D2264 Withdrawn 1971; Recommended Practice for Calculating Number of Tests to be Specified in Determining Average Quality of a Textile Material; Replaced by D2905
- D2265-06 Test Method for Dropping Point of Lubricating Grease Over Wide Temperature Range, 05.01
- D2266-01(2008) Test Method for Wear Preventive Characteristics of Lubricating Grease (Four-Ball Method), 05.01
- D2267 Withdrawn 1992; Test Methods for Aromatics in Light Naphthas, and Aviation Gasolines by Gas Chromatography; Replaced by D4420
- D2268-93(2013) Test Method for Analysis of High-Purity n-Heptane and Isooctane by Capillary Gas Chromatography, 05.01
- D2269-10 Test Method for Evaluation of White Mineral Oils by Ultraviolet
- Absorption, **05.01 D2270-10**^{c1} Practice for Calculating Viscosity Index from Kinematic Viscosity at 40 and 100°C, 05.01
- D2271 Withdrawn 2004; Test Method for Preliminary Examination of Hydraulic Fluids (Wear Test)
- D2272-11 Test Method for Oxidation Stability of Steam Turbine Oils by Rotating Pressure Vessel, 05.01
- D2273-08(2012) Test Method for Trace Sediment in Lubricating Oils, 05.01 D2274-10 Test Method for Oxidation Stability of Distillate Fuel Oil (Accelerated Method), 05.01
- D2275-01(2008)^{€1} Test Method for Voltage Endurance of Solid Electrical Insulating Materials Subjected to Partial Discharges (Corona) on the Surface, **10.01**
- D2276-06 Test Method for Particulate Contaminant in Aviation Fuel by Line Sampling, 05.01
- D2277 Withdrawn 1992; Specification for Fiberboard Nail-Base Sheathing D2278-06 Test Method for Field Evaluation of Wood Preservatives in Round Post-Size Specimens, 04.10
- D2279 Withdrawn 1982; Method of Test for Acid Wash Color of Refined Naphthalene
- D2280 Withdrawn 1977: Method of Test for Color of Phthalic Anhydride in the Molten State and After Heating; Replaced by D3366
- D2281-10 Test Method for Evaluation of Wetting Agents by the Skein Test, 15.04
- D2282 Withdrawn 2006; Specification for Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe
- D2283 Withdrawn 2004; Specification for Chlorinated Aromatic Hydrocarbons (Askarels) for Transformers
- D2284-11 Test Method for Acidity of Sulfur Hexafluoride, 10.03
- D2285 Withdrawn 2008; Test Method for Interfacial Tension of Electrical Insulating Oils of Petroleum Origin Against Water by the Drop-Weight Method
- D2286 Withdrawn 1981; Recommended Practices for Sampling and Handling Phenol; Replaced by D3852
- D2287-12 Specification for Nonrigid Vinyl Chloride Polymer and Copolymer Molding and Extrusion Compounds, 08.01
- D2288 Withdrawn 2010; Test Method for Weight Loss of Plasticizers on Heating
- D2289 Withdrawn 1992; Test Method for Tensile Properties of Plastics at High Speeds
- D2290-12 Test Method for Apparent Hoop Tensile Strength of Plastic or
- Reinforced Plastic Pipe, **08.04 D2291-09** Practice for Fabrication of Ring Test Specimens for Glass-Resin Composites, 08.01
- D2292 Withdrawn 1993; Recommended Practice for Compression Molding Test Specimens of Styrene-Butadiene Molding and Extrusion Materials; Replaced by D4703

 D2293-96(2008) Test Method for Creep Properties of Adhesives in Shear by
- Compression Loading (Metal-to-Metal), 15.06
- D2294-96(2008) Test Method for Creep Properties of Adhesives in Shear by Tension Loading (Metal-to-Metal), 15.06
- D2295-96(2008) Test Method for Strength Properties of Adhesives in Shear by Tension Loading at Elevated Temperatures (Metal-to-Metal), 15.06
 D2296-01(2006) Specification for Continuity of Quality of Electrical Insulating
- Polybutene Oil for Capacitors, 10.03

 D2297 Withdrawn 1990; Specification for Continuity of Quality of Electrical
- Insulating Mineral Oil for Capacitors and Cable Accessories

- D2298 Withdrawn 1987; Method of Test for Stability of Insulating Oils Under Electrical Stress (Merrell Test)
- D2299 Withdrawn 1992; Recommended Practice for Determining Relative Stain Resistance of Plastics
- D2300-08 Test Method for Gassing of Electrical Insulating Liquids Under Electrical Stress and Ionization (Modified Pirelli Method), 10.03
- D2301-10 Specification for Vinyl Chloride Plastic Pressure-Sensitive Electrical Insulating Tape, 10.01
- D2302 Withdrawn 1982; Method of Test for Differential Wet Tracking Resistance of Electrical Insulating Materials with Controlled Water-to-Metal Discharges
- D2303-13 Test Methods for Liquid-Contaminant, Inclined-Plane Tracking and Erosion of Insulating Materials, 10.01
- D2304-10 Test Method for Thermal Endurance of Rigid Electrical Insulating Materials, 10.01
- D2305-10 Test Methods for Polymeric Films Used for Electrical Insulation, 10.01
- D2306 Withdrawn 2006; Test Method for C₈ Aromatic Hydrocarbon Analysis by Gas Chromatography

 D2307-07a(2013) Test Method for Thermal Endurance of Film-Insulated
- Round Magnet Wire, 10.02

 D2308-07(2013) Specification for Thermoplastic Polyethylene Jacket for Electrical Wire and Cable, 10.01
- D2309 Withdrawn 1982; Tests for Rubber Property—Compression Set Induced by Nuclear Radiation
- D2310-06(2012) Classification for Machine-Made "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, 08.03
- D2311 Withdrawn 1992; Specification for Perforated, Homogeneous Bituminized Fiber Drain and Sewer Pipe
- D2312 Withdrawn 1992; Specification for Perforated, Homogeneous Bituminized Fiber Drain and Sewer Pipe for Septic Tank Disposal Fields
- D2313 Withdrawn 1992; Specification for Perforated, Laminated-Wall Bituminized Fiber Drain and Sewer Pipe for Septic Tank Disposal Fields D2314 Withdrawn 1992; Methods of Testing Homogeneous Bituminized Fiber
- Pipe
 D2315 Withdrawn 1992; Methods of Testing Laminated-Wall Bituminized Fiber Pipe
 D2316 Withdrawn 1992; Recommended Practice for Installing Bituminized
- Fiber Drain and Sewer Pipe
- D2317 Withdrawn 1982; Method of Test for Benzene Insoluble (BI) Content of Tar and Pitch
- D2318-98(2013) Test Method for Quinoline-Insoluble (QI) Content of Tar and Pitch, **05.01**
- D2319/D2319M-98(2013) Test Method for Softening Point of Pitch (Cube-in-Air Method), 05.01
- D2320-98(2012) Test Method for Density (Relative Density) of Solid Pitch (Pycnometer Method), 05.01
- D2321-11 Practice for Underground Installation of Thermoplastic Pipe for Sewers and Other Gravity-Flow Applications, 08.04
- D2322-14 Test Method for Resistance of Shoe Upper Leather to Artificial
- Perspiration, **15.04**D2323 Withdrawn 2003; Specification for Refined Pyridine (1 Degree)
 D2324 Withdrawn 1993; Test Method for Carbon Disulfide In Benzene
- Withdrawn 2007; Test Method for Capillary-Moisture Relationships for D2325
- Coarse- and Medium-Textured Soils by Porous-Plate Apparatus; Replaced by D6386
- D2326 Withdrawn 1976; Method of Test for Thermal Conductivity of Cellular Plastics by Means of a Probe
- D2327 Withdrawn 1990; Test Method for Mono- and Dioctadecylamines in Water; Replaced by D4983
- D2328 Withdrawn 1969; Method for Corrosivity Testing of Industrial Cooling Water (Coupon Test Method); Replaced by D2688

 D2329 Withdrawn 1972; Method of Test for Biochemical Oxygen Demand of Industrial Water and Industrial Waste Water
- D2330 Withdrawn 2011; Test Method for Methylene Blue Active Substances D2331-08(2013) Practices for Preparation and Preliminary Testing of Water-Formed Deposits, 11.02
- D2332-13 Practice for Analysis of Water-Formed Deposits by Wavelength-Dispersive X-Ray Fluorescence, 11.02
- D2333 Withdrawn 1987; Method of Test for Thorium in Water
 D2334 Withdrawn 1992; Test Methods for Radioactive Iodine in Water
 D2335 Withdrawn 1971; Method of Test for Radium-226 in Industrial Water and Industrial Waste Water
- D2336 Withdrawn 2008; Guide for Specifying Factory Applied Wood Coatings
 D2337-01(2010) Test Method for Freeze-Thaw Stability of Multicolor Lacquers, 06.01
- D2338-02(2013) Test Method for Determining Particle Size of Multicolor Lacquers, 06.02
- D2339-98(2011) Test Method for Strength Properties of Adhesives in Two-Ply Wood Construction in Shear by Tension Loading, 15.06
- D2340-13 Test Method for Peroxides in Styrene Monomer, 06.04

- D2341 Withdrawn 1990; Specification for Rigid Urethane Foam
 D2342 Withdrawn 1980; Method of Test for Determination of Lot-to-Lot
 Stabilization Uniformity of Propylene Plastics
 D2343-09 Test Method for Tensile Properties of Glass Fiber Strands, Yarns, and Rovings Used in Reinforced Plastics, 08.01
 D2344MD2344M.13 Test Method for Short Ream Strength of Polymor Matrix
- D2344/D2344M-13 Test Method for Short-Beam Strength of Polymer Matrix
 Composite Materials and Their Laminates, 15.03
- D2345 Withdrawn 1968; Methods of Test for Interlaminar Sheer Strength of

D2345 D2441

Reinforced Plastic Structures at Subnormal and Supernormal Temperature; Replaced by D3846

D2346-13 Test Method for Apparent Density of Leather, 15.04

D2347-00(2010) Test Method for Measuring Area of Leather Test Specimens,

D2348 Withdrawn 2009; Test Method for Arsenic in Paint

D2349-90(2009) Test Method for Qualitative Determination of Nature of Solvent Composition in Solvent-Reducible Paints, 06.01

D2350-90(2010) Test Method for Antimony Oxide in White Pigment Separated From Solvent-Reducible Paints, 06.01

D2351-90(2010) Test Method for Sulfide in White Pigment Separated from Solvent-Reducible Paints, 06.01

D2352-85(2010) Test Method for Sulfur Dioxide in White Pigment Separated from Solvent-Reducible Paints, 06.01

D2353 Withdrawn 1991; Test Method for Flow Ratings of Organic Coatings Using the Shell Flow Comparator

D2354-10⁻¹ Test Method for Minimum Film Formation Temperature (MFFT) of

Emulsion Vehicles, 06.03 D2355 Withdrawn 1987; Recommended Practice for liquid phase evaluation of

activated carbon; Replaced by D3860 D2356 Withdrawn 2000; Specification for Phosphate and Silica Containing

Scouring Powder Compounds D2357-11 for Qualitative Classification of Surfactants by Infrared Absorption,

15.04 D2358-89(2009) Test Method for Separation of Active Ingredient from

Surfactant and Syndet Compositions, 15.04

D2359-12 Specification for Refined Benzene-535, 06.04

D2360-11 Test Method for Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography, 06.04

D2361 Withdrawn 2008; Test Method for Chlorine in Coal

D2362 Withdrawn 1971; Method of Test for Total Volatile Content of Expandable Polystyrene Materials

D2363-79(2011) Test Methods for Hydroxyptopyl Methylcellulose, 06.03
D2364-01(2007)^{c1} Test Methods for Hydroxyethylcellulose, 06.03
D2365 Withdrawn 1982; Method of Test for Calculation of Neutron Dose to Polymeric Materials and Application of Threshold-Foil Measurements;

Replaced by E763

D2366 Withdrawn 1989; Method of Accelerated Testing of Moisture Blister Resistance of Exterior House Paints on Wood

D2367 Withdrawn 1978; Definitions of Terms Relating to Fabric Defects (Including Illustrations and Related Material); Replaced by D3990

D2368 Withdrawn 1978; Classification of Man-Made and Natural Fibers; Combined with D 123

D2369-10^{€1} Test Method for Volatile Content of Coatings, 06.01

D2370-98(2010) Test Method for Tensile Properties of Organic Coatings, 06.01 D2371-85(2010) Test Method for Pigment Content of Solvent-Reducible Paints, 06.01

D2372-85(2010) Practice for Separation of Vehicle From Solvent-Reducible Paints, 06.01
D2373-05(2011) Test Method for Determination of Cobalt in Paint Driers by

EDTA Method, 06.01

D2374-05(2011) Test Method for Lead in Paint Driers by EDTA Method, 06.01
D2375-05(2011) Test Method for Manganese in Paint Driers by EDTA Method, 06.01

D2376 Withdrawn 2002; Test Method for Slump of Face Glazing and Bedding Compounds on Metal Sash

Test Method for Tack-Free Time of Caulking Compounds and Sealants, 04.07

D2378-07(2012) Specification for Formaldehyde 50 % Grade Uninhibited and 37 % Grade Inhibited and Uninhibited, 06.04

D2379-09 Test Method for Acidity of Formaldehyde Solutions, 06.04 D2380-04(2011) Test Method for Methanol Content of Formaldehyde Solutions, 06.04

D2381 Withdrawn 2005; Test Methods for Flexible Composite Materials Used for Electrical Insulation

D2382 Withdrawn 1994; Test Method for Heat of Combustion of Hydrocarbon Fuels by Bomb Calorimeter (High-Precision Method); Replaced by D4809

D2383-14 Practice for Testing Plasticizer Compatibility in Poly(Vinyl Chloride) (PVC) Compounds Under Humid Conditions, 08.01

D2384-83(2009) Test Methods for Traces of Volatile Chlorides in Butane-Butene Mixtures, 05.01

D2385 Withdrawn 1995; Test Method for Hydrogen Sulfide and Mercaptan Sulfur in Natural Gas (Cadmium Sulfate-Iodometric Titration Method) D2386-06(2012) Test Method for Freezing Point of Aviation Fuels, 05.01 D2387 Redesignated 1970- F313; Method of Test for Insoluble Contamination of Hydraulic Fluids

D2388 Ředesignated 1970- F302; Method for Field Sampling of Aerospace Fluids

D2389 Withdrawn 2003; Test Method for Minimum Pressure for Vapor Phase Ignition of Monopropellents

D2390 Redesignated 1970- F312; Method of Test for Microscopic Sizing and Counting Particles from Aerospace Fluids on Membrane Filters

D2391 Redesignated 1970- F311; Method of Processing Aerospace Liquid Samples for Particulate Contamination Analysis Using Membrane Filters

D2392-96(2011) Test Method for Color of Dyed Aviation Gasolines, 05.01

D2393 Withdrawn 1995; Test Method for Viscosity of Epoxy Resins and

Related Components

D2394-05(2011) Test Methods for Simulated Service Testing of Wood and Wood-Base Finish Flooring, 04.10

D2395-07a^{€1} Test Methods for Specific Gravity of Wood and Wood-Based Materials, 04.10

D2396-94(2012) Test Methods for Powder-Mix Time of Poly(Vinyl Chloride) (PVC) Resins Using a Torque Rheometer, 08.01

D2397/D2397M-13 Specification for Cationic Emulsified Asphalt, 04.03 D2398 Withdrawn 1985; Test Method for Softening Point of Bitumen in Ethylene Glycol (Ring-and-Ball); Replaced by D36

D2399-12 Practice for Selection of Cutback Asphalts, 04.03

D2400 Withdrawn 2013; Specification for Varnished Glass-Polyester Cloth Used for Electrical Insulation

D2401 Withdrawn 1992; Test Method for Service Change of Appearance of Pile Floor Coverings

D2402-07(2012) Test Method for Water Retention of Textile Fibers (Centrifuge Procedure), **07.01**

D2403 Withdrawn 2008; Specification for Refined Phthalic Anhydride-1308 D2404 Withdrawn 1971; Methods of Testing Jute Backing Fabrics D2405 Withdrawn 1985; Specification for General-Purpose Acrylonitrile-

Butadiene/Poly(Vinyl Chloride)(NBR/PVC) Jacket for Wire and Cable; Replaced by D4244

D2406 Withdrawn 1980; Methods of Testing Flexible Cellular Materials-Molded Urethane Foam; Replaced by D3574

D2407 Withdrawn 1970; Method for Sampling Airborne Particulate Contamination in Clean Rooms for Handling Aerospace Fluids; Redesignated F318

D2408 Withdrawn 1990; Test Method for Finish Content of Woven Glass Fabric, Cleaned and After-Finished with Amino-Silane Type Finishes for Plastic Laminates

D2409 Withdrawn 1990; Test Method for Finish Content of Woven Glass Fabric, Cleaned and After-Finished with Vinyl-Silane Type Finishes for Plastic Laminates

D2410 Withdrawn 1990; Test Method for Finish Content of Woven Glass Fabric, Cleaned and After-Finished with Chrome Complexes, for Plastic Laminates

D2411 Withdrawn 1995; Specification for Cellulose Acetate Butyrate Film and

Sheeting for Fabricating and Forming

D2412-11 Test Method for Determination of External Loading Characteristics of Plastic Pipe by Parallel-Plate Loading, 08.04 **D2413-99(2009)** Practice for Preparation of Insulating Paper and Board

Impregnated with a Liquid Dielectric, 10.01

D2414-13a Test Method for Carbon Black—Oil Absorption Number (OAN), 09.01

D2415-98(2012) Test Method for Ash in Coal Tar and Pitch, 05.01 D2416-84(2009) Test Method for Coking Value of Tar and Pitch (Modified Conradson), 05.01

Withdrawn 1992; Specification for Perforated, Laminated-Wall Bituminized Fiber Pipe for General Drainage

D2418 Withdrawn 1992; Specification for Perforated, Laminated-Wall Bituminized Fiber Pipe for Airport and Highway Drainage

D2419-09 Test Method for Sand Equivalent Value of Soils and Fine Aggregate, 04.03

D2420-13 Test Method for Hydrogen Sulfide in Liquefied Petroleum (LP)
Gases (Lead Acetate Method), 05.01

D2421-13 Practice for Interconversion of Analysis of C5 and Lighter Hydrocarbons to Gas-Volume, Liquid-Volume, or Mass Basis, 05.01

D2422-97(2013) Classification of Industrial Fluid Lubricants by Viscosity System, **05.01**

D2423-90(2012)^{€1} Test Method for Surface Wax on Waxed Paper or Paperboard, 05.01

D2424 Withdrawn 1985; Method of Test for Hydrocarbon Types in Propylene Polymer by Mass Spectrometry

D2425-04(2009) Test Method for Hydrocarbon Types in Middle Distillates by Mass Spectrometry, 05.01

D2426-93(2009) Test Method for Butadiene Dimer and Styrene in Butadiene Concentrates by Gas Chromatography, 05.01

D2427-06(2011) Test Method for Determination of C, 05.01

D2428 Withdrawn 1997; Test Method for Simulative Recirculating System

Testing of Aerospace Hydraulic Fluids

D2429 Withdrawn 1970; Methods of Sampling Aerospace Fluids from Components; Redesignated F303

D2430 Withdrawn 1970; Test Methods for Identification of Metallic and Fibrous Contaminants in Aerospace Fluids; Redesignated F314

D2431 Withdrawn 1979; Specification for Refined Naphthalene-798 D2432 Withdrawn 1985; Specification for Heavy-Duty Acrylonitrile-Butadiene Poly(Vinyl Chloride)(NBR/PVC) Jacket for Wire and Cable; Replaced by

D4244

D2433 Withdrawn 2012; Test Methods for Rubber Thread

D2434-68(2006) Test Method for Permeability of Granular Soils (Constant Head), **04.08**

D2435/D2435M-11 Test Methods for One-Dimensional Consolidation Properties of Soils Using Incremental Loading, 04.08

D2436 Withdrawn 1994; Specification for Forced-Convection Laboratory Ovens for Electrical Insulation; Replaced by D5374, D5423

D2437 Redesignated 1970- F301; Method for Open-Bottle Tap Sampling of Noncryogenic Fluid Systems

D2438 Withdrawn 1995; Test Method for Silica in Cellulose

D2439-12 Specification for Refined Phenol, 06.04

Test Method for Oxidation Stability of Mineral Insulating Oil, 10.03 D2440-13 D2441 Withdrawn 2000; Test Method for Hydrolyzable Chlorine Compounds in Chlorinated Aromatic Hydrocarbons (Askarels) by Refluxing

D2442 D2539

- D2442-75(2012) Specification for Alumina Ceramics for Electrical and Electronic Applications, 15.02
- D2443 Withdrawn 2000; Test Methods for Lacing Twines and Tapes Used as Harnesses in Electrical Equipment
- D2444-99(2010) Test Method for Determination of the Impact Resistance of Thermoplastic Pipe and Fittings by Means of a Tup (Falling Weight), 08.04

 D2445 Withdrawn 1987; Test Method for Thermal Oxidative Stability of
 Propylene Plastics; Replaced by D3012

 D2446 Withdrawn 1986; Specification for Cellulose Acetate Butyrate (CAB)
 Plastic Pipe (SDR-PR) and Tubing

 D2447 Withdrawn 2010; Specification for Rehypthylana (RE) Plastic Pipe
- D2447 Withdrawn 2010; Specification for Polyethylene (PE) Plastic Pipe, Schedules 40 and 80, Based on Outside Diameter
- D2448-85(2012) Test Method for Water-Soluble Salts in Pigments by Measuring the Specific Resistance of the Leachate of the Pigment, 06.03 D2449-88(2011) Specification for Rubber Bales From Natural SourcesLimit on
- Coating, 09.01 D2450 Withdrawn 2002; Test Method for Bond of Oil- and Resin-Base
- Caulking Compounds
 D2451 Withdrawn 2002; Test Method for Degree of Set for Glazing Compounds on Metal Sash
- D2452-03(2009) Test Method for Extrudability of Oil- and Resin-Base Caulking Compounds, 04.07
 D2453-03(2009) Test Method for Shrinkage and Tenacity of Oil- and Resin-Base Caulking Compounds, 04.07
- D2454-08 Practice for Determining the Effect of Overbaking on Organic Coatings, 06.01
- D2455 Withdrawn 2005; Test Method for Identification of Carboxylic Acids in Alkyd Resins
- D2456 Withdrawn 2006; Test Method for Identification of Polyhydric Alcohols in Alkyd Resins
- D2457-13 Test Method for Specular Gloss of Plastic Films and Solid Plastics, 08.01
- D2458 Withdrawn 1982; Method for Flow Measurement of Industrial Water and Industrial Waste Water by the Venturi Meter Tube

 D2459 Withdrawn 1987; Test Method for Gamma Spectrometry of Industrial
- Water and Industrial Waste Water
- D2460-07(2013) Test Method for Alpha-Particle-Emitting Isotopes of Radium in Water, 11.02
- D2461 Withdrawn 1988; Test Method for Iron-59 in Water
- D2462-13 Test Method for Moisture in Wool by Distillation With Toluene, 07.01 D2463-10b Test Method for Drop Impact Resistance of Blow-Molded
- Thermoplastic Containers, 08.01 D2464-13 Specification for Threaded Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80, 08.04
- D2465 Withdrawn 1986; Specification for Threaded Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe Fittings, Schedule 80
- D2466-13 Specification for Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 40, 08.04
- D2467-13a Specification for Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80, 08.04
- D2468 Withdrawn 2003; Specification for Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe Fittings, Schedule 40
- D2469 Withdrawn 1986; Specification for Socket-Type Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe Fittings, Schedule 80 D2470 Withdrawn 1989; Method of Measurement of Delayed Neutron-Emitting Fission Products in Nuclear Reactor Coolant Water During Reactor Operation
- D2471 Withdrawn 2008; Practice for Gel Time and Peak Exothermic Temperature of Reacting Thermosetting Resins
- D2472-00(2006) Specification for Sulfur Hexafluoride, 10.03
- D2473 Withdrawn 1983; Specification for Polycarbonate Molding, Extrusion,
- and Casting Materials; Replaced by D3935

 D2474 Withdrawn 1999; Specification for Vinyl Chloride Copolymer Resins

 D2475-01(2013) Specification for Felt, 07.01

 D2476 Withdrawn 1992; Test Method for Tritium in Water; Replaced by D4107

 D2477-07(2012) Test Method for Dielectric Breakdown Voltage and Dielectric Strength of Insulating Gases at Commercial Power Frequencies, 10.03
- D2478 Withdrawn 1978; Definitions of Terms Relating to Nails for Use with Wood and Wood-Base Materials; Replaced by F547
- D2479 Withdrawn 1969; Test Method for Length Distribution of Cotton Fibers
- by the Short Method Array

 D2480 Withdrawn 1992; Test Method for Maturity Index and Linear Density of
 Cotton Fibers by the Causticaire Method
- D2481 Withdrawn 2014; Test Method for Accelerated Evaluation of Wood Preservatives for Marine Services by Means of Small Size Specimens D2482 Withdrawn 2010; Test Method for Surface Strength of Paper (Wax Pick Method)
- D2483 Withdrawn 1972; Test Method for Silicone Grit Content of Paper and Paper Products

 D2484-06(2012)^{c1} Specification for Polyester Film Pressure-Sensitive
- Electrical Insulating Tape, 10.01

 D2485-91(2013) Test Methods for Evaluating Coatings For High Temperature
- Service, 06.01

 D2486-06(2012)^{c1} Test Methods for Scrub Resistance of Wall Paints, 06.02
- D2487-11 Practice for Classification of Soils for Engineering Purposes (Unified Soil Classification System), 04.08
- D2488-09a Practice for Description and Identification of Soils (Visual-Manual Procedure), 04.08
- D2489/D2489M-08 Practice for Estimating Degree of Particle Coating of Bituminous-Aggregate Mixtures, 04.03

D2490 Withdrawn 1976; Method of Test for Tumbler Test for Small Coke; Replaced by D3402

- Withdrawn 1981; Test Method for Staple Crimp in Grease Wool Locks
- D2492-02(2012) Test Method for Forms of Sulfur in Coal, 05.06
 D2493/D2493M-09 Standard Viscosity-Temperature Chart for Asphalts, 04.03 D2494-13 Test Method for Commercial Mass of a Shipment of Yarn or Manufactured Staple Fiber or Tow, 07.01
- D2495-07(2012) Test Method for Moisture in Cotton by Oven-Drying, 07.01

 D2496 Withdrawn 1987; Test Method for Seed Coat Fragments and Funiculi in Cotton Fiber Samples
- D2497-07(2012) Tolerances for Manufactured Organic-Base Filament Single Yarns, 07.01
- D2498 Withdrawn 1984; Test Method for Isomer Distribution of Straight-Chain Detergent Alkylate by Mass Spectrometry
- D2499 Redesignated 1970- F316; Test Method for Pore Size Characteristics of Membrane Filters for Use with Aerospace Fluids
- D2500-11 Test Method for Cloud Point of Petroleum Products, 05.01
 D2501-11 Test Method for Calculation of Viscosity-Gravity Constant (VGC) of Petroleum Oils, 05.01
- D2502-04(2009) Test Method for Estimation of Mean Relative Molecular Mass of Petroleum Oils from Viscosity Measurements, **05.01 D2503-92(2012)** Test Method for Relative Molecular Mass (Molecular Weight)
- of Hydrocarbons by Thermoelectric Measurement of Vapor Pressure, 05.01
- D2504-88(2010) Test Method for Noncondensable Gases in C2 and Lighter Hydrocarbon Products by Gas Chromatography, 05.01
- D2505-88(2010) Test Method for Ethylene, Other Hydrocarbons, and Carbon Dioxide in High-Purity Ethylene by Gas Chromatography, 05.01
- D2506 Withdrawn 1998; Terminology Relating to Solid Rocket Propulsion D2507 Withdrawn 2003; Terminology of Rheological Properties of Gelled Rocket Propellants
- D2508 Withdrawn 2003; Test Method for Solid Rocket Propellant Specific Impulse Measurements
- D2509-03(2008) Test Method for Measurement of Load-Carrying Capacity of Lubricating Grease (Timken Method), 05.01

 D2510-94(2012) Test Method for Adhesion of Solid Film Lubricants, 05.01
- D2511-93(2009) Test Method for Thermal Shock Sensitivity of Solid Film
- Lubricants, 05.01 D2512-95(2008) Test Method for Compatibility of Materials with Liquid Oxygen (Impact Sensitivity Threshold and Pass-Fail Techniques), 14.04
- D2513-13 Specification for Polyethylene (PE) Gas Pressure Pipe, Tubing, and Fittings, 08.04
- D2514 Withdrawn 1977; Tolerances for Fabrics Woven from All-Cotton or from Cotton Man-Made Fiber Blends
- D2515 Redesignated 1977- D446; Specification for Kinematic Glass Capillary Viscometers
- D2516 Withdrawn 1979; Recommended Practice for Nomenclature for Rubber-Grade Carbon Blacks; Replaced by D1765
- D2517-06(2011) Specification for Reinforced Epoxy Resin Gas Pressure Pipe and Fittings, 08.03
- D2518 Withdrawn 2013; Specification for Woven Glass Fabrics for Electrical Insulation
- D2519-07(2012) Test Method for Bond Strength of Electrical Insulating Varnishes by the Helical Coil Test, 10.02
 D2520-13 Test Methods for Complex Permittivity (Dielectric Constant) of Solid
- Electrical Insulating Materials at Microwave Frequencies and Temperatures to 1650°C, **10.02**
- D2521/D2521M-76(2014)^{c1} Specification for Asphalt Used in Canal, Ditch, and Pond Lining, 04.04

 D2522-03(2008)² Test Method for Chlorine Content of Polybutenes Used for
- Electrical Insulation, 10.03
- D2523-13 Practice for Testing Load-Strain Properties of Roofing Membranes, 04.04
- D2524-13 Test Method for Breaking Tenacity of Wool Fibers, Flat Bundle Method 18-in. (3.2-mm) Gage Length, 07.01
 D2525-13 Practice for Sampling Wool for Moisture, 07.01
- D2526 Withdrawn 2006; Specification for Ozone-Resisting Silicone Rubber Insulation for Wire and Cable
- D2527-83(2011) Specification for Rubber Seals—Splice Strength, 09.02 D2528 Withdrawn 1975; Method of Test for Dirt in Casein and Isolated Soy Protein
- D2529 Withdrawn 1985; Method of Test for Bursting Strength of Paperboard and Linerboard
- D2530 Withdrawn 1989; Specification for Nonoriented Propylene Plastic Film D2531 Withdrawn 1980; Specification for Phenoxy Plastics Molding and Extrusion Materials
- D2532-10 Test Method for Viscosity and Viscosity Change After Standing at Low Temperature of Aircraft Turbine Lubricants, **05.01**D2533 Withdrawn 2008; Test Method for Vapor-Liquid Ratio of Spark-Ignition
- Engine Fuels
- D2534-88(2012) Test Method for Coefficient of Kinetic Friction for Wax Coatings, **05.01**
- D2535 Redesignated 1970- F304; Method of Sampling for Particulates from Aerospace Components with Convolutes

- D2536 Redesignated F305
 D2537 Redesignated F306
 D2538-02(2010) Practice for Fusion of Poly(Vinyl Chloride) (PVC) Compounds
 Using a Torque Rheometer, 08.01
 D2539 Withdrawn 2003; Test Method for Shock Sensitivity of Liquid
 - Monopropellants by the Card-Gap Test

D2540 D2638

- D2540 Withdrawn 2003; Test Method for Drop-Weight Sensitivity of Liquid Monopropellants
- Withdrawn 2003; Test Method for Critical Diameter and Detonation Velocity of Liquid Monopropellants
- D2542 Redesignated F309
- D2543 Redesignated F310
- D2544 Redesignated F307
- D2545 Withdrawn; Method of Sampling for Particulates From Aerospace Components or System (Gas Blow-Down Method)
- D2546 Redesignated F315 D2547 Withdrawn 1991; Te
- D2547 Withdrawn 1991; Test Method for Lead in Gasoline D2548 Withdrawn 1979; Method of Test for Analysis of Oil Soluble Petroleum Sulfonates by Liquid Chromatography; Replaced by D3712
- D2549-02(2012) Test Method for Separation of Representative Aromatics and Nonaromatics Fractions of High-Boiling Oils by Elution Chromatography,
- D2550 Withdrawn 1991; Test Method for Water Separation Characteristics of Aviation Turbine Fuels
- D2551 Withdrawn 1989; Test Method for Vapor Pressure of Petroleum **Products**
- D2552 Withdrawn 1987; Method of Test for Environmental Stress Rupture of Type III Polyethylenes Under Constant Tensile Load
- D2553 Withdrawn 1992; Test Method for Detecting Odor of Drycleaning Detergent on a Drycleaned Garment
- D2554 Withdrawn 1992; Test Method for Flash Point of Drycleaning Detergents in the Drycleaning Bath
- D2555-06(2011) Practice for Establishing Clear Wood Strength Values, 04.10
- D2556-14 Test Method for Apparent Viscosity of Adhesives Having Shear-Rate-Dependent Flow Properties Using Rotational Viscometry, 15 06
- D2557-98(2010)^{€1} Test Method for Tensile-Shear Strength of Adhesives in the Subzero Temperature Range from -267.8 to -55°C (-450 to -67°F), 15.06
- D2558 Withdrawn 1992; Test Method for Evaluating Peel Strength of Shoe Sole-Attaching Adhesives
- D2559-12a Specification for Adhesives for Bonded Structural Wood Products for Use Under Exterior Exposure Conditions, 15.06
- D2560 Withdrawn 1987; Specification for Solvent Cements for Cellulose Acetate Butyrate (CAB) Plastic Pipe, Tubing, and Fittings
- D2562-94(2008) Practice for Classifying Visual Defects in Parts Molded from Reinforced Thermosetting Plastics, 08.01
- D2563-08 Practice for Classifying Visual Defects in Glass-Reinforced Plastic
- Laminate Parts, 08.01 D2564-12 Specification for Solvent Cements for Poly(Vinyl Chloride) (PVC)
- Plastic Piping Systems, **08.04 D2565-99(2008)** Practice for Xenon-Arc Exposure of Plastics Intended for Outdoor Applications, 08.01
- D2566 Withdrawn 1993; Test Method for Linear Shrinkage of Cured Thermosetting Casting Resins During Cure
- D2567 Withdrawn 1984; Molecular Distribution Analysis for Monoalkylbenzenes by Mass Spectrometry
- D2568 Withdrawn 1980; Recommended Practice for Calculation of Absorbed
- Dose from Gamma Radiation; Replaced by E665 D2569 Withdrawn 2006; Test Method for Distillation of Pitch
- D2570-10 Test Method for Simulated Service Corrosion Testing of Engine Coolants, 15.05
- D2571 Withdrawn 2003; Guide forTesting Wood Furniture Lacquers
- D2572-97(2010) Test Method for Isocyanate Groups in Urethane Materials or Prepolymers, 06.03

 D2573-08 Test Method for Field Vane Shear Test in Cohesive Soil, 04.08
- D2574-06(2012) Test Method for Resistance of Emulsion Paints in the Container to Attack by Microorganisms, 06.01
- D2575 Withdrawn 2007; Methods of Testing Polymerized Fatty Acids
 D2576 Withdrawn 1981; Method of Test for Metals in Water and Waste Water by Atomic Absorption Spectrophotometry

 D2577 Withdrawn 1989; Test Method for Radioactive Cesium in Water
- D2578-09 Test Method for Wetting Tension of Polyethylene and Polypropylene
- D2579 Withdrawn 2002; Test Method for Total Organic Carbon in Water
- D2580-06(2012) Test Method for Phenols in Water by Gas-Liquid Chromatography, 11.02
 D2581-09 Classification System for Polybutylene (PB) Plastics Molding and
- Extrusion Materials, 08.01 D2582-09 Test Method for Puncture-Propagation Tear Resistance of Plastic
- Film and Thin Sheeting, 08.01

 D2583-13a Test Method for Indentation Hardness of Rigid Plastics by Means
- of a Barcol Impressor, 08.01 D2584-11 Test Method for Ignition Loss of Cured Reinforced Resins, 08.01
 D2585 Withdrawn 1996; Test Method for Preparation and Tension Testing of Filament-Wound Pressure Vessels
- D2586 Withdrawn 1996; Test Method for Hydrostatic Compressive Strength of Glass-Reinforced Plastic Cylinders
- D2587 Withdrawn 1990; Test Method for Acetone Extraction and Ignition of Glass Fiber Strands
- D2588 Withdrawn 1972; Method of Test for Standard Plate Count of Casein and Isolated Soy Protein
 D2589/D2589M-88(2011)^{c1} Test Method for McNett Wet Classification of Dua
- Test Method for McNett Wet Classification of Dual Ashestos Fiber 04.05
- D2590/D2590M-98(2011)^{c1} Test Method for Sampling Chrysotile Asbestos. 04.05

- D2591-07(2013) Test Method for Linear Density of Elastomeric Yarns (Short Length Specimens), 07.01
- Withdrawn 1972; Method of Test for Sieve Analysis of Casein and Isolated Soy Protein

 D2593-93(2009) Test Method for Butadiene Purity and Hydrocarbon Impurities
- by Gas Chromatography, 05.01
- D2594-04(2012) Test Method for Stretch Properties of Knitted Fabrics Having
- Low Power, 07.01

 D2595-96(2008)^{c1} Test Method for Evaporation Loss of Lubricating Greases Over Wide-Temperature Range, 05.01
- **D2596-10** Test Method for Measurement of Extreme-Pressure Properties of Lubricating Grease (Four-Ball Method), 05.01

 D2597-10 Test Method for Analysis of Demethanized Hydrocarbon Liquid
- Mixtures Containing Nitrogen and Carbon Dioxide by Gas Chromatography, 05.01
- D2598-12 Practice for Calculation of Certain Physical Properties of Liquefied Petroleum (LP) Gases from Compositional Ánalysis, 05.01
- D2599 Withdrawn 1993; Methods of Test for Lead in Gasoline by X-ray Spectrometry
- D2600 Withdrawn 1992; Test Method for Aromatic Traces in Light Saturated
- Hydrocarbons by Gas Chromatography; Replaced by D4420 D2601 Withdrawn 1985; Test Method for Hydrocarbon Types in Propylene Tetramer by Low Ionizing Voltage Mass Spectrometry
- D2602 Withdrawn 1993; Apparent Viscosity of Engine Oils at Low Temperature Using the Cold-Cranking Simulator; Replaced by D5293
- D2603-01(2013) Test Method for Sonic Shear Stability of Polymer-Containing
- D2604 Withdrawn 2006; Specification for High-Boiling Hydrocarbon Solvent for Preparing Oil-Borne Preservative Solutions
- D2605 Withdrawn 1993; Specification for Volatile Petroleum Solvent (LPG) for
- Preparing Pentachlorophenol Solutions
 D2606 Withdrawn 2006; Test Method for Solubility of Pentachlorophenol in
- Heavy Hydrocarbon Solvents D2607 Withdrawn 1992; Classification of Peats, Mosses, Humus, and Related Products
- D2608 Withdrawn 1990; Test Method for Copper in Electrical Insulating Oils by Photometric Analysis
- D2609-02(2008) Specification for Plastic Insert Fittings for Polyethylene (PE) Plastic Pipe, 08.04
- D2610 Withdrawn 1979; Specification for Butt Fusion Polyethylene (PE) Plastic Pipe Fittings, Schedule 40; Replaced by D3261
- D2611 Withdrawn 1979; Specification for Butt Fusion Polyethylene (PE) Plastic Pipe Fittings, Schedule 80; Replaced by D3261
- D2612-99(2011) Test Method for Fiber Cohesion in Sliver and Top (Static Tests), 07.01
- D2613-01(2012) Test Method for Calcium or Zinc in Paint Driers by EDTA Method, **06.01**
- D2614 Withdrawn 1971; Method of Test for Giding Poer of Chromatic Paints; Replaced by D2805
- D2615 Withdrawn 1981; Method of Test for Free Yoluene Diisocyanate in Urethane Polymers by Distillation; Replaced by D3432
- D2616-12 Test Method for Evaluation of Visual Color Difference With a Gray Scale, **06.01**
- D2617-12 Test Method for Total Ash in Leather, 15.04
- D2618 Withdrawn 1984; Method of Test for Pressure Blocking and Picking Points of Petroleum Wax
- D2619-09 Test Method for Hydrolytic Stability of Hydraulic Fluids (Beverage Bottle Method), 05.01
- D2620 Withdrawn 2001; Test Method for Light Stability of Clear Coatings D2621-87(2011) Test Method for Infrared Identification of Vehicle Solids From Solvent-Reducible Paints, 06.01
- D2622-10 Test Method for Sulfur in Petroleum Products by Wavelength
- Dispersive X-ray Fluorescence Spectrometry, **05.01**D2623 Withdrawn 1991; Test Method for Knock Characteristics of Liquified Petroleum (LP) Gases by the Motor (LP) Method

 D2624-09 Test Methods for Electrical Conductivity of Aviation and Distillate
- Fuels, 05.01
- D2625-94(2010) Test Method for Endurance (Wear) Life and Load-Carrying
- D2625-94(2010) lest Method for Endurance (Wear) Life and Load-Carrying Capacity of Solid Film Lubricants (Falex Pin and Vee Method), 05.01

 D2626/D2626M-04(2012)^{c1} Specification for Asphalt-Saturated and Coated Organic Felt Base Sheet Used in Roofing, 04.04

 D2627-08(2012) Specification for Diacetone Alcohol, 06.04

 D2628-91(2011) Specification for Preformed Polychloroprene Elastomeric Joint Seals for Concrete Pavements, 04.03

- D2629 Withdrawn 1977; Specification for Hot Mixed, Hot Laid Emulsified Asphalt Paving Mixtures; Replaced by D3515 D2630 Withdrawn 1990; Test Method for Rubber Property—Adhesion to
- Fabrics (Strap Peel Test); Replaced by D4393, D4776, D4777
- D2631 Withdrawn 1985; Methods for Testing Paper by Direct-Voltage Life Testing of Capacitors

 D2632-01(2014) Test Method for Rubber Property—Resilience by Vertical
- Rebound, **09.01** D2633-13a Test Methods for Thermoplastic Insulations and Jackets for Wire
- and Cable, 10.02 D2634-07(2013) Specification for Methyl Amyl Acetate (95 % Grade), 06.04
- D2635-07(2012) Specification for Methyl Isobutyl Carbinol, 06.04

- D2636-07(2012) Specification for Hexylene Glycol, 06.04

 D2637 Withdrawn 1972; Specification for Hexyl Acetate

 D2638-10 Test Method for Real Density of Calcined Petroleum Coke by Helium Pycnometer, 05.01

D2639/D2639M D2735

- D2639/D2639M-13 Test Method for Plastic Properties of Coal by the Constant-Torque Gieseler Plastometer, 05.06
- D2640 Withdrawn 1973; Method of Test for Drop Shatter Test for Large Coke; Replaced by D3038
- D2641 Withdrawn 1995; Test Methof for Chlorine in Cellulose
 D2642 Withdrawn 1972; Method of Test for Viscosity of Casein and Isolated Soy Protein
- D2643/D2643M-08(2013)^{c1} Specification for Prefabricated Bituminous Geomembrane Used as Canal and Ditch Liner (Exposed Type), 04.13

 D2644-12 Tolerances for Yarns Spun on the Woolen System, 07.01
- D2645-07(2012) Tolerances for Yarns Spun on the Cotton or Worsted Systems, 07.01
- D2646-11 Test Methods for Backing Fabric Characteristics of Pile Yarn Floor Coverings, 07.01
- D2647-10 Specification for Crosslinkable Ethylene Plastics, 08.01
- D2648 Withdrawn 1977; Recommended Practice for Measuring Time to Failure by Rupture of Plastics Under Tension in Various Environments;
- Paintie by Rupture of Plastics Order Tension in Various Environment Replaced by D2990

 D2649-04(2009) Test Method for Corrosion Characteristics of Solid Film Lubricants, 05.01

 D2650-10 Test Method for Chemical Composition of Gases by Mass Spectrometry, 05.01

 D2651-01(2008) Guide for Preparation of Metal Surfaces for Adhesive
- Bonding, **15.06**
- D2652-11 Terminology Relating to Activated Carbon, 15.01
- D2653-07(2012) Test Method for Tensile Properties of Elastomeric Yarns (CRE Type Tensile Testing Machines), 07.01
- D2654 Withdrawn 1998; Test Methods for Moisture in Textiles
- D2655-12 Specification for Crosslinked Polyethylene Insulation for Wire and Cable Rated 0 to 2000 V, 10.02
- D2656-13 Specification for Crosslinked Polyethylene Insulation for Wire and, 10.02
- D2657-07 Practice for Heat Fusion Joining of Polyolefin Pipe and Fittings, 08.04
- D2658-04(2013) Test Method for Determining Interior Dimensions of
- Fiberboard Boxes (Box Gage Method), 15.10

 D2659-11 Test Method for Column Crush Properties of Blown Thermoplastic Containers, 08.01
- D2660 Withdrawn 1990; Test Method for Finish Content of Woven Glass Fabric, Cleaned and After-Finished with Acrylic-Silane Type Finishes, for Plastic Laminates
- D2661-11 Specification for Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40
 Plastic Drain, Waste, and Vent Pipe and Fittings, 08.04
 D2662 Withdrawn 2003; Specification for Polybutylene (PB) Plastic Pipe
- (SIDR-PR) Based on Controlled Inside Diameter
- D2663-14 Test Methods for Carbon Black—Dispersion in Rubber, 09.01 D2664 Withdrawn 2005; Test Method for Triaxial Compressive Strength of Undrained Rock Core Specimens Without Pore Pressure Measurements; Replaced by D7012
- D2665-12 Specification for Poly(Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent Pipe and Fittings, 08.04
- D2666 Withdrawn 2005; Specification for Polybutylene (PB) Plastic Tubing D2667 Withdrawn 2013; Test Method for Biodegradability of Alkylbenzene Sulfonates
- D2668-07(2013) Test Method for 2,6-di-tert-Butyl- p-Cresol and 2,6-di-tert-Butyl Phenol in Electrical Insulating Oil by Infrared Absorption, 10.03
 D2669-06(2012)^{c1} Test Method for Apparent Viscosity of Petroleum Waxes
- Compounded with Additives (Hot Melts), 05.01
- D2670-95(2010) Test Method for Measuring Wear Properties of Fluid Lubricants (Falex Pin and Vee Block Method), 05.01
- D2671-13 Test Methods for Heat-Shrinkable Tubing for Electrical Use, 10.02 D2672-96a(2009) Specification for Joints for IPS PVC Pipe Using Solvent Cement, 08.04
- D2673-09 Specification for Oriented Polypropylene Film, 08.01
 D2674-72(2012) Methods of Analysis of Sulfochromate Etch Solution Used in
 Surface Preparation of Aluminum, 15.06
- D2675 Withdrawn 1985; Method of Test for Copper in Insulating Oils Spectrochemically by the Solution-Rotating Disk Method
- D2676 Redesignated G22 D2677 Withdrawn 1986; M D2677 Withdrawn 1986; Method of Test for Lightability of Barbecue Briquets
 D2678 Withdrawn 1991; Practice for Spinning Tests on the Cotton System for
 Measurement of Yarn Properties
- D2679 Withdrawn 1980; Method of Test for Electrostatic Charge; Replaced by D4470
- D2680-01(2009) Specification for Acrylonitrile-Butadiene-Styrene (ABS) and Poly(Vinyl Chloride) (PVC) Composite Sewer Piping, 08.04
 D2681 Withdrawn 1972; Method of Test for Lead in the Atmosphere
 D2682 Withdrawn 1979; Method of Test for Polynuclear Aromatic Hydrocarbons in Air Particulate Matter
 D2683-10⁻³ Specification for Socket-Type Polyethylene Fittings for Outside Diameter-Controlled Polyethylene Pipe and Tubing, 08.04
- D2684-10 Test Method for Permeability of Thermoplastic Containers to Packaged Reagents or Proprietary Products, 08.01
- D2685-11 Test Method for Air and Carbon Tetrafluoride in Sulfur Hexafluoride by Gas Chromatography, 10.03
- D2686-06(2012) Specification for Polytetrafluoroethylene-Backed Pressure-Sensitive Electrical Insulating Tape, 10.02 D2687-95(2007)^{€1} Practices for Sampling Particulate Ion-Exchange Materials,
- 11.02
- D2688-11 Test Method for Corrosivity of Water in the Absence of Heat

Transfer (Weight Loss Method), 11.01

- D2689 Withdrawn 2008; Practices for Testing Alkyd Resins
- Withdrawn 2007; Test Method for Isophthalic Acid in Alkyd and D2690 Polyester Resins
- D2691 Withdrawn 1993; Test Method for Microscopical Measurement of Dry Film Thickness of Coatings on Wood Products; Replaced by D5235
- D2692/D2692M-10(2014) Test Method for Air Wicking of Tire Fabrics, Tire Cord, and Yarns, 07.01
 D2693-07(2012) Specification for Ethylene Glycol, 06.04
 D2694-05(2011) Specification for Diethylene Glycol, 06.04
 D2695 Withdrawn 1991; Specification for Propylene Glycol
 D2696 Withdrawn 1991; Specification for Dipropylene Glycol

- D2697-03(2008) Test Method for Volume Nonvolatile Matter in Clear or Pigmented Coatings, 06.01
- D2698-05(2010) Test Method for Determination of the Pigment Content of Solvent-Reducible Paints by High-Speed Centrifuging, 06.01
- D2699-13b Test Method for Research Octane Number of Spark-Ignition Engine Fuel, 05.05
- D2700-13b Test Method for Motor Octane Number of Spark-Ignition Engine Fuel, **05.05**
- D2701 Withdrawn 1977; Method for Chemical Analysis for Aluminum Oxide
 Content of Titanium Dioxide Pigments; Replaced by D1394

 D2702-05(2011) Practice for Rubber Chemicals—Determination of Infrared
 Absorption Characteristics, 09.01
- D2703 Withdrawn 2000; Practice for Rubber Chemicals-Determination of Ultraviolet Absorbance Characteristics
- D2704 Withdrawn 1973; Method of Test for Measurement of Curing Characteristics with the Cepar Cure Meter
- D2705 Withdrawn 1973; Method of Test for Measurement of Curing
- Characteristics with the Oscillating Disc Rheometer Cure Meter D2706 Withdrawn 1973; Method of Test for Measurement of Curing Characteristics with the Viscometer Cure Meter
- D2707 Withdrawn 1989; Test Method for Hard Rubber in Tension
 D2708 Withdrawn 1985; Specification for Extra-Heavy-Duty AcrylonitrileButadiene/Poly(Vinyl Chloride)(NBR/PVC) Jacket for Wire and Cable;
- Replaced by D4244

 D2709-96(2011)⁻¹ Test Method for Water and Sediment in Middle Distillate Fuels by Centrifuge, 05.01
- D2710-09(2013) Test Method for Bromine Index of Petroleum Hydrocarbons by Electrometric Titration, 05.01
- D2711-11 Test Method for Demulsibility Characteristics of Lubricating Oils, 05.01
- D2712-91(2010) Test Method for Hydrocarbon Traces in Propylene
 Concentrates by Gas Chromatography, 05.01
 D2713-13 Test Method for Dryness of Propane (Valve Freeze Method), 05.01
- D2714-94(2009) Test Method for Calibration and Operation of the Falex
- Block-on-Ring Friction and Wear Testing Machine, 05.01
 5-92(2012) Test Method for Volatilization Rates of Lubricants in Vacuum, D2715-92(2012)
- D2716 Withdrawn 1982; Method of Test for Coefficient of Friction and Wear Characteristics of Solid Film Lubricants in Vacuum and Other Controlled Atmospheres
- D2717-95(2009) Test Method for Thermal Conductivity of Liquids, 05.01
 D2718-00(2011) Test Methods for Structural Panels in Planar Shear (Rolling
- Shear), 04.10 D2719-13 Test Methods for Structural Panels in Shear Through-the-Thickness,
- 04.10 D2720-94(2012)^{c1} Practice for Calculation of Commercial Weight and Yield of
- Scoured Wool, Top, and Noil for Various Commercial Compositions, 07.01 D2721 Withdrawn 1989; Method of Test for Effects of Drycleaning on Permanence of Durable Water-Repellent Finish
- D2722 Withdrawn 1976; Method of Test for Knock Characteristics of Motor Fuels Using the Compression Ratio (CR) Technique for Research Ratings; Replaced by D2699
- Withdrawn 1976; Method of Test for Characteristics of Motor Fuels D2723 Using the Compression Ratio (CR) Technique for Motor Ratings;
- Replaced by D2700

 D2724-07(2011)^{c1} Test Methods for Bonded, Fused, and Laminated Apparel
- Fabrics, **07.01** D2725 Withdrawn 1996; Test Method for Hydrogen Sulfide in Natural Gas
- (Methylene Blue Method)

 D2726/D2726M-13 Test Method for Bulk Specific Gravity and Density of Non-Absorptive Compacted Bituminous Mixtures, 04.03

 D2727 Withdrawn 1979; Test for Coating and Resistance to Stripping of
- Bituminous-Aggregate Mixtures Containing Adhesion Promoting Agents
- D2728-98(2009) Practice for Paving Uses and Application Temperatures for Road Tars, 04.03 D2729-11 Specification for Poly(Vinyl Chloride) (PVC) Sewer Pipe and
- Fittings, **08.04**D2730 Withdrawn 1987; Method for Sag Flow of Highly Viscous Materials

 D2731-07(2012) Test Method for Elastic Properties of Elastomeric Yarns (CRE Type Tensile Testing Machines), **07.01**
- D2732-08 Test Method for Unrestrained Linear Thermal Shrinkage of Plastic Film, 08.01
- D2733 Withdrawn 1981; Method of Test for Interlaminar Shear Strength of Structural reiRforced Plastics at Elevated Temperatures; Replaced by D3846
- D2734-09 Test Methods for Void Content of Reinforced Plastics, 08.01 D2735 Withdrawn 1985; Practice for Determination of Effect of Cyclic Immerson of Syntactic Foam at Pressure

D2736 D2834

- D2736 Withdrawn 1985; Practice for Determination of Hydrostatic CompreSsive strength of Syntactic Foam
- D2737-12a Specification for Polyethylene (PE) Plastic Tubing, 08.04 D2738 Withdrawn 1982; Test Method for Bursting Strength of Corrugated and Solid Fiberboard; Replaced by TAPPI T 810
- D2739-97(2010) Test Method for Volume Resistivity of Conductive Adhesives, 15.06
- D2741 Withdrawn 2011; Test Method for Susceptibility of Polyethylene Bottles to Soot Accumulation
- D2742 Withdrawn 1990: Methods for Chemical Analysis of Tribasis Lead Phosphosilicate
- D2743-68(2010) Practices for Uniformity of Traffic Paint Vehicle Solids by Spectroscopy and Gas Chromatography, **06.02**14 Withdrawn 1987; Specification for Tribasic Lead Phosphosilicate
- D2745-00(2008) Test Method for Relative Tinting Strength of White Pigments by Reflectance Measurements, 06.01
- D2746-07(2013) Test Method for Staining Tendency of Asphalt (Stain Index), 04.04
- D2747 Withdrawn 1986; Method of Test for Trace Quantities of Total Sulfur in Volatile Organic Liquids (Oxy-Hydrogen Combustion Method)
 D2748 Withdrawn 1987; Method of Test for Pyridine Bases in Tar Acids;
- Replaced by D4471
- D2749-13 Symbols for Dimensions of Plastic Pipe Fittings, 08.04
- D2751-05 Specification for Acrylonitrile-Butadiene-Styrene (ABS) Sewer Pipe and Fittings, 08.04
- D2752/D2752M-88(2011)^{c1} Test Methods for Air Permeability of Asbestos Fibers, **04.05**
- D2753 Withdrawn 1993; Specification for Electrolytic Capacitor Paper D2754-10 Specification for High-Temperature Glass Cloth Pressure-Sensitive
- Electrical Insulating Tape, 10.02

 D2755 Withdrawn 2003; Test Method of Sampling and Reduction to Test
 Weight of Electrical Grade Magnesium Oxide
- D2756-07(2012) Test Method for Weight Loss of Electrical Insulating Varnishes, 10.02
- D2757 Withdrawn 2001; Specification for Impervious Steatite Ceramics for Electrical and Electronic Applications
- D2758-94(2009) Test Method for Engine Coolants by Engine Dynamometer,
- D2759-00(2010) Practice for Sampling Gas from a Transformer Under Positive
- Pressure, 10.03 D2760 Withdrawn 2000; Test Method for Analysis of Sodium Triphosphate by
- the Simplified Paper Chromatographic Method D2761 Withdrawn 2001; Test Method for Analysis of Sodium Triphosphate by the Simplified Ion Exchange Method
- D2762 Withdrawn 1992; Specification for Drycleaning Detergent, Non-Charge Туре
- D2763 Withdrawn 1993; Specification for Drycleaning Detergent, Liquid Charge Type
- D2764-99(2009) Test Method for Dimethylformamide-Insoluble (DMF-I) Content of Tar and Pitch, 05.01
- D2765-11 Test Methods for Determination of Gel Content and Swell Ratio of Crosslinked Ethylene Plastics, 08.01
- **D2766-95(2009)** Test Method for Specific Heat of Liquids and Solids, **05.01** D2767 Redesignated F317
- D2768 Withdrawn 2007; Specification for General-Purpose Ethylene-Propylene Rubber Jacket for Wire and Cable
 D2769 Withdrawn 1987; Method of Testing Rubber Hose Used for Liquefied
- Petroleum Gas Extractable Material
- D2770 Withdrawn 2007; Specification for Ozone-Resisting Ethylene-Propylene Rubber Integral Insulation and Jacket for Wire and Cable
- D2771 Withdrawn 2003; Test Methods for Compaction Density of Electrical Grade Magnesium Oxide
- D2772 Withdrawn 2003; Test Method for Sieve Analysis of Electrical Grade Magnesium Oxide
 D2773 Withdrawn 2003; Test Method for Loss on Ignition of Electrical Grade
- Magnesium Oxide
- D2774-12 Practice for Underground Installation of Thermoplastic Pressure Piping, 08.04
- D2775 Withdrawn 1975; Method of Test for Insolubles in Casein
 D2776 Withdrawn 1991; Test Methods for Corrosivity of Water in the Absence
 of Heat Transfer (Electrical Methods); Replaced by G96
 D2777-13 Practice for Determination of Precision and Bias of Applicable Test
 Methods of Committee D19 on Water, 11.01
- D2778 Withdrawn 1982; Method of Test for Solvent Extraction of Organic
- Matter from Water

 D2779-92(2012) Test Method for Estimation of Solubility of Gases in Petroleum Liquids, 05.01

 Test Method for Solubility of Fixed Gases in Petroleum Liquids, 05.01
- D2780 Withdrawn 2010; Test Method for Solubility of Fixed Gases in Liquids D2781 Withdrawn 1992; Test Method for Compatibility of Fuel Oil Blends by Spot Test; Replaced by D4740
- D2782-02(2008) Test Method for Measurement of Extreme-Pressure Properties of Lubricating Fluids (Timken Method), 05.01
- D2783-03(2009) Test Method for Measurement of Extreme-Pressure Properties of Lubricating Fluids (Four-Ball Method), 05.01
- D2784-11 Test Method for Sulfur in Liquefied Petroleum Gases (Oxy-Hydrogen Burner or Lamp), 05.01
- D2785 Withdrawn 1989; Test Method for Trace Quantities of Total Sulfur (Wickbold and Beckman Combustion Apparatus)

 D2786-91(2011) Test Method for Hydrocarbon Types Analysis of Gas-Oil
- Saturates Fractions by High Ionizing Voltage Mass Spectrometry, 05.01

- D2787 Withdrawn 1985; Method of Test for Lead and Vanadium in Gas Turbine Fuels
- D2788 Withdrawn 1994; Method of Test for Trace Metals in Gas Turbine Fuels (Atomic Absorption Method)
- D2789-95(2011) Test Method for Hydrocarbon Types in Low Olefinic Gasoline by Mass Spectrometry, 05.01
- D2790 Withdrawn 1993; Methods of Analysis of Solvent Systems Used for Removal of Water-Formed Deposits
- D2791-13 Test Method for On-line Determination of Sodium in Water, 11.01 D2792-69(2010) Test Method for Solvent and Fuel Resistance of Traffic Paint, 06.02
- D2793-99(2011) Test Method for Block Resistance of Organic Coatings on Wood Panel Substrates, 06.02
- D2794-93(2010) Test Method for Resistance of Organic Coatings to the Effects of Rapid Deformation (Impact), 06.01
- D2795 Withdrawn 2001; Test Method for Analysis of Coal and Coke Ash D2796 Withdrawn 1995; Terminology Relating to Megascopic Description of Coal and Coal Seams and Microscopical Description and Analysis of Coal
 D2797/D2797M-11a Practice for Preparing Coal Samples for Microscopical
- Analysis by Reflected Light, 05.06

 D2798-11a Test Method for Microscopical Determination of the Vitrinite
 Reflectance of Coal, 05.06
- D2799-13 Test Method for Microscopical Determination of the Maceral Composition of Coal, 05.06
- D2800 Withdrawn 2007; Test Method for Preparation of Methyl Esters From Oils for Determination of Fatty Acid Composition by Gas-Liquid Chromatography
- D2801 Withdrawn 1990; Test Method for Leveling Characteristics of Paints by Draw-Down Method
- D2802-03(2010) Specification for Ozone-Resistant Ethylene-Alkene Polymer Insulation, 10.02
- D2803-09 Guide for Testing Filiform Corrosion Resistance of Organic Coatings on Metal, 06.01
- D2804-02(2012) Test Method for Purity of Methyl Ethyl Ketone By Gas Chromatography, 06.04
- Test Method for Hiding Power of Paints by Reflectometry, 06.01 D2806 Withdrawn 1982; Test Method for Flat Crush of Corrugating Medium;
- Replaced by TAPPI T 809

 D2807-93(2009)^{c1} Test Method for Chromic Oxide in Leather (Perchloric Acid Oxidation), 15.04
- D2808 Withdrawn 1991; Test Method for Compressive Strength of Corrugated Fiberboard (Short Column Test)
- D2809-09 Test Method for Cavitation Corrosion and Erosion-Corrosion Characteristics of Aluminum Pumps With Engine Coolants, 15.05 D2810-13 Test Method for pH of Leather, 15.04
- D2811 Withdrawn 1991; Methods for Spinning Tests on the Cotton System for Measurement of Spinning Performance
- D2812-07(2012) Test Method for Non-Lint Content of Cotton, 07.01 Practice for Sampling Leather for Physical and Chemical D2813-03(2013) Tests, 15.04
- D2814 Withdrawn 1978; Method of Test for Color Change Due to Flat Abrasion (Frosting)
- D2815 Withdrawn 1976; Specification for Cleaning Compound, General Purpose
- D2816-05(2009) Test Method for Cashmere Coarse-Hair Content in Cashmere, 07.01

 D2817-05(2009) Specification for Maximum Cashmere Coarse-Hair Content in
- Cashmeré, 07.01
- D2818 Withdrawn 1992; Specification for Homogeneous Bituminized Fiber Pipe for Airport and Highway Drainage
- D2819 Withdrawn 1984; Specification for Extra-Heavy-Duty Black Polychloro-
- prene Jacket for Wire and Cable; Replaced by D4247 D2820 Withdrawn 1993; Test Method for C_1 through C_5 Hydrocarbons in the Atmosphere By Gas Chromatography
- D2821-14 Test Method for Measuring the Relative Stiffness of Leather by Means of a Torsional Wire Apparatus, 15.04

 D2822/D2822M-05(2011)^{c1} Specification for Asphalt Roof Cement,
- Asbestos-Containing, 04.04

 D2823/D2823M-05(2011)¹¹ Specification for Asphalt Roof Coatings,
- Asbestos-Containing, 04.04
- D2824/D2824M-13 Specification for Aluminum-Pigmented Asphalt Roof Coatings, Nonfibered, and Fibered without Asbestos, 04.04
 D2825-13 Terminology Relating to Polishes and Related Materials, 15.04
 D2826 Withdrawn 1979; Specification for Styrene Monomer 993
- D2827-13 Specification for Styrene Monomer, 06.04
- 8 Withdrawn 2004; Specification for Nonbituminous Inserts for Contraction Joints in Portland Cement Concrete Airfield Pavements,
- D2829-07(2013) Practice for Sampling and Analysis of Existing Built-Up Roof Systems, 04.04
- D2830 Withdrawn 2004; Test Method for Exterior Durability of Factory-Primed Field Finished Wood Products
- D2831 Withdrawn 1981; Method of Test for Evaluating the Ability of a Latex Paint to Resist Efflorescence from the Substrate
- D2832-92(2011) Guide for Determining Volatile and Nonvolatile Content of Paint and Related Coatings, 06.01
 D2833 Withdrawn 1994; Index of Methods for Testing Architectural Paints and
- Coatings; Replaced by D5324

 D2834-95(2008) Test Method for Nonvolatile Matter (Total Solids) in
- Water-Emulsion Floor Polishes, Solvent-Based Floor Polishes, and

D2834 D2929

- Polymer-Emulsion Floor Polishes, 15.04
- D2835-89(2012) Specification for Lubricant for Installation of Preformed Compression Seals in Concrete Pavements, 04.03
- D2836 Withdrawn 1977; Specification for Filled Poly(Vinyl Chloride)(PVC) Sewer Pipe
- D2837-11 Test Method for Obtaining Hydrostatic Design Basis for Thermoplastic Pipe Materials or Pressure Design Basis for Thermoplastic Pipe Products, 08.04
- D2838-09 Test Method for Shrink Tension and Orientation Release Stress of Plastic Film and Thin Sheeting, 08.01
- D2839-10 Practice for Use of a Melt Index Strand for Determining Density of Polyethylene, 08.01
- D2840 Withdrawn 1984; Method of Test for Average True Particle Density of Hollow Microspheres
- D2841 Withdrawn 1999; Practice for Sampling Hollow Microspheres
- D2842-12 Test Method for Water Absorption of Rigid Cellular Plastics, 08.01
 D2843-10 Test Method for Density of Smoke from the Burning or Decomposition of Plastics, 08.01
- D2844/D2844M-13 Test Method for Resistance, 04.08
- D2845-08 Test Method for Laboratory Determination of Pulse Velocities and
- Ultrasonic Elastic Constants of Rock, 04.08

 D2846/D2846M-09b^{c1} Specification for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Hot- and Cold-Water Distribution Systems, 08.04
- D2847-07(2012) Practice for Testing Engine Coolants in Car and Light Truck Service, **15.05**
- D2848 Withdrawn 1983; Specification for Reinforced Polycarbonate Injection Molding and Extrusion Materials; Replaced by D3935
- D2849 Withdrawn 1989; Method of Testing Urethane Foam Polyol Raw Materials
- D2850-03a(2007) Test Method for Unconsolidated-Undrained Triaxial
 Compression Test on Cohesive Soils, 04.08
 D2851-98(2009) Specification for Liquid Optical Adhesive, 15.06
 D2852-95(2008) Specification for Styrene-Rubber (SR) Plastic Drain Pipe and
- Fittings, 08.04

 D2853 Withdrawn 1989; Specification for Reinforced Olefin Injection Molding
- and Extrusion Materials
- D2854-09 Test Method for Apparent Density of Activated Carbon, 15.01 D2855-96(2010) Practice for Making Solvent-Cemented Joints with Poly(Vinyl Chloride) (PVC) Pipe and Fittings, 08.04
- Chloride) (PVC) Pipe and Fittings, 08.04

 D2856 Withdrawn 2006; Test Method for Open-Cell Content of Rigid Cellular
 Plastics by the Air Pycnometer; Replaced by D6226

 D2857-95(2007) Practice for Dilute Solution Viscosity of Polymers, 08.01

 D2858 Withdrawn 2003; Test Method for Thermal Conductivity of Electrical
 Grade Magnesium Oxide

 D2859-06(2011) Test Method for Ignition Characteristics of Finished Textile
 Floor Covering Materials, 04.07
- D2860M Withdrawn 1998; Replaced by D2860/D2860M
- D2860/D2860M-04(2010) Test Method for Adhesion of Pressure-Sensitive Tape to Fiberboard at 90° Angle and Constant Stress, 15.10
- D2861-87(2009) Test Methods for Flexible Composites of Copper Foil with Dielectric Film or Treated Fabrics, 10.02
- D2862-10 Test Method for Particle Size Distribution of Granular Activated Carbon, 15.01
- D2863-13 Test Method for Measuring the Minimum Oxygen Concentration to Support Candle-Like Combustion of Plastics (Oxygen Index), **08.01 D2864-10^{c1}** Terminology Relating to Electrical Insulating Liquids and Gases,
- 10.03
- D2865M-06 Practice for Calibration of Standards and Equipment for Electrical Insulating Materials Testing, 10.02
 6-11 Test Method for Total Ash Content of Activated Carbon, 15.01
- D2866-11 D2867-09 Test Methods for Moisture in Activated Carbon, 15.01

- D2868-10 Test Method for Nitrogen Content (Kjeldahl) and Hide Substance Content of Leather, Wet Blue and Wet White, 15.04

 D2869 Withdrawn 1974; Method of Test for Black Heel Marking Tendencies of Waxes and Polymer Floor Finishes
- D2870 Withdrawn 1996; Test method for Gel Time of Tar Acids
 D2871 Withdrawn 1984; Specification for p-tert-butylphenol 98
- D2872-12^{c1} Test Method for Effect of Heat and Air on a Moving Film of Asphalt (Rolling Thin-Film Oven Test), 04.03
- D2873 Withdrawn 2003; Test Method for Interior Porosity of Poly(Vinyl Chloride) (PVC) Resins by Mercury Intrusion Porosimetry
 D2874 Withdrawn 1982; Specification for Polyphenylene Oxide Molding and
- Extrusion Materials
- D2875-00(2010) Test Method for Insoluble Ash of Vegetable-Tanned Leather, 15.04
- D2876-00(2010) Test Method for Water-Soluble Matter of Vegetable-Tanned Leather, 15.04
- D2877 Withdrawn 1975; Methods of Test for Measuring Frictional Properties of Slideway Lubricants
- D2878-10 Test Method for Estimating Apparent Vapor Pressures and Molecular Weights of Lubricating Oils, 05.01
 D2879-10 Test Method for Vapor Pressure-Temperature Relationship and
- Initial Decomposition Temperature of Liquids by Isoteniscope, 05.01
- D2880-13b Specification for Gas Turbine Fuel Oils, 05.01
 D2881-12 Classification for Metalworking Fluids and Related Materials, 05.01 D2882 Withdrawn 2003; Test Method for Indicating Wear Characteristics of Petroleum and Non-Petroleum Hydraulic Fluids in Constant Volume Vane
- D2883-95(2009) Test Method for Reaction Threshold Temperature of Liquid and Solid Materials, 05.01

- D2884-93(2012) Test Method for Yield Stress of Heterogeneous Propellants by Cone Penetration Method, 05.01
- D2885-13 Test Method for Determination of Octane Number of Spark-Ignition Engine Fuels by On-Line Direct Comparison Technique, 05.05
- D2886 Withdrawn 1991; Test Method for Knock Characteristics of Motor Fuels by the Distribution Octane Number (DON) Method
- D2887-13 Test Method for Boiling Range Distribution of Petroleum Fractions
- by Gas Chromatography, **05.01**D2888 Withdrawn 1982; Method for Analysis of Liquified Petroleum Gases (LPG) by Process Gas Chromatography
- D2889-95(2010) Test Method for Calculation of True Vapor Pressures of Petroleum Distillate Fuels, 05.01
- D2890-92(2013) Test Method for Calculation of Liquid Heat Capacity of Petroleum Distillate Fuels, 05.01 D2891 Withdrawn 1981; Methods for Validation of Results of Process
- Distillation Analyzers; Replaced by D3764

 D2892-13 Test Method for Distillation of Crude Petroleum (15-Theoretical
- Plate Column), 05.01
- D2893-04(2009) Test Methods for Oxidation Characteristics of Extreme-Pressure Lubrication Oils, 05.01
- D2894 Withdrawn 1979; Methods for Analysis of Calcium and Barium Petroleum Sulfonates by Liquid Chromatography; Replaced by D3712
- D2895 Withdrawn 2004; Test Method for Gloss Retention of Waxed Paper and Paperboard After Storage at 40°C (104°F)
- D2896-11 Test Method for Base Number of Petroleum Products by Potentiometric Perchloric Acid Titration, 05.01
- D2897 Withdrawn 1984; Specification for Reinforced and Filled Nylon Injection Molding and Extrusion Materials; Replaced by D4066
- D2898-10 Practice for Accelerated Weathering of Fire-Retardant-Treated Wood for Fire Testing, 04.10
- D2899-12 Practice for Establishing Allowable Stresses for Round Timber Piles, 04.10
- D2900 Withdrawn 2003; Test Method for Accelerated Life Test of Electrical Grade Magnesium Oxide as Used in Sheathed-Type Electric Heating **Flements**
- D2901 Withdrawn 2006; Test Method for Cement Content of Freshly Mixed Soil-Cement
- **D2902-00(2013)**^{€1} Specification for Fluoropolymer Resin Heat-Shrinkable Tubing for Electrical Insulation, 10.02

 D2903-11 Specification for Crosslinked Chlorinated Polyolefin Heat-Shrinkable
- Tubing for Electrical Insulation, 10.02
- D2904 Withdrawn 2008; Practice for Interlaboratory Testing of a Textile Test Method that Produces Normally Distributed Data
- D2905 Withdrawn 2008; Practice for Statements on Number of Specimens for Textiles
- D2906 Withdrawn 2008; Practice for Statements on Precision and Bias for Textiles
- D2907 Withdrawn 2003; Test Methods for Microquantities of Uranium in Water by Fluorometry
- D2908-91(2011) Practice for Measuring Volatile Organic Matter in Water by Aqueous-Injection Gas Chromatography, 11.02
- D2909 Withdrawn 1990; Test Method for Cyclohexylamine in Water; Replaced by D4983 D2910 Withdrawn 1992; Practice for Concentration and Recovery of Organic
- Matter from Water by Activated Carbon D2911-10 Specification for Dimensions and Tolerances for Plastic Bottles,
- 08.01 D2912 Withdrawn 1991; Test Method for Oxidant Content of the Atmosphere
- (Neutral KI) D2913-96(2007) Test Method for Mercaptan Content of the Atmosphere, 11.07
- D2914-01(2007) Test Methods for Sulfur Dioxide Content of the Atmosphere
- (West-Gaeke Method), 11.07

 D2915-10 Practice for Sampling and Data-Analysis for Structural Wood and Wood-Based Products, 04.10
- D2916-09 Specification for Isophorone, 06.04
- D2917-07(2013) Specification for Methyl Isoamyl Ketone, 06.04
 D2918-99(2012) Test Method for Durability Assessment of Adhesive Joints Stressed in Peel, 15.06
- D2919-01(2014) Test Method for Determining Durability of Adhesive Joints

- D2919-01(2014) Test Method for Determining Durability of Adriesive Joints
 Stressed in Shear by Tension Loading, 15.06
 D2920 Withdrawn 1977; Method for Determination of Silica in Titanium
 Dioxide Pigments; Replaced by D1394
 D2921-98(2011) Test Method for Qualitative Tests for the Presence of Water
 Repellents and Preservatives in Wood Products, 06.02
 D2922 Withdrawn 2007; Test Methods for Density of Soil and Soil-Aggregate
 in Place by Nuclear Methods (Shallow Depth); Replaced by Deplaced by Depl
- D2923-13 Test Method for Rigidity of Polyolefin Film and Sheeting, 08.01
 D2924-12 Test Method for External Pressure Resistance of "Fiberglass", 08.03 D2925-01(2007)⁶¹ Test Method for Beam Deflection of "Fiberglass
 - (Glass-Fiber-Reinforced Thermosetting Resin) Pipe Under Full Bore Flow, 08.03
- D2926 Withdrawn 1989; Test Method for Bulk Modulus of Elasticity of
- Syntactic Foam (Piston-Cylinder Method)

 D2927 Withdrawn 1974; Method of Test for Measurement of Tensile Creep
 and Creep Rupture of Reinforced Thermoplastics; Replaced by D2990

 D2928 Withdrawn 1981; Method for Sampling Stacks for Particulate Matter;
- Replaced by D3685

 D2929-89(2011) Test Method for Sulfur Content of Cellulosic Materials by X-Ray Fluorescence, 06.03

D2930 D3027

- D2930 Withdrawn 2012; Test Method for Maleic Acid in Maleic Anhydride by Potentiometric Titration
- D2931 Withdrawn 1994; Guide for Testing Latex Flat Wall Paints; Replaced by D5324
- D2932 Withdrawn 1993; Guide for Testing Exterior Solvent-Based House and Trim Coatings; Replaced by D5416
- D2933 Withdrawn 1992; Test Method for Corrosion Resistance of Coated Steel Specimens (Cyclic Method)
- D2934 Withdrawn 1994; Practice for Rubber Seals—Compatibility With Service Fluids
- D2935 Withdrawn 2005; Test Method for Apparent Density of Industrial Aromatic Hydrocarbons
- D2936-08 Test Method for Direct Tensile Strength of Intact Rock Core Specimens, 04.08
- D2937-10 Test Method for Density of Soil in Place by the Drive-Cylinder Method. 04.08
- D2938 Withdrawn 2005; Test Method for Unconfined Compressive Strength of Intact Rock Core Specimens; Replaced by D7012
- D2939 Withdrawn 2012; Test Methods for Emulsified Bitumens Used as Protective Coatings
- D2940/D2940M-09 Specification for Graded Aggregate Material For Bases or Subbases for Highways or Airports, 04.03
 D2941-13 Test Method for Measuring Break Pattern of Leather (Break Scale),
- 15.04
- D2942-02(2013) Test Method for Total Acid Acceptance of Halogenated Organic Solvents (Nonreflux Methods), 15.05
- D2943-02(2012) Test Method for Aluminum Scratch of 1,1,1-Trichloroethane to Determine Stability, 15.05
- D2944-13 Practice of Sampling Processed Peat Materials, 04.08 D2945 Withdrawn 2011; Test Method for Gas Content of Insulating Oils D2946-01(2010) Terminology for Asbestos and Asbestos-Cement Products,
- D2947/D2947M-88(2011)^{€1} Test Method for Screen Analysis of Asbestos Fibers. **04.05**
- D2948 Withdrawn 1986; Specification for Glass-Reinforced and Glass-Filled Acetal Resin Molding and Extrusion Materials; Replaced by D4181
- D2949-10 Specification for 3.25-in. Outside Diameter Poly(Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent Pipe and Fittings, 08.04
- D2950/D2950M-11 Test Method for Density of Bituminous Concrete in Place by Nuclear Methods, 04.03
- D2951 Withdrawn 2006; Test Method for Resistance of Types III and IV

04.05

- Polyethylene Plastics to Thermal Stress-Cracking
 D2952 Withdrawn 1999; Specification for Ethylene Plastics
 D2953 Withdrawn 1986; Classification System for Polymeric Materials for Service in Ionizing Radiation
- D2954 Withdrawn 1985; Method of Test for Absorbed Gamma and Electron Radiation Dose with the Ferrous Sulfate-Cupric Sulfate Dosimeter
- D2955 Withdrawn 2000; Specification for Hand Scrubbing Soap (Grit Soap)
- D2956 Withdrawn 1985; Practice for Conducting Controlled Shock Input Tests for Shipping Containers; Replaced by D4003
- D2957 Withdrawn 2000; Specification for Hand Scrubbing Soap (Grit Soap) Powder
 D2958 Withdrawn 2000; Specification for Powdered Toilet Soap
- D2959-95(2009) Test Method for Ethylene Oxide Content of Polyethoxylated Nonionic Surfactants, 15.04
 D2960 Withdrawn 2013; Guide for Controlled Laundering Test Using Naturally
- Soiled Fabrics and Household Appliances
- D2961-11 Test Method for Single-Stage Total Moisture Less than 15 % in Coal Reduced to 2.36-mm (No. 8 Sieve) Topsize, 05.06
- D2962-10 Practice for Calculating Volume-Temperature Correction For
- Coal-Tar Pitches, **05.01**D2963 Withdrawn 1997; Test Method for Testing Flow Table Consistency of Clay-Stabilized Asphalt Emulsions
- D2964 Withdrawn 1979; Specification for Natural Mica Films Used in Fixed Capacitors Based on Visual Quality
- D2965 Withdrawn 1979; Specification for Mechanical Characteristics of Die Cut Mica Films for Use as Dielectrics in Fixed Mica Capacitors
- D2966 Withdrawn 1983; Method of Test for Cavitation Erosion-Corrosion Characteristics of Aluminum in Engine Coolants Using Ultrasonic Energ
- D2967-07(2013) Test Method for Corner Coverage of Powder Coatings, 06.02
 D2968-13 Test Method for Med and Kemp Fibers in Wool and Other Animal
 Fibers by Microprojection, 07.01
 D2969-04(2014) Test Methods for Steel Tire Cords, 07.01
- D2970/D2970M-04(2014) Test Methods for Testing Tire Cords, Tire Cord Fabrics, and Industrial Yarns Made From Glass Filaments, 07.01
- D2971 Withdrawn 1978; Methods of Testing for Stitch-Quilted Products
- D2972-08 Test Methods for Arsenic in Water, 11.01
 D2973-10^{c1} Test Method for Total Nitrogen in Peat Materials, 04.08
 D2974-13 Test Methods for Moisture, Ash, and Organic Matter of Peat and
- Other Organic Soils, 04.08 D2975 Withdrawn 1984; Method of Test for Sand Content of Peat Materials
- D2976 Withdrawn 2013; Test Method for pH of Peat Materials
- D2977 Withdrawn 2012; Test Method for Particle Size Range of Peat Materials for Horticultural Purposes
- D2978-03(2010) Test Method for Volume of Processed Peat Materials, 04.08 D2979-01(2009) Test Method for Pressure-Sensitive Tack of Adhesives Using an Inverted Probe Machine, 15.10

 D2980-04(2010) Test Method for Volume Mass, Moisture-Holding Capacity,
- and Porocity of Saturated Peat Materials, 04.08

- D2981-94(2009) Test Method for Wear Life of Solid Film Lubricants in Oscillating Motion, 05.01
- D2982-07(2013) Test Methods for Detecting Glycol-Base Antifreeze in Used Lubricating Oils, 05.01
- D2983-09 Test Method for Low-Temperature Viscosity of Lubricants Measured by Brookfield Viscometer, 05.01
- D2984 Withdrawn 1981; Practice for Validation of Results of Process Vapor
- Pressure Analyzer; Replaced by D3764

 D2985/D2985M-92(2011)^{c1} Test Method for Color of Asbestos, 04.05

 D2986 Withdrawn 2004 Practice for Evaluation of Air Assay Media by the Monodisperse DOP (Dioctyl Phthalate) Smoke Test

 D2987/D2987M-88(2011)^{c1} Test Method for Moisture Content of Asbestos
- Fiber, **04.05**
- D2988-96(2010) Test Methods for Water-Soluble Halide Ion in Halogenated Organic Solvents and Their Admixtures, 15.05
- D2989-01(2011) Test Method for Acidity-Alkalinity of Halogenated Organic Solvents and Their Admixtures, 15.05
- D2990-09 Test Methods for Tensile, Compressive, and Flexural Creep and Creep-Rupture of Plastics, 08.01
- D2991 Withdrawn 1992; Practice for Testing Stress-Relaxation of Plastics
 D2992-12 Practice for Obtaining Hydrostatic or Pressure Design Basis for
 "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and
- Fittings, 08.03 D2993 Withdrawn 2003; Specification for Acrylonitrile-Butadiene Rubberized Tar
- D2994 Withdrawn 2000; Test Methods for Rubberized Tar
- D2995-99(2009) Practice for Estimating Application Rate of Bituminous
- Distributors, 04.03
 D2996-01(2007)^{c1} Specification for Filament-Wound "Fiberglass" (Glass-Fiber-
- D2996-01(2007)** Specification for Filament-Would Fiberglass (Glass-Fiber Reinforced Thermosetting-Resin) Pipe, 08.03

 D2997-01(2007)** Specification for Centrifugally Cast "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, 08.03

 D2998 Withdrawn 2004; Test Method for Polyhydric Alcohols in Alkyd Resins D2999 Withdrawn 1990; Test Method for Monopentaerythritol in Commercial Pentaerythritol; Replaced by D2195
- D3000 Withdrawn 2003; Specification for Polybutylene (PB) Plastic Pipe (SDR-PR) Based on Outside Diameter
- D3001 Withdrawn 1985; Method of Test for Absorbed Gamma And Electron Radiation Dose with the Ceric Sulfate Dosimeter
- D3002-07 Guide for Evaluation of Coatings Applied to Plastics, 06.02 D3003-01(2012) Test Method for Pressure Mottling and Blocking Resistance of Organic Coatings on Metal Substrates, 06.02
- D3004-08(2013) Specification for Crosslinked and Thermoplastic Extruded Semi-Conducting, Conductor and Insulation Shielding Materials, 10.02
- **D3005-10** Specification for Low-Temperature Resistant Vinyl Chloride Plastic Pressure-Sensitive Electrical Insulating Tape, 10.02
- D3006-10 Specification for Polyethylene Plastic Pressure-Sensitive Electrical Insulating Tape, 10.02
- D3007 Withdrawn 1975; Definition of Terms Relating to Mica, Mica Processing, and Processed Mica Forms; Combined with D 1711
- D3008 Withdrawn 1997; Test Method for Resin Acids in Rosin by Gas Chromatography
- D3009 Withdrawn 1999; Test Method for Composition of Turpentine by Gas Chromatography; Replaced by D6387
 D3010 Withdrawn 1992; Practice for Preparing Compression-Molded Test
- Sample Plaques of Rigid Poly(Vinyl Chloride) Compounds; Replaced by D4703
- D3011 Withdrawn 1988; Specification for Reinforced and Filled Polystyrene, Styrene-Acrylonitrile, and ABS for Molding and Extrusion; Replaced by D4203, D4549, D4673
- D3012-13 Test Method for Thermal-Oxidative Stability of Polypropylene Using a Specimen Rotator Within an Oven, 08.01
- D3013-13 Specification for Epoxy Molding Compounds, 08.01
 D3014-11 Test Method for Flame Height, Time of Burning, and Loss of Mass of Rigid Thermoset Cellular Plastics in a Vertical Position, 08.01
- D3015 Withdrawn 2001; Practice for Microscopical Examination of Pigment Dispersion in Plastic Compounds; Replaced by ISO 13949
- D3016-97(2010) Practice for Use of Liquid Exclusion Chromatography Terms and Relationships, 08.01
- D3017 Withdrawn 2007; Test Method for Water Content of Soil and Rock in
- Place by Nuclear Methods (Shallow Depth); Replaced by D6938

 D3018/D3018M-11 Specification for Class A Asphalt Shingles Surfaced with Mineral Granules, 04.04
- D3019-08 Specification for Lap Cement Used with Asphalt Roll Roofing, Non-Fibered, Asbestos-Fibered, and Non-Asbestos-Fibered, **04.04**
- D3020 Withdrawn 1996; Specification for Polyethylene and Ethylene
- Copolymer Plastic Sheeting for Pond, Canal, and Reservoir Lining

 D3021-01(2012) Specification for Phthalocyanine Green Pigments, 06.03

 D3022-84(2011) Test Method for Color and Strength of Color Pigments by Use of a Miniature Sandmill. 06.01
- D3023-98(2011) Practice for Determination of Resistance of Factory-Applied Coatings on Wood Products to Stains and Reagents, 06.02
- D3024 Withdrawn 1991; Specification for Protein-Base Adhesives for Structural Laminated Wood Products for Use Under Interior (Dry Use) Exposure Conditions
- D3025-07(2012) Practice for Standardizing Cotton Fiber Test Results by Use of Calibration Cotton Standards, 07.01
- D3026 Withdrawn 2003; Test Method for Sinter Index of Electrical Grade Magnesium Oxide for Use in Sheathed Heating Elements
- Withdrawn 1992; Practice for Compression Molding Specimens of Allyl

D3027 D3133

- Molding Compounds; Replaced by D5224
- D3028 Withdrawn 2000; Test Method for Kinetic Coefficient of Friction of Plastic Solids
- D3029 Withdrawn 1995; Test Methods for Impact Resistance of Flat, Rigid Plastic Specimens by Means of a Tup (Falling Weight); Replaced by D5420, D5628
- D3030-11 Test Method for Volatile Matter (Including Water) of Vinyl Chloride Resins, 08.01
- D3031 Withdrawn 1992; Test Method for Total Sulfur in Natural Gas by Hydrogenation
- D3032-10 Test Methods for Hookup Wire Insulation, 10.02
- D3033 Withdrawn 1989; Specification for Type PSP Poly(Vinyl Chloride)(PVC) Sewer Pipe and Fittings
- D3034-08 Specification for Type PSM Poly(Vinyl Chloride) (PVC) Sewer Pipe and Fittings, **08.04 D3035-12^{c1}** Specification for Polyethylene (PE) Plastic Pipe (DR-PR) Based
- on Controlled Outside Diameter, 08.04
- D3036 Withdrawn 1986; Specification for Poly(Vinyl Chloride)(PVC) Plastic Line Couplings
- D3037 Withdrawn 1999; Test Methods for Carbon Black—Surface Area by Nitrogen Adsorption
- D3038-93(2010) Test Method for Drop Shatter Test for Coke, 05.06
 D3039/D3039M-14 Test Method for Tensile Properties of Polymer Matrix Composite Materials, 15.03
- D3040 Withdrawn 1988; Practice for Preparing Precision Statements for Standards Related to Rubber and Rubber Testing; Replaced by D4483
- D3041 Withdrawn 1988; Method of Testing Coated Fabrics--Ozone Cracking in a Chamber; Replaced by D1149
- D3042-09 Test Method for Insoluble Residue in Carbonate Aggregates, 04.03
- D3043-00(2011) Test Methods for Structural Panels in Flexure, 04.10
 D3044-94(2011) Test Method for Shear Modulus of Wood-Based Structural Panels, **04.10**
- D3045-92(2010) Practice for Heat Aging of Plastics Without Load, 08.01 D3046 Withdrawn 2001; Specification for Powdered Hand Cleaner (Soap with Borax)
- D3047 Withdrawn 2000; Specification for Powdered Hand Cleaner (Soap with Vegetable Scrubber)
- D3048-89(2009) Test Method of Assay for Alkaline Protease, 15.04 D3049-89(2009) Test Method for Synthetic Anionic Ingredient by Cationic
- Titration, 15.04 D3050-07 Guide for Measuring Soil Removal from Artificially Soiled Fabrics
- (Not Suitable for Detergent Ranking), 15.04

 D3051 Withdrawn 1990; Practice for Carbon Black—Stating the Precision of ASTM Test Methods; Replaced by D4483

 D3052-87(2010) Practice for Rating Water-Emulsion Floor Polishes, 15.04
- D3053-13a Terminology Relating to Carbon Black, 09.01 D3054 Withdrawn 2007; Test Method for Purity and Benzene Content of
- Cyclohexane by Gas Chromatography
 D3055 Withdrawn 1995; Specification for Cyclohexane 995; Replaced by
- D5309 D3056-05(2010) Test Method for Gel Time of Solventless Varnishes, 10.02
- D3057 Withdrawn 2000; Test Method for Moisture in Aerosol Products
 D3058 Withdrawn 1992; Specification for Simple Can-Puncturing Device for Aerosol Laboratory Use
 D3059 Withdrawn 1992; Method of Test for Percent Product Retention in
- Pressurized Food Containers D3060-94(2013) Test Method for Pressure Drop Rate of Compressed
- Gas-Propelled Products, 15.10

 D3061-97(2013) Guide for Three-Piece Steel and Tinplate Straight-Wall and
- Necked-In Aerosol Cans, 15.10
- Necked-In Aerosol Cans, 15.10

 D3062 Withdrawn 1994; Test Method for Solids Content of Aerosol Coatings
 D3063 Withdrawn 2000; Test Method for Pressure in Glass Aerosol Bottles
 D3064-97(2013) Terminology Relating To Aerosol Products, 15.10

 D3065-01(2013) Test Methods for Flammability of Aerosol Products, 15.10
 D3066 Withdrawn 1997; Practice for Labeling Aerosol Packages
 D3067 Withdrawn 1997; Practice for Reporting Laboratory Results When

- Checking Aerosol Containers
- D3068 Withdrawn 1997; Specification for Safe Fill of Aerosol Containers D3069-94(2013) Test Method for Delivery Rate of Aerosol Products, 15.10 D3070-00(2010) Test Method of Rapid Pressure Determination of Pressurized
- Products, **15.10** Withdrawn 2000; Test Method for Drop Testing of Glass Aerosol Bottles Withdrawn 1992; Test Methods for Volatile Content of Aerosol Products D3071 D3072
- D3073 Withdrawn 1997; Practice for Filling and Inspection of Glass Aerosol Containers
- D3074 Withdrawn 2000; Test Methods for Pressure in Metal Aerosol Containers
- D3075 Withdrawn 2001; Test Method for Overrun of Food Aerosol Products D3076-00(2010) Test Methods for Effective Crimping on Outside Crimped Valves of Aerosol Containers, 15.10
- D3077 Withdrawn 1997; Practice for Comparison of Spray Patterns of Aerosol **Products**
- D3078-02(2013) Test Method for Determination of Leaks in Flexible Packaging by Bubble Emission, 15.10
- D3079-94(2009)^{€1} Test Method for Water Vapor Transmission of Flexible
- Heat-Sealed Packages for Dry Products, 15.10

 D3080/D3080M-11 Test Method for Direct Shear Test of Soils Under Consolidated Drained Conditions, 04.08
- D3081 Withdrawn 1979; Method of Test for Selenium in Water
- D3082-09 Test Method for Boron in Water, 11.01

- D3084-05(2012) Practice for Alpha-Particle Spectrometry of Water, 11.02 D3085 Withdrawn 1989: Practice for Measurement of Low-Level Activity in Water
- D3086 Withdrawn 1996; Test Method for Organochlorine Pesticides in Water D3087-91(2009) Test Method for Operating Performance of Anion-Exchange Materials for Strong Acid Removal, 11.02
- D3088 Withdrawn 1981; Method of Test for Effectiveness of Aerosol and Pressurized Space Spray Insecticides Against Flying Insects; Replaced by F653
- D3089-97(2008) Practice for Determining the A-D Dimension of Aerosol Valve
- Dip Tubes, 15.10

 D3090-72(2008) Practice for Storage Testing of Aerosol Products, 15.10

 D3091-72(2008) Practice for Safe Filling of Low-Pressure Pressurized Products, 15.10
- D3092 Withdrawn 2002; Test Method for Particle-Size Distribution of Space-Insecticide Aerosol
- D3093 Withdrawn 1999; Test Method for Pickup Efficiency of Residual Aerosol Insecticides
- D3094-00(2010) Test Method for Seepage Rate of Aerosol Products, 15.10 D3095 Withdrawn 1981; Method of Test for Effectiveness of Aerosol Insecticides Against Cockroaches; Replaced by E654 D3096 Withdrawn 1992; Methods of Test for Liquid Densities of Pressurized
- **Products**
- D3097 Withdrawn 2003; Test Method for Aerosol Products for Delivered Mass D3098 Withdrawn 1990; Test Method for Finish Content of Woven Glass Fabric, Cleaned and After-Finished with Epoxy-Functional Silane Type Finishes for Plastic Finishes
- D3099 Withdrawn 1982; Method of Test for Pneumatic Ball Impact Resistance of Plastic Film and Sheeting
- D3100 Withdrawn 1985; Practice for Determination of Alkalinity of Hollow Glass Microspheres
- D3101 Withdrawn 1985; Practice for Determination of Bulk Density and Packing Factor of Hollow Glass Microspheres D3102 Withdrawn 1985; Practice for Determination of Isostatic Collapse
- Strength of Hollow Glass Microspheres

 D3103-07^{c1} Test Method for Thermal Insular Test Method for Thermal Insulation Performance of Distribution Packages, **15.10**
- D3104-99(2010) Test Method for Softening Point of Pitches (Mettler Softening Point Method), 05.01
- D3105-08 Index of Methods for Testing Elastomeric and Plastomeric Roofing and Waterproofing Materials, 04.04
- D3106-07(2012) Test Method for Permanent Deformation of Elastomeric Yarns, **07.01**
- D3107-07(2011) Test Methods for Stretch Properties of Fabrics Woven from Stretch Yarns, 07.01

 D3108/D3108M-13 Test Methods for Coefficient of Friction, Yarn to Solid
- Material, 07.01
- D3109 Withdrawn 1982; Specification for Fineness of Mohair and Assignment of Grade; Replaced by D3991
- D3110 Withdrawn 1997; Specification for Adhesives Used in Laminate Joints for Nonstructural Glued Lumber Products
- D3111-10 Test Method for Flexibility Determination of Hot-Melt Adhesives by
- Mandrel Bend Test Method, 15.10

 D3112 Withdrawn 1990; Test Method for Lead in the Atmosphere by
 Colorimetric Dithizone Procedure

 D3113 Withdrawn 2005; Test Methods for Sodium Salts of EDTA in Water
 D3114 Withdrawn 1986; Method of Test for D-C Electrical Conductivity of Hydrocarbon Fuels; Replaced by D4308
- D3115-95(2009) Test Method for Explosive Reactivity of Lubricants with Aerospace Alloys Under High Shear, 05.01
- D3116 Withdrawn 1994; Test Method for Trace Amounts of Lead in Gasoline
 D3117 Withdrawn 2010; Test Method for Wax Appearance Point of Distillate Fuels
- D3118 Not Assigned
 D3119 Withdrawn 1990; Test Method for Mist Spray Flammability of Hydraulic Fluids
- D3120-08 Test Method for Trace Quantities of Sulfur in Light Liquid Petroleum Hydrocarbons by Oxidative Microcoulometry, 05.01
- D3121-06 Test Method for Tack of Pressure-Sensitive Adhesives by Rolling Ball, 15.10
- D3122-95(2009) Specification for Solvent Cements for Styrene-Rubber (SR)
 Plastic Pipe and Fittings, 08.04
 D3123-09 Test Method for Spiral Flow of Low-Pressure Thermosetting Molding
- Compounds, 08.01
- D3124-98(2011) Test Method for Vinylidene Unsaturation in Polyethylene by Infrared Spectrophotometry, 08.01
- D3125-06(2012) Test Method for Monomethyl Ether of Hydroquinone in Colorless Monomeric Acrylate Esters and Acrylic Acid, 06.04
- D3126 Withdrawn 1987; Specification for n-Butyl Acetate (98 Percent Grade); Replaced by D4615
 D3127 Withdrawn 1987; Specification for Ethyl Acetate (99 Percent Grade);
- Replaced by D4614

 D3128-07(2013) Specification for 2-Methoxyethanol, 06.04

 D3129 Withdrawn 1997; Guide for Testing Exterior Latex House Paints; Replaced by D5324
- D3130-11 Specification for n-Propyl Acetate (96 % Grade), 06.04
- D3131-07(2013) Specification for Isopropyl Acetate (99 % Grade), 06.04
 D3132 Withdrawn 2005; Test Method for Solubility Range of Resins and Polymers
- D3133 Withdrawn; Test Method for Quantitative Determination of Cellulose

D3133 D3228

Nitrate in Alkyd Modified Lacquers by Infrared Spectrophotometry

D3134-97(2008)¹¹ Practice for Establishing Color and Gloss Tolerances, 06.01
D3135-12 Specification for Performance of Bonded, Fused, and Laminated Apparel Fabrics, 07.01

D3136-14 Terminology Relating to Care Labeling for Apparel, Textile, Home Furnishing, and Leather Products, 07.01

D3137-81(2013) Test Method for Rubber Property—Hydrolytic Stability, 09.01 D3138-04(2011) Specification for Solvent Cements for Transition Joints Between Acrylonitrile-Butadiene-Styrene (ABS) and Poly(Vinyl Chloride) (PVC) Non-Pressure Piping Components, 08.04

D3139-98(2011) Specification for Joints for Plastic Pressure Pipes Using Flexible Elastomeric Seals, 08.04

D3141/D3141M-09 Specification for Asphalt for Undersealing Portland-Cement Concrete Pavements, 04.03

D3142/D3142M-11 Test Method for Specific Gravity, API Gravity, or Density of

Cutback Asphalts by Hydrometer Method, 04.03

D3143/D3143M-13 Test Method for Flash Point of Cutback Asphalt with Tag Open-Cup Apparatus, **04.03** 1**44-00(2013)**^{c1} Specification f

Specification for Crosslinked Poly(Vinylidene Fluoride) Heat-Shrinkable Tubing for Electrical Insulation, 10.02

D3145-13 Test Method for Thermal Endurance of Electrical Insulating

Varnishes by the Helical Coil Method, 10.02

D3146 Withdrawn 1978; Specification for Oxidation-Inhibited Nineral Insulating Oil; Replaced by D3487

D3147-06(2013) Test Method for Testing Stop-Leak Additives for Engine Coolants, 15.05

D3148 Withdrawn 2005; Test Method for Elastic Moduli of Intact Rock Core Specimens in Uniaxial Compression; Replaced by D7102

D3149-06(2013) Specification for Crosslinked Polyolefin Heat-Shrinkable Tubing for Electrical Insulation, 10.02

D3150-11 Specification for Crosslinked and Noncrosslinked Poly(Vinyl Chloride) Heat-Shrinkable Tubing for Electrical Insulation, 10.02

D3151 Withdrawn 2007; Test Method for Thermal Failure of Solid Electrical Insulating Materials Under Electric Stress

D3152 Withdrawn 2007; Test Method for Capillary-Moisture Relationships for

Fine-Textured Soils by Pressure-Membrane Apparatus; Replaced by D6836

D3153-87(2008) Test Method for Recoatability of Water-Emulsion Floor Polishes, 15.04

D3154-14 Test Method for Average Velocity in a Duct (Pitot Tube Method), 11.07

D3155-11 Test Method for Lime Content of Uncured Soil-Lime Mixtures, 04.08 D3156-96(2011) Practice for Rubber—Chromatographic Analysis of Antidegradants (Antioxidants, Antiozonants and Stabilizers), 09.01

D3157-05(2010)^{c1} Test Method for Rubber from Natural Sources—Color, 09.01 D3158 Withdrawn 1984; Specification for Asphalt Saturated and Coated Organic Felt Used in Roofing

D3159-10 Specification for Modified ETFE-Fluoropolymer Molding and Extrusion Materials, 08.01

D3160-12 Test Method for Phenol Content of Cumene (Isopropylbenzene) or AMS (α -Methylstyrene), **06.04**

D3161/D3161M-13 Test Method for Wind-Resistance of Steep Slope Roofing Products (Fan-Induced Method), 04.04

D3162-12 Test Method for Carbon Monoxide in the Atmosphere (Continuous

Measurement by Nondispersive Infrared Spectrometry), 11.07

D3163-01(2014) Test Method for Determining Strength of Adhesively Bonded Rigid Plastic Lap-Shear Joints in Shear by Tension Loading, 15.06 D3164-03(2011) Test Method for Strength Properties of Adhesively Bonded

Plastic Lap-Shear Sandwich Joints in Shear by Tension Loading, 15.06

D3164M Withdrawn 2012; Test Method for Strength Properties of Adhesively Bonded Plastic Lap-Shear Sandwich Joints in Shear by Tension Loading D3165-07(2014) Test Method for Strength Properties of Adhesives in Shear by Tension Loading of Single-Lap-Joint Laminated Assemblies, 15.06

D3166-99(2012) Test Method for Fatigue Properties of Adhesives in Shear by

Tension Loading (Metal/Metal), 15.06

D3167-10 Test Method for Floating Roller Peel Resistance of Adhesives, 15.06 D3168-85(2011) Practice for Qualitative Identification of Polymers in Emulsion Paints, **06.01**

D3169 Withdrawn 2007; Specification for Refined Sunflower Oil

D3170-12 Test Method for Chipping Resistance of Coatings, 06.02 D3171-11 Test Methods for Constituent Content of Composite Materials, 15.03

Practice for Proximate Analysis of Coal and Coke, 05.06 D3172-13

D3173-11 Test Method for Moisture in the Analysis Sample of Coal and Coke, 05.06

D3174-12 Test Method for Ash in the Analysis Sample of Coal and Coke from Coal, **05.06**D3175-11 Test Method for Volatile Matter in the Analysis Sample of Coal and

Coke, 05.06

D3176-09 Practice for Ultimate Analysis of Coal and Coke, 05.06

D3177 Withdrawn 2012; Test Methods for Total Sulfur in the Analysis Sample of Coal and Coke

D3178 Withdrawn 2007; Test Methods for Carbon and Hydrogen in the Analysis Sample of Coal and Coke; Replaced by D5373

D3179 Withdrawn 2008; Test Methods for Nitrogen in the Analysis Sample of Coal and Coke

D3180-12 Practice for Calculating Coal and Coke Analyses from As-

Determined to Different Bases, **05.06 D3181-10** Guide for Conducting Wear Tests on Textiles, **07.01**

D3182-07(2012) Practice for Rubber-Materials, Equipment, and Procedures

for Mixing Standard Compounds and Preparing Standard Vulcanized Sheets, 09.01

D3183-10 Practice for Rubber—Preparation of Pieces for Test Purposes from Products, 09.01

D3184-11 Practice for Rubber—Evaluation of NR (Natural Rubber), 09.01 D3185-06(2010) Test Methods for Rubber-Evaluation of SBR (Styrene-Butadiene Rubber) Including Mixtures With Oil, 09.01

D3186-07(2011) Test Methods for Rubber-Evaluation of SBR (Styrene-Butadiene Rubber) Mixed With Carbon Black or Carbon Black and Oil. 09.01

D3187-06(2011) Test Methods for Rubber-Evaluation of NBR (Acrylonitrile-Butadiene Rubber), 09.01

D3188-06(2010) Test Methods for Rubber—Evaluation of IIR (Isobutene-Isoprene Rubber), 09.01

D3189-06(2011) Test Methods for Rubber-Evaluation of Solution BR (Polybutadiene Rubber), 09.01

D3190-06(2010) Test Method for Rubber—Evaluation of Chloroprene Rubber (CR), **09.01**

D3191-10 Test Methods for Carbon Black in SBR (Styrene-Butadiene Rubber)—Recipe and Evaluation Procedures, 09.01

Test Methods for Carbon Black Evaluation in NR (Natural Rubber), D3192-09 09.01

D3193-09 Specification for Ethylbenzene, 06.04

D3194-04(2009) Test Method for Rubber From Natural Sources—Plasticity Retention Index (PRI), 09.01

D3195/D3195M-10 Practice for Rotameter Calibration, 11.07

D3196 Withdrawn 1985; Method of Test for Rubber Properties in Tension Solid Urethanes; Replaced by D412

D3197 Withdrawn 1986; Specification for Insert-Type Polyethylene Fusion Fittings for SDR 11.0 Polyethylene Pipe

D3198-97(2007) Test Method for Application and Removal Torque of Threaded or Lug-Style Closures, 15.10
 D3199 Withdrawn 2001; Test Method for Water Vapor Transmission Through

Screw-Cap Closure Liners

D3200-74(2012) Specification and Test Method for Establishing Recom-

mended Design Stresses for Round Timber Construction Poles, **04.10 D3201/D3201M-13** Test Method for Hygroscopic Properties of Fire-Retardant Wood and Wood-Based Products, 04.10

D3202 Withdrawn 2007; Practice for Preparation of Bituminous Mixture Beam

Specimens by Means of the California Kneading Compactor
D3203/D3203M-11 Test Method for Percent Air Voids in Compacted Dense

and Open Bituminous Paving Mixtures, 04.03

D3204 Withdrawn 2004; Specification for Preformed Cellular Plastic Joint Fillers for Relieving Pressure

D3205 Withdrawn 2000; Test Method for Viscosity of Asphalt with Cone and Plate Viscometer

D3206-08 Test Method for Soil Resistance of Floor Polishes, 15.04 D3207-92(2008) Test Method for Detergent Resistance of Floor Polish Films,

D3208 Withdrawn 2010; Specification for Manifold Papers for Permanent Records

D3209-93(2008) Test Method for Freeze/Thaw Resistance of Polymer Floor

Polishes, 15.04

D3210-95(2008) Test Method for Comparing Colors of Films from Water-Emulsion Floor Polishes, 15.04

D3211 Withdrawn 1991; Test Method for Relative Density of Black Smoke

(Ringelmann Method)

D3212-07(2013) Specification for Joints for Drain and Sewer Plastic Pipes Using Flexible Elastomeric Seals, **08.04**3-13 Practices for Handling, Storing, and Preparing Soft Intact Marine

D3213-13 Soil, **04.08**

D3214 Withdrawn 2002; Test Methods for Coating Powders and Their Coatings Used for Electrical Insulation D3215 Withdrawn 2003; Test Method for Measurement of the Specific

Electrical Impedance of Electrical-Grade Magnesium Oxide for Use in Sheathed-Type Heating Elements

D3216 Withdrawn 1985; Method of Test for Grading Cotton Card Webs for Appearance

D3217/D3217M-13 Test Methods for Breaking Tenacity of Manufactured Textile

Fibers in Loop or Knot Configurations, 07.01

D3218-07(2012) Specification for Polyolefin Monofilaments, 07.01

D3219 Withdrawn 1992; Specification for Industrial Filament Yarns, Tire Cords, and Tire Cord Fabrics Made from Man-Made Organic-Base Fibers

D3220 Withdrawn 1989; Specification for Reinforced Polyterephthalate

Thermoplastic Molding and Extrusion Materials; Replaced by D4507 Withdrawn 1989; Specification for Thermoplastic Polyterephthalate

Molding and Extrusion Materials; Replaced by D4507

D3222-05(2010) Specification for Unmodified Poly(Vinylidene Fluoride) (PVDF)

Molding Extrusion and Coating Materials, 08.02

D3223-12 Test Method for Total Mercury in Water, 11.01

D3224 Withdrawn 2006; Test Method for Water Solubility of Auxiliary Solvent for Wood Preserving Solutions

Withdrawn 2006; Specification for Low-Boiling Hydrocarbon Solvent for Oil-Borne Preservatives

D3226 Withdrawn 1979; Method of Test for Sulfur Oxides in Flue Gases (Barium Chloranilate Controlled Condensation Method)

D3227-13 Test Method for (Thiol Mercaptan) Sulfur in Gasoline, Kerosine, Aviation Turbine, and Distillate Fuels (Potentiometric Method), 05.01

D3228-08 Test Method for Total Nitrogen in Lubricating Oils and Fuel Oils by Modified Kjeldahl Method, 05.01

D3229 D3323

- D3229 Withdrawn 1993; Method of Test for Low Levels of Lead in Gasoline by X-ray Spectrometry; Replaced by D5059
- D3230-13 Test Method for Salts in Crude Oil (Electrometric Method), 05.01
 D3231-13 Test Method for Phosphorus in Gasoline, 05.01
- D3232 Withdrawn 1994; Test Method for Measurement of Consistency of
- Lubricating Greases at High Temperatures

 D3233-93(2009) 1 Test Methods for Measurement of Extreme Pressure Properties of Fluid Lubricants (Falex Pin and Vee Block Methods), 05.01

 D3234 Withdrawn 2004; Test Method for Abrasion Resistance of Petroleum Wax Coatings
- D3235-06(2011) Test Method for Solvent Extractables in Petroleum Waxes, 05.01
- D3236-88(2009) Test Method for Apparent Viscosity of Hot Melt Adhesives
- and Coating Materials, 05.01

 D3237-12 Test Method for Lead in Gasoline by Atomic Absorption Spectroscopy, **05.01**
- D3238-95(2010) Test Method for Calculation of Carbon Distribution and Structural Group Analysis of Petroleum Oils by the n-d-M Method, 05.01
- D3239-91(2011) Test Method for Aromatic Types Analysis of Gas-Oil Aromatic Fractions by High Ionizing Voltage Mass Spectrometry, **05.01 D3240-11** Test Method for Undissolved Water In Aviation Turbine Fuels, **05.01 D3241-13** Test Method for Thermal Oxidation Stability of Aviation Turbine
- Fuels, **05.01**
- Test Method for Acidity in Aviation Turbine Fuel, 05.01 D3242-11
- D3243 Withdrawn 1983; Method of Test for Flash-Point of Aviation Turbine Fuels by Setaflash Closed Tester; Replaced by D3828
- D3244-12 Practice for Utilization of Test Data to Determine Conformance with Specifications, 05.01
- D3245 Withdrawn 2010; Test Method for Pumpability of Industrial Fuel Oils D3246-11 Test Method for Sulfur in Petroleum Gas by Oxidative Microcoulom-
- etry, **05.01**D3247 Withdrawn 1988: Test Method for Coefficient of Static Friction of Corrugated and Solid Fiberboard (Horizontal Plane Method); Replaced by D45210
- D3248 Withdrawn 1988; Test Method for Coefficient of Static Friction of Corrugated and Solid Fiberboard (Inclined Plane Method); Replaced by
- D3249-95(2011) Practice for General Ambient Air Analyzer Procedures, 11.07 D3250 Withdrawn 1991; Test Method for Total Oxygen Demand in Water
- D3251-04(2013) Test Method for Thermal Endurance Characteristics of Electrical Insulating Varnishes Applied Over Film-Insulated Magnet Wire, 10.02
- D3252 Withdrawn 1986; Method of Test for Undersized Loose Muscovite Mica Splittings
- D3253 Withdrawn 1991; Specification for Vulcanized Rubber Sheeting for Pond
- D3254 Withdrawn 1991; Specification for Fabric—Reinforced, Vulcanized Rubber Sheeting for Pond, Canal, and Reservoir Lining
- D3255 Withdrawn 1981; Method for Investigating the Compatibility of Transformer Insulation and Construction Materials in Askarels
- D3256-86(2009) Test Methods for Chemical Analysis of Phthalocyanine Blue and Green Pigments, 06.03
- D3257-06(2012) Test Methods for Aromatics in Mineral Spirits by Gas Chromatography, **06.04**D3258-04(2010)^{c1} Test Method for Porosity of White or Near White Paint Films
- by Staining, 06.02

 D3259 Withdrawn 2009; Practice for Infrared Determination of the Tempera-
- ture of Applied Coatings on Wood Products During the Curing Cycle
- D3260-01(2011) Test Method for Acid and Mortar Resistance of Factory-Applied Clear Coatings on Extruded Aluminum Products, 06.02
- D3261-12 Specification for Butt Heat Fusion Polyethylene (PE) Plastic Fittings
- for Polyethylene (PE) Plastic Pipe and Tubing, **08.04 D3262-11** Specification for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Sewer Pipe, **08.03** *D3263 Withdrawn 2008; Test Methods for Corrosivity of Solvent Systems for*
- Removing Water-Formed Deposits
- D3264 Withdrawn 2003; Specification for Industrial Grade Aniline
- D3265-13a Test Method for Carbon Black—Tint Strength, 09.01
- D3266-91(2011) Test Method for Automated Separation and Collection of Particulate and Acidic Gaseous Fluoride in the Atmosphere (Double Paper Tape Sampler Method), 11.07
- D3267-12 Test Method for Separation and Collection of Particulate and Water-Soluble Gaseous Fluorides in the Atmosphere (Filter and Impinger Method), 11.07
- D3268-91(2011) Test Method for Separation and Collection of Particulate and Gaseous Fluorides in the Atmosphere (Sodium Bicarbonate-Coated Glass Tube and Particulate Filter Method), 11.07
- D3269 Withdrawn 2010; Test Methods for Analysis for Fluoride Content of the Atmosphere and Plant Tissues (Manual Procedures)

 D3270-13 Test Methods for Analysis for Fluoride Content of the Atmosphere and Plant Tissues (Semiautomated Method), 11.07

 D3271-87(2012) Practice for Direct Injection of Solvent-Reducible Paints Into a
- Gas Chromatograph for Solvent Analysis, 06.01
- D3272 Withdrawn 2008; Practice for Vacuum Distillation of Solvents From Solvent-Reducible Paints For Analysis
- D3273-12 Test Method for Resistance to Growth of Mold on the Surface of Interior Coatings in an Environmental Chamber, **06.01 D3274-09(2013)** Test Method for Evaluating Degree of Surface Disfigurement
- of Paint Films by Fungal or Algal Growth, or Soil and Dirt Accumulation, 06.01

D3275-08(2013) Classification System for E-CTFE-Fluoroplastic Molding, Extrusion, and Coating Materials, 08.02

- Guide for Painting Inspectors (Metal Substrates), 06.02 D3277 Withdrawn 2010; Test Methods for Moisture Content of Oil-Impregnated Cellulosic Insulation
- D3278-96(2011) Test Methods for Flash Point of Liquids by Small Scale Closed-Cup Apparatus, 06.01
- D3279-12 Test Method for n-Heptane Insolubles, 04.03
 D3280-85(2009) Test Methods for Analysis of White Zinc Pigments, 06.03
 D3281 Withdrawn 1995; Test Method for Formability of Attached Organic Coatings with Impact-Wedge Bend Apparatus

 D3282-09 Practice for Classification of Soils and Soil-Aggregate Mixtures for
- Highway Construction Purposes, 04.08
- D3283-98(2012) Specification for Air as an Electrical Insulating Material, 10.03
 D3284-05(2011) Practice for Combustible Gases in the Gas Space of Electrical Apparatus Using Portable Meters, 10.03
- D3285 Withdrawn 2010; Test Method for Water Absorptiveness of Nonbibulous Paper and Paperboard (Cobb Test)
- D3286 Withdrawn 2000; Test Method for Gross Calorific Value of Coal and
- Coke by the Isoperibol Bomb Calorimeter; Replaced by D5865
 D3287 Withdrawn 1991; Specification for Biaxially Oriented Polyethylene
 (PEO) Plastic Pipe (SDR-PR) Based on Controlled Outside Diameter
 D3288/D3288M-08 Test Methods for Magnet-Wire Enamels, 10.02
- D3289-08 Test Method for Density of Semi-Solid and Solid Bituminous
- Materials (Nickel Crucible Method), 04.03 D3290 Withdrawn 2010; Specification for Bond and Ledger Papers for Permanent Records
- D3291-11 Practice for Compatibility of Plasticizers in Poly(Vinyl Chloride) Plastics Under Compression, 08.02
- D3292 Withdrawn 1982; Recommended Practice for Powder Flow Measurement of TFE-Fluorocarbon Molding and Extrusion Materials D3293 Withdrawn 1997; Specification for PTFE Resin Molded Sheet;
- Replaced by D3294 D3294-09 Specification for Polytetrafluoroethylene (PTFE) Resin Molded
- Sheet and Molded Basic Shapes, 08.02

 D3295-06(2011) Specification for PTFE Tubing, Miniature Beading and Spiral Cut Tubing, 08.02
- D3296-14 Specification for FEP-Fluorocarbon Tube, 08.02
- D3297 Withdrawn 1997; Practice for Molding and Machining Tolerances for PTFE Resin Parts
- D3298 Withdrawn 1989; Specification for Perforated Styrene-Rubber (SR) Plastic Drain Pipe
- D3299-10 Specification for Filament-Wound Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, 08.03
- D3300-12 Test Method for Dielectric Breakdown Voltage of Insulating Oils of Petroleum Origin Under Impulse Conditions, 10.03
- D3301 Withdrawn 2010: Specification for File Folders for Storage of Permanent Records
- D3302/D3302M-12 Test Method for Total Moisture in Coal, 05.06
- D3303 Withdrawn 1984; Method for Rapid Gas Chromatographic Estimation of Higher Boiling Homologues of Chlorinated Biphenyls for Capacitor Askarels
- D3304 Withdrawn 1993; Method for Analysis of Environmental Materials for Polychlorinated Biphenyls
- D3305 Withdrawn 2014; Practice for Sampling Small Gas Volume in a Transformer
- D3306-14 Specification for Glycol Base Engine Coolant for Automobile and Light-Duty Service, 15.05
- D3307-10 Specification for Perfluoroalkoxy (PFA)-Fluorocarbon Resin Molding and Extrusion Materials, 08.02

 D3308-12 Specification for PTFE Resin Skived Tape, 08.02
- D3309 Withdrawn 2010; Specification for Polybutylene (PB) Plastic Hot- and
- Cold-Water Distribution Systems

 D3310-00(2014) Test Method for Determining Corrosivity of Adhesive Materials, 15.06
- D3311-11 Specification for Drain, Waste, and Vent (DWV) Plastic Fittings Patterns, 08.04
- D3312-04(2013) Test Method for Percent Reactive Monomer in Solventless Varnishes, 10.02
- D3313-12 Test Method for Carbon Black—Individual Pellet Hardness, 09.01
 D3314-02(2012) Test Method for Rubber—Chemical Analysis for Polystyrene Blocks In SBR (Styrene-Butadiene Rubber) and Styrene-Reinforced Latices, 09.01
- D3315 Withdrawn 1989; Test Method for Radioactive Zirconium in Water D3316-06(2011) Test Method for Stability of Perchloroethylene with Copper, 15.05
- D3317 Withdrawn 1986; Specification for High Modulus, Organic Yarn and Roving
- D3318 Withdrawn 1984; Specification for Woven Cloth from High Modulus Organic Fiber
- D3319-11 Practice for the Accelerated Polishing of Aggregates Using the British Wheel, 04.03
- D3320 Withdrawn 2013; Specification for Emulsified Coal-Tar Pitch (Mineral Colloid Type)
- D3321-13 Test Method for Use of the Refractometer for Field Test
- Determination of the Freezing Point of Aqueous Engine Coolants, 15.05 D3322-82(2011) Practice for Testing Primers and Primer Surfacers Over Preformed Metal. 06.02
- D3323 Withdrawn 1993; Guide for Testing Interior Solvent-Thinned Flat Wall Paints; Replaced by D5146

D3324 D3421

- D3324 Withdrawn 2003; Practice for Carbon Black-Improving Test Reproducibility Using ASTM Standard Reference Blacks: Replaced by
- D3325-90(2013) Practice for Preservation of Waterborne Oil Samples, 11.02 D3326-07(2011) Practice for Preparation of Samples for Identification of Waterborne Oils, 11.02
- D3327 Withdrawn 1994; Test Methods for Analysis of Selected Elements in Waterborne Oils

 D3328-06(2013) Test Methods for Comparison of Waterborne Petroleum Oils
- by Gas Chromatography, 11.02

 D3329-03(2009) Test Method for Purity of Methyl Isobutyl Ketone by Gas
- Chromatography, 06.04
 D3330/D3330M-04(2010) Test Method for Peel Adhesion of Pressure-Sensitive Tape, 15.10
- D3331 Withdrawn 1985; Method of Test for Assessment of Mechanical-Shock Fragility Using Package Cushioning Materials
- D3332-99(2010) Test Methods for Mechanical-Shock Fragility of Products, Using Shock Machines, 15.10
- D3333-07(2012) Practice for Sampling Manufactured Staple Fibers, Sliver, or Tow for Testing, **07.01**D3334 Withdrawn 1990; Method of Testing Fabrics Woven From Polyolefin
- Monofilaments
- D333-545a(2009) Test Method for Low Concentrations of Lead, Cadmium, and Cobalt in Paint by Atomic Absorption Spectroscopy, 06.01
- D3336-05(2010) Test Method for Life of Lubricating Greases in Ball Bearings at Elevated Temperatures, 05.01
- D3337 Withdrawn 2009; Test Method for Determining Life and Torque of Lubricating Greases in Small Ball Bearings
- D3338/D3338M-09 Test Method for Estimation of Net Heat of Combustion of Aviation Fuels, 05.01
- D3339-12 Test Method for Acid Number of Petroleum Products by Semi-Micro Color Indicator Titration, **05.01**
- D3340 Withdrawn 2013; Test Method for Lithium and Sodium in Lubricating Greases by Flame Photometer

 D3341-05(2011) Test Method for Lead in Gasoline—Iodine Monochloride
- Method, 05.01
- D3342-90(2012) Test Method for Dispersion Stability of New (Unused) Rolling Oil Dispersions in Water, 05.01
- D3343-05(2010) Test Method for Estimation of Hydrogen Content of Aviation
- Fuels, 05.01

 D3344-90(2010) Test Method for Total Wax Content of Corrugated Paperboard, 05.01
- D3345-08 Test Method for Laboratory Evaluation of Wood and Other Cellulosic Materials for Resistance to Termites, 04.10
- D3346-12 Test Methods for Rubber Property—Processability of Emulsion SBR (Styrene-Butadiene Rubber) With the Mooney Viscometer (Delta Mooney), 09.01
- D3347 Withdrawn 2003; Test Method for Flow Rate and Tap Density of Electrical Grade Magnesium Oxide For Use in Sheathed Heating Elements
- D3348-12 Test Method for Rapid Field Test for Trace Lead in Unleaded Gasoline (Colorimetric Method), 05.01
- D3349-12 Test Method for Absorption Coefficient of Ethylene Polymer Material Pigmented with Carbon Black, 10.02
- D3350-12^{c1} Specification for Polyethylene Plastics Pipe and Fittings Materials, 08.02
- D3351 Withdrawn 2000; Test Method for Gel Count of Plastic Film
- D3352-08a Test Method for Strontium Ion in Brackish Water, Seawater, and Brines, 11.02
- D3353-10 Test Methods for Fibrous-Insulated Magnet Wire, 10.02
 D3354-11 Test Method for Blocking Load of Plastic Film by the Parallel Plate Method, 08.02
- D3355 Withdrawn 1988; Method of Test for Fiber Content of Unidirectional Fiber-Resin Composites by Electrical Resistivity
- D3356 Withdrawn 1992; Specification for Fittings for Bituminized Fiber Drain and Sewer Pipe
- D3357 Withdrawn 1991; Test Method for Radioactive Nickel in Water D3358 Withdrawn 1994; Guide for Testing Water-Borne Floor Paints;
- Replaced by D5324

 D3359-09°2 Test Methods for Measuring Adhesion by Tape Test, 06.01
- D3360 Withdrawn 2003; Test Method for Particle Size Distribution by
 Hydrometer of the Common White Extender Pigments

 D3361/D3361M-13 Practice for Unfiltered Open-Flame Carbon-Arc Exposures of Paint and Related Coatings, 06.01
- D3362 Withdrawn 2011; Test Method for Purity of Acrylate Esters by Gas
- Chromatography
 D3363-05(2011)²² Test Method for Film Hardness by Pencil Test, 06.01 D3364-99(2011) Test Method for Flow Rates for Poly(Vinyl Chloride) with Molecular Structural Implications, 08.02

 D3365 Withdrawn 1987; Method of Test for Concentration and Particle Size
- Distribution of Airborne Particulates Collected in Liquid Media Using an Electronic Counter
- Withdrawn 2012; Test Method for Color of Maleic Anhydride and Phthalic Anhydride in the Molten State and After Heating (Platinum-Cobalt
- Scale)

 D3367-13 Test Method for Plasticizer Sorption of Poly(Vinyl Chloride) Resins Under Applied Centrifugal Force, 08.02
- D3368-14 Specification for FEP-Fluorocarbon Sheet and Film. 08.02 D3369 Withdrawn 2006; Specification for Polytetrafluoroethylene (PTFE) Resin Cast Film

- D3370-10 Practices for Sampling Water from Closed Conduits, 11.01 D3371 Withdrawn 2002; Test Method for Nitriles in Aqueous Solution by Gas-Liquid Chromatography
- D3372-12 Test Method for Molybdenum in Water, 11.01
- Test Method for Vanadium in Water, 11.01
- D3374/D3374M-14 Specification for Vinyl-Coated Glass Yarns, 07.01
 D3375-95a(2007) Test Method for Column Capacity of Particulate Mixed Bed
- IonExchange Materials, 11.02

 D3376-88(2009) Test Methods of Sampling and Testing Pulps to be Used in the Manufacture of Electrical Insulation, 10.02
- D3377-04(2013) Test Method for Weight Loss of Solventless Varnishes, 10.02
 D3378 Withdrawn 1985; Specification for Asphalt-Saturated and Coated
 Asbestos Felt Base Sheet Used in Roofing
- D3380-10 Test Method for Relative Permittivity (Dielectric Constant) and Dissipation Factor of Polymer-Based Microwave Circuit Substrates, 10.02
- D3381/D3381M-13 Specification for Viscosity-Graded Asphalt Cement for Use in Pavement Construction, 04.03
- D3382-13 Test Methods for Measurement of Energy and Integrated Charge Transfer Due to Partial Discharges (Corona) Using Bridge Techniques, 10.02
- D3383 Withdrawn 1993; Guide for Testing Solvent-Thinned Floor Paints; Replaced by D5146
- D3384 Withdrawn 1977; Method of Test for Powder Resistance of Floor Polish Films; Replaced by D2048
- D3385-09 Test Method for Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer, 04.08
- D3386 Withdrawn 2005; Test Method for Coefficient of Linear Thermal Expansion of Electrical Insulating Materials; Replaced by E381
- D3387-11 Test Method for Compaction and Shear Properties of Bituminous Mixtures by Means of the U.S. Corps of Engineers Gyratory Testing Machine (GTM), **04.03**
- Machine (GTM), 04.03

 D3388 Withdrawn 1984; Method of Testing Coated Fabrics—Stiffening at Low Temperatures (Torsional Wire Apparatus); Combined with D 1053

 D3389-10 Test Method for Coated Fabrics Abrasion Resistance (Rotary Platform Abrader), 09.02
- D3390 Withdrawn 1986; Specification for Rubber Semiconducting Tape
 D3391 Withdrawn 1986; Specification for High Voltage Rubber Insulating Tape
- Withdrawn 1984; Recommended Practice for Carbon Black Extractables—Light-Absorption Characteristics
- D3393-91(2014) Specification for Coated Fabrics—Waterproofness, 09.02
 D3394-94(2009) Test Methods for Sampling and Testing Electrical Insulating Board, 10.02
- D3395 Withdrawn 2008; Test Methods for Rubber Deterioration—Dynamic
- Ozone Cracking in a Chamber; Replaced by D1149
 D3396 Withdrawn 1990; Recommended Practice for Carbon Black-Measuring the Precision of ASTM Test Methods; Replaced by D4483
- D3397 Withdrawn 1989; Method for Triaxial Classification of Base Materials D3398 Withdrawn 2013; Test Method for Index of Aggregate Particle Shape and Texture
- D3399 Withdrawn 2000; Specification for General-Purpose Synthetic Detergent Liquid
- D3400 Withdrawn 2001; Specification for Liquid Sodium Silicates
- D3401-97(2012) Test Methods for Water in Halogenated Organic Solvents and Their Admixtures, 15.05
- D3402/D3402M-93(2008) Test Method for Tumbler Test for Coke. 05.06 D3403-07(2011) Test Methods for Rubber—Evaluation of IR (Isoprene Rubber), **09.01**
- D3404-91(2013) Guide for Measuring Matric Potential in Vadose Zone Using Tensiometers, 04.08
- D3405 Withdrawn 2002; Specification for Joint Sealants, Hot-Applied, for Concrete and Asphalt Pavements
- D3406 Withdrawn 2012; Specification for Joint Sealant, Hot-Applied,
- Elastomeric-Type, for Portland Cement Concrete Pavements D3408 Withdrawn 1988; Methods of Testing Joint Sealants, Hot-Poured, Elastomeric-Type, for Portland Cement Concrete Pavements; Replaced by D3583
- D3409-93(2008) Test Method for Adhesion of Asphalt-Roof Cement to Damp, Wet, or Underwater Surfaces, 04.04

 D3410/D3410M-03(2008) Test Method for Compressive Properties of Polymer
- Matrix Composite Materials with Unsupported Gage Section by Shear Loading, **15.03**
- D3411 Withdrawn 1982; Method of Test for Flammability of Textile Materials
 D3412/D3412M-13 Test Method for Coefficient of Friction, Yarn to Yarn, 07.01 D3413 Withdrawn 1991; Test Method for Lead (Inorganic) in Workplace
- Atmospheres by Atomic Absorption Spectrometry

 D3414-98(2011)^{c1} Test Method for Comparison of Waterborne Petroleum Oils by Infrared Spectroscopy, 11.02
- D3415-98(2011) Practice for Identification of Waterborne Oils, 11.02
 D3416 Withdrawn 1993; Test Method for Total Hydrocarbons, Methane, and
 Carbon Monoxide (Gas Chromatographic Method)
 D3417 Withdrawn 2004; Test Method for Enthalpies of Fusion and
- Crystallization of Polymers by Differential Scanning Calorimetry (DSC); Replaced by D3418
- D3418-12^{c1} Test Method for Transition Temperatures and Enthalpies of Fusion and Crystallization of Polymers by Differential Scanning Calorimetry, 08.02 D3419-12 Practice for In-Line Screw-Injection Molding Test Specimens From
- Thermosetting Compounds, 08.02 D3420-08a Test Method for Pendulum Impact Resistance of Plastic Film, 08.02
- D3421 Withdrawn 1987; Recommended Practice for Extraction and

D3421 D3514/D3514M

- Determination of Plasticizer Mixtures from Vinyl Chloride Plastics D3422 Withdrawn 1985; Method of Test for Toluene Diisocyanate Concentrations in Workplace Atmospheres
- D3423/D3423M-84(2011)^{c1} Practice for Application of Emulsified Coal-Tar Pitch (Mineral Colloid Type), 04.04

 D3424-11 Practice for Evaluating the Relative Lightfastness and Weatherability
- of Printed Matter, 06.02
- D3425 Withdrawn 1993; Guide for Testing Solvent-Based Interior Semigloss Wall and Trim Enamels; Replaced by D5146 D3426-97(2012) Test Method for Dielectric Breakdown Voltage and Dielectric
- Strength of Solid Electrical Insulating Materials Using Impulse Waves, 10.02
- D3427-12 Test Method for Air Release Properties of Petroleum Oils, 05.01 D3428 Withdrawn 1990; Test Method for Torque Stability Wear and Brine Sensitivity Evaluation of Ball Joint Greases
- D3429-93(2012) Test Method for Solubility of Fixed Gases in Low-Boiling Liquids, 05.01
- D3430-95(2008) Test Method for Clarity and Yellowness of Liquid Water-
- Based Clear Floor Polishes, 15.04

 D3431 Withdrawn 1993; Test Method for Trace Nitrogen in Liquid Petroleum
 Hydrocarbons (Microcoulometric Method)

 D3432 Withdrawn 2004; Test Method for Unreacted Toluene Diisocyanates in
- Urethane Prepolymers and Coating Solutions by Gas Chromatography
- D3433-99(2012) Test Method for Fracture Strength in Cleavage of Adhesives in Bonded Metal Joints, 15.06
- D3434-00(2013) Test Method for Multiple-Cycle Accelerated Aging Test (Automatic Boil Test) for Exterior Wet Use Wood Adhesives, 15.06
- D3435 Withdrawn 1989; Specification for Plastic Containers (Jerry Cans) for Petroleum Products
- D3436 Withdrawn 2005; Practice for Sampling and Handling Aniline
- D3437-11 Practice for Sampling and Handling Liquid Cyclic Products, 06.04
 D3438-10 Practice for Sampling and Handling Naphthalene, Maleic Anhydride,
- and Phthalic Anhydride, 06.04

 D3439 Withdrawn 1995; Test Methods for Assay of Alkaline Cresylate Solutions from Petroleum Sources
- D3440-13 Guide for Preparing Specifications for Water-Emulsion Floor Polishes, 15.04
- D3441 Withdrawn 2014; Test Method for Mechanical Cone Penetration Tests of Soil
- D3442 Withdrawn 2000; Test Method for Gaseous Tritium Content of the Atmosphere D3443-00(2010)^{€1}
- Test Method for Chloride in Trichlorotrifluoroethane, 15.05 D3444-00(2010)^{c1} Test Method for Total Acid Number of Trichlorotrifluoroethane, 15.05
- D3445 Withdrawn 1991; Test Method for Nonvolatile Matter in Trichlorotrifluoroethane; Replaced by D2109
- D3446 Withdrawn 1993; Test Method for Water Content of Trichlorotrifluoroethane with Karl Fischer Reagent
- D3447 Withdrawn 2004; Test Method for Purity of Halogenated Organic Solvents; Replaced by D6806
- D3448-10 Test Method for Specific Aqueous Conductance of Trichlorotrifluoroethane, 15.05
- D3449 Withdrawn 1990; Test Method for Sulfur Dioxide in Workplace Atmospheres (Barium Perchlorate Method)

 D3450-00(2010)^{c1} Test Method for Washability Properties of Interior
- Architectural Coatings, 06.02

 D3451-06(2012) Guide for Testing Coating Powders and Powder Coatings,
- 06.02
- D3452-06(2012) Practice for Rubber-Identification by Pyrolysis-Gas Chromatography, 09.01
- D3453-12 Specification for Flexible Cellular Materials—Urethane for Furniture
- and Automotive Cushioning, Bedding, and Similar Applications, 08.02

 D3454-11 Test Method for Radium-226 in Water, 11.02

 D3455-11 Test Methods for Compatibility of Construction Material with Electrical Insulating Oil of Petroleum Origin, 10.03

 D3456-86(2012) Practice for Determining by Exterior Exposure Tests the Susceptibility of Paint Films to Microbiological Attack, 06.01

 D3457-Withdraw 2000. Test Mathod for Progressions of Mathod Extern from
- D3457 Withdrawn2000; Test Method for Preparation of Methyl Esters from Fatty Acids for Determination of Fatty Acid Composition by Gas-Liquid
- Chromatography
 D3458 Withdrawn 2010; Specification for Copies from Office Copying
 Machines for Permanent Records
 D3459 Withdrawn 2007; Test Method for Humid-Dry Cycling for Coatings on
 Wood and Wood Products
- D3460-07 Specification for White Watermarked and Unwatermarked Bond,
- Reprographic, and Laser Printer Cut-Sized Office Papers, 15.09

 D3461-97(2012) Test Method for Softening Point of Asphalt and Pitch (Mettler Cup-and-Ball Method), 05.01

 D3462/D3462M-10a Specification for Asphalt Shingles Made from Glass Felt and Surfaced with Mineral Granules, 04.04
- D3463 Withdrawn 1993; Practice for Compression Molding of Specimens of Rigid Acrylonitrile-Butadiene-Styrene (ABS) plastics; Replaced by D4703 D3464-96(2014) Test Method for Average Velocity in a Duct Using a Thermal Anemometer, 11.07
- D3465-14 Test Method for Purity of Monomeric Plasticizers by Gas Chromatography, 08.02
- D3466-06(2011) Test Method for Ignition Temperature of Granular Activated Carbon, 15.01
- D3467-04(2009) Test Method for Carbon Tetrachloride Activity of Activated Carbon, 15.01

- D3468/D3468M-99(2013)^{€1} Specification for Liquid-Applied Neoprene and Chlorosulfonated Polyethylene Used in Roofing and Waterproofing, 04.04

 D3469-97(2007) Test Methods for Measurement of Vertical Downward Forces
- to Disengage Type IIA Lug-Style Child-Resistant Closures, 15.10

 D3470-97(2007) Test Method for Measurement of Removal Lug Strippage of Type IIA Child-Resistant Closures, 15.10

 D3471 Withdrawn 1994; Test Method for Top-Load-to-Engage Removal Lugs
- on Type IA Child-Resistant Closures

 D3472-97(2007) Test Method for Reverse-Ratchet Torque of Type IA
- Child-Resistant Closures, 15.10
- D3473 Withdrawn 2001; Test Methods for Lifting Force Required to Remove Certain Child-Resistant Snap Caps
- D3474-90(2012) Practice for Calibration and Use of Torque Meters Used in Packaging Applications, 15.10

 D3475-13 Classification of Child-Resistant Packages, 15.10
- D3475-13 Classification of Child-Hesistant Packages, 15.10
 D3476 Withdrawn 1991; Test Method for bis (Chloromethyl) Ether (bis CME) in
 Workplace Atmospheres (Gas Chromatography–Mass Spectrometry)
 D3477 Withdrawn 2005; Performance Specification for Men's and Boys'
 Woven Dress Shirt Fabrics; Replaced by D7020
- D3478 Withdrawn 1992; Test Method for Chlorinated Phenoxy Acid Herbicides in Water; Replaced by D5317
- D3479/D3479M-12 Test Method for Tension-Tension Fatigue of Polymer Matrix Composite Materials, 15.03
- D3480 Withdrawn 1999; Test Methods for Downward Force Required to Open or Activate Child-Resistant Snap-Engagement Packages
- D3481-06(2011) Test Method for Manual Shelling Two-Piece Child-Resistant Closures That Are Activated by Two Simultaneous Dissimilar Motions, 15.10
- D3482-07a(2014) Practice for Determining Electrolytic Corrosion of Copper by Adhesives, 15.06
- D3483-14 Test Methods for Accumulated Deposition in a Steam Generator Tube, 11.02
- D3484-06(2010) Test Methods for Rubber—Evaluation of Oil-Extended Solution BR (Polybutadiene Rubber), 09.01
- D3485 Specification for Withdrawn 2011; Smooth-Wall Coilable Polyethylene (PE) Conduit (Duct) for Preassembled Wire and Cable
- D3486 Withdrawn 1995; Practice for Installation of Vulcanizable Rubber Tank Linings and Pipe Linings
- D3487-09 Specification for Mineral Insulating Oil Used in Electrical Apparatus, 10.03
- D3488 Withdrawn 1983; Recommended Practice for Rubber-Measuring the Precision of ASTM Test Methods
- D3489-11 Test Methods for Microcellular Urethane Materials, 08.02
- D3490 Withdrawn 1997; Specification for Flexible Cellular Materials-Urethane Foam
- D3491 Withdrawn 1997; Test Methods for Vulcanizable Rubber Tank and Pipe Lining
- D3492-08 Specification for Rubber Contraceptives (Male Condoms), 09.02
 D3493-13 Test Method for Carbon Black—Oil Absorption Number of Compressed Sample (COAN), 09.01
- D3494 Withdrawn 2000; Specification for Water-Emulsion Floor Polish
- . Remover
- D3495-10 Test Method for Hexane Extraction of Leather, 15.04 D3496 Withdrawn 2010; Practice for Preparation of Bituminous Mixture Specimens for Dynamic Modulus Testing
- D3497 Withdrawn 2009; Test Method for Dynamic Modulus of Asphalt Mixtures
- D3498-03(2011) Specification for Adhesives for Field-Gluing Plywood to Lumber Framing for Floor Systems, 15.06
- D3499-11 Test Method for Toughness of Wood-Based Structural Panels, 04.10
- D3509-90(2009) Test Method for Toughness of Wood-Based Structural Panels, 04.10
 D3501-05a(2011) Test Methods for Structural Panels in Tension, 04.10
 D3502 Withdrawn 1984; Test Method for Moisture Absorption of Compressed
- Wood Products
- D3503 Withdrawn 1984; Test Method for Swelling and Recovery of Compressed Wood Products Due to Moisture Absorption
- D3504 Withdrawn 2012; Specification for Maleic Anhydride
- D3505-12^{c1} Test Method for Density or Relative Density of Pure Liquid Chemicals, 06.04
- D3506 Withdrawn 1993; Specification for Inhibited Grade Methylene Chloride for Preparing Pentachlorophenol Solutions
- D3507 Withdrawn 2008; Test Methods for Penetration of Preservatives in Wood and for Differentiating Between Heartwood and Sapwood D3508 Withdrawn 1995; Method for Evaluating Water Testing Membrane Filters for Fecal Coliform Recovery
- D3509 Withdrawn 1987; Test Method for Electrostatic Field Strength Due to Surface Charges; Replaced by D4470
- D3510 Withdrawn 1987; Test Method for Swelling and Recovery of Compressed Wood Products Due to Moisture Absorption
- D3511/D3511M-13 Test Method for Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Brush Pilling Tester, 07.01
- D3512/D3512M-10(2014) Test Method for Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Random Tumble Pilling
- Tester, 07.01

 D3513-02(2012) Test Method for Overlength Fiber Content of Manufactured Staple Fiber, 07.01
- D3514/D3514M-10(2014) Test Method for Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Elastomeric Pad, 07.01

D3515 D3606

- D3515 Withdrawn 2009; Specification for Hot-Mixed, Hot-Laid Bituminous Paving Mixtures
- D3516-89(2011) Test Methods for Ashing Cellulose, 06.03
- D3517-14 Specification for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pressure Pipe, 08.03
- D3518/D3518M-13 Test Method for In-Plane Shear Response of Polymer Matrix Composite Materials by Tensile Test of a ±45° Laminate, 15.03
- D3519 Withdrawn 2013; Test Method for Foam in Aqueous Media (Blender Test)
- D3520 Withdrawn 2008; Test Method for Quenching Time of Heat-Treating Fluids (Magnetic Quenchometer Method)
- D3521-86(2012) Test Method for Surface Wax Coating On Corrugated Board, 05.01
- D3522 Withdrawn 2012; Test Method for Applied Coating Wax and Impregnating (Saturating) Wax in Corrugated Board Facing
- D3523-92(2012) Test Method for Spontaneous Heating Values of Liquids and Solids (Differential Mackey Test), 05.01
 D3524 Withdrawn 2013; Test Method for Diesel Fuel Diluent in Used Diesel
- Engine Oils by Gas Chromatography
- D3525-04(2010) Test Method for Gasoline Diluent in Used Gasoline Engine Oils by Gas Chromatography, 05.01
- D3526 Not Assigned
- D3527-11 Test Method for Life Performance of Automotive Wheel Bearing Grease, 05.01
- D3528-96(2008) Test Method for Strength Properties of Double Lap Shear Adhesive Joints by Tension Loading, 15.06
- D3529M-10 Test Methods for Constituent Content of Composite Prepreg,
- D3530-97(2008)^{c2} Test Method for Volatiles Content of Composite Material Prepreg, **15.03**
- D3531/D3531M-11 Test Method for Resin Flow of Carbon Fiber-Epoxy Prepreg, **15.03**
- D3532/D3532M-12 Test Method for Gel Time of Carbon Fiber-Epoxy Prepreg, 15.03
- D3533 Withdrawn 2006; Test Method for Rubber—Nitrogen Content
- D3534 Withdrawn 2003; Test Method for Polychlorinated Biphenyls (PCBs) in Water
- D3535-07a(2013) Test Method for Resistance to Creep Under Static Loading for Structural Wood Laminating Adhesives Used Under Exterior Exposure Conditions, 15.06
- Withdrawn 1996; Test Method for Molecular Weight Averages and Molecular Weight Distribution of Polystyrene by Liquid Exclusion Chromatography (Gel Permeation Chromatography—GPC); Replaced by
- D5296 Withdrawn 1985; Test Method for Tensile Adhesion of Spray-Applied Rigid Urethane Foam in the Field
- D3538 Withdrawn 1981; Recommended Practices for Sampling and Handling Cresylic Acid; Replaced by D3852
- D3539-11 Test Methods for Evaporation Rates of Volatile Liquids by Shell Thin-Film Evaporometer, 06.01
- D3540-12 Specification for Primary Amyl Acetate, Synthetic (98 % Grade), 06.04
- D3541 Specification for Withdrawn 2011; Specification for 2-Ethylhexyl Acrylate
- D3542-08(2013) Specification for Preformed Polychloroprene Elastomeric Joint Seals for Bridges, 04.03
- D3543-93(2008) Test Method for Metal Glide Adhesion, 15.04
- D3544 Withdrawn 2003; Guide for Reporting Test Methods and Results on High Modulus Fibers
- D3545-06(2012) Test Method for Alcohol Content and Purity of Acetate Esters by Gas Chromatography, 06.04
- D3546-05(2011) Test Method for Formic Acid in Glacial Acetic Acid, 06.04
 D3547 Withdrawn 2011; Specification for n-Butyl Acrylate
 D3548-09 Specification for Ethyl Acrylate, 06.04
- D3549/D3549M-11 Test Method for Thickness or Height of Compacted Bituminous Paving Mixture Specimens, **04.03**
- D3550-01(2007) Practice for Thick Wall, Ring-Lined, Split Barrel, Drive Sampling of Soils, 04.08
- D3551-08 Practice for Laboratory Preparation of Soil-Lime Mixtures Using Mechanical Mixer, 04.08
- D3552-12 Test Method for Tensile Properties of Fiber Reinforced Metal Matrix Composites, 15.03
- D3553 Withdrawn 2000; Test Method for Fiber Content by Digestion of Reinforced Metal Matrix Composites

 D3554-07(2013) Specification for Track-Resistant Black Thermoplastic
- High-Density Polyethylene Insulation for Wire and Cable, 75 °C Operation, 10.02
- D3555-07(2013) Specification for Track-Resistant Black Crosslinked Polyethylene Insulation for Wire and Cable, 90 °C Operation, 10.02
- D3556-85(2009) Test Method for Deposition on Glassware During Mechanical Dishwashing, 15.04
- D3557-12 Test Methods for Cadmium in Water, 11.01
- Test Methods for Cobalt in Water, 11.01 Test Methods for Lead in Water, 11.01 D3558-08
- D3559-08
- D3560 Withdrawn 1991; Test Method for Oxygen Demand in Water by Combustion-Infrared Analysis
- D3561-11 Test Method for Lithium, Potassium, and Sodium Ions in Brackish Water, Seawater, and Brines by Atomic Absorption Spectrophotometry, 11.02

- D3562-14 Performance Specification for Woven Drycleanable Coat Fabrics, 07.01
- D3563 Withdrawn 1986; Test Method for Concentration and Particle Size Distribution of Particulate Collected in the Alundum Thimble Using a Liquid Media Electronic Counter
- D3564-95(2008) Practice for Application of Floor Polishes to Maintain Vinyl Composition Tile or Flooring, 15.04
- D3565 Withdrawn 2007; Test Method for Tableware Pattern Removal by
- D3565 Witndrawn 2007; 1est Method for Tableware Pattern Removal by Mechanical Dishwasher Detergents

 D3566-03(2009) Practice for Rubber—Determination of Bromine in the Presence of Chlorine by Oxygen Combustion, 09.01

 D3567-97(2011) Practice for Determining Dimensions of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Pipe and Fittings, 08.03

 D3568-03(2013) Test Methods for Rubber—Evaluation of EPDM (Ethylene Propylene Diene Terpolymers) Including Mixtures With Oil, 09.01
- D3569 Withdrawn 2006; Specification for Joint Sealant, Hot-Applied, Elastomeric, Jet-Fuel-Resistant-Type for Portland Cement Concrete
- Pavements; Replaced by D7116 D3570 Withdrawn 1986; Test Method for Viscosity of Bituminous Materials
- With a Sliding Plate Microviscometer 1 Withdrawn 2000; Consumer Product Specification for Household Laundry and Dishwasher Water Inlet Hose
- D3572 Withdrawn 1997; Consumer Product Specification for Household
- Laundry and Dishwasher Drain Hose/
- D3573 Withdrawn 1997; Consumer Product Specification for Sink Spray Hose D3574-11 Test Methods for Flexible Cellular Materials—Slab, Bonded, and Molded Urethane Foams, 08.02
- D3575-14 Test Methods for Flexible Cellular Materials Made From Olefin Polymers, 08.02
- D3576-04(2010) Test Method for Cell Size of Rigid Cellular Plastics, 08.02 D3577-09⁻¹ Specification for Rubber Surgical Gloves. 09.02
- D3577-09²¹ Specification for Rubber Surgical Gloves, 09.02 D3578-05(2010) Specification for Rubber Examination Gloves, 09.02
- D3579-77(2010) Specification for Rubber Surgical Drainage Tubes Penrose-Type, 09.02
- D3580-95(2010) Test Methods for Vibration (Vertical Linear Motion) Test of Products, 15.10
- D3581 Withdrawn 2006; Specification for Joint Sealant, Hot-Applied, Jet-Fuel-Resistant Type, for Portland Cement Concrete and Tar-Concrete Pavements; Replaced by D7116
- D3582 Withdrawn 1996; Test Methods for Joint Sealant, Hot-Poured, Jet-Fuel-Resistant Type, for Portland Cement Concrete and Tar-Concrete Pavements; Replaced by D5329
- D3583 Withdrawn 1995; Methods of Testing Joint Sealant, Hot-Applied, Elastomeric-Type, for Portland Cement Concrete Pavements, or Joint Sealant, Hot-Applied, Elastomeric, Jet-Fuel-Resistant-Type, for Portland Cement Concrete Pavements; Replaced by D3569, D5329
- D3584 Withdrawn 1996; Practice for Indexing Papers and Reports on Soil and Rock for Engineering Purposes
- D3585-08(2013) Specification for ASTM Reference Fluid for Coolant Tests, 15.05
- D3586 Withdrawn 1991; Test Method for Chromium in Workplace Atmospheres (Colorimetric Method) D3587 Withdrawn 1981; Test Method for Tin (Inorganic) in Workplace
- Atmospheres (Colorimetric Method)

 D3588-98(2011) Practice for Calculating Heat Value, Compressibility Factor,
- and Relative Density of Gaseous Fuels, **05.06**D3589 Withdrawn 1991; Test Method for Total Nitrogen in Water by
- Microcoulometry
- D3590-11 Test Methods for Total Kjeldahl Nitrogen in Water, 11.02
- D3591-97(2011) Test Method for Determining Logarithmic Viscosity Number of Poly(Vinyl Chloride) (PVC) in Formulated Compounds, 08.02
- D3592 Withdrawn 1989; Recommended Practice for Determining Molecular Weight by Vapor Pressure Osmometry D3593 Withdrawn 1993; Test Method for Molecular Weight Averages/
- Distribution of Certain Polymers by Liquid Size-Exclusion Chromatography (Gel Permeation Chromatography GPC) Using Universal Calibration; Replaced by D5296
- D3594-93(2013) Test Method for Copolymerized Ethyl Acrylate In Ethylene-Ethyl Acrylate Copolymers, 08.02
- D3595-14 Specification for Polychlorotrifluoroethylene (PCTFE) Extruded
- Plastic Sheet and Film, **08.02 D3596-13** Practice for Determination of Gels (Fisheyes) In General-Purpose Poly(Vinyl Chloride) (PVC) Resins, **08.02 D3597-02(2013)** Performance Specification for Woven Upholstery Fabrics—
- Plain, Tufted, or Flocked, **07.01 D3598-89(2009)** Test Method for Citrate in Synthetic Detergents, **15.04**
- D3599 Withdrawn 1989; Test Method for Felfability of Wool D3600 Withdrawn 1989; Performance Specification for Men's and Boy's Woven Rainwear and All-Purpose, Water-Repellent Coat Fabrics; Replaced by D3779
- D3601 Withdrawn 2013; Test Method for Foam In Aqueous Media (Bottle Test) D3602 Withdrawn 1994; Test Method for Water Separation Characteristics of Aviation Turbine Fuels; Replaced by D3948
- D3603-07 Test Method for Rust-Preventing Characteristics of Steam Turbine Oil in the Presence of Water (Horizontal Disk Method), 05.01
- D3604 Withdrawn 1989; Test Method for Volume Change of Elastomeric Materials in Hydraulic Fluids Under Static Conditions

 D3605-00(2011) Test Method for Trace Metals in Gas Turbine Fuels by Atomic Absorption and Flame Emission Spectroscopy, 05.01
- Test Method for Determination of Benzene and Toluene in Finished

D3606 D3701

- Motor and Aviation Gasoline by Gas Chromatography, 05.01
- D3607-08(2012) Test Method for Removing Volatile Contaminants from Used Engine Oils by Stripping, 05.01
- D3608-95(2011) Test Method for Nitrogen Oxides (Combined) Content in the Atmosphere by the Griess-Saltzman Reaction, 11.07
- D3609-00(2010) Practice for Calibration Techniques Using Permeation Tubes, 11.07
- D3610-00(2010) Test Method for Total Cobalt in Alumina-Base Cobalt-Molybdenum Catalyst by Potentiometric Titration Method, 05.05
- D3611-06(2011) Practice for Accelerated Aging of Pressure-Sensitive Tapes, 15.10
- D3612-02(2009) Test Method for Analysis of Gases Dissolved in Electrical Insulating Oil by Gas Chromatography, 10.03

 D3613 Withdrawn 2007; Practice for Sampling Insulating Liquids for Gas Analysis and Determination of Water Content
- D3614-07(2013) Guide for Laboratories Engaged in Sampling and Analysis of Atmospheres and Emissions, 11.07
- D3615 Withdrawn 1993; Test Method for Chemical Resistance of Thermoset Molding Compounds Used in the Manufacture of Molded Fittings
- D3616-95(2009) Test Method for Rubber—Determination of Gel, Swelling Index, and Dilute Solution Viscosity, 09.01
- D3617-07 Practice for Sampling and Analysis of Built-Up Roof Systems During Application, 04.04
- D3618-05(2010) Test Method for Detection of Lead in Paint and Dried Paint Films, **06.01**
- D3619 Withdrawn 2004; Specification for Aluminum Silicate Pigments (Anhydrous)
- D3620-04(2009) Specification for Glacial Acetic Acid, 06.04
- D3621 Withdrawn 1988; Practice for the Determination of Water in Acetate Esters; Replaced by D1364
- D3622-11 Specification for 1-Propanol (n-Propyl Alcohol), 06.04
- D3623-78a(2012) Test Method for Testing Antifouling Panels in Shallow
- Submergence, 06.02

 D3624-85a(2010) Test Method for Low Concentrations of Mercury in Paint by Atomic Absorption Spectroscopy, 06.01

 D3625/D3625M-12 Practice for Effect of Water on Bituminous-Coated Aggregate Using Boiling Water, 04.03

 D3626 Withdrawn 1996; Test Method for Tar Acid Composition by Gas Liquid
- Chromatography; Replaced by D5310
- D3627 Withdrawn 2005; Test Method for Color of Cresylic Acids ("C" Series Standards)
- D3628-08 Practice for Selection and Use of Emulsified Asphalts, 04.03 D3629 Withdrawn 2005; Test Method for Rubber Property—Cut Growth
- Resistance D3630 Withdrawn 2001; Guide for Determining Constituents Classified as
- Hazardous Contained in Protective Coatings D3631-99(2011) Test Methods for Measuring Surface Atmospheric Pressure,
- 11.07 D3632-98(2011) Test Method for Accelerated Aging of Adhesive Joints by the
- Oxygen-Pressure Method, 15.06

 D3633/D3633M-12 Test Method for Electrical Resistivity of Membrane-
- Pavement Systems, 04.03

 D3634-99(2009) Test Method for Trace Chloride Ion in Engine Coolants, 15.05 D3635-13 Test Method for Dissolved Copper In Electrical Insulating Oil By Atomic Absorption Spectrophotometry, 10.03
- D3636-13a^{c1} Practice for Sampling and Judging Quality of Solid Electrical
- Insulating Materials, 10.02

 D3637 Withdrawn 1998; Test Methods for Permeability of Bituminous Mixtures D3638-12 Test Method for Comparative Tracking Index of Electrical Insulating Materials, 10.02
- D3639/D3639M-92(2011)^{c1} Test Method for Classification of Asbestos by Quebec Standard Test, **04.05**D3640 Withdrawn 1995; Guidelines for Emission Control in Solvent
- Metal-Cleaning Systems

 D3641-14 Practice for Injection Molding Test Specimens of Thermoplastic Molding and Extrusion Materials, 08.02

 D3642-13 Test Method for Softening Point of Certain Alkali-Soluble Resins,
- 15.04
- D3643-10 Test Method for Acid Number of Certain Alkali-Soluble Resins, 15.04
- D3644-06(2012) Test Method for Acid Number of Styrene-Maleic Anhydride Resins, 15.04
- D3645-08 Test Methods for Beryllium in Water, 11.01
- D3646 Withdrawn 1985; Specification for Reinforced and Filled Polyphenylene
 Sulfide Injection Molding and Extrusion Materials; Replaced by D4067

 D3647-09 Practice for Classifying Reinforced Plastic Pultruded Shapes
- According to Composition, 08.02
- D3648-14 Practices for the Measurement of Radioactivity, 11.02
- D3649-06 Practice for High-Resolution Gamma-Ray Spectrometry of Water,
- D3650-93(2011) Test Method for Comparison of Waterborne Petroleum Oils By Fluorescence Analysis, 11.02
- D3651-11 Test Method for Barium in Brackish Water, Seawater, and Brines, 11.02
- D3652/M Withdrawn 1998; Replaced by D3652/D3652M
 D3652/D3652M-01(2012) Test Method for Thickness of Pressure-Sensitive
- Tapes, **15.10**D3653 Withdrawn 1984; Test Method for Holding Power of Lineal and Multidirection Filament-Reinforced Pressure-Sensitive Tapes

- D3654/D3654M-06(2011) Test Methods for Shear Adhesion of Pressure-Sensitive Tapes, 15.10
- D3655-14 Performance Specification for Men's and Women's Sliver Knitted Overcoat and Jacket Fabrics, 07.01
- D3656/D3656M-13 Specification for Insect Screening and Louver Cloth Woven from, **07.01**
- D3657-03(2014) Specification for Zipper Dimensions, 07.01
- D3658-01(2008) Test Method for Determining the Torque Strength of
 Ultraviolet (UV) Light-Cured Glass/Metal Adhesive Joints, 15.06

 D3659 Withdrawn 2001; Test Method for Flammability of Apparel Fabrics by
 Semi-Restraint Method

 D3660 Withdrawn 1995; Test Method for Staple Length of Man-Made Fibers,
- Average and Distribution (Fiber Array Method)
- D3661 Withdrawn 1994; Test Method for Staple Length of Man-Made Fibers Average and Distribution (Single-Fiber Length Machine Method)
- D3662/D3662M Withdrawn 1999; Test Method for Bursting Strength of Pressure-Sensitive Tapes
- D3663-03(2008) Test Method for Surface Area of Catalysts and Catalyst Carriers, 05.05
- D3664-04(2009) Specification for Biaxially Oriented Polymeric Resin Film for Capacitors in Electrical Equipment, 10.02
 D3665-12 Practice for Random Sampling of Construction Materials, 04.03 D3666-13 Specification for Minimum Requirements for Agencies Testing and
- Inspecting Road and Paving Materials, 04.03 D3667-05(2010) Specification for Rubber Seals Used in Flat-Plate Solar
- Collectors, 09.02
- D3668 Withdrawn; Test Method for Bearing Ratio of Laboratory Compacted Soil-Lime Mixtures
- D3669 Withdrawn 1985; Test Method for Analysis for Carbon Monoxide
- Content of the Atmosphere (Manual-Turbidimetric Method)

 D3670-91(2014) Guide for Determination of Precision and Bias of Methods of Committee D22, 11.07

 D3671 Withdrawn 1984; Test Method for Xylene Insoluble (XI) Content of Tar and Pitch; Replaced by D4072

 D3672 Withdrawn 1991; Specification for Venting Asphalt-Saturated and
- Coated Inorganic Felt Base Sheet Used in Roofing; Replaced by D4897 D3673-89(2009) Test Methods for Chemical Analysis of Alpha Olefin
- Sulfonates, 15.04
- D3674 Withdrawn 1999; Test Method for Carbon Black—Relative Extrusion Mass
- D3675-14 Test Method for Surface Flammability of Flexible Cellular Materials Using a Radiant Heat Energy Source, 08.02
- D3676-13 Specification for Rubber Cellular Cushion Used for Carpet or Rug
- Underlay, **08.02 D3677-10**^{c1} Test Methods for Rubber—Identification by Infrared Spectrophotometry, 09.01
- D3678-97(2008)^{c1} Specification for Rigid Poly(Vinyl Chloride) (PVC) Interior-Profile Extrusions, 08.03
- D3679-13 Specification for Rigid Poly(Vinyl Chloride) (PVC) Siding, 08.03 D3680 Withdrawn 2005; Test MEthod for Residual Vinyl Chloride Monomer Content of Poly(Vinyl Chloride) Resins, Compounds, and Copolymers by
- Solution Injection Technique

 D3681-12⁻¹ Test Method for Chemical Resistance of "Fiberglass" (Glass-Fiber–Reinforced Thermosetting-Resin) Pipe in a Deflected Condition, **08.03**
- D3682-13 Test Method for Major and Minor Elements in Combustion Residues from Coal Utilization Processes, **05.06 D3683-11** Test Method for Trace Elements in Coal and Coke Ash by Atomic
- Absorption, 05.06
- D3684-01(2006) Test Method for Total Mercury in Coal by the Oxygen Bomb,
- D3685/D3685M-13 Test Methods for Sampling and Determination of

- D3685/D3685M-13 Test Methods for Sampling and Determination of Particulate Matter in Stack Gases, 11.07
 D3686-13 Practice for Sampling Atmospheres to Collect Organic Compound Vapors (Activated Charcoal Tube Adsorption Method), 11.07
 D3687-07(2012) Practice for Analysis of Organic Compound Vapors Collected by the Activated Charcoal Tube Adsorption Method, 11.07
 D3688 Withdrawn 1992; Guide for Reporting the Characterization of Smoking Product Atmospheres Used to Expose Biological Systems
 D3689/D3689M-07(2013)¹¹ Test Methods for Deep Foundations Under Static Avial Tensile Load 04 08
- Axial Tensile Load, 04.08
- D3690-02(2009) Performance Specification for Vinyl-Coated and Urethane-Coated Upholstery Fabrics—Indoor, 07.01
 D3691/D3691M-09 Performance Specification for Woven, Lace, and Knit
- Household Curtain and Drapery Fabrics, 07.01 D3692-89(2012) Practice for Selection of Zippers for Care-Labeled Apparel
- and Household Furnishings, 07.01 D3693-02(2010) Specification for Labeled Length per Holder of Sewing
- D3693-02(2010) Specification for Labeled Length per Holder of Sewing Thread, 07.01

 D3694-96(2011) Practices for Preparation of Sample Containers and for Preservation of Organic Constituents, 11.02

 D3695-95(2013) Test Method for Volatile Alcohols in Water by Direct Aqueous-Injection Gas Chromatography, 11.02

 D3696 Withdrawn 2006; Practice for Evaluating an Effluent for Flavor
- Impairment to Fish Flesh:/i

- D3697-12 Test Method for Antimony in Water, 11.01
 D3698-04(2010) Practice for Solvent Vapor Degreasing Operations, 15.05
 D3699-13b Specification for Kerosine, 05.01
 D3700-12 Practice for Obtaining LPG Samples Using a Floating Piston Cylinder, **05.01**
- D3701-01(2012) Test Method for Hydrogen Content of Aviation Turbine Fuels

D3701 D3793

- by Low Resolution Nuclear Magnetic Resonance Spectrometry, 05.01 D3702-94(2009) Test Method for Wear Rate and Coefficient of Friction of Materials in Self-Lubricated Rubbing Contact Using a Thrust Washer Testing Machine, 05.01

 D3703-13 Test Method for Hydroperoxide Number of Aviation Turbine Fuels,
- Gasoline and Diesel Fuels, 05.01
- D3704-96(2012) Test Method for Wear Preventive Properties of Lubricating Greases Using the (Falex) Block on Ring Test Machine in Oscillating Motion. 05.01
- D3705-86(2009) Test Method for Misting Properties of Lubricating Fluids, 05.01
- D3706 Withdrawn 2004; Test Method for Hot Tack of Wax-Polymer Blends by the Flat Spring Test
- D3707-99(2010) Test Method for Storage Stability of Water-in-Oil Emulsions by the Oven Test Method, 05.01
- D3708-88(2010) Test Method for Weight of Wax Applied During Curtain Coating Operation, 05.01
- D3709-89(2010) Test Method for Stability of Water-in-Oil Emulsions Under Low to Ambient Temperature Cycling Conditions, 05.01
- D3710-95(2009) Test Method for Boiling Range Distribution of Gasoline and Gasoline Fractions by Gas Chromatography, **05.01 D3711-95(2009)** Test Method for Deposition Tendencies of Liquids in Thin
- Films and Vapors, 05.02
- D3712-05(2011) Test Method of Analysis of Oil-Soluble Petroleum Sulfonates by Liquid Chromatography, 05.02
- D3713 Withdrawn 2000; Test Method for Measuring Response of Solid Plastics to Ignition by a Small Flame
- D3714 Withdrawn 1994; Test Method for Black Marking Resistance of Floor Polishes as Measured by the Ladder and Pendulum Apparatus
- D3715 Withdrawn 1998; Replaced by D3715/D3715M
- D3715/D3715M-98(2011) Practice for Quality Assurance of Pressure-Sensitive Tapes, 15.10
- D3716-99(2008) Test Methods for Use of Emulsion Polymers in Floor Polishes, 15.04
- D3717-85a(2010) Test Method for Low Concentrations of Antimony in Paint by Atomic Absorption Spectroscopy, 06.01
- D3718-85a(2010) Test Method for Low Concentrations of Chromium in Paint by Atomic Absorption Spectroscopy, 06.01
- D3719 Withdrawn 2009; Test Method for Quantifying Dirt Collection on Coated Exterior Panels
- D3720-90(2011) Test Method for Ratio of Anatase to Rutile in Titanium Dioxide Pigments by X-Ray Diffraction, 06.03
- D3721-05(2011) Specification for Synthetic Red Iron Oxide Pigment, 06.03 D3722-05(2011) Specification for Natural Red and Brown Iron Oxide Pigments, 06.03
- D3723-05(2011) Test Method for Pigment Content of Water-Emulsion Paints by Low-Temperature Ashing, 06.01
- D3724-01(2012) Specification for Synthetic Brown Iron Oxide Pigment, 06.03 D3725 Withdrawn 2007; Test Method for Semiquantitative Determination of Fish Oil in Drying Oils and Drying Oil Fatty Acids by Gas-Liquid Chromatography
- D3726 Withdrawn 1987; Specification for n-Butyl Acetate (99.5 % grade); Replaced by D4615
- Withdrawn 1987; Specification for Ethyl Acetate (99.5 % grade); Replaced by D4614
- D3728-08(2012) Specification for 2-Ethoxyethyl Acetate (99 % Grade), 06.04
 D3729 Withdrawn 1990; Specification for Methyl Ethyl Ketone (99.5 % grade) for Urethane Coatings; Replaced by D740
- D3730-10 Guide for Testing High-Performance Interior Architectural Wall Coatings, 06.02
- D3731-87(2012) Practices for Measurement of Chlorophyll Content of Algae in Surface Waters, 11.02
- D3732-82(2011) Practice for Reporting Cure Times of Ultraviolet-Cured Coatings, 06.02

 D3733 Withdrawn 2007; Test Method for Silicon Content of Silicone Polymers
- and Silicone-Modified Alkyds by Atomic Absorption
- D3734-05(2010) Specification for High-Flash Aromatic Naphthas, 06.04 D3735-07(2012) Specification for VM&P Naphthas, 06.04
- D3736 Withdrawn 1985; Test Method for Operating Characteristics of Reverse-Osmosis Devices; Replaced by D4194
- D3737-12 Practice for Establishing Allowable Properties for Structural Glued Laminated Timber (Glulam), 04.10
- D3738-84(2010) Specification for Rubber-Coated Cloth Hospital Sheeting, 09.02
- D3739-06(2010) Practice for Calculation and Adjustment of the Langelier Saturation Index for Reverse Osmosis, 11.02
- D3740-12a Practice for Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design
- and Construction, 04.08

 D3741-00(2010) Test Methods for Appearance of Admixtures Containing Halogenated Organic Solvents, 15.05
- D3742 Withdrawn 2003; Test Method for 1,1,1-Trichloroethane Content; Replaced by D6806
- D3743 Withdrawn 2004; Terminology Relating to Bridge Deck and Substructure Protection
- D3744/D3744M-11a Test Method for Aggregate Durability Index, 04.03
 D3745-95(2006) Practice for Installation of Prefabricated Asphalt Reservoir, Pond, Canal, and Ditch Liner (Exposed Type), **04.04**
- D3746-85(2008) Test Method for Impact Resistance of Bituminous Roofing Systems, **04.04**

D3747-79(2007) Specification for Emulsified Asphalt Adhesive for Adhering Roof Insulation, 04.04

- D3748-14 Practice for Evaluating High-Density Rigid Cellular Plastics, 08.02 D3749-13 Test Method for Residual Vinyl Chloride Monomer in Poly(Vinyl Chloride) Resins by Gas Chromatographic Headspace Technique, 08.02 D3750 Withdrawn 1992; Practice for Determination of Number-Average
- Molecular Weight of Polymers by Membrane Osmometry D3751/D3751M-10 Practice for Evaluation of Furniture Polish, 15.04
 D3752-98(2011) Test Method for Strength Imparted by Asbestos to a Cementitious Matrix, 04.05
- D3753-12^{€1} Specification for Glass-Fiber-Reinforced Polyester Manholes and Wetwells, 08.03
- D3754-14 Specification for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Sewer and Industrial Pressure Pipe, 08.03
- D3755 Withdrawn 2013; Test Method for Dielectric Breakdown Voltage and Dielectric Strength of Solid Electrical Insulating Materials Under Direct-Voltage Stress
 D3756-97(2010) Test Method for Evaluation of Resistance to Electrical
- Breakdown by Treeing in Solid Dielectric Materials Using Diverging Fields, 10 02
- D3757-89(2010) Guide for Preparing Specifications for Solvent-based Floor Polishes, **15.04**
- D3758-95(2010) Practice for Evaluation of Spray-Buff Products on Test Floors, 15.04
- D3759M Withdrawn 1998; Replaced by D3759/D3759M
- D3759/D3759M-05(2011) Test Method for Breaking Strength and Elongation of Pressure-Sensitive Tape, 15.10
- D3760-13 Test Method for Analysis of Isopropylbenzene (Cumene) by Gas Chromatography, 06.04
- D3761-10 Test Method for Total Fluorine in Coal by the Oxygen Bomb
- Combustion/lon Selective Electrode Method, 05.06

 D3762-03(2010) Test Method for Adhesive-Bonded Surface Durability of Aluminum (Wedge Test), 15.06

 D3763-10^{c1} Test Method for High Speed Puncture Properties of Plastics Using
- Load and Displacement Sensors, 08.02
- D3764-13 Practice for Validation of the Performance of Process Stream Analyzer Systems, 05.02
- D3765 Withdrawn 2007; Test Method for Carbon Black-CTAB (Cetyltrimethylammonium Bromide) Surface Area
- D3766-08(2013) Terminology Relating to Catalysts and Catalysis, 05.05
 D3767-03(2008) Practice for Rubber—Measurement of Dimensions, 09.01
- D3768-11 Test Method for Microcellular Urethanes—Flexural Recovery, 08.02 D3769-10 Test Method for Microcellular Urethanes—High-Temperature Sag, 08.02
- D3770 Withdrawn 1998; Specification for Flexible Cellular Materials-High Resilience Polyurethane Foam (HR) and Combustion Modified High Resilience (CMHR) Polyurethane Foam
- D3771-03(2007) Specification for Rubber Seals Used in Concentrating Solar Collectors, 09.02
- D3772-01(2010) Specification for Natural Rubber Finger Cots, 09.02 D3773/D3773M-10(2014) Test Methods for Length of Woven Fabric, 07.01 D3774-96(2012) Test Method for Width of Textile Fabric, 07.01
- D3775-12 Test Method for Warp (End) and Filling (Pick) Count of Woven Fabrics, 07.01
- D3776/D3776M-09a(2013) Test Methods for Mass Per Unit Area (Weight) of Fabric, 07.01
- D3777 Withdrawn 2008; Practice for Writing Specifications for Textiles
 D3778 Withdrawn 1999; Performance Specification for Women's and Girls'
- Drycleanable Woven Dress Coat Fabrics; Replaced by D3562 Withdrawn 2005; Performance Specification for Women's and Girls' Woven Rainwear and All-Purpose, Water-Repellant Coat Fabric; Replaced by D7017
- D3780-14 Performance Specification for Men's and Boys' Woven Dress Suit Fabrics and Woven Sportswear Jacket, Slack, and Trouser Fabrics, 07.01 D3781 Withdrawn 2005; Performance Specification for Men's and Boys'
- Knitted Rainwear and All-Purpose, Water-Repellent Coat Fabrics; Replaced by D7017
- D3782-14 Performance Specification for Men's and Boys' Knitted Dress Suit Fabrics and Knitted Sportswear Jacket, Slack, and Trouser Fabrics, 07.01 D3783 Withdrawn 2011; Performance Specification for Woven Flat Lining
- Fabrics for Men's and Boys' Apparel

 D3784 Withdrawn 2005; Performance Specification for Men's and Boys'

 Woven Bathrobe and Dressing Gown Fabrics; Replaced by D7021

 D3785-14 Performance Specification for Woven Necktie and Scarf Fabrics,
- 07.01
- D3786/D3786M-13 Test Method for Bursting Strength of Textile Fabrics
- Diaphragm Bursting Strength Tester Method, 07.01

 D3787-07(2011) Test Method for Bursting Strength of Textiles—Constant-Rateof-Traverse (CRT) Ball Burst Test, 07.01 D3788 Withdrawn 1997; Practice to Indicate Direction of Spray From a Can of
- Consumer Spray Paint
- D3789 Withdrawn 1997; Practice for Labeling Cans of Consumer Spray Paint D3790-79(2012) Test Method for Volatile Matter (Moisture) of Leather by Oven Drying, 15.04
- D3791/D3791M-11 Practice for Evaluating the Effects of Heat on Asphalts, 04.04
- D3792-05(2009) Test Method for Water Content of Coatings by Direct Injection Into a Gas Chromatograph, 06.01

 D3793 Withdrawn 2012; Test Method for Low-Temperature Coalescence of
- Latex Paint Films by Porosity Measurement

D3794 D3893

- D3794-13 Guide for Testing Coil Coatings, 06.02
- D3795-00a(2012) Test Method for Thermal Flow, Cure, and Behavior Properties of Pourable Thermosetting Materials by Torque Rheometer, 08.02
- D3796-09 Practice for Calibration of Type S Pitot Tubes, 11.07 D3797-05 Test Method for Analysis of, 06.04
- D3798 Withdrawn 2009; Test Method for Analysis of p-Xylene by Gas Chromatography; Replaced by D7504
- D3799 Withdrawn 2000; Test Method for Purity of Styrene by Freezing Point Method
- D3800M-11 Test Method for Density of High-Modulus Fibers, 15.03
 D3801-10 Test Method for Measuring the Comparative Burning Characteristics of Solid Plastics in a Vertical Position, 08.02
- D3802-10 Test Method for Ball-Pan Hardness of Activated Carbon, 15.01
 D3803-91(2009) Test Method for Nuclear-Grade Activated Carbon, 15.01
- D3804-02(2008) Test Method for Iron in Paint Driers by EDTA Method, 06.01
- D3805/D3805M-97(2009) Guide for Application of Aluminum-Pigmented Asphalt Roof Coatings, 04.04

 D3806-98(2011) Test Method of Small-Scale Evaluation of Fire-Retardant
- Paints (2-Foot Tunnel Method), 06.01

 D3807-98(2012) Test Method for Strength Properties of Adhesives in Cleavage
- Peel by Tension Loading (Engineering Plastics-to-Engineering Plastics), 15.06
- D3808-01(2013) Test Method for Qualitative Determination of Adhesion of Adhesives to Substrates by Spot Adhesion, 15.06
- D3809-01(2006) Test Methods for Synthetic Dielectric Fluids For Capacitors,
- D3810-97(2007) Test Method for Minimum Application Torque of Type IA
- Child-Resistant Closures, 15.10

 D3811/D3811M-96(2011) Test Method for Unwind Force of Pressure-Sensitive
- Tapes, 15.10

 D3812 Withdrawn 1984: Test Method for Impact Resistance of Pressure-
- Sensitive Tapes
 D3813 Withdrawn 1998; Replaced by D3813/D3813M
 D3813/D3813M-98(2012)^{c1} Test Method for Curling, Twisting, and Tubing on Unwind of Pressure-Sensitive Tapes, 15.10
- D3815/D3815M-05(2011) Practice for Accelerated Weathering of Pressure-
- Sensitive Tapes by Open-Flame Carbon-Arc Exposure Apparatus, 15.10

 D3816/D3816M-96(2012) Test Method for Water Penetration Rate of
 Pressure-Sensitive Tapes, 15.10

 D3817 Withdrawn 1995; Test Method for Maturity Index of Cotton Fibers by
- the Fibrograph Method

 D3818 Withdrawn 1999; Test Method for Linear Density and Maturity Index of
 Cotton Fibers (IIC-Shirley Fineness/Maturity Tester)

 D3819 Withdrawn 2005; Performance Specification for Men's and Boys'
- Woven Pajama Fabrics; Replaced by D7021 D3820 Withdrawn 2005; Performance Specification for Men's and Boys'
- Woven Underwear Fabrics; Replaced by D7019
- D3821 Withdrawn 1994; Performance Specification for Woven Terry Household Kitchen And Bath Towel Fabrics; Replaced by D5433
- D3822/D3822M-14 Test Method for Tensile Properties of Single Textile Fibers, 07.01
- D3823-07(2012) Practice for Determining Ticket Numbers for Sewing Threads, 07.01
- D3824-12 Test Methods for Continuous Measurement of Oxides of Nitrogen in the Ambient or Workplace Atmosphere by the Chemiluminescent Method, 11.07
- D3825-09 Test Method for Dynamic Surface Tension by the Fast-Bubble Technique, 05.02
- D3826-98(2013) Practice for Determining Degradation End Point in Degradable Polyethylene and Polypropylene Using a Tensile Test, 08.02
- D3827-92(2012) Test Method for Estimation of Solubility of Gases in
- Petroleum and Other Organic Liquids, **05.02 18-12a** Test Methods for Flash Point by Small Scale Closed Cup Tester, D3828-12a 05.02
- D3829-12 Test Method for Predicting the Borderline Pumping Temperature of Engine Oil, 05.02
- D3830 Withdrawn 1994; Practice for Filter Membrane Color Ratings of Aviation Turbine Fuels; Replaced by D2276
- D3831-12 Test Method for Manganese in Gasoline By Atomic Absorption
- D3831-12 lest Method for Manganese in Gasoline By Atomic Absorption Spectroscopy, 05.02

 D3832-79(2011) Specification for Rubber Seals Contacting Liquids in Solar Energy Systems, 09.02

 D3833/D3833M-96(2011) Test Method for Water Vapor Transmission of Pressure-Sensitive Tapes, 15.10

 D3834 Withdrawn 1998; Test Method for Purity of Vinyl Chloride Monomer by

- Gas Chromatography

 D3835-08 Test Method for Determination of Properties of Polymeric Materials by Means of a Capillary Rheometer, 08.02

 D3836-13 Practice for Evaluation of Automotive Polish, 15.04
- D3837-95(2012) Practice for Preparing a Solution of Alkali-Soluble Resins,
- D3838-05(2011) Test Method for pH of Activated Carbon, 15.01 D3839-08 Guide for Underground Installation of "Fiberglass" (Glass-FiberReinforced Thermosetting-Resin) Pipe, 08.03
- D3840-14 Specification for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe Fittings for Nonpressure Applications, 08.03
 D3841-97(2008)^{€1} Specification for Glass-Fiber-Reinforced Polyester Plastic
- Panels, **08.03**
- D3842 Withdrawn 1995; Guide for Selection of Test Methods for Coatings for

- Use in Light-Water Nuclear Power Plants; Replaced by D5144
- D3843-00(2008) Practice for Quality Assurance for Protective Coatings Applied to Nuclear Facilities, 06.02
- D3844 Withdrawn 2013; Guide for Labeling Chlorinated Hydrocarbon Solvent Containers
- D3845 Withdrawn 2011; Specification for Glacial Methacrylic Acid
- D3846-08 Test Method for In-Plane Shear Strength of Reinforced Plastics, 08.02
- D3847-01(2012) Practice for Rubber—Directions for Achieving Subnormal Test Temperatures, 09.01
- D3848-03(2013) Test Methods for Rubber—Evaluation of NBR (Acrylonitrile-Butadiene Copolymers) Mixed With Carbon Black, 09.01
- D3849-14 Test Method for Carbon Black—Morphological Characterization of Carbon Black Using Electron Microscopy, 09.01

 D3850-12 Test Method for Rapid Thermal Degradation of Solid Electrical
- Insulating Materials By Thermogravimetric Method (TGA), 10.02
- D3851-07(2012) Specification for Urethane Microcellular Shoe Soling Materials, 08.02
- D3852-07(2012) Practice for Sampling and Handling Phenol, Cresols, and
- Cresylic Acid, 06.04

 D3853-12 Terminology Relating to Rubber and Rubber Latices—Abbreviations for Chemicals Used in Compounding, 09.01

 D3854-90(2010) Test Method for Rubber Thread—Resistance to Dry Heat,
- 09.02
- D3855-84(2010) Test Method for Rubber Thread—Deterioration Due to Standard Washing Solution Treatment, 09.02
- D3856-11 Guide for Management Systems in Laboratories Engaged in Analysis of Water, 11.01
- D3857 Withdrawn 1994; Practice for Measurement of Water Velocity in Open
- D3857 Withdrawn 1994; Practice for Measurement or water verocity in Open Channels by Acoustic Means; Replaced by D5389
 D3858-95(2014) Test Method for Open-Channel Flow Measurement of Water by Velocity-Area Method, 11.01
 D3859-08 Test Methods for Selenium in Water, 11.01
 D3860-98(2008) Practice for Determination of Adsorptive Capacity of Activated Carbon by Aqueous Phase Isotherm Technique, 15.01
 D3860-98(2004) Test Method for Quantity of Water-Extractable Matter in

- D3861-91(2011) Test Method for Quantity of Water-Extractable Matter in Membrane Filters, 11.02
- D3862-13 Test Method for Retention Characteristics of 0.2-µm Membrane Filters Used in Routine Filtration Procedures for the Evaluation of
- Pilters Used in Noutine Filtration Procedures for the Evaluation of Microbiological Water Quality, 11.01

 D3863-87(2011) Test Method for Retention Characteristics of 0.40 to 0.45-µm Membrane Filters Used in Routine Filtration Procedures for the Evaluation of Microbiological Water Quality, 11.02

 D3864-12 Guide for On-Line Monitoring Systems for Water Analysis, 11.01

 D3865-09 Test Method for Plutonium in Water, 11.02

- Test Methods for Silver in Water, 11.01 Test Methods for Nitrite-Nitrate in Water, 11.01
- D3868-09 Test Method for Fluoride Ions in Brackish Water, Seawater, and Brines, 11.02
- D3869-09 Test Methods for Iodide and Bromide Ions in Brackish Water, Seawater, and Brines, 11.02
- D3870 Withdrawn 2000; Practice for EstablishingPerformance Characteristics
- D3870 Withdrawn 2000, Fractice for Establishing entireliance Characteristics for Colony Counting Methods in Microbiology

 D3871-84(2011) Test Method for Purgeable Organic Compounds in Water Using Headspace Sampling, 11.02

 D3872-05(2011) Test Method for Ferrous Iron in Iron Oxides, 06.03

 D3873 Withdrawn 2006; Test Method for Valency State of the Arsenic
- Component of Ammoniacal Copper Arsenate Solutions
- D3874-13 Test Method for Ignition of Materials by Hot Wire Sources, 10.02 D3875-08 Test Method for Alkalinity in Brackish Water, Seawater, and Brines, 11.02
- D3876-96(2013) Test Method for Methoxyl and Hydroxypropyl Substitution in Cellulose Ether Products by Gas Chromatography, 06.03

 D3877-08 Test Methods for One-Dimensional Expansion, Shrinkage, and Uplift
- Pressure of Soil-Lime Mixtures, 04.08
- D3878-07(2013) Terminology for Composite Materials, 15.03
- D3879 Withdrawn 2009; Test Method for Sampling Amphibole Asbestos
 D3880/D3880M-90(2009) Test Method for Asbestos Strength Units, 04.05
 D3881 Withdrawn 1987; Specification for Phenolic Transfer- and Injection-
- Molding Compounds
 D3882-08(2012)^{€1} Test M Test Method for Bow and Skew in Woven and Knitted Fabrics, 07.01

 D3883-04(2012) Test Method for Yarn Crimp and Yarn Take-up in Woven
- Fabrics, 07.01

 D3884-09(2013)^{<1} Guide for Abrasion Resistance of Textile Fabrics (Rotary Platform, Double-Head Method), 07.01
- Platform, Double-Head Method), 07.01

 D3885-07a(2011) Test Method for Abrasion Resistance of Textile Fabrics (Flexing and Abrasion Method), 07.01

 D3886-99(2011)^{c1} Test Method for Abrasion Resistance of Textile Fabrics (Inflated Diaphragm Apparatus), 07.01

 D3887-96(2008) Specification for Tolerances for Knitted Fabrics, 07.01

 D3888-12 Terminology for Yarn Spinning Systems, 07.01
- D3889/D3889M-96(2012) Test Method for Adherence to Linerboard of Pressure-Sensitive Tape at Low Temperature, 15.10
- D3890-05(2010) Test Method for Number of Strokes to Prime a Mechanical
- Pump Dispenser, 15.10

 D3891-08 Practice for Preparation of Glass Panels for Testing Paint, Varnish, Lacquer, and Related Products, 06.01

 D3892-93(2009) Practice for Packaging/Packing of Plastics, 08.02

 D3893-03(2009) Test Method for Purity of Methyl Amyl Ketone and Methyl

D3893 D3987

Isoamyl Ketone by Gas Chromatography, 06.04

D3894 Withdrawn 1994; Test Method for Evaluation of Fire Response of Rigid Cellular Plastics Using a Small Corner Configuration

D3895-07 Test Method for Oxidative-Induction Time of Polyolefins by Differential Scanning Calorimetry, 08.02

D3896-07(2011) Practice for Rubber From Synthetic Sources—Sampling, 09.01

D3897-91(2012) Practice for Calculation of Basicity of Chrome Tanning Liquors, **15.04**

D3898-93(2009) Test Method for Chromic Oxide in Basic Chromium Tanning Liquors, 15.04

D3899 Withdrawn 2002; Specification for Rubber Contraceptives—Vaginal

Diaphragms

D3900-05a(2010) Test Methods for Rubber—Determination of Ethylene Units in Ethylene-Propylene Copolymers (EPM) and in Ethylene-Propylene-Diene Terpolymers (EPDM) by Infrared Spectrometry, 09.01

D3901 Withdrawn 1997; Specification for Garden Hose, Consumer Product D3902-90(2012) Test Method for Rubber Hose for Gas Diffusion of Liquefied Petroleum Gas, 09.02
D3903-03(2007) Specification for Rubber Seals Used in Air-Heat Transport of

Solar Energy Systems, **09.02**D3904 Withdrawn 1996; Test Method for Oil from Oil Shale (Resource

Evaluation by the Fischer Assay Procedure)

D3905 Withdrawn 2000; Specification for Toilet Tissue for Industrial and Institutional Use

D3906-03(2008) Test Method for Determination of Relative X-ray Diffraction Intensities of Faujasite-Type Zeolite-Containing Materials, 05.05

D3907/D3907M-13 Test Method for Testing Fluid Catalytic Cracking (FCC)

Catalysts by Microactivity Test, 05.05

D3908-03(2008) Test Method for Hydrogen Chemisorption on Supported Platinum Catalysts by Volumetric Vacuum Method, 05.05

D3909/D3909M-97b(2012)c1 Specification for Asphalt Roll Roofing (Glass Felt) Surfaced With Mineral Granules, 04.04

D3910-11 Practices for Design, Testing, and Construction of Slurry Seal, 04.03

D3911-08 Test Method for Evaluating Coatings Used in Light-Water Nuclear Power Plants at Simulated Design Basis Accident (DBA) Conditions,

D3912-10 Test Method for Chemical Resistance of Coatings and Linings for Use in Nuclear Power Plants, 06.02

D3913-03(2009) Test Method for Acidity in Basic Chromium Tanning Liquors, 15 04

D3914-02(2008) Test Method for In-Plane Shear Strength of Pultruded Glass-Reinforced Plastic Rod, 08.02

D3915-06 Specification for Rigid Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds for Plastic Pipe and Fittings Used in Pressure Applications, 08.02

D3916-08 Test Method for Tensile Properties of Pultruded Glass-Fiber-Reinforced, 08.02

D3917-12 Specification for Dimensional Tolerance of Thermosetting Glass-Reinforced Plastic Pultruded Shapes, 08.02

D3918-11 Terminology Relating to Reinforced Plastic Pultruded Products, 08.02

D3919-08 Practice for Measuring Trace Elements in Water by Graphite Furnace Atomic Absorption Spectrophotometry, 11.01
 D3920-12 Test Method for Strontium in Water, 11.01
 D3921 Withdrawn 2013; Test Method for Oil and Grease and Petroleum

Hydrocarbons in Water

Withdrawn 1998; Practice for Estimating the Operating Performance of Granular Activated Carbon for Removal of Soluble Pollutants from Water

D3923-08(2014) Practices for Detecting Leaks in Reverse Osmosis and Nanofiltration Devices, 11.02

D3924-80(2011) Specification for Standard Environment for Conditioning and Testing Paint, Varnish, Lacquer, and Related Materials, 06.01

D3925-02(2010) Practice for Sampling Liquid Paints and Related Pigmented Coatings, 06.01

D3926-05(2011) Test Methods for Percent Solids in Titanium Dioxide Slurries,

D3927 Withdrawn 1992; Guide for State and Institutional Purchasing of Paint D3928-00a(2010) Test Method for Evaluation of Gloss or Sheen Uniformity, 06.02

D3929-03(2010)^{c1} Test Method for Evaluating Stress Cracking of Plastics by Adhesives Using the Bent-Beam Method, 15.06
D3930-08 Specification for Adhesives for Wood-Based Materials for

Construction of Manufactured Homes, 15.06

D3931-08 Test Method for Determining Strength of Gap-Filling Adhesive Bonds in Shear by Compression Loading, 15.06 D3932 Withdrawn 1991; Practice for Control of the Application of Structural

Fasteners When Attached by Hot Melt Adhesive

D3933-98(2010) Guide for Preparation of Aluminum Surfaces for Structural Adhesives Bonding (Phosphoric Acid Anodizing), 15.06

D3934-90(2007) Test Method for Flash/No Flash Test—Equilibrium Method by a Closed-Cup Apparatus, 06.01

D3935-09 Specification for Polycarbonate (PC) Unfilled and Reinforced Material, 08.02

D3936-12 Test Method for Resistance to Delamination of the Secondary Backing of Pile Yarn Floor Covering, 07.01

D3937-12 Test Method for Crimp Frequency of Manufactured Staple Fibers, 07.01

D3938-13 Guide for Determining or Confirming Care Instructions for Apparel and Other Textile Products, 07.01

D3939/D3939M-13 Test Method for Snagging Resistance of Fabrics (Mace), 07.01

D3940 Withdrawn 1995; Test Method for Bursting Strength (Load) and Elongation of Sewn Seams of Knit or Woven Stretch Textile Fabrics

D3941-90(2007) Test Method for Flash Point by the Equilibrium Method With a Closed-Cup Apparatus, 06.01

D3942-03(2008) Test Method for Determination of the Unit Cell Dimension of a Faujasite-Type Zeolite, 05.05

D3943-10 Test Method for Total Molybdenum in Fresh Alumina-Base Catalysts, 05.05

D3944-12 Test Method for Solidification Point of Petroleum Wax, 05.02 D3945 Withdrawn 1998; Test Methods for Shear Stability of Polymer-Containing Fluids Using a Diesel Injector Nozzle; Replaced by D6278

D3946 Withdrawn 2004; Test Method for Evaluating the Bacteria Resistance of Water-Dilutable Metalworking Fluids; Replaced by E2275
D3947 Withdrawn 1997; Test Method for Specific Heat of Aircraft Turbine Lubricants by Thermal Analysis; Replaced by E1269

D3948-13 Test Method for Determining Water Separation Characteristics of Aviation Turbine Fuels by Portable Separometer, 05.02

D3949 Withdrawn 2013; Specification for Coated Glass Fabrics Used for Electrical Insulation

D3950-12a Specification for Strapping, Nonmetallic (and Joining Methods), 15.10

D3951-10 Practice for Commercial Packaging, 15.10

D3952 Withdrawn 1997; Specification for Rubber Hose Used in Solar Energy Systems

D3953-13 Specification for Strapping, Flat Steel and Seals, 15.10

D3954-94(2010) Test Method for Dropping Point of Waxes, 15.04 D3955-13 Specification for Electrical Insulating Varnishes, 10.02

Specification for Methane Thermophysical Property Tables, 05.06

D3957-09 Practices for Establishing Stress Grades for Structural Members Used in Log Buildings, **04.10**

Used In Log Bullulrigs, 04.10

D3958-06(2011) Test Methods for Rubber—Evaluation of BIIR and CIIR (Halogenated Isobutene—Isoprene Rubber), 09.01

D3959 Withdrawn 2006; Test Method for Rubber- and Plastic-Coated Fabrics—Discoloration Sensitivity to Tobacco Smoke

D3960-05(2013) Practice for Determining Volatile Organic Compound (VOC) Content of Paints and Related Coatings, 06.01

D3961 Withdrawn 2004; Test Method for Trace Quantities of Sulfur in Liquid Aromatic Hydrocarbons by Oxidative Microcoulometry

D3962 Withdrawn 1993; Test Method for Analysis of Styrene by Gas

Chromatography; Replaced by D5135

D3963/D3963M-01(2007) Specification for Fabrication and Jobsite Handling of Epoxy-Coated Steel Reinforcing Bars, 04.03

D3964-10 Practice for Selection of Coating Specimens for Appearance Measurements, 06.01

D3965-11 Classification System and Basis for Specifications for Rigid Acrylonitrile-Butadiene-Styrene (ABS) Materials for Pipe and Fittings, 08.02

D3966/D3966M-07(2013)^{c1} Test Methods for Deep Foundations Under Lateral Load, **04.08**

D3967-08 Test Method for Splitting Tensile Strength of Intact Rock Core Specimens, 04.08

D3968-97(2007) Test Method for Monitoring of Rotational Torque of Type IIIA Child-Resistant Closures, 15.10

D3969-01(2012) Test Method for Zirconium in Paint Driers by EDTA Method,

D3970-05(2011) Test Method for Cerium in Paint Driers by Oxidimetric Determination, 06.01

D3971-89(2010) Test Method for Dichloromethane-Soluble Matter in Cellulose, 06.03

D3972-09 Test Method for Isotopic Uranium in Water by Radiochemistry, 11.02 D3973-85(2011) Test Method for Low-Molecular Weight Halogenated Hydrocarbons in Water, 11.02

D3974-09 Practices for Extraction of Trace Elements from Sediments, 11.02 D3975-93(2014) Practice for Development and Use (Preparation) of Samples for Collaborative Testing of Methods for Analysis of Sediments, 11.02

D3976-92(2010) Practice for Preparation of Sediment Samples for Chemical Analysis, 11.02

D3977-97(2013)⁶¹ Test Methods for Determining Sediment Concentration in Water Samples, 11.02

D3978-04(2012) Practice for Algal Growth Potential Testing with Pseudokirchneriella subcapitata, 11.06

D3979 Withdrawn 1993; Test Method for Particulate Matter in Trichlorotrifluoroethane

D3980 Withdrawn 1998; Practice for Interlaboratory Testing of Paint and Related Materials

D3981-09a Specification for Polyethylene Films Made from Medium-Density

Polyethylene for General Use and Packaging Applications, **08.02 D3982-08(2014)** Specification for Contact Molded "Fiberglass" (Glass Fiber Reinforced Thermosetting Resin) Ducts, **08.03**

D3983-98(2011) Test Method for Measuring Strength and Shear Modulus of Nonrigid Adhesives by the Thick-Adherend Tensile-Lap Specimen, 15.06
D3984-13 Specification for Ethane Thermophysical Property Tables, 05.06
D3985-05(2010)^{c1} Test Method for Oxygen Gas Transmission Rate Through Plastic Film and Sheeting Using a Coulometric Sensor, 15.10
D3986-11 Test Method for Barium in Brines, Seawater, and Brackish Water by

Direct-Current Argon Plasma Atomic Emission Spectroscopy, 11.02

D3987-12 Practice for Shake Extraction of Solid Waste with Water, 11.04

D3988 D4082

- D3988-05(2011) Test Method for Vanadium in Paint Driers by EDTA Method, 06.01
- D3989-01(2012) Test Method for Total Rare Earth Metals in Paint Driers by EDTA Method, 06.01

 D3990-12^{c1} Terminology Relating to Fabric Defects, 07.01
- D3991-94(2012)^{c1} Specifications for Fineness of Wool or Mohair and
- Assignment of Grade, 07.01

 D3992-94(2012) 1 Specifications for Fineness of Wool Top or Mohair Top and Assignment of Grade, 07.01
- D3993 Withdrawn 1994; Performance Specification for Woven, Thermal, Flocked, Nonwoven, and Knitted Household Blanket Fabrics; Replaced by D5432
- D3994-14 Performance Specification for Woven Swimwear Fabrics, 07.01 D3995-14 Performance Specification for Men's and Women's Knitted Career Apparel Fabrics: Dress and Vocational, 07.01
- D3996-14 Performance Specification for Knit Swimwear Fabrics, 07.01 D3997 Withdrawn 2003; Practice for Preparing Coke Samples for Micro-
- scopical Analysis by Reflected Light

 D3997/D3997M-97(2009) Practice for Preparing Coke Samples for
- Microscopical Analysis by Reflected Light, 05.06

 D3998 Withdrawn 1990; Test Method for Pendulum-Impact Resistance of Extrusion Plastometer Extrudates

 D3999/D3999M-11^{c1} Test Methods for the Determination of the Modulus and
- Damping Properties of Soils Using the Cyclic Triaxial Apparatus, 04.08
- D4000-13 Classification System for Specifying Plastic Materials, 08.2
 D4001-13 Test Method for Determination of Weight-Average Molecular Weight
- of Polymers By Light Scattering, 08.02
- D4002-81(2008) Practice for Evaluation of Buffable Shoe Polish, 15.04 D4003-98(2009) Test Methods for Programmable Horizontal Impact Test for
- Shipping Containers and Systems, 15.10

 D4004-06(2012) Test Methods for Rubber—Determination of Metal Content by Flame Atomic Absorption (AAS) Analysis, 09.01

 D4005-92(2010) Test Method for Plastic-Coated Fabrics—Completeness of Fusion of PVC Dispersion Coatings, 09.02

 D4006-11(2012)^{c1} Test Method for Water in Crude Oil by Distillation, 05.02
- D4007-11 Test Method for Water and Sediment in Crude Oil by the Centrifuge Method (Laboratory Procedure), 05.02
- D4008-95(2009) Test Method for Measuring Anti-Soil Deposition Properties of Laundry Detergents (Not Suitable for Detergent Ranking), 15.04
- D4009-92(2011) Guide for Foam Stability of Hand Dishwashing Detergents,
- D4010 Withdrawn 2000; Specification for Waterless Hand Cleaner
 D4011 Withdrawn 2000; Specification for Lotion Soap
 D4012-81(2009) Test Method for Adenosine Triphosphate (ATP) Content of
- Microorganisms in Water, 11.02 D4013 Withdrawn 2013; Practice for Preparation of Test Specimens of
- Bituminous Mixtures by Means of Gyratory Shear Compactor D4014-03(2012) Specification for Plain and Steel-Laminated Elastomeric
- Bearings for Bridges, 04.03
- D4015-07 Test Methods for Modulus and Damping of Soils by Resonant-Column Method, 04.08
- D4016-08 Test Method for Viscosity of Chemical Grouts by Brookfield
- Viscometer (Laboratory Method), **04.08 D4017-02(2008)** Test Method for Water in Paints and Paint Materials by Karl Fischer Method, 06.01
- D4018-11 Test Methods for Properties of Continuous Filament Carbon and Graphite Fiber Tows, 15.03

 D4019 Withdrawn 2002; Test Method for Moisture in Plastics by Coulometric
- Regeneration of Phosphorus Pentoxide
- D4020-11 Specification for Ultra-High-Molecular-Weight Polyethylene Molding and Extrusion Materials, 08.02
- D4021 Withdrawn 1998; Specification for Glass-Fiber-Reinforced Polyester Underground Petroleum Storage Tanks D4022/D4022M-07(2012)^{c1} Specification for Coal Tar Roof Cement, Asbest
- Specification for Coal Tar Roof Cement, Asbestos Containing, 04.04
- D4023 Withdrawn 2002; Terminology Relating to Humidity Measurements; Replaced by D1356
- D4024-12 Specification for Machine Made "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Flanges, 08.03
- D4025-08a(2013) Practice for Reporting Results of Examination and Analysis of Deposits Formed from Water for Subsurface Injection, 11.02
 D4026-06(2012) Test Method for Rubber Latex—Styrene-Butadiene
- -Determination of Residual Styrene, 09.01 Copolymer-
- D4027-98(2011) Test Method for Measuring Shear Properties of Structural Adhesives by the Modified-Rail Test, 15.06
- D4028/D4028M-13 Specification for Solar Screening Woven from Vinyl-Coated Fiber Glass Yarn, 07.01
- D4029/D4029M-10 Specification for Finished Woven Glass Fabrics, 07.01 D4030/D4030M-09^{c1} Specification for Glass Fiber Cord and Sewing Thread, 07.01
- D4031-07(2012) Test Method for Bulk Properties of Textured Yarns, 07.01
 D4032-08(2012) Test Method for Stiffness of Fabric by the Circular Bend Procedure, 07.01
- D4033 Withdrawn 2001; Test Method for Resistance to Yarn Slippage at the Sewn Seam in Upholstery Fabrics (Dynamic Fatigue Method)
- D4034 Withdrawn 2001; Test Method for Resistance to Yarn Slippage at the Sewn Seam in Woven Upholstery Fabrics
- D4035-14 Performance Specification for Knitted Necktie and Scarf Fabrics, 07.01
- D4036 Withdrawn 1994; Performance Specification for Woven and Knit

- Household Pillowcase, Bed Sheet, and Crib Sheet Fabrics; Replaced by D5431
- D4037-02(2013) Performance Specification for Woven, Knitted, or Flocked Bedspread Fabrics, 07.01
- D4038 Withdrawn 2004; Performance Specification for Women's and Girls' Woven Dress and Blouse Fabrics
- D4039-09 Test Method for Reflection Haze of High-Gloss Surfaces, 06.01 D4040-10 Test Method for Rheological Properties of Paste Printing and
- Vehicles by the Falling-Rod Viscometer, **06.02 D4041/D4041M-05(2010)**^{c1} Practice for Determining Spray Patterns of Mechanical Pump Dispensers, 15.10
- D4042-93(2009) Test Method for Sampling and Testing for Ash and Total Iron in Steel Mill Dispersions of Rolling Oils, 05.02
- D4043-96(2010)^{c1} Guide for Selection of Aquifer Test Method in Determining Hydraulic Properties by Well Techniques, 04.08
 D4044-96(2008) Test Method for (Field Procedure) for Instantaneous Change in Head (Slug) Tests for Determining Hydraulic Properties of Aquifers, 04.08
- D4045-04(2010) Test Method for Sulfur in Petroleum Products by Hydrogenolysis and Rateometric Colorimetry, **05.02 6-11** Test Method for Alkyl Nitrate in Diesel Fuels by Spectrophotometry,
- D4046-11 05.02
- D4047-13 Test Method for Phosphorus in Lubricating Oils and Additives by Quinoline Phosphomolybdate Method, 05.02
- D4048-10 Test Method for Detection of Copper Corrosion from Lubricating Grease, 05.02
- D4049-06(2011) Test Method for Determining the Resistance of Lubricating Grease to Water Spray, 05.02 D4050-96(2008) Test Method for (Field Procedure) for Withdrawal and
- Injection Well Tests for Determining Hydraulic Properties of Aquifer Systems, **04.08**
- D4051-10 Practice for Preparation of Low-Pressure Gas Blends, 05.02 D4052-11 Test Method for Density, Relative Density, and API Gravity of Liquids by Digital Density Meter, 05.02

 D4053 Withdrawn 2013; Test Method for Benzene in Motor and Aviation Gasoline by Infrared Spectroscopy; Replaced by D6277
- **D4054-09** Practice for Qualification and Approval of New Aviation Turbine Fuels and Fuel Additives, 05.02
- D4055-04(2013) Test Method for Pentane Insolubles by Membrane Filtration, 05.02
- D4056-01(2010) Test Method for Estimation of Solubility of Water in Hydrocarbon and Aliphatic Ester Lubricants, 05.02
- D4057-12 Practice for Manual Sampling of Petroleum and Petroleum Products, 05.02
- D4058-96(2011)^{c1} Test Method for Attrition and Abrasion of Catalysts and Catalyst Carriers, 05.05
- D4059-00(2010) Test Method for Analysis of Polychlorinated Biphenyls in Insulating Liquids by Gas Chromatography, 10.03
- D4060-10 Test Method for Abrasion Resistance of Organic Coatings by the Taber Abraser, 06.01
- D4061-13 Test Method for Retroreflectance of Horizontal Coatings, 06.01
 D4062-11 Test Method for Leveling of Paints by Draw-Down Method, 06.02
 D4063-99(2009) Specification for Pressboard for Electrical Insulating
 Purposes, 10.02
- D4064 Withdrawn 2007; Practice for Preservative Treatment of Utility Poles by the Thermal Process
- D4065-12 Practice for Plastics: Dynamic Mechanical Properties: Determination and Report of Procedures, 08.02
- D4066-13 Classification System for Nylon Injection and Extrusion Materials (PA), 08.02
- D4067-11 Classification System for and Basis for Specification for Reinforced and Filled Poly(Phenylene Sulfide) (PPS) Injection Molding and Extrusion Materials Using ASTM Methods, **08.02 D4068-09** Specification for Chlorinated Polyethylene (CPE) Sheeting for
- Concealed Water-Containment Membrane, 08.03
- D4069-95(2008) Specification for Impregnated Activated Carbon Used to Remove Gaseous Radio-Iodines from Gas Streams, 15.01
- D4070-08 Specification for Adhesive Lubricant for Installation of Preformed Elastomeric Bridge Compression Seals in Concrete Structures, 04.03
- D4071-84(2011) Practice for Use of Portland Cement Concrete Bridge Deck Water Barrier Membrane Systems, 04.03
- D4072-98(2013) Test Method for Toluene-Insoluble (TI) Content of Tar and Pitch, 05.02
- D4073-06(2013) Test Method for Tensile-Tear Strength of Bituminous Roofing Membranes, **04.04 D4074/D4074M-11** Test Method for Bitumen and Aggregate Content of
- Bitumen-Aggregate Mixtures From Roofing Samples, 04.04

 D4075-06(2012) Test Methods for Rubber Compounding Materials—Flame
- Atomic Absorption Analysis—Determination of Metals, **09.01** D4076 Withdrawn 1995; Specification for O-Xylene 950; Replaced by D5471
- D4077-11 Specification for Cumene (Isopropylbenzene), 06.04 D4078-02(2008) Specification for Water Emulsion Floor Polish, 15.04
- D4079-00(2011) Specification for Vapor-Degreasing Grade Methylene Chloride, 15.05

 D4080-00(2011) Specification for Trichloroethylene, Technical and Vapor-
- Degreasing Grade, 15.05
- D4081-00(2011) Specification for Drycleaning-Grade Perchloroethylene, 15.05 D4082-10 Test Method for Effects of Gamma Radiation on Coatings for Use in Nuclear Power Plants, 06.02

D4083 D4175

- D4083-89(2007) Practice for Description of Frozen Soils (Visual-Manual
- Procedure), 04.08

 D4084-07(2012) Test Method for Analysis of Hydrogen Sulfide in Gaseous Fuels (Lead Acetate Reaction Rate Method), 05.06
- D4085-93(2013) Test Method for Metals in Cellulose by Atomic Absorption Spectrophotometry, 06.03
- D4086-92a(2012) Practice for Visual Evaluation of Metamerism, 06.01
- D4087 Withdrawn 1984; Method of Sampling Petroleum Products
 D4088 Withdrawn 2003; Practice for Preparation for Shipment of Solid
- Electrical Insulating Materials

 D4089 Withdrawn 1986; Specification for Heavy Duty Chlorinated Polyethylene (CPE) Jacket for Wire and Cable
- D4090 Withdrawn 1986; Specification for General-Purpose Chlorinated Polyethylene (CPE) Jacket for Wire and Cable
- D4091 Withdrawn 1986; Specification for Extra-Heavy-Duty Black Chlorinated Polyethylene (CPE) Jacket for Wire and Cable
- D4092-07(2013) Terminology for Plastics: Dynamic Mechanical Properties, 08.02
- D4093-95(2010) Test Method for Photoelastic Measurements of Birefringence and Residual Strains in Transparent or Translucent Plastic Materials, 08.02
- D4094-07 Test Method for Acid Content of Ethylene-Acrylic Acid Copolymers, 08.02
- D4095-97(2008) Practice for Use of the Refractometer for Determining Nonvolatile Matter (Total Solids) in Floor Polishes, 15.04
- D4096-91(2009) Test Method for Determination of Total Suspended Particulate Matter in the Atmosphere (High-Volume Sampler Method), 11.07
- D4097-01(2010) Specification for Contact-Molded Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks, 08.03
- D4098 Withdrawn 1994; Practice for Evaluating High-Density Rigid Cellular Thermosets
- D4099 Withdrawn 1999; Specification for Poly(Vinyl Chloride)(PVC) Prime
- Windows/Sliding Glass Doors
 D4100 Withdrawn 1997; Test Method for Gravimetric Determination of Smoke
 Particulates from Combustion of Plastic Materials
- D4101-14 Specification for Polypropylene Injection and Extrusion Materials, 08.02
- D4102-82(2008) Test Method for Thermal Oxidative Resistance of Carbon
- Fibers, 15.03 D4103-90(2009) Practice for Preparation of Substrate Surfaces for Coefficient of Friction Testing, 15.04
 D4104-96(2010)^{c1} Test Method (Analytical Procedure) for Determining
- Transmissivity of Nonleaky Confined Aquifers by Overdamped Well Response to Instantaneous Change in Head (Slug Tests), **04.08 D4105-96(2008)** Test Method for (Analytical Procedure) for Determining
- Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Modified Theis Nonequilibrium Method, 04.08
- D4106-96(2008) Test Method for (Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Nonleaky Confined Aquifers by the Theis Nonequilibrium Method, 04.08
- D4107-08(2013) Test Method for Tritium in Drinking Water, 11.02 D4108 Withdrawn 1996; Test Method for Thermal Protective Performance of
- Materials for Clothing by Open-Flame Method D4109 Withdrawn 2011; Performance Specification for Mens' and Boys'
- Woven Coverall, Dungaree, Overall, and Shop-Coat Fabrics
 D4110 Withdrawn 2005; Performance Specification for Men's and Boys Knitted Bathrobe, Dressing Gown, and Pajama Fabrics; Replaced by D7021
- D4111-12 Performance Specification for Woven Napery and Tablecloth Fabrics: Household and Institutional, 07.01
- D4112-02(2008) Performance Specification for Woven Umbrella Fabrics, 07.01 D4113-02(2013) Performance Specification for Woven Slipcover Fabrics, 07.01
- D4114-14 Performance Specification for Woven Flat Lining Fabrics for Women's and Girls' Apparel, 07.01
 D4115-14 Performance Specification for Women's and Girls' Knitted and
- Woven Dress Glove Fabrics, 07.01
- D4116-14 Performance Specification for Women's and Girls' Knitted and Woven Corset-Girdle-Combination Fabrics, 07.01
- D4117 Withdrawn 2005; Performance Specification for Women's and Girls' Woven Robe, Negligee, Nightgown, Pajama, Slip, and Lingerie Fabrics; Replaced by D7021

 D4118-01(2008) Performance Specification for Women's Woven Coverall, Dungaree, Overall, and Shop Coat Fabrics, 07.01
- D4119-14 Performance Specification for Men's and Boys' Knitted Dress Shirt Fabrics, 07.01
- D4120-07(2012) Test Method for Fiber Cohesion in Roving, Sliver, and Top in
- Dynamic Tests, **07.01**D4121 Withdrawn 1992; Practice for Photographic Documentation of Coating and Lining Failures and Defects
- D4122-10a Practice for Carbon Black—Evaluation of an Industry Reference Black, 09.01
- D4123 Withdrawn 2003; Test Method for Indirect Tension Test for Resilient Modulus of Bituminous Mixtures
- D4124-09 Test Method for Separation of Asphalt into Four Fractions, 04.03 D4125/D4125M-10 Test Methods for Asphalt Content of Bituminous Mixtures by the Nuclear Method, 04.03
- D4126-02(2012) Specification for Vapor-Degreasing Grade and General Solvent Grade, 15.05
- D4127-12 Terminology Used with Ion-Selective Electrodes, 11.01

- D4128-06(2012) Guide for Identification and Quantitation of Organic Compounds in Water by Combined Gas Chromatography and Electron Impact Mass Spectrometry, 11.02
- D4129-05(2013) Test Method for Total and Organic Carbon in Water by High Temperature Oxidation and by Coulometric Detection, 11.02
- D4130-08 Test Method for Sulfate Ion in Brackish Water, Seawater, and Brines, 11.02
 D4131-84(2014) Practice for Sampling Fish with Rotenone, 11.02
- D4132-82(2012) Practice for Sampling Phytoplankton with Conical Tow Nets, 11.02
- D4133-82(2012) Practice for Sampling Phytoplankton with Pumps, 11.02
 D4134-82(2012) Practice for Sampling Phytoplankton with a Clarke-Bumpus
 Plankton Sampler, 11.02
- D4135-82(2012) Practice for Sampling Phytoplankton With Depth-Integrating Samplers, 11.02
- D4136-82(2012) Practice for Sampling Phytoplankton with Water-Sampling Bottles, **11.02**
- D4137-82(2012) Practice for Preserving Phytoplankton Samples, 11.02
- D4138-07a(2013) Practices for Measurement of Dry Film Thickness of Protective Coating Systems by Destructive, Cross-Sectioning Means, 06.01
- D4139-04(2009) Guide for Determining Volatile and Nonvolatile Content of Pigments, 06.03
- D4140-07(2013) Guide for Determining Volatile and Nonvolatile Content of Driers, Drying Oils, Naval Stores, and Solvents, 06.01
- D4141-07 Practice for Conducting Black Box and Solar Concentrating Exposures of Coatings, 06.01
- D4142-89(2009) Guide for Testing Epoxy Resins, 06.03 D4143-89(2009) Guide for Testing Latex Vehicles, 06.03
- D4144-94(2010) Test Method for Estimating Package Stability of Coatings for Ultraviolet Curing, 06.01
- D4145-10 Test Method for Coating Flexibility of Prepainted Sheet, 06.02

 D4146-10 Test Method for Formability of Zinc-Rich Primer/Chromate Complex Coatings on Steel. 06.02
- D4147-99(2013) Practice for Applying Coil Coatings Using The Wire-Wound Drawdown Bar, 06.02
- D4148-82(2012) Test Method for Analysis of Phytoplankton in Surface Water by the Sedgwick-Rafter Method, 11.02
- D4149-82(2012) Classification for Sampling Phytoplankton in Surface Waters, 11.02
- D4150-08 Terminology Relating to Gaseous Fuels, 05.06
- D4151-10 Test Method for Flammability of Blankets, 07.01
 D4152 Withdrawn 1994; Performance Specification for Woven Institutional Dish, Huck, and Terry Bath Towel Fabrics; Replaced by D5433
- D4153-14 Performance Specification for Men's, Women's, and Children's Woven Handkerchief Fabrics, 07.01
- D4154-14 Performance Specification for Men's and Boys' Knitted and Woven Beachwear and Sports Shirt Fabrics, 07.01
- D4155-14 Performance Specification for Women's and Girls' Woven Sportswear, Shorts, Slacks, and Suiting Fabrics, 07.01
- D4156-14 Performance Specification for Women's and Girls' Knitted Sportswear Fabrics, 07.01
- D4157-13 Test Method for Abrasion Resistance of Textile Fabrics (Oscillatory Cylinder Method), 07.01
- D4158-08(2012) Guide for Abrasion Resistance of Textile Fabrics (Uniform Abrasion), 07.01
 D4159 Withdrawn 1992; Test Method for Resistance to Yarn Slippage in
- Woven Upholstery Fabrics—Plain, Tufted, or Flocked (Using a Simulated Seam)
- D4160 Withdrawn 1991; Specification for Reinforced Thermosetting Resin
- Pipe (RTRP) Fittings for Nonpressure Applications; Replaced by D3840

 D4161-14 Specification for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe Joints Using Flexible Elastomeric Seals, 08.03

 D4162 Withdrawn 1987; Specification for Reinforced Thermosetting Resin
- Sewer and Industrial Pressure Pipe (RTRP)
- D4163 Withdrawn 1987; Specification for Reinforced Thermosetting Resin Pressure Pipe (RTRP)
- D4164-03(2008) Test Method for Mechanically Tapped Packing Density of Formed Catalyst and Catalyst Carriers, 05.05
- D4165-06(2012) Test Method for Cyanogen Chloride in Water, 11.02 D4166 Withdrawn 2008; Test Method for Measurement of Thickness of Nonmagnetic Materials by Means of a Digital Magnetic Intensity Instrument
- D4167-97(2007) Specification for Fiber-Reinforced Plastic Fans and Blowers, 08.03
- D4168-95(2008)^{€1} Test Methods for Transmitted Shock Characteristics of Foam-in-Place Cushioning Materials, 15.10
- D4169-09 Practice for Performance Testing of Shipping Containers and Systems, 15.10
- D4170-10 Test Method for Fretting Wear Protection by Lubricating Greases, 05.02
- D4171-11 Specification for Fuel System Icing Inhibitors, 05.02
- D4172-94(2010) Test Method for Wear Preventive Characteristics of Lubricating Fluid (Four-Ball Method), 05.02
- D4173 Withdrawn 1991; Practice for Evaluating Sheet Metal Forming Lubricant
- D4174-89(2010) Practice for Cleaning, Flushing, and Purification of Petroleum
- Fluid Hydraulic Systems, **05.02 D4175-09a⁻⁴** Terminology Relating to Petroleum, Petroleum Products, and Lubricants, 05.02

D4176 D4267

- D4176-04(2009) Test Method for Free Water and Particulate Contamination in Distillate Fuels (Visual Inspection Procedures), 05.02
- D4177-95(2010) Practice for Automatic Sampling of Petroleum and Petroleum Products, 05.02
- D4178-82(2012) Practice for Calibrating Moisture Analyzers, 05.02
 D4179-11 Test Method for Single Pellet Crush Strength of Formed Catalysts and Catalyst Carriers, 05.05
- D4180-03(2008) Test Method for Vibratory Packing Density of Formed
- Catalyst Particles and Catalyst Carriers, **05.05**81 Withdrawn 2005; Classification for Acetal (POM) Molding and Extrusion D4181 Materials; Replaced by D6778
- D4182 Withdrawn 2010; Practice for Evaluation of Laboratories Using ASTM Procedures in the Sampling and Analysis of Coal and Coke; Replaced by D7448
- D4183 Withdrawn 1994; Test Methods for Total Recoverable Phosphorus and Organic Phosphorus in Sediments
- D4184 Withdrawn 1987; Specification for Reinforced Thermosetting Resin (RTRP) Sewer Pipe; Replaced by D3262
- D4185-06(2011) Practice for Measurement of Metals in Workplace
- Atmospheres by Flame Atomic Absorption Spectrophotometry, 11.07

 D4186/D4186M-12 Test Method for One-Dimensional Consolidation Properties
 of Saturated Cohesive Soils Using Controlled-Strain Loading, 04.08

 D4187 Withdrawn 1992; Test Methods for Zeta Potential of Colloids in Water
- and Waste Water
- D4188-13 Practice for Performing Pressure In-Line Coagulation-Flocculation-Filtration Test in Water, 11.01
- D4189-07(2014) Test Method for Silt Density Index (SDI) of Water, 11.01
 D4190-08 Test Method for Elements in Water by Direct-Current Plasma Atomic Emission Spectroscopy, 11.01
- D4191-08 Test Method for Sodium in Water by Atomic Absorption Spectropho-
- tometry, 11.01

 D4192-08 Test Method for Potassium in Water by Atomic Absorption
 Spectrophotometry, 11.01

 D4193-08(2013)^{c1} Test Method for Thiocyanate in Water, 11.02

 D4194-03(2014) Test Methods for Operating Characteristics of Reverse
- Osmosis and Nanofiltration Devices, 11.02
- D4195-08(2014) Guide for Water Analysis for Reverse Osmosis and Nanofiltration Application, 11.02
- D4196-05(2011) Test Method for Confirming the Sterility of Membrane Filters, 11.02
- D4197 Withdrawn 1994; Test Methods for Percent Porosity of Membrane Filters
- D4198-82(2011) Test Methods for Evaluating Absorbent Pads Used with Membrane Filters for Bacteriological Analysis and Growth, 11.02
 D4199-82(2011) Test Methods for Autoclavability of Membrane Filters, 11.02
 D4200-82(2011) Test Method for Evaluating Inhibitory Effects of Ink Grids on Membrane Filters, 11.02
- D4201 Withdrawn 2005; Test Method for Coliphages in Water D4202 Withdrawn 1998; Test Method for Thermal Stability of Poly(Vinyl
- Chloride) (PVC) Resin D4203-12 Specification for and Basis for Specifications for Styrene Acrylonitrile (SAN) Injection and Extrusion Materials, 08.02
- D4204-12 Practice for Preparing Plastic Film Specimens for a Round-Robin Study, 08.02
- D4205 Withdrawn 1997; Guide for Flammability and Combustion Testing of Rubber and Rubber-Like Materials; Replaced by D3814 D4206-96(2013) Test Method for Sustained Burning of Liquid Mixtures Using
- the Small Scale Open-Cup Apparatus, 06.01
- D4207 Withdrawn 1998; Test Method for Sustained Burning of Low-Viscosity Mixtures by the Wick Test
- D4208-13 Test Method for Total Chlorine in Coal by the Oxygen Bomb Combustion/Ion Selective Electrode Method, 05.06
- D4209-07(2013) Practice for Determining Volatile and Nonvolatile Content of Cellulosics, Emulsions, Resin Solutions, Shellac, and Varnishes, 06.01
 D4210 Withdrawn 2002; Practice for Interlaboratory Quality Control Procedures and a Discussion on Reporting Low-Level Data

- D4211-82(2012) Classification for Fish Sampling, 11.02
 D4212-10 Test Method for Viscosity by Dip-Type Viscosity Cups, 06.01 D4213-08(2012) Test Method for Scrub Resistance of Paints by Abrasion
- Weight Loss, **06.02 D4214-07** Test Methods for Evaluating the Degree of Chalking of Exterior
- Paint Films, 06.01

 D4215-07(2013) Specification for Cold-Mixed, Cold-Laid Bituminous Paving Mixtures, **04.03**
- D4216-13 Specification for Rigid Poly(Vinyl Chloride) (PVC) and Related PVC and Chlorinated Poly(Vinyl Chloride) (CPVC) Building Products Compounds, 08.02
- D4217-07(2013) Test Method for Gel Time of Thermosetting Coating Powder, 06.02
- D4218-96(2008) Test Method for Determination of Carbon Black Content in Polyethylene Compounds By the Muffle-Furnace Technique, 08.02
- D4219-08 Test Method for Unconfined Compressive Strength Index of Chemical-, 04.08
- D4220-95(2007) Practices for Preserving and Transporting Soil Samples, 04.08
- D4221-11 Test Method for Dispersive Characteristics of Clay Soil by Double Hydrometer, 04.08
- D4222-03(2008) Test Method for Determination of Nitrogen Adsorption and Desorption Isotherms of Catalysts and Catalyst Carriers by Static Volumetric Measurements, 05.05

- D4223/D4223M-12 Practice for Preparation of Test Specimens of Asphalt-Stabilized Soils, 04.08
- D4224 Withdrawn 1995; Test Method for Anionic Detergent by Para-Toluidine Hydrochloride; Replaced by D4251
- D4225 Withdrawn 2009; Specification for Styrene-Butadiene Sheeting D4226-11 Test Methods for Impact Resistance of Rigid Poly(Vinyl Chloride) (PVC) Building Products, 08.03
- D4227-05(2012) Practice for Qualification of Coating Applicators for
- Application of Coatings to Concrete Surfaces, 06.02

 D4228-05(2012) Practice for Qualification of Coating Applicators for
- Application of Coatings to Steel Surfaces, **06.02**D4229 Withdrawn 1988; Method for Conducting Static Acute Toxicity Tests on Waste-Waters with Daphnia
- D4230-02(2012) Test Method of Measuring Humidity with Cooled-Surface Condensation (Dew-Point) Hygrometer, 11.07
- D4231-14 Practice for Evaluation of Launderable Woven Dress Shirts and Sports Shirts, 07.01
- D4232-14 Performance Specification for Men's and Women's Dress and
- Vocational Career Apparel Fabrics, 07.01

 D4233 Withdrawn 2005; Performance Specification for Women's and Girls'
 Knitted and Woven Brassiere Fabrics; Replaced by D7019

 D4234 Withdrawn 2005; Performance Specification for Women's and Girls'

 Silvano Climator Communication of Women's and Girls'

 D4234 Withdrawn 2005; Performance Specification for Women's and Girls'
- Knitted Robe, Negligee, Nightgown, Pajama, Slip, and Lingerie Fabrics; Replaced by D7021

 D4235-01(2008) Performance Specification for Women's and Girls' Knitted
- Blouse and Dress Fabrics, 07.01
- D4236-94(2011) Practice for Labeling Art Materials for Chronic Health Hazards, 06.02
- D4237 Withdrawn 1997; Test Methods for Rubber Hose Used for Steam
- Applications

 D4238 Withdrawn 1996; Test Method for Electrostatic Propensity of Textiles

 D4239-14 Test Method for Sulfur in the Analysis Sample of Coal and Coke

 Using High-Temperature Tube Furnace Combustion, 05.06

 D4240 Withdrawn 1995; Test Method for Airborne Asbestos Concentration in
- Workplace Atmosphere
- D4241 Withdrawn 2008; Practice for Design of Gas Turbine Generator Lubricating Oil Systems
- D4242-07(2013) Test Method for Inclined Plate Flow for Thermosetting Coating Powders, 06.02
- D4243-99(2009) Test Method for Measurement of Average Viscometric Degree
- of Polymerization of New and Aged Electrical Papers and Boards, 10.02

 D4244 Withdrawn 2007; Specification for General-Purpose, Heavy-Duty, and
 Extra-Heavy-Duty Acrylonitrile-Butadiene/Poly(Vinyl Chloride) (NBR/PVC)
 Jackets for Wire and Cable
- D4245-08(2013) Specification for Ozone-Resistant Thermoplastic Elastomer Insulation For Wire and Cable, 90°C Dry/75°C Wet Operation, 10.02
- D4246-02(2010) Specification for Ozone-Resistant Thermoplastic Elastomer Insulation For Wire and Cable, 90 C Operation, 10.02
- D4247 Withdrawn 2006; Specification for General-Purpose, Black Heavy-Duty, and Black Extra-Heavy-Duty Crosslinked Polychloroprene Jackets for Wire and Cable
- D4248 Withdrawn 2008; Practice for Design of Steam Turbine Generator Oil Systems
- D4249 Withdrawn 2013; Test Method for Enumeration of Candida albicans in Water
- D4250 Withdrawn 2009; Test Method for Water-Holding Capacity of Bibulous Fibrous Products

 D4251-89(2009) Test Method for Active Matter in Anionic Surfactants by
- Potentiometric Titration, 15.04
- D4252-89(2009) Test Methods for Chemical Analysis of Alcohol Ethoxylates and Alkylphenol Ethoxylates, 15.04
- D4253-00(2006) Test Methods for Maximum Index Density and Unit Weight of
- Soils Using a Vibratory Table, **04.08 D4254-00(2006)** Test Methods for Minimum Index Density and Unit Weight of Soils and Calculation of Relative Density, **04.08 D4255/D4255M-01(2007)** Test Method for In-Plane Shear Properties of
- Polymer Matrix Composite Materials by the Rail Shear Method, 15.03
- D4256 Withdrawn 1995; Test Method for Determination of the Decontaminability of Coatings Used in Light-Water Nuclear Power Plants
- D4257 Withdrawn 1990; Practice for Design and Use of Safety Alert System
- for Hazardous Work Locations in the Coatings and Lining Industry

 D4258-05(2012) Practice for Surface Cleaning Concrete for Coating, 06.02

 D4259-88(2012) Practice for Abrading Concrete, 06.02

 D4260-05(2012) Practice for Liquid and Gelled Acid Etching of Concrete,
- 06.02
- D4261-05(2012) Practice for Surface Cleaning Concrete Masonry Units for Coating, **06.02**
- D4262-05(2012) Test Method for pH of Chemically Cleaned or Etched
 Concrete Surfaces, 06.02
 D4263-83(2012) Test Method for Indicating Moisture in Concrete by the Plastic
- Sheet Method, 06.02
- D4264 Withdrawn 1997; Test Method for Pressure Testing of Assemblies of Rubber-Lined Fire Hose and Rubber Booster Hose in Service on Interior Standpipes
- D4265-14 Guide for Evaluating Stain Removal Performance in Home
- Laundering, 15.04

 D4266-96(2009)*1 Test Methods for Precoat Capacity of Powdered
- Ion-Exchange Resins, 11.02

 D4267-07 Specification for Labels for Small-Volume (100 mL or Less) Parenteral Drug Containers, 15.10

D4268 D4358

- D4268 Withdrawn 2002; Test Methods for Testing Fiber Ropes
- D4269 Withdrawn 1992; Test Method for Shorn Pile Mass of Finished Tufted Pile Yarn Floor Covering
- D4270 Withdrawn 2009; Guide for Using Existing Practices in Developing and Writing Test Methods
- D4271 Withdrawn 2009; Practice for Writing Statements on Sampling in Test Methods for Textiles
- D4272-14 Test Method for Total Energy Impact of Plastic Films By Dart Drop, 08.02
- D4273-11 Test Method for Polyurethane Raw Materials: Determination of Primary Hydroxyl Content of Polyether Polyols, 08.02
- D4274-11 Test Methods for Testing Polyurethane Raw Materials: Determination of Hydroxyl Numbers of Polyols, 08.02
- D4275-09 Test Method for Determination of Butylated Hydroxy Toluene (BHT) in Polymers of Ethylene and Ethylene-Vinyl Acetate (EVA) Copolymers By Gas Chromatography, 08.02
- D4276-02(2012) Practice for Confined Area Entry, 15.05
- D4277 Withdrawn 2007; Guide for Testing Amino Resins
 D4278 Withdrawn 2006; Practice for Wet Ashing Procedure for Preparing Wood Samples for Inorganic Chemical Analysis
- D4279-95(2009) Test Methods for Water Vapor Transmission of Shipping Containers—Constant and Cycle Methods, 15.10
- D4280-12 Specification for Extended Life Type, Nonplowable, Raised Retroreflective Pavement Markers, 04.03
- D4281 Withdrawn 2012; Test Method for Oil and Grease (Fluorocarbon Extractable Substances) by Gravimetric Determination
- D4282-02(2010) Test Method for Determination of Free Cyanide in Water and Wastewater by Microdiffusion, 11.02
- D4283-98(2010) Test Method for Viscosity of Silicone Fluids, 15.04
- D4284-12 Test Method for Determining Pore Volume Distribution of Catalysts and Catalyst Carriers by Mercury Intrusion Porosimetry, 05.05
- D4285-83(2012) Test Method for Indicating Oil or Water in Compressed Air, 06.02
- D4286-08 Practice for Determining Coating Contractor Qualifications for
- Nuclear Powered Electric Generation Facilities, **06.02 D4287-00(2010)** Test Method for High-Shear Viscosity Using a Cone/Plate Viscometer, 06.01
- D4288-02(2012) Specification for Calcium Borosilicate Pigments, 06.03 D4289-03(2008) Test Method for Elastomer Compatibility of Lubricating
- Greases and Fluids, 05.02 D4290-07(2012) Test Method for Determining the Leakage Tendencies of
- Automotive Wheel Bearing Grease Under Accelerated Conditions, 05.02 D4291-04(2013) Test Method for Trace Ethylene Glycol in Used Engine Oil, 05.02
- D4292-10 Test Method for Determination of Vibrated Bulk Density of Calcined Petroleum Coke, 05.02
- D4293-83(2008) Specification for Phosphate Ester Based Fluids for Turbine Lubrication, 05.02
- D4294-10 Test Method for Sulfur in Petroleum and Petroleum Products by Energy Dispersive X-ray Fluorescence Spectrometry, 05.02
- D4295-89(2012) Classification for Rubber Compounding Materials—Zinc Oxide, 09.01

 D4296-83(2009) Practice for Sampling Pitch, 05.02

 D4297-10 Practice for Sampling and Handling Bisphenol A, 06.04

- D4298-04(2010) Guide for Intercomparing Permeation Tubes to Establish Traceability, 11.07
- D4299 Withdrawn 1990; Test Methods for Effect of Bacterial Contamination on Permeance of Adhesive Preparations and Adhesives Films; Replaced by D4300, D4783
- D4300-01(2013) Test Methods for Ability of Adhesive Films to Support or Resist the Growth of Fungi, 15.06
- D4301-05(2013) Test Method for Total Chlorine in Epoxy Resins and Compounds, 06.03
 D4302-05(2010) Specification for Artists' Oil, Resin-Oil, and Alkyd Paints,
- 06.02
- D4303-10 Test Methods for Lightfastness of Pigments Used in Artists' Paints, 06.02
- D4304-13 Specification for Mineral and Synthetic Lubricating Oil Used in Steam or Gas Turbines, 05.02
- D4305 Withdrawn 2010; Test Method for Filter Flow of Aviation Fuels at Low Temperatures
- D4306-13 Practice for Aviation Fuel Sample Containers for Tests Affected by Trace Contamination, 05.02
- D4307-99(2010) Practice for Preparation of Liquid Blends for Use as Analytical Standards, 05.02
- D4308-13 Test Method for Electrical Conductivity of Liquid Hydrocarbons by Precision Meter, 05.02
- D4309-12 Practice for Sample Digestion Using Closed Vessel Microwave Heating Technique for the Determination of Total Metals in Water, 11.01
- D4310-10 Test Method for Determination of Sludging and Corrosion Tendencies of Inhibited Mineral Oils, 05.02
- D4311/D4311M-09 Practice for Determining Asphalt Volume Correction to a Base Temperature, 04.03
- D4312-95a(2010) Test Method for Toluene-Insoluble (TI) Content of Tar and Pitch (Short Method), 05.02
 D4313-12 Specification for General-Purpose, Heavy-Duty, and Extra-Heavy-
- Duty Crosslinked Chlorinated Polyethylene (CM) Jackets For Wire and Cable. 10.02
- D4314-12 Specification for General-Purpose, Heavy-Duty, and Extra-Heavy-

- Duty Crosslinked Chlorosulfonated Polyethylene (CSM) Jackets For Wire and Cable, 10.02
- D4315-94(2012) Test Methods for Rubber Compounding Material—Zinc Oxide, 09.01
- D4316-95(2010) Specification for Elastomeric Water Bottles, 09.02
- D4317-98(2011) Specification for Polyvinyl Acetate-Based Emulsion Adhesives, 15.06
- D4318-10^{€1} Test Methods for Liquid Limit, Plastic Limit, and Plasticity Index of Soils, 04.08
- D4319 Withdrawn 2007; Test Method for Distribution Ratios by the Short-Term Batch Method
- D4320/D4320M-09 Practice for Laboratory Preparation of Chemically Grouted Soil Specimens for Obtaining Engineering Parameters, 04.08
- D4321-09 Test Method for Package Yield of Plastic Film, 08.02

 D4322 Withdrawn 2010; Test Method for Residual Acrylonitrile Monomer
- Styrene-Acrylonitrile Copolymers and Nitrile Rubber by Headspace Gas
- Chromatography

 D4323-84(2009) Test Method for Hydrogen Sulfide in the Atmosphere by Rate of Change of Reflectance, 11.07
- D4324 Withdrawn 1998; Test Method for Carbon Black, Pelleted-Pellet Attrition; Replaced by D1508
- D4325-13 Test Methods for Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, 10.02
- D4326-13 Test Method for Major and Minor Elements in Coal and Coke Ash By X-Ray Fluorescence, 05.06
- D4327-11 Test Method for Anions in Water by Suppressed Ion Chromatography, 11.01
- D4328-08(2013) Practice for Calculation of Supersaturation of Barium Sulfate, Strontium Sulfate, and Calcium Sulfate Dihydrate (Gypsum) in Brackish Water, Seawater, and Brines, 11.02
- D4329-13 Practice for Fluorescent Ultraviolet (UV) Lamp Apparatus Exposure of Plastics, 08.02
- D4330-94(2008) Practice for Evaluation of Fiberglass Boat Polish and Wax, 15.04
- D4331 Withdrawn 1989; Practice for Measuring Effectiveness of Dedusting Agents for Powdered Chemicals
- D4332-13 Practice for Conditioning Containers, Packages, or Packaging Components for Testing, 15.10
 D4333/D4333M-05(2010)^{c1} Test Method for the Compatibility of Mechanical
- Pump Dispenser Components, 15.10
- D4334-05(2010) Test Method for the Determination of the Dip Tube Retention of a Mechanical Pump Dispenser, 15.10
- D4335-99(2010) Test Method for Determination of Component Retention of a Mechanical Pump Dispenser, 15.10
- D4336-05(2010) Test Methods for Determination of the Output Per Stroke of a Mechanical Pump Dispenser, 15.10
- D4337-89(2009) Test Methods for Analysis of Linear Detergent Alkylates, 15.04
- D4338-97(2011)^{c1} Test Method for Flexibility Determination of Supported Adhesive Films by Mandrel Bend, 15.06
- D4339-01(2013) Test Method for Determination of the Odor of Adhesives, 15.06
- D4340-10 Test Method for Corrosion of Cast Aluminum Allovs in Engine Coolants Under Heat-Rejecting Conditions, 15.05
- D4341 Withdrawn 2005; Test Method for Creep of Hard Rock Core Specimens in Uniaxial Compression at Ambient or Elevated Temperature; Replaced by D7070
- D4342 Withdrawn 2003; Practice for Collecting of Benthic Macroinvertebrates with Ponar Grab Sampler
- D4343 Withdrawn 2003; Practice for Collecting Benthic Macroinvertebrates with Ekman Grab Sampler
- D4344 Withdrawn 2003; Practice for Collecting Benthic-Macroinvertebrates with Smith-McIntyre Grab Sampler
- D4345 Withdrawn 2003; Practice for Collecting Benthic Macroinvertebrates with Van Veen Grab Sampler
- D4346 Withdrawn 2003; Practice for Collecting Benthic Macroinvertebrates with Okean 50 Grab Sampler
- D4347 Withdrawn 2003; Practice for Collecting Benthic Macroinvertebrates
- with Shipek (Scoop) Grab Sampler
 D4348 Withdrawn 2003; Practice for Collecting Benthic Macroinvertebrates
- with Holme (Scoop) Grab Sampler D4349-10 Classification System and Basis for Specification for Polyphenylene Ether (PPE) Materials, 08.02
- D4350-13 Test Method for Corrosivity Index of Plastics and Fillers, 08.02

 D4351 Withdrawn 1992; Test Method for Measuring the Thermal Conductivity of Plastics by the Evaporation-Calorimetric Method
- D4352 Withdrawn 2003; Test Method for Determination of Magnetic Material Impurities in Electrical Grade Magnesium Oxide
- D4353 Withdrawn 1995; Test Method for Basic Stability of a Mechanical Pump Dispenser and Product
- D4354-12 Practice for Sampling of Geosynthetics and Rolled Erosion Control Products(RECPs) for Testing, 04.13
- D4355-07 Test Method for Deterioration of Geotextiles by Exposure to Light, Moisture and Heat in a Xenon Arc Type Apparatus, **04.13**D4356 Withdrawn 2007; Practice for Establishing Consistent Test Method
- **Tolerances**
- D4357 Withdrawn 2003; Specification for Plastic Laminates Made from Woven-Roving and Woven-Yarn Glass Fabrics
- D4358 Withdrawn 2006; Test Method for Lead and Chromium in Air

D4358 D4454

- Particulate Filter Samples of Lead Chromate Type Pigment Dusts by Atomic Absorption Spectroscopy
- D4359-90(2012) Test Method for Determining Whether a Material Is a Liquid or a Solid, **06.01**
- D4360-11 Specification for Specification for Methyl n-Amyl Ketone, 06.04 D4361-10 Test Method for Apparent Tack of Printing Inks and Vehicles by a
- Three-Roller Tackmeter, 06.02

 D4362-13 Specification for Propane Thermophysical Property Tables, 05.06

 D4363-12 Specification for Thermoplastic Chlorinated Polyethylene (CM)

 Jacket for Wire and Cable, 10.02

 D4364-13 Practice for Performing Outdoor Accelerated Weathering Tests of Plastics Using Concentrated Sunlight, 08.02

 D4365-13 Test Method for Determining Micropore Volume and Zeolite Area of
- a Catalyst, 05.05
- D4366 Withdrawn 2003; Test Methods for Hardness of Organic Coatings by Pendulum Damping Tests; Replaced by ISO 1522
- D4367-02(2012) Test Method for Benzene in Hydrocarbon Solvents by Gas Chromatography, 06.04
- D4368 Withdrawn 2005; Guide for Testing Poly(Vinyl Chloride) Resins D4369 Withdrawn 1999; Specification for Boxed Facial Tissue for Industrial and Institutional Use
- D4370-01(2012) Test Methods for Acid and Base Milliequivalent Content of Electrocoat Bath, 06.01
- D4371-06(2012) Test Method for Determining the Washability Characteristics of Coal, 05.06
- D4372 Withdrawn 2002; Specification for Flame-Resistant Materials Used in Camping Tentage
- D4373-02(2007) Test Method for Rapid Determination of Carbonate Content of Soils, **04.08**
- D4374 Withdrawn 2013; Test Methods for Cyanides in Water--Automated Methods for Total Cyanide, Weak Acid Dissociable Cyanide, and Thiocyanate, 11.02
- D4375-96(2011) Practice for Basic Statistics in Committee D19 on Water, 11.01
- D4376-02(2012) Specification for Vapor-Degreasing Grade Perchloroethylene, 15.05
- D4377-00(2011) Test Method for Water in Crude Oils by Potentiometric Karl Fischer Titration, 05.02
- D4378-13 Practice for In-Service Monitoring of Mineral Turbine Oils for Steam, Gas, and Combined Cycle Turbines, 05.02

 D4379 Withdrawn 1987; Test Method for Emulsified Asphalt/Job Aggregate
- Cold Mix Test; Combined with D 244

 D4380-12 Test Method for Density of Bentonitic Slurries, 04.08

 D4381/D4381M-12 Test Method for Sand Content by Volume of Bentonitic
- Slurries, 04.08
- D4382-12 Test Method for Barium in Water, Atomic Absorption Spectrophotometry, Graphite Furnace, 11.01
- D4383-12 Specification for Plowable, Raised Retroreflective Pavement Markers, **04.03**
- D4384 Withdrawn 1995; Test Method for Residual Acrylonitrile Monomer in Styrene-Acrylonitrile Copolymers and Nitrile Rubber by Solution Injection
- Gas Chromatography

 D4385-13 Practice for Classifying Visual Defects in Thermosetting Reinforced Plastic Pultruded Products, 08.02
- D4386-95(2008) Practice for Application of Floor Polishes to Maintain Multilayer Composite Tile or Flooring, 15.04
 D4387 Withdrawn 2003; Guide for Selecting Grab Sampling Devices for
- Collecting Benthic Macroinvertebrates
- D4388-13 Specification for Nonmetallic Semi-Conducting and Electrically Insulating Rubber Tapes, **10.02 D4389/D4389M-04(2010)**^{£1} Specific
- Specification for Finished Glass Fabrics Woven From Rovings, 07.01
- D4390 Withdrawn 1994; Practice for the Evaluation of the Performance of Terry Bathroom Products for Household Use; Replaced by D5433

 D4391-93a(2013)*2 Terminology Relating to The Burning Behavior of Textiles,
- 07.01
- D4392 Withdrawn 1993; Terminology for Statistically Related Terms D4393/D4393M Withdrawn 2014; Test Method for Strap Peel Adhesion of Reinforcing Cords or Fabrics to Rubber Compounds

- D4394-08 Test Method for Determining In Situ Modulus of Deformation of Rock Mass Using Rigid Plate Loading Method, 04.08

 D4395-08 Test Method for Determining In Situ Modulus of Deformation of Rock Mass Using Flexible Plate Loading Method, 04.08

 D4396-06 Specification for Rigid Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds for Plastic Pipe and Fittings
- Used in Nonpressure Applications, **08.02 D4397-10** Specification for Polyethylene Sheeting for Construction, Industrial,
- and Agricultural Applications, **08.02 D4398-07** Test Method for Determining the Chemical Resistance of Fiberglass-Reinforced Thermosetting Resins by One-Side Panel Exposure, 08.03
- D4399-05(2011) Test Method for Measuring Electrical Conductivity of Electrocoat Baths, 06.01
- D4400-99(2012)^{€1} Test Method for Sag Resistance of Paints Using a Multinotch Applicator, 06.02
- D4401 Withdrawn 2003; Practice for Collecting Benthic Macroinvertebrates
 With Petersen Grab Sampler
 D4402/D4402M-13 Test Method for Viscosity Determination of Asphalt at
- Elevated Temperatures Using a Rotational Viscometer, 04.04
- D4403-12 Practice for Extensometers Used in Rock, 04.08

- D4404-10 Test Method for Determination of Pore Volume and Pore Volume Distribution of Soil and Rock by Mercury Intrusion Porosimetry, 04.08
- Withdrawn 2005; Test Method for Creep of Soft Rock Core Specimens in Uniaxial Compression at Ambient or Elevated Temperature; Replaced by D7070
- D4406 Withdrawn 2005; Test Method for Creep of Rock Core Specimens in Triaxial Compression at Ambient or Elevated Temperatures; Replaced by D7070
- D4407 Withdrawn 2003; Practice for Collecting Benthic Macroinvertebrates With Orange Peel Grab Sampler
- D4408 Withdrawn 1994; Practice for Open Channel Flow Measurement by Acoustic Means; Replaced by D5389

 D4409-95(2014) Test Method for Velocity Measurements of Water in Open
- Channels with Rotating Element Current Meters, 11.01 D4410-10 Terminology for Fluvial Sediment, 11.01
- D4411-03(2014) Guide for Sampling Fluvial Sediment in Motion, 11.02 D4412-84(2009) Test Methods for Sulfate-Reducing Bacteria in Water and Water-Formed Deposits, 11.02
- **D4413-98(2009)**^{€1} Test Method for Determination of Ethylene Oxide in Workplace Atmospheres (Charcoal Tube Methodology), 11.07

 D4414-95(2013) Practice for Measurement of Wet Film Thickness by Notch
- Gages, 06.01

 D4415 Withdrawn 2011; Test Methods for Determination of Dimer in Acrylic
- Acid
- D4416-09 Specification for Acrylic Acid, 06.04
- D4417-11 Test Methods for Field Measurement of Surface Profile of Blast Cleaned Steel, 06.02
- D4418-00(2011) Practice for Receipt, Storage, and Handling of Fuels for Gas Turbines, **05.02**
- D4419-90(2010) Test Method for Measurement of Transition Temperatures of Petroleum Waxes by Differential Scanning Calorimetry (DSC), 05.02

 D4420 Withdrawn 2004; Test Method for Determination of Aromatics in
- Finished Gasoline by Gas Chromatography; Replaced by D5880
 D4421 Withdrawn 2004; Test Method for Volatile Matter in Petroleum Coke
 D4422-03(2008) Test Method for Ash in Analysis of Petroleum Coke, 05.02 D4423-10 Test Method for Determination of Carbonyls in C4 Hydrocarbons, 05.02
- D4424-09 Test Method for Butylene Analysis by Gas Chromatography, 05.02 Test Method for Oil Separation from Lubricating Grease by
- Centrifuging (Koppers Method), 05.02

 D4426-01(2013) Test Method for Determination of Percent Nonvolatile Content
- of Liquid Phenolic Resins Used for Wood Laminating, 15.06

 D4427-13 Classification of Peat Samples by Laboratory Testing, 04.08

 D4428/D4428M-07 Test Methods for Crosshole Seismic Testing, 04.08
- Test Method for CBR (California Bearing Ratio) of Soils in Place, D4429-09a 04.08
- D4430-00(2010) Practice for Determining the Operational Comparability of Meteorological Measurements, 11.07
- D4431 Withdrawn 2000; Specification for Paper Towels for Industrial and Institutional Use
- D4432 Withdrawn 2003; Guide for Purchasing Papers Used in Continuous Computer Forms
- D4433 Withdrawn 1997; Specification for Flame Resistant Treated Paper and Paperboard
- D4434/D4434M-12 Specification for Poly(Vinyl Chloride) Sheet Roofing, 04.04
 D4435-13^{c1} Test Method for Rock Bolt Anchor Pull Test, 04.08
 D4436-13^{c1} Test Method for Rock Bolt Long-Term Load Retention Test, 04.08
- D4437-08(2013) Practice for Non-destructive Testing (NDT) for Determining the Integrity of Seams Used in Joining Flexible Polymeric Sheet Geomembranes, 04.13
- D4438-85(2007) Test Method for Particle Size Distribution of Catalytic Material
- by Electronic Counting, **05.05 D4439-11** Terminology for Geosynthetics, **04.13 D4440-08** Test Method for Plastics: Dynamic Mechanical Properties Melt
- Rheology, 08.02

 D4441-04(2010) Specification for Aqueous Dispersions of Polytetrafluoroethylene, **08.02**
- D4442-07 Test Methods for Direct Moisture Content Measurement of Wood and Wood-Base Materials, 04.10
- D4443-13 Test Method for Determining Residual Vinyl Chloride Monomer Content in PPB Range in Vinyl Chloride Homo- and Co-Polymers by Headspace Gas Chromatography, 08.02
 D4444-13 Test Method for Laboratory Standardization and Calibration of
- Hand-Held Moisture Meters, 04.10
- D4445-10 Test Method for Fungicides for Controlling Sapstain and Mold on
- D4445-10 lest Method for Fungicides for Controlling Sapstain and Mold on Unseasoned Lumber (Laboratory Method), 04.10

 D4446-08(2012) Test Method for Anti-Swelling Effectiveness of Water-Repellent Formulations and Differential Swelling of Untreated Wood When Exposed to Liquid Water Environments, 06.02

 D4447-10 Guide for Disposal of Laboratory Chemicals and Samples, 11.04

 D4448-01(2013) Guide for Sampling Ground-Water Monitoring Wells, 11.04

 D4449-08 Test Method for Visual Evaluation of Gloss Differences Between
- Surfaces of Similar Appearance, 06.01 D4450-85(2012) Test Method for Analysis of Zinc Hydroxy Phosphite Pigment, 06.03
- D4451-02(2008) Test Method for Pigment Content of Paints by Low-
- Temperature Ashing, **06.01 D4452-06** Practice for X-Ray Radiography of Soil Samples, **04.08 D4453-11** Practice for Handling of High Purity Water Samples, **11.01 D4454-85(2009)** Test Method for Simultaneous Enumeration of Total and

D4454 D4550

- Respiring Bacteria in Aquatic Systems by Microscopy, 11.02 D4455-85(2014) Test Method for Enumeration of Aquatic Bacteria by
- Epifluorescence Microscopy Counting Procedure, **11.02 D4456-99(2009)** Test Methods for Physical and Chemical Properties of Powdered Ion Exchange Resins, 11.02
- D4457-02(2008) Test Method for Determination of Dichloromethane and 1,1,1-Trichloroethane in Paints and Coatings by Direct Injection into a Gas Chromatograph, 06.01
- D4458-09 Test Method for Chloride Ions in Brackish Water, Seawater, and
- Brines, 11.02

 D4459-12 Practice for Xenon-Arc Exposure of Plastics Intended for Indoor
- Applications, 08.02

 D4460-97(2009) Practice for Calculating Precision Limits Where Values are Calculated from Other Test Methods, 04.03
- D4461 Not Assigned

 D4462-02(2012) Specification for Zinc Hydroxy Phosphite Pigment, 06.03

 D4463/D4463M-96(2013)*1 Guide for Metals Free Steam Deactivation of Fresh Fluid Cracking Catalysts, 05.05
- D4464-10 Test Method for Particle Size Distribution of Catalytic Material by
- Laser Light Scattering, 05.05

 D4465-05(2010) Performance Specification for Zippers for Dungarees, Jeans and Work Trousers, 07.02
- D4466-02(2012) Terminology Related to Multicomponent Textile Fibers, 07.02

 D4467 Withdrawn 2010; Practice for Interlaboratory Testing of a Textile Test Method That Produces Non-Normally Distributed Data
- D4468-85(2011) Test Method for Total Sulfur in Gaseous Fuels by Hydrogenolysis and, 05.06
- D4469-11 Practice for Calculating Percent Asphalt Absorption by the Aggregate in an Asphalt Pavement Mixture, 04.03
- D4470-97(2010) Test Method for Static Electrification, 10.02
- Test Method for Pyridine Bases in Cresylic Acid by Direct Titration, D4471-10 06.04
- D4472-08(2014) Guide for Recordkeeping for Reverse Osmosis and
- Nanofiltration Systems, 11.02
 D4473-08 Test Method for Plastics: Dynamic Mechanical Properties: Cure Behavior, 08.02
- D4474 Withdrawn 2008; Classification System for Styrenic Thermoplastic Elastomer Injection Molding and Extrusion Materials (TES)
- D4475-02(2008) Test Method for Apparent Horizontal Shear Strength of Pultruded Reinforced Plastic Rods By the Short-Beam Method, 08.02
- D4476-09 Test Method for Flexural Properties of Fiber Reinforced Pultruded Plastic Rods, 08.02
- D4477-09 Specification for Rigid (Unplasticized) Poly(Vinyl Chloride) (PVC) Soffit, **08.03**
- D4478 Withdrawn 1994; Test Methods for Oxygen Uptake
- D4479/D4479M-07(2012)^{c1} Specification for Asphalt Roof Coatings— Asbestos-Free, 04.04
- D4480 Withdrawn 1999; Test Method for Measuring Surface Wind by Means of Wind Vanes and Rotating Anemometers; Replaced by D5741
- D4481-10 Test Method for Total Nickel in Fresh Alumina-Base Catalysts, 05.05
 D4482-11 Test Method for Rubber Property—Extension Cycling Fatigue, 09.01
 D4483-14a Practice for Evaluating Precision for Test Method Standards in the
- Rubber and Carbon Black Manufacturing Industries, 09.01 D4484 Withdrawn 1993; Test Method for Inorganic Particles in Marine Residual Fuel Oils by Selective Centrifugal Separation; Replaced by D5184
- D4485-11c Specification for Performance of Active API Service Category Engine Oils, 05.02
- D4486-10 Test Method for Kinematic Viscosity of Volatile and Reactive Liquids, 05.02
- D4487-90(2008) Test Methods for Analysis of Calcium Borosilicate, 06.03 D4488 Withdrawn 2009; Guide for Testing Cleaning Performance of Products Intended for Use on Resilient Flooring and Washable Walls
 D4489-95(2011) Practices for Sampling of Waterborne Oils, 11.02
 D4490-96(2011) Practice for Measuring the Concentration of Toxic Gases or
- Vapors Using Detector Tubes, 11.07

 D4491-99a(2014) Test Methods for Water Permeability of Geotextiles by
- Permittivity, 04.13
- D4492-10 Test Method for Analysis of Benzene by Gas Chromatography,
- 06.04

 D4493-12 Test Method for Solidification Point of Bisphenol A, 06.04

 D4494-95(2010)^{€1} Test Method for Detecting Residual Odor of Dryc Test Method for Detecting Residual Odor of Drycleaning
- Grade, 15.05

 D4495-12 Test Method for Impact Resistance of Poly(Vinyl Chloride) (PVC) Rigid Profiles by Means of a Falling Weight, 08.03
- D4496-13 Test Method for D-C Resistance or Conductance of Moderately Conductive Materials, 10.02
- D4497-10 Test Method for Determining the Open Time of Hot Melt Adhesives (Manual Method), 15.10

 D4498-07 Test Method for Heat-Fail Temperature in Shear of Hot Melt
- Adhesives, 15.10
- D4499-07 Test Method for Heat Stability of Hot-Melt Adhesives, 15.10 D4500 Withdrawn 2001; Test Method for Determining Grit, Lumps, or Undissolved Matter in Water-Borne Adhesives
- D4501-01(2014) Test Method for Shear Strength of Adhesive Bonds Between Rigid Substrates by the Block-Shear Method, 15.06
- D4502-92(2011) Test Method for Heat and Moisture Resistance of Wood-Adhesive Joints, 15.06
- D4503 Withdrawn 2012; Practice for Dissolution of Solid Waste by Lithium Metaborate Fusion

- D4504-94(2011) Specification for Molded Polyethylene Open-Head-Pails for Industrial Shipping of Nonhazardous Goods, 15.10
- Specification for Preformed Retroreflective Pavement Marking Tape for Extended Service Life, 04.03
- D4506-13^{c1} Test Method for Determining In Situ Modulus of Deformation of Rock Mass Using Radial Jacking Test, 04.08
- D4507 Withdrawn 1999; Specification for Thermoplastic Polyester (TPES)
- Materials; Replaced by D5927
 D4508-10 Test Method for Chip Impact Strength of Plastics, 08.02 D4509 Withdrawn 2004; Test Methods fir Determining the 24-Hour Gas (AIR) Space Acetaldehyde Content of Freshly Blown PET Bottles
- D4510-05(2009) Test Method for Counting Partial Cleavages in Wool and Other Animal Fibers, 07.02
- D4511-11 Test Method for Hydraulic Conductivity of Essentially Saturated Peat, **04.08 D4512-03(2013)**^{c1}
- Test Method for Vibrated Apparent Packing Density of Fine Catalyst and Catalyst Carrier Particles and Powder, **05.05**
- D4513-11 Test Method for Particle Size Distribution of Catalytic Materials by Sieving, **05.05**
- D4514-12 Specification for Friction Tape, 10.02
 D4515 Withdrawn 2006; Practice for Estimation of Holding Time for Water Samples Containing Organic Constituents; Replaced by D4841
- D4516-00(2010) Practice for Standardizing Reverse Osmosis Performance Data, 11.02
- D4517-04(2009) Test Method for Low-Level Total Silica in High-Purity Water by Flameless Atomic Absorption Spectroscopy, 11.02
- D4518 Withdrawn 2000; Test Methods for Measuring Static Friction of Coating Surfaces
- D4519-10 Test Method for On-Line Determination of Anions and Carbon Dioxide in High Purity Water by Cation Exchange and Degassed Cation Conductivity, 11.01
- D4520-13 Practice for Determining Water Injectivity Through the Use of
- On-Site Floods, 11.02

 D4521 Withdrawn 2001; Test Method for Coefficient of Static Friction of Corrugated and Solid Fiberboard

 D4522-14 Performance Specification for Feather and Down Fillings for Textile
- Products, 07.02
- D4523 Withdrawn 2003; Terminology Relation to Feather-Filled and Down-Filled Products
- D4524-86(2012) Test Method for Composition of Plumage, 07.02 D4525-13^{c1} Test Method for Permeability of Rocks by Flowing Air, 04.08
- D4526-12 Practice for Determination of Volatiles in Polymers by Static
- Headspace Gas Chromatography, 08.02

 D4527-99(2011) Test Method for Carbon Black—Solvent Extractables, 09.01 D4528-88(2012) Classification for Rubber Compounding Materials—Sulfur, 09.01
- D4529-01(2011) Test Method for Estimation of Net Heat of Combustion of Aviation Fuels, 05.02
- D4530-11 Test Method for Determination of Carbon Residue (Micro Method), 05.02
- D4531-86(2008) Test Methods for Bulk Density of Peat and Peat Products, 04.08
- D4532-10 Test Method for Respirable Dust in Workplace Atmospheres Using Cyclone Samplers, 11.07

 D4533-11 Test Method for Trapezoid Tearing Strength of Geotextiles, 04.13
- D4534 Withdrawn 2006; Test Method for Benzene Content of Cyclic Products By Gas Chromatography

 D4535-13^{c1} Test Methods for Measurement of Thermal Expansion of Rock
- Using Dilatometer, 04.08
- D4536 Withdrawn 2000; Test Method for High-Volume Sampling for Solid Particulate Matter and Determination of Particulate Emissions; Replaced by D6331
- D4537-12 Guide for Establishing Procedures to Qualify and Certify Personnel Performing Coating and Lining Work Inspection in Nuclear Facilities, 06.02

 D4538-05^{c1} Terminology Relating to Protective Coating and Lining Work for Power Generation Facilities, 06.02
- D4539-10 Test Method for Filterability of Diesel Fuels by Low-Temperature Flow Test (LTFT), 05.02
- D4540 Withdrawn 1996; Guide for Testing Interior Latex Semigloss and Gloss
- Paints; Replaced by D5324

 D4541-09°¹ Test Method for Pull-Off Strength of Coatings Using Portable Adhesion Testers, **06.02 D4542-07** Test Method for Pore Water Extraction and Determination of the
- Soluble Salt Content of Soils by Refractometer, 04.08
- D4543-08 Practices for Preparing Rock Core as Cylindrical Test Specimens and Verifying Conformance to Dimensional and Shape Tolerances, 04.08
- D4544-12 Practice for Estimating Peat Deposit Thickness, 04.08 D4545 Withdrawn 2008; Practice for Determining the Integrity of Factory Seams Used in Joining Manufactured Flexible Sheet Geomembranes
- D4546-08 Test Methods for One-Dimensional Swell or Collapse of Cohesive Soils, 04.08

 D4547-09 Guide for Sampling Waste and Soils for Volatile Organic
- Compounds, 11.04
- D4548-11 Test Method for Anion-Cation Balance of Mixed Bed Ion-Exchange Resins, 11.02
- D4549-11 Classification System and Basis for Specification for Polystyrene and Rubber-Modified Polystyrene Molding and Extrusion Materials (PS), 08.02
- D4550 Withdrawn 2004; Classification for Thermoplastic Elastomer-Ether-Ester (TEEE); Replaced by D6835

D4551 D4643

- D4551-12 Specification for Poly(Vinyl Chloride) (PVC) Plastic Flexible Concealed Water-Containment Membrane, 08.03
- D4552/D4552M-10 Practice for Classifying Hot-Mix Recycling Agents, 04.03 D4553-08 Test Method for Determining In Situ Creep Characteristics of Rock, 04.08
- D4554-12 Test Method for In Situ Determination of Direct Shear Strength of Rock Discontinuities, 04.08
- D4555-10 Test Method for Determining Deformability and Strength of Weak
 Rock by an In Situ Uniaxial Compressive Test, 04.08
 D4556 Withdrawn 2003; Guide for Selecting Stream-Net Sampling Devices for
- Collecting Benthic Macroinvertebrates
- Withdrawn 2003; Practice for Collecting Benthic Macroinvertebrates D4557 with Surber and Related Type Samplers
- D4558 Withdrawn 2003; Practice for Collecting Benthic Macroinvertebrates With Drift Nets
- D4559-99(2010) Test Method for Volatile Matter in Silicone Fluid, 10.03 D4560 Withdrawn 1999; Specification for Paper Napkins for Industrial and Institutional Use
- D4561-11 Practice for Quality Control Systems for Organizations Producing and Applying Bituminous Paving Materials, 04.03
 D4562-01(2013) Test Method for Shear Strength of Adhesives Using Pin-and-Collar Specimen, 15.06
- D4563-02(2008) Test Method for Determination by Atomic Absorption
 Spectroscopy of Titanium Dioxide Content of Pigments Recovered From Whole Paint, 06.01
- D4564 Withdrawn 2013; Test Method for Density and Unit Weight of Soil in Place by the Sleeve Method
- D4565-10 Test Methods for Physical and Environmental Performance Properties of Insulations and Jackets for Telecommunications Wire and
- Cable, 10.02

 D4566-08^{c1} Test Methods for Electrical Performance Properties of Insulations and Jackets for Telecommunications Wire and Cable, 10.02
- D4567-03(2013) Test Method for Single-Point Determination of Specific Surface Area of Catalysts and Catalyst Carriers Using Nitrogen Adsorption by Continuous Flow Method, 05.05
- D4568-13 Test Methods for Evaluating Compatibility Between Cable Filling and Flooding Compounds And Polyolefin Wire and Cable Materials, 10.02
- D4569-06(2012) Test Method for Rubber Compounding Materials-Determination of Acidity in Sulfur, 09.01
- D4570-02(2012) Test Method for Rubber Chemicals—Determination of Particle Size of Sulfur by Sieving (Dry), 09.01
- D4571-06(2012) Test Methods for Rubber Compounding Materials— Determination of Volatile Material, 09.01
- D4572-89(2012) Test Method for Rubber Chemicals—Wet Sieve Analysis of Sulfur, **09.01**
- D4573-03(2009) Test Method for Rubber Chemicals—Determination of Oil Content in Oil-Treated Sulfur, 09.01
- D4574-06(2012) Test Methods for Rubber Compounding Materials— Determination of Ash Content, 09.01
- D4575-09 Test Methods for Rubber Deterioration—Reference and Alternative Method(s) for Determining Ozone Level in Laboratory Test Chambers 09.01
- D4576-08(2013) Test Method for Mold Growth Resistance of Wet Blue, 15.04 D4577-05(2010) Test Method for Compression Resistance of a Container
- Under Constant Load, **15.10 D4578-06(2012)** Test Methods for Rubber Chemicals—Determination of Percent Sulfur by Extraction, **09.01**
- D4579-00(2012) Practice for Handling an Acid Degreaser or Still, 15.05 D4580/D4580M-12 Practice for Measuring Delaminations in Concrete Bridge Decks by Sounding, 04.03
- D4581 Withdrawn 2013; Guide for Measurement of Morphologic Characteris-
- tics of Surface Water Bodies

 D4582-10 Practice for Calculation and Adjustment of the Stiff and Davis
 Stability Index for Reverse Osmosis, 11.02

 D4583-95(2009) Practice for Carbon Black—Calculation of Process Indexes
- From an Analysis of Process Control Data, 09.01
- D4584-05(2010) Test Method for Measuring Apparent pH of Electrocoat Baths, 06.01
- D4585/D4585M-13 Practice for Testing Water Resistance of Coatings Using
- Controlled Condensation, **06.01 D4586/D4586M-07(2012)**^{c1} Specifical Specification for Asphalt Roof Cement, Asbestos-Free, 04.04

 D4587-11 Practice for Fluorescent UV-Condensation Exposures of Paint and
- Related Coatings, **06.01**D4588 Withdrawn 1991; Guide for Analysis of p-Xylene; Replaced by D5136

 D4589 Withdrawn 2002; Test Method for Nitrobenzene in Aniline
- D4590-13 Test Method for Colorimetric Determination of, 06.04
 D4591-07(2012) Test Method for Determining Temperatures and Heats of
 Transitions of Fluoropolymers by Differential Scanning Calorimetry, 08.02
 D4592-12 Specification for Preformed Retroreflective Pavement Marking Tape
- for Limited Service Life, 04.03
- D4593 Not Assigned
- D4594-96(2009) Test Method for Effects of Temperature on Stability of Geotextiles, 04.13
- D4595-11 Test Method for Tensile Properties of Geotextiles by the Wide-Width Strip Method, 04.13
- D4596-09 Practice for Collection of Channel Samples of Coal in a Mine, 05.06
 D4597-10 Practice for Sampling Workplace Atmospheres to Collect Gases or Vapors with Solid Sorbent Diffusive Samplers, 11.07
- Withdrawn 1995; Practice for Sampling Workplace Atmospheres to

Collect Gases or Vapors with Liquid Sorbent Diffusional Samplers

- **D4599-03(2009)**^{€1} Practice for Measuring the Concentration of Toxic Gases or Vapors Using Length-of-Stain Dosimeters, 11.07
- D4600-95(2010) Test Method for Determination of Benzene-Soluble Particulate Matter in Workplace Atmospheres, 11.07
 D4601/D4601M-04(2012)^{€1} Specification for Asphalt-Coated Glass Fiber Base
- Sheet Used in Roofing, 04.04
- D4602-93(2008) Guide for Nondestructive Testing of Pavements Using
 Cyclic-Loading Dynamic Deflection Equipment, 04.03
 D4603-03(2011)¹ Test Method for Determining Inherent Viscosity of
- Poly(Ethylene Terephthalate) (PET) by Glass Capillary Viscometer, **08.02**D4604 Withdrawn 2001; Test Methods for Measurement of Cotton Fibers by
 High Volume Instruments (HVI) (Motion Control Fiber Information System)

 D4605 Withdrawn 1995; Test Methods for Measurement of Cotton Fibers by
- High Volume Instruments (HVI) (Spinlab System of Zellweger Uster, Inc.)
- D4606-03(2007) Test Method for Determination of Arsenic and Selenium in Coal by the Hydride Generation/Atomic Absorption Method, 05.06
- D4607-94(2011) Test Method for Determination of Iodine Number of Activated Carbon, **15.01**
- D4608-99(2009) Test Method for Citrate in Detergents, 15.04
 D4609-08 Guide for Evaluating Effectiveness of Admixtures for Soil
 Stabilization, 04.08
- D4610-98(2013) Guide for Determining the Presence of and Removing Microbial (Fungal or Algal) Growth on Paint and Related Coatings, 06.01
- Test Method for Specific Heat of Rock and Soil, 04.08
- D4612-08 Practice for Calculating Thermal Diffusivity of Rocks, 04.08 D4613 Withdrawn 2005; Test Method for Measuring Apparent pH of Water Insoluble Phenol-Formaldehyde Resins
- D4614-11 Specification for Ethyl Acetate (All Grades), 06.04

- D4614-11 Specification for Etnyl Acetate (All Grades), 06.04
 D4615-12 Specification for n-Butyl Acetate (All Grades), 06.04
 D4616-95(2013) Test Method for Microscopical Analysis by Reflected Light and Determination of Mesophase in a Pitch, 05.02
 D4617 Withdrawn 2011; Classification System for Phenolic Compounds (PF)
 D4618-92(2010)^{c1} Specification for Design and Fabrication of Flue Gas
 Desulfurization System Components for Protective Lining Application,
- D4619-12 Practice for Inspection of Linings in Operating Flue Gas Desulfurization Systems, 06.02
- D4620-02(2012) Test Method for Evaluating the Effective Surface Area of Zinc Oxide in Rubber, 09.01
- D4621 Withdrawn 2010; Guide for Quality Management in an Organization That Samples or Tests Coal and Coke; Replaced by D7448
- D4622 Withdrawn 2000; Test Method for Rock Mass Monitoring Using Inclinometers
- D4623-08 Test Method for Determination of In Situ Stress in Rock Mass by Overcoring Method—USBM Borehole Deformation Gauge, 04.08
- D4624 Withdrawn 2004; Test Method for Measuring Apparent Viscosity by Capillary Viscometer at High-Temperature and High-Shear Rates
- D4625-04(2009) Test Method for Middle Distillate Fuel Storage Stability at 43°C (110°F), 05.02
- D4626-95(2010) Practice for Calculation of Gas Chromatographic Response Factors, **05.02**
- D4627-12 Test Method for Iron Chip Corrosion for Water-Miscible Metalworking Fluids, 05.02
- D4628-05(2011)⁶¹ Test Method for Analysis of Barium, Calcium, Magnesium, and Zinc in Unused Lubricating Oils by Atomic Absorption Spectrometry, 05.02
- D4629-12 Test Method for Trace Nitrogen in Liquid Petroleum Hydrocarbons by Syringe/Inlet Oxidative Combustion and Chemiluminescence Detection,
- D4630-96(2008) Test Method for Determining Transmissivity and Storage Coefficient of Low-Permeability Rocks by In Situ Measurements Using the
- Constant Head Injection Test, 04.08

 D4631-95(2008) Test Method for Determining Transmissivity and Storativity of Low Permeability Rocks by In Situ Measurements Using Pressure Pulse Technique, 04.08
- D4632/D4632M-08(2013)^{c1} Test Method for Grab Breaking Load and
- 13-10 Test Method for Energy Measurement for Dynamic Penetrometers, 04.08 D4633-10
- D4634-11a Classification System and Basis for Specification for Styrene-Maleic Anhydride Molding and Extrusion Materials (S/MA), 08.02 D4635-08a Specification for Polyethylene Films Made from Low-Density Polyethylene for General Use and Packaging Applications, 08.02
- D4636-09 Test Method for Corrosiveness and Oxidation Stability of Hydraulic Oils, Aircraft Turbine Engine Lubricants, and Other Highly Refined Oils, 05.02
- D4637/D4637M-13 Specification for EPDM Sheet Used In Single-Ply Roof
- Membrane, 04.04

 D4638-11 Guide for Preparation of Biological Samples for Inorganic Chemical Analysis, 11.01
- D4639 Withdrawn 2004; Test Method for Volatile Content in Phenolic Resins D4640-86(2009) Test Method for Determining Stroke Cure Time of
- Thermosetting Phenol-Formaldehyde Resins, 06.03

 D4641-12 Practice for Calculation of Pore Size Distributions of Catalysts and
- Catalyst Carriers from Nitrogen Desorption Isotherms, 05.05

 D4642-04(2010) Test Method for Platinum in Reforming Catalysts by Wet Chemistry, 05.05

 D4643-08 Test Method for Determination of Water (Moisture) Content of Soil
- by Microwave Oven Heating, 04.08

D4644 D4742

D4644-08 Test Method for Slake Durability of Shales and Similar Weak Rocks, 04.08

D4645-08 Test Method for Determination of In-Situ Stress in Rock Using Hydraulic Fracturing Method, **04.08 D4646-03(2008)** Test Method for 24-h Batch-Type Measurement of

Contaminant Sorption by Soils and Sediments, 11.04

D4647/D4647M-13 Test Methods for Identification and Classification of

Dispersive Clay Soils by the Pinhole Test, **04.08 D4648/D4648M-13** Test Method for Laboratory Miniature Vane Shear Test for Saturated. 04.08

D4649-03(2009) Guide for Selection and Use of Stretch Wrap Films, 15.10 D4650-08 Specification for Normal Butane Thermophysical Property Tables, 05.06

D4651-08 Specification for Isobutane Thermophysical Property Tables, 05.06 D4652-05(2012) Specification for Silicone Fluid Used for Electrical Insulation,

D4653-87(2009) Test Method for Total Chlorides in Leather, 15.04 D4654-87(2009) Test Method for Sulfate Basicity in Leather, 15.04 D4655-95(2012) Test Methods for Sulfates in Leather (Total, Neutral, and Combined Acid), 15.04

D4656 Withdrawn 2000; Specification for Prediluted Aqueous Ethylene Glycol Base Engine Coolant (50 Volume % Minimum) for Automobiles and Light-Duty Service; Consolidated into D 3306

Withdrawn 2005; Test Method for Polynuclear Aromatic Hydrocarbons in Water

D4658-09 Test Method for Sulfide Ion in Water, 11.01

D4659-14 Test Methods for Polyurethane Raw Materials: Determination of Specific Gravity of Isocyanates, 08.02

D4660-12 Test Methods for Polyurethane Raw Materials: Determination of the Isomer Content of Toluenediisocyanate, **08.02 D4661-13** Test Methods for Polyurethane Raw Materials: Determination of

Total Chlorine in Isocyanates, **08.02 D4662-08(2011)**^{c1} Test Methods for Polyurethane Raw Materials: Determina-

tion of Acid and Alkalinity Numbers of Polyols, **08.02 D4663-10** Test Method for Polyurethane Raw Materials: Determination of

Hydrolyzable Chlorine of Isocyanates, 08.02

D4664 Withdrawn 1998; Test Method for Polyurethane Raw Materials: Determination of Freezing Point of Toluene Diisocyanate Mixtures

D4665 Withdrawn 1992; Test Method for Polyurethane Raw Materials: Determination of Assay of Isocyanates; Replaced by D5155

D4666 Withdrawn 1992; Test Method for Polyurethane Raw Materials: Determination of Amine Equivalent of Crude or Modified Isocyanates; Replaced by D5155

D4667 Withdrawn 1998; Test Method for Polyurethane Raw Materials: Determination of Acidity in Toluene Diisocyanate; Replaced by D5629 D4668 Withdrawn 1992; Test Method for Polyurethane Raw Materials;

Determination of Sodium and Potassium in Polyols D4669-07(2013)^{c1} Test Method for Polyurethane Raw Materials: Determination

of Specific Gravity of Polyols, 08.02

D4670-07(2012)^{c1} Test Method for Polyurethane Raw Materials: Determination of Suspended Matter In Polyols, 08.02

D4671-05(2010)^{c1} Test Methods for Polyurethane Raw Materials: Determina-

tion of Unsaturation of Polyols, **08.02 D4672-12** Test Method for Polyurethane Raw Materials: Determination of

Water Content of Polyols, **08.02 D4673-02(2008)** Classification System for Acrylonitrile—Butadiene—Styrene (ABS) Plastics and Alloys Molding and Extrusion Materials, **08.02 D4674-02a(2010)** Practice for Accelerated Testing for Color Stability of Plastics

Exposed to Indoor Office Environments, 08.02

D4675-09^{c1} Guide for Selection and Use of Flat Strapping Materials, 15.10

D4676-94(2012) Classification for Rubber Compounding Materials-Antidegradants, 09.01

D4677-87(2013) Classification for Rubber Compounding Materials—Titanium Dioxide, **09.01**

D4678-11 Practice for Rubber—Preparation, Testing, Acceptance, Documentation, and Use of Reference Materials, 09.01

D4679-02(2007) Specification for Rubber General Purpose, Household or Beautician Gloves, 09.02

D4680-98(2011) Test Method for Creep and Time to Failure of Adhesives in

Static Shear by Compression Loading (Wood-to-Wood), 15.06

D4681 Withdrawn 1995; Specification for Lubricants for Two-Stroke-Cycle
Gasoline Engines (TSC-4)

D4682-13 Specification for Miscibility with Gasoline and Fluidity of

Two-Stroke-Cycle Gasoline Engine Lubricants, 05.02

D4683-13 Test Method for Measuring Viscosity of New and Used Engine Oils at High Shear Rate and High Temperature by Tapered Bearing Simulator Viscometer at 150°C, 05.02

D4684-12 Test Method for Determination of Yield Stress and Apparent Viscosity of Engine Oils at Low Temperature, 05.02
D4685-07(2011)^{←1} Test Method for Pile Fabric Abrasion, 07.02

D4686 Withdrawn 2009; Guide for Identification and Transformation of Frequency Distributions

D4687-14 Guide for General Planning of Waste Sampling, 11.04 D4688-99(2013) Test Method for Evaluating Structural Adhesives for Finger Jointing Lumber, 15.06

 D4689-12 Specification for Adhesive, Casein-Type, 15.06
 D4690-12 Specification for Urea-Formaldehyde Resin Adhesives, 15.06
 D4691-11 Practice for Measuring Elements in Water by Flame Atomic Absorption Spectrophotometry, 11.01

D4692-01(2010) Practice for Calculation and Adjustment of Sulfate Scaling

Salts (CaSO4, SrSO4, and BaSO4) for Reverse Osmosis and Nanofiltration, 11.02

D4693-07(2012) Test Method for Low-Temperature Torque of Grease-Lubricated Wheel Bearings, 05.02

D4694-09 Test Method for Deflections with a Falling-Weight-Type Impulse Load Device, 04.03

D4695-03(2008) Guide for General Pavement Deflection Measurements, 04.03 D4696-92(2008) Guide for Pore-Liquid Sampling from the Vadose Zone, 04.08 D4697 Withdrawn 2009; Guide for Maintaining Test Methods in the User's Laboratory

D4698-92(2013) Practice for Total Digestion of Sediment Samples for

Chemical Analysis of Various Metals, 11.02

D4699-03(2013) Test Method for Vibratory Packing Density of Large Formed

Catalyst and Catalyst Carrier Particles, 05.05

D4700-91(2006) Guide for Soil Sampling from the Vadose Zone, 04.08

D4701-00(2011) Specification for Technical Grade Methylene Chloride, 15.05

D4702 Withdrawn 2008; Practice for Quality Management of Mechanical Coal Sampling Systems; Replaced by D7430 **D4703-10a** Practice for Compression Molding Thermoplastic Materials into

Test Specimens, Plaques, or Sheets, 08.02

D4704-13 Test Method for Tearing Strength, Tongue Tear of Leather, 15.04 D4705-13 Test Method for Stitch Tear Strength of Leather, Double Hole, 15.04 D4706 Withdrawn 2007; Test Method for Qualitative Determination of Methylol Group in Phenolic Resins

D4707-09(2013) Test Method for Measuring Paint Spatter Resistance During Roller Application, 06.02

D4708-12 Practice for Preparation of Uniform Free Films of Organic Coatings, 06.01

D4709-07(2012) Specification for Methyl Acrylate, 06.04

D4710-07(2012) Specification for Acetaldehyde, 06.04

D4711-89(2009) Test Method for Sulfonic and Sulfuric Acids in Alkylbenzene Sulfonic Acids, 15.04

D4712-87a(2005) Guide for Testing Industrial Water-Reducible Coatings, 06.02 D4713-12 Test Methods for Nonvolatile Content of Heatset and Liquid Printing Ink Systems, 06.02

D4714 Withdrawn 2010; Test Method for Determination of Effect of Moist Heat (50 % Relative Humidity and 90°C) on Properties of Paper and Board D4715-98(2012) Test Method for Coking Value of Tar and Pitch (Alcan), 05.02

D4716/D4716M-14 Test Method for Determining the (In-plane) Flow Rate per Unit Width and Hydraulic Transmissivity of a Geosynthetic Using a Constant Head, 04.13

D4717 Not Assigned

D4718-87(2007) Practice for Correction of Unit Weight and Water Content for Soils Containing Oversize Particles, 04.08

D4719-07 Test Methods for Prebored Pressuremeter Testing in Soils, 04.08 D4720-08(2013) Performance Specification for Soft Window Covering Fabrics for Household Use, 07.02

D4721-12 Practice for Evaluation of the Performance of Machine Washable and Drycleanable Bedcoverings and Accessories, **07.02**D4722 Withdrawn 1994; Practice for the Evaluation of the Performance of

Machine Washable Woven and Knit Household Bed Sheets and Pillowcases

D4723-07^{c2} Classification Index of and Descriptions of Textile Flammability Test Methods, 07.02

D4724-11 Test Method for Entanglements in Untwisted Filament Yarns by Needle Insertion, 07.02

D4725-13 Terminology for Engine Coolants and Related Fluids, 15.05 D4726-09 Specification for Rigid Poly(Vinyl Chloride) (PVC) Exterior-Profile Extrusions Used for Assembled Windows and Doors, 08.03

D4727/D4727M-12 Specification for Corrugated and Solid Fiberboard Sheet

Stock (Container Grade) and Cut Shapes, 15.10

D4728-06(2012) Test Method for Random Vibration Testing of Shipping
Containers, 15.10

D4729-08 Test Method for In Situ Stress and Modulus of Deformation Using

Flatjack Method, 04.08

D4730-13 Specification for Flooding Compounds for Telecommunications Wire and Cable, 10.02

D4731-13 Specification for Hot-Application Filling Compounds for Telecommunications Wire and Cable, 10.02

D4732-13 Specification for Cool-Application Filling Compounds for Telecommunications Wire and Cable, 10.02

D4733-13 Test Methods for Solventless Electrical Insulating Varnishes, 10.02 D4734-12 Specification for Refined Benzene-545, 06.04

D4735-09 Test Method for Determination of Trace Thiophene in Refined Benzene by Gas Chromatography, **06.04**D4736 Withdrawn 1995; Test Method for Evaluating Friction Retention

Characteristics of Oils Used in Oil Cooled Bronze Faced Friction Clutches D4737-10 Test Method for Calculated Cetane Index by Four Variable

Equation, **05.02**D4738 Withdrawn 1995; Practice for Calibration of Upright Cylindrical Tanks Using Optical Reference Line Method

D4739-11 Test Method for Base Number Determination by Potentiometric

Hydrochloric Acid Titration, 05.02 D4740-04(2009) Test Method for Cleanliness and Compatibility of Residual

Fuels by Spot Test, 05.02

D4741-13 Test Method for Measuring Viscosity at High Temperature and High Shear Rate by Tapered-Plug Viscometer, 05.02

D4742-08⁻¹ Test Method for Oxidation Stability of Gasoline Automotive Engine

Oils by Thin-Film Oxygen Uptake (TFOUT), 05.02

D4743 D4834

- D4743 Withdrawn 2003; Test Method for Efficacy of Solvent Systems for Dissolving Water-Formed Deposits
- D4744 Withdrawn 2002; Test Method for Organic Halides in Water by Carbon Adsorption-Microcoulometric Detection

 D4745-11a⁻¹ Specification for Filled Compounds of Polytetrafluoroethylene
- (PTFE) Molding and Extrusion Materials, 08.02
- D4746-98(2013) Test Method for Determination of Quinoline Insolubles (QI) in Tar and Pitch by Pressure Filtration, 05.02
- D4747-02(2008) Test Method for Determining Unreacted Monomer Content of Latexes Using Gas-Liquid Chromatography, 06.01
- D4748-10 Test Method for Determining the Thickness of Bound Pavement
- Layers Using Short-Pulse Radar, 04.03
 D4749-87(2012) Test Method for Performing the Sieve Analysis of Coal and Designating Coal Size, 05.06
- D4750 Withdrawn 2010; Test Method for Determining Subsurface Liquid Levels in a Borehole or Monitoring Well (Observation Well)
- D4751-12 Test Method for Determining Apparent Opening Size of a Geotextile, 04.13
- D4752-10 Practice for Measuring MEK Resistance of Ethyl Silicate (Inorganic) Zinc-Rich Primers by Solvent Rub, 06.02

 D4753-07 Guide for Evaluating, Selecting, and Specifying Balances and
- Standard Masses for Use in Soil, Rock, and Construction Materials Testing, 04.09
 4-11 Test Method for Two-Sided Liquid Extraction of Plastic Materials
- Using FDA Migration Cell, 08.02
- D4755-95(2010) Test Method for Free Halogens in Halogenated Organic Solvents and Their Admixtures, 15.05
- D4756-13 Practice for Installation of Rigid Poly(Vinyl Chloride) (PVC) Siding and Soffit, 08.03
- D4757 Withdrawn 2004; Practice for Placarding Solvent Vapor Degreasers D4758 Withdrawn 2007; Test Method for Nonvolatile Content of Latexes
- D4759-11 Practice for Determining the Specification Conformance of Geosynthetics, 04.13
- D4760 Withdrawn 1997; Test Method for Proper Resecuring of Type 1
 (Continuous Thread) Child-Resistant Closures
 D4761-13 Test Methods for Mechanical Properties of Lumber and Wood-Base
- Structural Material, 04.10

 D4762-11a Guide for Testing Polymer Matrix Composite Materials, 15.03

 D4763-06(2012) Practice for Identification of Chemicals in Water by Fluorescence Spectroscopy, 11.02
- **D4764-01(2012)** Test Method for Determination by X-ray Fluorescence Spectroscopy of Titanium Dioxide Content in Paint, 06.01
- D4765-13 Test Method for Measurement of Fluorides in Workplace Atmospheres by Ion-Selective Electrodes, 11.07
- D4766-98(2009)^{c1} Test Method for Vinyl Chloride in Workplace Atmospheres (Charcoal Tube Method), 11.07
- D4767-11 Test Method for Consolidated Undrained Triaxial Compression Test for Cohesive Soils, 04.08
- D4768-11 Test Method for Analysis of 2,6-Ditertiary-Butyl Para-Cresol and 2,6-Ditertiary-Butyl Phenol in Insulating Liquids by Gas Chromatography, 10.03
- D4769-12 Specification for Woven and Warp Knitted Comforter Fabrics, 07.02 D4770/D4770M Withdrawn 2008; Test Method for Appearance and Integrity of Highloft Batting After Refurbishing

 D4771/D4771M-09 Performance Specification for Knitted Upholstery Fabrics
- for Indoor Furniture, 07.02
- D4772-14 Test Method for Surface Water Absorption of Terry Fabrics (Water Flow), **07.02**
- D4773-02(2012) Test Method for Purity of Propylene Glycol Monomethyl Ether, Dipropylene Glycol Monomethyl Ether, and Propylene Glycol Monomethyl
- Ether Acetate, **06.04 D4774-11** Specification Specification for User Applied Drug Labels in Anesthesiology, 15.10
- D4775/D4775M-09 Specification for Identification and Configuration of Prefilled Syringes and Delivery Systems for Drugs (Excluding Pharmacy Bulk Packages), 15.10
- D4776/D4776M-10 Test Method for Adhesion of Tire Cords and Other Reinforcing Cords to Rubber Compounds by H-Test Procedure, 07.02
- D4777 Withdrawn 1994; Test Method for Adhesion of Tire Cords and Other Reinforcing Cords to Rubber Compounds by Hot U-Test Procedure
- D4778-10 Test Method for Determination of Corrosion and Fouling Tendency of Cooling Water Under Heat Transfer Conditions, 11.01
- D4779 Withdrawn 2002; Test Method for Total, Organic, and Inorganic Carbon in High Purity Water by Ultraviolet (UV) or Persulfate Oxidation, or Both, and Infrared Detection
- **D4780-12** Test Method for Determination of Low Surface Area of Catalysts and Catalyst Carriers by Multipoint Krypton Adsorption, 05.05
- D4781-03(2013) Test Method for Mechanically Tapped Packing Density of Fine Catalyst Particles and Catalyst Carrier Particles, 05.05
- D4782-10 Test Method for Palladium in Molecular Sieve Catalyst by Wet Chemistry, 05.05
- D4783-01(2013) Test Methods for Resistance of Adhesive Preparations in
- Container to Attack by Bacteria, Yeast, and Fungi, 15.06

 D4784-93(2010) Specification for LNG Density Calculation Models, 05.06

 D4785-08(2013)^{c1} Test Method for Low-Level Analysis of Iodine Radioisotopes in Water, 11.02
- D4786-00(2010) Test Method for Stitch Tear Strength, Single Hole, 15.04
 D4787-13 Practice for Continuity Verification of Liquid or Sheet Linings Applied to Concrete Substrates, 06.02

D4788-03(2013) Test Method for Detecting Delaminations in Bridge Decks Using Infrared Thermography, 04.03

- Test Method for Solution Color of Bisphenol A (4,4'-Isopropylidene-D4789-12 diphenol), 06.04
- D4790-11 Terminology of Aromatic Hydrocarbons and Related Chemicals, 06.04
- D4791-10 Test Method for Flat Particles, Elongated Particles, or Flat and
- Elongated Particles in Coarse Aggregate, **04.03 D4792/D4792M-13** Test Method for Potential Expansion of Aggregates from Hydration Reactions, 04.03
- D4793-09 Test Method for Sequential Batch Extraction of Waste with Water, 11.04
- D4794-94(2009) Test Method for Determination of Ethoxyl or Hydroxyethoxyl Substitution in Cellulose Ether Products by Gas Chromatography, 06.03
- D4795-94(2008) Test Method for Nitrogen Content of Soluble Nitrocellulose Alternative Method, 06.03
- D4796-10 Test Method for Bond Strength of Thermoplastic Traffic Marking Materials, 06.02
- D4797-12a Test Methods for Gravimetric Analysis of White and Yellow
- Thermoplastic Traffic Marking, 06.02

 D4798/D4798M-11 Practice for Accelerated Weathering Test Conditions and Procedures for Bituminous Materials (Xenon-Arc Method), 04.04

 D4799/D4799M-08(2013)^{c1} Practice for Accelerated Weathering Test
- Conditions and Procedures for Bituminous Materials (Fluorescent UV, Water Spray, and Condensation Method), 04.04
- D4800-94(2011) Guide for Classifying and Specifying Adhesives, 15.06 Specification for Polyethylene Sheeting in Thickness of 0.25 mm (0.010 in.) and Greater, 08.02
- D4802-10 Specification for Poly(Methyl Methacrylate) Acrylic Plastic Sheet, 08.02
- D4803-10 Test Method for Predicting Heat Buildup in PVC Building Products, 08.03
- D4804-09 Test Method for Determining the Flammability Characteristics of Nonrigid Solid Plastics, 08.02
- D4805 Withdrawn 2002; Terminology for Plastics Standards

 D4806-13a Specification for Denatured Fuel Ethanol for Blending with Gasolines for Use as Automotive Spark-Ignition Engine Fuel, 05.02
- D4807-05(2010) Test Method for Sediment in Crude Oil by Membrane Filtration, 05.02
- D4808-01(2012) Test Methods for Hydrogen Content of Light Distillates, Middle Distillates, Gas Oils, and Residua by Low-Resolution Nuclear Magnetic Resonance Spectroscopy, 05.02
- D4809-13 Test Method for Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter (Precision Method), 05.02
 D4810-06(2011) Test Method for Hydrogen Sulfide in Natural Gas Using
- Length-of-Stain Detector Tubes, 05.06
- D4811/J04811M-06(2013)^{c1} Specification for Nonvulcanized (Uncured) Rubber Sheet Used as Roof Flashing, 04.04
- D4812-11 Test Method for Unnotched Cantilever Beam Impact Resistance of Plastics, 08.02
- D4813 Not Assigned
- D4814-13a Specification for Automotive Spark-Ignition Engine Fuel, 05.02 **D4815-13** Test Method for Determination of MTBE, ETBE, TAME, DIPE,
- tertiary-Amyl Alcohol and C1 to C4 Alcohols in Gasoline by Gas
- Chromatography, **05.02**D4816 Withdrawn 1999; Test Method for Specific Heat of Aircraft Turbine Fuels by Thermal Analysis; Replaced by E1269
- D4817-88(2012) Classification for Rubber Compounding Materials—Stearic Acid. 09.01
- D4818-89(2012) Classification for Rubber Compounding Materials-Vulcanization Accelerators, 09.01
- D4819-13 Specification for Flexible Cellular Materials Made From Polyolefin Plastics, 08.02
- D4820 Withdrawn 2000; Test Methods for Carbon Black—Surface Area by Multipoint B. E. T. Nitrogen Adsorption; Replaced by D6556

 D4821-07^{c1} Guide for Carbon Black—Validation of Test Method Precision and
- Bias, 09.01
- D4822-88(2014) Guide for Selection of Methods of Particle Size Analysis of Fluvial Sediments (Manual Methods), 11.02
- D4823-95(2014) Guide for Core Sampling Submerged, Unconsolidated Sediments, 11.02
- D4824-13 Test Method for Determination of Catalyst Acidity by Ammonia Chemisorption, 05.05
- D4825 Withdrawn 2010: Test Method for Measurement of Curl in Cut-Sized
- Office Paper D4826 Withdrawn 2010; Practice for Units of Measurement and Conversion
- Page Willingwill 2010, Placific for Office of Milesurement and Conversion Factors for Pulp, Paper, and Paperboard

 D4827-03(2009) Test Method for Determining the Unreacted Monomer Content of Latexes Using Capillary Column Gas Chromatography, 06.01

 D4828-94(2012)^{c1} Test Methods for Practical Washability of Organic Coatings, 06.02
- D4829-11 Test Method for Expansion Index of Soils, 04.08
- D4830-98(2006) Test Methods for Characterizing Thermoplastic Fabrics Used in Roofing and Waterproofing, 04.04
- D4831-00(2010) Test Method for Buckle Tear Strength of Leather, 15.04
 D4832-10 Test Method for Preparation and Testing of Controlled Low Strength
 Material (CLSM) Test Cylinders, 04.08
 D4833/D4833M-07(2013)^{c1} Test Method for Index Puncture Resistance of
- Geomembranes and Related Products, **04.13**
- D4834-03(2008) Test Method for Detection of Lead in Paint by Direct

D4834 D4927

Aspiration Atomic Absorption Spectroscopy, 06.01

D4835-08(2012) Specification for Propylene Glycol Monomethyl Ether Acetate, 06.04

D4836-09 Specification for Dipropylene Glycol Monomethyl Ether, 06.04
D4837-07(2012) Specification for Propylene Glycol Monomethyl Ether, 06.04 D4838-88(2010) Test Method for Determining the Relative Tinting Strength of

Chromatic Paints, 06.02 D4839-03(2011) Test Method for Total Carbon and Organic Carbon in Water by Ultraviolet, or Persulfate Oxidation, or Both, and Infrared Detection, 11.02

D4840-99(2010) Guide for Sample Chain-of-Custody Procedures, 11.01
D4841-88(2013)^{c1} Practice for Estimation of Holding Time for Water Samples
Containing Organic and Inorganic Constituents, 11.01

Withdrawn 2006; Test Method for Determining the Resistance of Solid Wastes to Freezing and Thawing

D4843-88(2009) Test Method for Wetting and Drying Test of Solid Wastes, 11.04

D4844-03(2009) Guide for Air Monitoring at Waste Management Facilities for

Worker Protection, 11.04

D4845-10^{c2} Terminology Relating to Wool, 07.02

D4846-96(2011) Test Method for Resistance to Unsnapping of Snap Fasteners, 07.02

D4847-02(2008) Performance Specification for Woven Awning and Canopy Fabrics, **07.02**

D4848-98(2012) Terminology Related to Force, Deformation and Related Properties of Textiles, 07.02

D4849-13^{c1} Terminology Related to Yarns and Fibers, 07.02 D4850-13 Terminology Relating to Fabrics and Fabric Test Methods, 07.02 D4851-07(2011) Test Methods for Coated and Laminated Fabrics for Architectural Use, 07.02
D4852-88(2009)^{€1} Practice for Evaluation of Attached Upholstery Fabrics,

07.02

D4853 Withdrawn 2008; Guide for Reducing Test Variability

D4854 Withdrawn 2009; Guide for Estimating the Magnitude of Variability from Expected Sources in Sampling Plans

Withdrawn 2008; Practice for Comparing Test Methods

D4856-11 Test Method for Determination of Sulfuric Acid Mist in Workplace Atmospheres Collected on Mixed Cellulose Ester Filters (Ion Chromato-

graphic Analysis), 11.07

D4857-12 Test Method for Determination of the Ability of Lubricants to Minimize Ring Sticking and Piston Deposits in Two-Stroke-Cycle Gasoline Engines Other Than Outboards, 05.02

D4858-13 Test Method for Determination of the Tendency of Lubricants to Promote Preignition in Two-Stroke-Cycle Gasoline Engines, 05.02
D4859-13 Specification for Lubricants for Two-Stroke-Cycle Spark-Ignition

Gasoline Engines-TC, 05.02

D4860-13 Test Method for Free Water and Particulate Contamination in Middle Distillate Fuels (Clear and Bright Numerical Rating), 05.02

D4861-11 Practice for Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air, 11.07

D4862 Withdrawn 1995; Test Method for Evaluating Hydraulic Transmission Fluid Antiwear Properties

D4863-13 Test Method for Determination of Lubricity of Two-Stroke-Cycle Gasoline Engine Lubricants, 05.02

D4864-90(2013) Test Method for Determination of Traces of Methanol in Propylene Concentrates by Gas Chromatography, 05.02
 D4865-09 Guide for Generation and Dissipation of Static Electricity in

Petroleum Fuel Systems, 05.02

D4866/D4866M-88(2011)^{€1} Performance Specification for Coal Tar Pitch Emulsion Pavement Sealer Mix Formulations Containing Mineral

Aggregates and Optional Polymeric Admixtures, 04.04 D4867/D4867M-09 Test Method for Effect of Moisture on Asphalt Concrete Paving Mixtures, 04.03

D4868-00(2010) Test Method for Estimation of Net and Gross Heat of Combustion of Burner and Diesel Fuels, 05.02

D4869/D4869M-05(2011) Specification for Asphalt-Saturated Organic Felt

Underlayment Used in Steep Slope Roofing, 04.04

D4870-09 Test Method for Determination of Total Sediment in Residual Fuels, 05.02

D4871-11 Guide for Universal Oxidation/Thermal Stability Test Apparatus, 05.02

D4872-99(2010) Test Method for Dielectric Testing of Wire and Cable Filling Compounds, 10.02
D4873-02(2009) Guide for Identification, Storage, and Handling of

Geosynthetic Rolls and Samples, 04.13

D4874-95(2014) Test Method for Leaching Solid Material in a Column Apparatus, 11.04

D4875-11 Test Methods of Polyurethane Raw Materials: Determination of the Polymerized Ethylene Oxide Content of Polyether Polyols, 08.02

D4876 Withdrawn 2003: Test Method for Polyurethane Raw Materials: Determination of Acidity of Crude or Modified Isocyanates; replaced by

D4877-10 Test Method for Polyurethane Raw Materials: Determination of APHA Color in Isocyanates, 08.02

D4878-08 Test Methods for Polyurethane Raw Materials: Determination of Viscosity of Polyols, 08.02

D4879-08 Guide for Geotechnical Mapping of Large Underground Openings in

Rock, **04.08 D4880-08** Test Method for Salt Water Proofness of Insulating Varnishes Over Enamelled Magnet Wire, 10.02

D4881-05(2012) Test Method for Thermal Endurance of Varnished Fibrous- or Film-Wrapped Magnet Wire, 10.02

D4882-05(2012) Test Method for Bond Strength of Electrical Insulating Varnishes by the Twisted-Coil Test, 10.02

D4883-08 Test Method for Density of Polyethylene by the Ultrasound Technique, 08.02

D4884/D4884M-14a Test Method for Strength of Sewn or Bonded Seams of

Geotextiles, 04.13

D4885-01(2011) Test Method for Determining Performance Strength of Geomembranes by the Wide Strip Tensile Method, 04.13

D4886-10 Test Method for Abrasion Resistance of Geotextiles (Sand

Paper/Sliding Block Method), 04.13

D4887/D4887M-11 Practice for Preparation of Viscosity Blends for Hot

Recycled Asphalt Materials, 04.03

D4888-06(2011) Test Method for Water Vapor in Natural Gas Using Length-of-Stain Detector Tubes, 05.06

D4889-04(2011) Test Methods for Polyurethane Raw Materials: Determination of Viscosity of Crude or Modified Isocyanates, **08.02 D4890-13** Test Methods for Polyurethane Raw Materials: Determination of Gardner and APHA Color of Polyols, **08.02**

D4891-13 Test Method for Heating Value of Gases in Natural Gas and Flare Gases Range by Stoichiometric Combustion, 05.06

D4892-89(2009) Test Method for Density of Solid Pitch (Helium Pycnometer

Method), **05.02** D4893-94(2009) Test Method for Determination of Pitch Volatility, 05.02 D4894-07(2012) Specification for Polytetrafluoroethylene (PTFE) Granular

Molding and Ram Extrusion Materials, 08.02 D4895-10 Specification for Polytetrafluoroethylene (PTFE) Resin Produced

D4895-10 Specification for Polytetralidoroethylene (FTFE) nestin Flouded From Dispersion, 08.02

D4896-01(2008)^{c1} Guide for Use of Adhesive-Bonded Single Lap-Joint Specimen Test Results, 15.06

D4897/D4897M-01(2009) Specification for Asphalt-Coated Glass-Fiber Venting Base Sheet Used in Roofing, 04.04

D4898-90(2010)^{c1} Test Method for Insoluble Contamination of Hydraulic Fluids

by Gravimetric Analysis, **05.02**

D4899-99(2009) Practice for Analysis of Vegetable Tanning Materials— General, **15.04**

D4900-99(2009) Test Method for Lignosulfonates (Sulfite Cellulose) in Tanning Extracts, 15.04

D4901-99(2009) Practice for Preparation of Solution of Liquid Vegetable Tannin Extracts, 15.04

D4902-99(2009) Test Method for Evaporation and Drying of Analytical Solutions, 15.04
 D4903-99(2009) Test Method for Total Solids and Water in Vegetable Tanning

Material Extracts, 15.04

D4904-99(2009) Practice for Cooling of Analytical Solutions, 15.04 D4905-99(2009) Practice for Preparation of Solution of Solid, Pasty and Powdered Vegetable Tannin Extracts, 15.04

D4906-95(2012) Test Method for Total Solids and Ash Content in Leather Finishing Materials, 15.04

D4907-10 Test Method for Nitrocellulose in Finish on Leather, 15.04 D4908 Withdrawn 1997; Test Method for Tackiness of Finish on Leather; Replaced by D6183

D4909 Withdrawn 1996; Test Method for Color Stability of Vinyl-Coated Glass

D4909 Withdrawn 1996, lest weithout for Color Stability of Viriyi-Coated Glass
Textiles to Accelerated Weathering
D4910/D4910M-08(2013) Tables of Body Measurements for Children, Infant
Sizes—Preemie to 24 Months, 07.02
D4911 Withdrawn 2000; Tolerances for Yarns Made of Man-Made Fibers and
Spun on the Parallel Worsted or Modified Worsted System

D4912/D4912M-14 Test Method for Fabric Stability of Vinyl-Coated Glass Yarn Insect Screening and Louver Cloth, 07.02

D4913-00(2011) Practice for Determining Concentration of Hydrogen Sulfide by Direct Reading, Length of Stain, Visual Chemical Detectors, 11.07
 D4914-08 Test Methods for Density and Unit Weight of Soil and Rock in Place by the Sand Replacement Method in a Test Pit, 04.08
 D4915 Withdrawn 2003; Guide for Manual Sampling of Coal from Tops of

Railroad Cars; Replaced by D6883 D4916 Withdrawn 2008; Guide for Mechanical Auger Sampling; Replaced by

D7430 D4917 Withdrawn 2010; Test Method for Coefficient of Static and Kinetic

Friction of Uncoated Writing and Printing Paper by Use of the Horizontal Plane Method
D4918 Withdrawn 2010; Test Method for Coefficient of Static Friction of

Uncoated Writing and Printing Paper by Use of the Inclined Plane Method D4919-03(2008) Guide for Testing of Hazardous Materials Packagings, 15.10 D4920-13 Terminology Relating to Conditioning, Chemical, and Thermal

Properties, 07.02 D4921-95(2012) Test Method for Foaming Tendencies of Engine Coolants at

Room Temperature, 15.05

D4922-09 Test Method for Determination of Radioactive Iron in Water. 11.02 D4923 Withdrawn 2010; Specification for Reinforced Thermosetting Plastic

Poles D4924-89(2012) Classification for Petroleum Waxes for Use in Rubber Compounding, 09.01

D4925 Withdrawn 1997; Test Method for Flexibility and Adhesion of Finish on Leather; Replaced by D6182

D4926-06(2011) Test Method for Gamma Alumina Content in Catalysts

Containing Silica and Alumina by X-ray Powder Diffraction, **95.05 D4927-10** Test Methods for Elemental Analysis of Lubricant and Additive

Components-Barium, Calcium, Phosphorus, Sulfur, and Zinc by

D4927 D5019

- Wavelength-Dispersive X-Ray Fluorescence Spectroscopy, 05.02
- D4928-12 Test Method for Water in Crude Oils by Coulometric Karl Fischer Titration, 05.02
- D4929-07 Test Methods for Determination of Organic Chloride Content in Crude Oil, 05.02
- D4930-06(2011) Test Method for Dust Control Material on Calcined Petroleum Coke, **05.02**
- D4931-06(2011) Test Method for Gross Moisture in Green Petroleum Coke, 05.02
- D4932/D4932M-89(2014)^{€1} Test Method for Fastener Rupture and Tear Resistance of Roofing and Waterproofing Sheets, Roll Roofing, and Shingles, 04.04
- D4933-99(2010) Guide for Moisture Conditioning of Wood and Wood-Based Materials, 04.10
- D4934-02(2012) Test Method for Rubber Compounding Materials: 2-Benzothiazyl Sulfenamide Accelerators-Insolubles, 09.01
- D4935-10 Test Method for Measuring the Electromagnetic Shielding Effectiveness of Planar Materials, 10.02
- D4936-10 Test Method for Mercaptobenzothiazole Sulfenamide Assay by Reduction/Titration, 09.01
- D4937-96(2012) Test Method for p-Phenylenediamine Antidegradants Purity by Gas Chromatography, 09.01
- **D4938-89(2013)** Test Method for Erosion Testing of Antifouling Paints Using High Velocity Water, 06.02

 D4939-89(2013) Test Method for Subjecting Marine Antifouling Coating to
- Biofouling and Fluid Shear Forces in Natural Seawater, 06.02
- D4940-10 Test Method for Conductimetric Analysis of Water Soluble Ionic Contamination of Blasting Abrasives, 06.02
- D4941-06(2010) Practice for Preparing Drawdowns of Artists' Paste Paints, 06.02
- D4942-11 Test Methods for Water Pickup of Lithographic Printing Inks and Vehicles in a Laboratory Mixer, 06.02
 D4943-08 Test Method for Shrinkage Factors of Soils by the Wax Method,
- 04.08
- D4944-11 Test Method for Field Determination of Water (Moisture) Content of Soil by the Calcium Carbide Gas Pressure Tester, 04.08
- D4945-12 Test Method for High-Strain Dynamic Testing of Deep Foundations 04.08
- D4946-89(2012) Test Method for Blocking Resistance of Architectural Paints, 06.02
- D4947 Withdrawn 2011; Test Method for Chlordane and Heptachlor Residues in Indoor Air
- D4948-89(2012) Test Method for Determination of the Upper Layer Separated from a Viscous Liquid, 06.01

 D4949 Withdrawn 2011; Test Method for Determination of D-C Resistivity of
- Written Paper (Keithley Method)
- D4950-13 Classification and Specification for Automotive Service Greases, 05.02
- D4951-09 Test Method for Determination of Additive Elements in Lubricating Oils by Inductively Coupled Plasma Atomic Emission Spectrometry, **05.02 D4952-12** Test Method for Qualitative Analysis for Active Sulfur Species in
- Fuels and Solvents (Doctor Test), 05.02
- D4953-06(2012) Test Method for Vapor Pressure of Gasoline and Gasoline-Oxygenate Blends (Dry Method), 05.02
- D4954-89(2009) Test Method for Determination of Nitrilotriacetates in
- Detergents, 15.04

 D4955-89(2008) Practice for Field Evaluation of Automotive Polish, 15.04
- D4956-13 Specification for Retroreflective Sheeting for Traffic Control, 04.03
 D4957-08 Test Method for Apparent Viscosity of Asphalt Emulsion Residues and Non-Newtonian Bitumens by Vacuum Capillary Viscometer, 04.03
- D4958-10 Test Method for Comparison of the Brush Drag of Latex Paints, 06.02
- D4959-07 Test Method for Determination of Water (Moisture) Content of Soil By Direct Heating, 04.08
 D4960-08(2013) Test Method for Evaluation of Color for Thermoplastic Traffic Marking Materials, 06.02
- D4961 Withdrawn 2004; Test Methods for Gas Chromatographic Analysis of Major Organic Impurities in Phenol Produced by the Cumene Process
- D4962-02(2009) Practice for NaI(TI) Gamma-Ray Spectrometry of Water, 11.02
- D4963/D4963M-11 Test Method for Ignition Loss of Glass Fiber Strands and Fabrics, 07.02

 D4964-96(2012)^{c1} Test Method for Tension and Elongation of Elastic Fabrics
- (Constant-Rate-of-Extension Type Tensile Testing Machine), 07.02

 D4965 Withdrawn 2011; Terminology of Seams and Seam Finishes Used in
- Home Sewing: Replaced by D5646

 D4966-12⁻¹ Test Method for Abrasion Resistance of Textile Fabrics (Martindale
- Abrasion Tester Method), 07.02

 D4967-99(2013) Guide for Selecting Materials to Be Used for Insulation, Jacketing and Strength Components in Fiber-Optic Cables, 10.02
- **D4968-09** Guide for Annual Review of Test Methods and Specifications for Plastics, 08.02
- D4969-07(2012) Specification for Polytetrafluoroethylene–(PTFE) Coated Glass Fabric, 08.02
 D4970/D4970M-10^{c1} Test Method for Pilling Resistance and Other Related Surface Changes of Textile Pabrics: Martindale Tester, 07.02
- D4971-08 Test Method for Determining In Situ Modulus of Deformation of Rock Using Diametrically Loaded 76-mm (3-in.) Borehole Jack, 04.08
 D4972-13 Test Method for pH of Soils, 04.08
- D4973 Withdrawn 1998; Specification for White Riigid Poly(Vinyl Chlo-

ride)(PVC) Insulating Storm Windows

- D4974-04(2011) Test Method for Hot Air Thermal Shrinkage of Yarn and Cord Using a Thermal Shrinkage Oven, 07.02
- D4975-14 Test Methods for Single-Filament Tire Bead Wire Made from Steel, 07.02
- D4976-12a Specification for Polyethylene Plastics Molding and Extrusion Materials, 08.02
- D4977/D4977M-03(2013)^{c1} Test Method for Granule Adhesion to Mineral
- Surfaced Roofing by Abrasion, 04.04

 D4978-95(2007) Test Methods for Screening of Reactive Sulfides in Waste, 11.04
- D4979-12 Test Method for Physical Description Screening Analysis in Waste, 11.04
- D4980 Withdrawn 2009; Test Methods for Screening of pH in Waste D4981-12 Test Method for Screening of Oxidizers in Waste, 11.04
- D4982-12 Test Methods for Flammability Potential Screening Analysis of
- Waste, 11.04 D4983 Withdrawn 2002; Test Method for Cyclohexylamine, Morpholine, and Diethylaminoethanol in Water and Condensed Steam by Direct Aqueous
- Dealyminderian in Value and Condensed Steam by Bried Addedds
 Injection Gas Chromatography

 D4984-06(2011) Test Method for Carbon Dioxide in Natural Gas Using
 Length-of-Stain Detector Tubes, 05.06

 D4985-10 Specification for Low Silicate Ethylene Glycol Base Engine Coolant
- for Heavy Duty Engines Requiring a Pre-Charge of Supplemental Coolant Additive (SCA), 15.05
- D4986-10 Test Method for Horizontal Burning Characteristics of Cellular Polymeric Materials, 08.02
- D4987 Withdrawn 2010; Test Method for Tensile Breaking Strength of
- Perforations in One-Part Continuous Forms Paper D4988 Withdrawn 2010; Test Method for Determination of Alkalinity of Paper
- as Calcium Carbonate (Alkaline Reserve of Paper)

 D4989/D4989M-90a(2014)^{c1} Test Method for Apparent Viscosity (Flow) of Roofing Bitumens Using the Parallel Plate Plastometer, 04.04
- D4990-97a(2013) Specification for Coal Tar Glass Felt Used in Roofing and Waterproofing, 04.04
- D4991-07 Test Method for Leakage Testing of Empty Rigid Containers by Vacuum Method, 15.10
- D4992-07 Practice for Evaluation of Rock to be Used for Erosion Control, 04.08
- D4993-08(2014) Practice for Calculation and Adjustment of Silica (SiO, 11.02 D4994-89(2014) Practice for Recovery of Viruses from Wastewater Sludges, 11.02
- D4995-10 Specification for Electronic and Degreasing Grades of, 15.05
 D4996 Withdrawn 1995; Test Method for Evaluation of Fluids for Effects on Wear of Tractor Final Drives
- D4997 Withdrawn 1995; Test Method for Evaluation of Water Sensitivity of Multi-Purpose Power Transmission Fluids
- D4998-13 Test Method for Evaluating Wear Characteristics of Tractor Hydraulic Fluids, 05.02
- D4999 Withdrawn 1995; Test Method for Evaluation of Fluids for Effects on Friction of Wet, Bronze-Faced, Friction Brakes
- D5000-05 Practice for Evaluating Activity of Clay Elements Using a
- D500-05 Practice for Evaluating Activity of Clay Elements Using a Side-Stream Sensor, 05.02

 D5001-10 Test Method for Measurement of Lubricity of Aviation Turbine Fuels by the Ball-on-Cylinder Lubricity Evaluator (BOCLE), 05.02

 D5002-13 Test Method for Density and Relative Density of Crude Oils by Digital Density Analyzer, 05.02

 D5003-06a(2011) Test Method for Hardgrove Grindability Index (HGI) of Petroleum Coke, 05.02

- D5004-11 Test Method for Real Density of Calcined Petroleum Coke by
- Xylene Displacement, 05.02

 D5005 Withdrawn 1995; Test Method for Evaluation of Fluids for Effects on Friction and Wear of Wet Clutches

 D5006-11 Test Method for Measurement of Fuel System Icing Inhibitors (Ether
- Type) in Aviation Fuels, **05.02**
- D5007-99(2013) Test Method for Wet-to-Dry Hiding Change, 06.02
 D5008-07(2012) Test Method for Ethyl Methyl Pentanol Content and Purity
 Value of 2-Ethylhexanol By Gas Chromatography, 06.04
- D5009-02(2011) Test Method for Evaluating and Comparing Transfer
 Efficiency of Spray Applied Coatings Under Laboratory Conditions, 06.02
 D5010-08a⁻¹ Guide for Testing Printing Inks and Related Materials, 06.02
 D5011-92(2009) Practices for Calibration of Ozone Monitors Using Transfer
 Standards, 11.07
- D5012-01(2013) Guide for Preparation of Materials Used for the Collection and Preservation of Atmospheric Wet Deposition, 11.07
- D5013-89(2009) Practices for Sampling Wastes from Pipes and Other Point Discharges, 11.04
- D5014 Withdrawn 2006; Test Method for Measurement of Formaldehyde in Indoor Air (Passive Sampler Methodology)

 D5015-02(2008) Test Method for pH of Atmospheric Wet Deposition Samples
- by Electrometric Determination, **11.07**
- **D5016-08**^{€1} Test Method for Total Sulfur in Coal and Coke Combustion Residues Using a High-Temperature Tube Furnace Combustion Method with Infrared Absorption, 05.06

 D5017-96(2009)^{c1} Test Method for Determination of Linear Low Density
- Polyethylene (LLDPE) Composition by Carbon-13 Nuclear Magnetic Resonance, 08.02
- D5018-89(2009) Test Method for Shear Viscosity of Coal-Tar and Petroleum Pitches, 05.02
- D5019 Withdrawn 2011; Specification for Reinforced CSM (Chlorosulfonated

D5019 D5112

Polyethylene) Sheet Used in Single-Ply Roof Membrane

D5020 Withdrawn 1994; Test Method for Chlorofluorocarbon Activity of Activated Carbon

D5021 Withdrawn 2007; Specification for Thermoplastic Elastomer-Chlorinated Ethylene Alloy (TECEA)

D5022-07 Specification for Identification of Vials and Ampoules Containing Concentrated Solutions of Drugs to be Diluted Before Use, 15.10

D5023-07 Test Method for Plastics: Dynamic Mechanical Properties: In Flexure (Three-Point Bending), 08.02
 D5024-07 Test Method for Plastics: Dynamic Mechanical Properties: In

Compression, 08.02

D5025-12 Specification for Laboratory Burner Used for Small-Scale Burning Tests on Plastic Materials, 08.02

D5026-06 Test Method for Plastics: Dynamic Mechanical Properties: In Tension, 08.02

D5027 Not Assigned

D5028-09 Test Method for Curing Properties of Pultrusion Resins by Thermal Analysis, 08.02

D5029-98(2009) Test Method for Water Solubles in Activated Carbon, 15.01 D5030/D5030M-13a Test Methods for Density of Soil and Rock in Place by the Water Replacement Method in a Test Pit, 04.08
 D5031/D5031M-13 Practice for Enclosed Carbon-Arc Exposure Tests of Paint

and Related Coatings, 06.01

D5032-11 Practice for Maintaining Constant Relative Humidity by Means of Aqueous Glycerin Solutions, 10.02

D5033 Withdrawn 2007; Guide for Development of ASTM Standards Relating to Recycling and Use of Recycled Plastics; Replaced by D7209

D5034-09(2013) Test Method for Breaking Strength and Elongation of Textile Fabrics (Grab Test), 07.02

D5035-11 Test Method for Breaking Force and Elongation of Textile Fabrics

(Strip Method), 07.02

D5036 Withdrawn 2012; Practice for Application of Adhered Poly(Vinyl

Chloride) Sheet Roofing, **04.04**D5037 Withdrawn 2002; Test Method for Comparison of Waterborne
Petroleum Oils by High Performance Liquid Chromatography
D5038 Withdrawn 2009; Terminology of Textile Conservation
D5039 Withdrawn 2009; Test Methods for Identification of Wire Side of Paper

D5040-90(2011) Test Methods for Ash Content of Adhesives, 15.06 D5041-98(2012) Test Method for Fracture Strength in Cleavage of Adhesives

in Bonded Joints, 15.06 D5042-90(2009) Test Method for Estimating the Organic Fouling of Particulate

Anion Exchange Resins, 11.02

D5043-04(2009) Practice for Field Identification of Coatings, 06.02
D5044-06(2012) Test Method for Rubber Compounding Materials—Free
2-Mercaptobenzothiazole (MBT) in Benzothiazyl Disulfide (MBTS), 09.01

D5045-99(2007)^{c1} Test Methods for Plane-Strain Fracture Toughness and Strain Energy Release Rate of Plastic Materials, 08.02

D5046 Withdrawn 2000; Classification for Fully Crosslinked Elastomeric Alloys (FCEAs); Replaced by D6338

D5047-09 Specification for Polyethylene Terephthalate Film and Sheeting, 08.02

D5048-09 Test Method for Measuring the Comparative Burning Characteristics and Resistance to Burn-Through of Solid Plastics Using a 125-mm Flame, 08.02

D5049 Withdrawn 1999; Test Method for Screening of Cyanides in Waste D5050-08 Guide for Commercial Use of Lime Kiln Dusts and Portland Cement Kiln Dusts, 11.04

D5051-06(2012) Test Method for Rubber Compounding Materials-Benzothiazyl Disulfide (MBTS)—Assay, 09.01

D5052-00(2010) Test Method for Permeability of Leather to Water Vapor, 15.04

D5053-03(2009) Test Method for Colorfastness of Crocking of Leather, 15.04 D5054-90(2009) D5054-90(2009) Test Method for Rubber Chemicals—Diphenyl Guanidine (DPG) and Di-o-tolyl-guanidine (DOTG) Assay, 09.01
D5055-13^{c1} Specification for Establishing and Monitoring Structural Capacities

of Prefabricated Wood I-Joists, 04.10

D5056-04(2010) Test Method for Trace Metals in Petroleum Coke by Atomic Absorption, 05.02

D5057-10 Test Method for Screening Apparent Specific Gravity and Bulk

Density of Waste, 11.04

D5058-12 Practices for Compatibility of Screening Analysis of Waste, 11.04

D5059-13 Test Methods for Lead in Gasoline by X-Ray Spectroscopy, 05.02

D5060-12 Test Method for Determining Impurities in High-Purity Ethylbenzene

by Gas Chromatography, 06.04 **D5061-07** Test Method for Microscopical Determination of the Textural

Components of Metallurgical Coke, 05.06 D5062-09 Test Method for Resin Solution Dilutability by Volumetric/Gravimetric Determination. 06.03

D5063-90(2012) Guide for Use of Certification of Coating Conformance Form, 06.02

D5064-07(2012) Practice for Conducting a Patch Test to Assess Coating Compatibility, 06.02

D5065-13 Guide for Assessing the Condition of Aged Coatings on Steel

Surfaces, 06.02

D5066-91(2011)^{€1} Test Method for Determination of the Transfer Efficiency Under Production Conditions for Spray Application of Automotive Paints—Weight Basis, **06.02**

D5067-05(2010) Specification for Artists' Watercolor Paints. 06.02 D5068-04(2013) Practice for Preparation of Paint Brushes for Evaluation, 06.02

D5069-07 Practice for Preparation of Paint-Roller Covers for Evaluation of Architectural Coatings, 06.02

D5070-90(2014) Test Method for Synthetic Quaternary Ammonium Salts in Fabric Softeners by Potentiometric Titrations, 15.04

D5071-06(2013) Practice for Exposure of Photodegradable Plastics in a Xenon Arc Apparatus, 08.02

D5072-09 Test Method for Radon in Drinking Water, 11.02

D5073-02(2013) Practice for Depth Measurement of Surface Water, 11.02 D5074-90(2014) Practice for Preparation of Natural-Matrix Sediment Reference Samples for Major and Trace Inorganic Constituents Analysis by Partial Extraction Procedures, 11.02

D5075-01(2012)⁶¹ Test Method for Nicotine and 3-Ethenylpyridine in Indoor Air. 11.07

D5076/D5076M-13 Test Method for Measuring Voids in Roofing and Waterproofing Membranes, 04.04

D5077-90(2009) Terminology Relating to Electrostatic Discharge (ESD) Packaging Materials, 15.10

D5078/D5078M-11 Specification for Crack Filler, Hot-Applied, for Asphalt Concrete and Portland Cement Concrete Pavements, 04.03

D5079-08 Practices for Preserving and Transporting Rock Core Samples, 04.08

D5080-08 Test Method for Rapid Determination of Percent Compaction, 04.08 D5081/D5081M-90(2011)¹¹ Test Method for Aggregate Layer Hiding Power,

D5082 Withdrawn 2012; Practice for Application of Mechanically Attached Poly(Vinyl Chloride) Sheet Roofing

D5083-10 Test Method for Tensile Properties of Reinforced Thermosetting Plastics Using Straight-Sided Specimens, 08.02

D5084-10 Test Methods for Measurement of Hydraulic Conductivity of Saturated Porous Materials Using a Flexible Wall Permeameter, 04.08

D5085-02(2013) Test Method for Determination of Chloride, Nitrate, and Sulfate in Atmospheric Wet Deposition by Chemically Suppressed Ion Chromatography, 11.07

D5086-01(2013) Test Method for Determination of Calcium, Magnesium, Potassium, and Sodium in Atmospheric Wet Deposition by Flame Atomic Absorption Spectrophotometry, **11.07**

D5087-02(2008) Test Method for Determining Amount of Volatile Organic Compound (VOC) Released from Solventborne Automotive Coatings and Available for Removal in a VOC Control Device (Abatement), 06.01

D5088-02(2008) Practice for Decontamination of Field Equipment Used at Waste Sites, 04.08

D5089-95(2014) Test Method for Velocity Measurements of Water in Open Channels with Electromagnetic Current Meters, 11.01

D5090-07 Practice for Standardizing Ultrafiltration Permeate Flow Performance Data, 11.02

D5091-95(2007) Guide for Water Analysis for Electrodialysis/Electrodialysis Reversal Applications, 11.02

D5092-04(2010)^{c1} Practice for Design and Installation of Groundwater

Monitoring Wells, 04.08

D5093-02(2008) Test Method for Field Measurement of Infiltration Rate Using

Double-Ring Infiltrometer with Sealed-Inner Ring, 04.08

D5094/D5094M-09 Test Methods for Gross Leakage of Liquids from
Containers with Threaded or Lug-Style Closures, 15.10

D5095-91(2013) Test Method for Determination of the Nonvolatile Content in

Silanes, Siloxanes and Silane-Siloxane Blends Used in Masonry Water Repellent Treatments, 06.02

D5096-02(2011) Test Method for Determining the Performance of a Cup Anemometer or Propeller Anemometer, 11.07

D5097 Withdrawn 2005; Test Method for Filter-Retained Solids Content of Polymer Latexes

D5098-05a(2010) Specification for Artists' Acrylic Dispersion Paints, 06.02 D5099-08(2013) Test Methods for Rubber—Measurement of Processing D5099-08(2013) Test Methods for Rubber—Measurement of Processing Properties Using Capillary Rheometry, 09.01 D5100/D5100M-95a(2010)^{c1} Test Method for Adhesion of Mineral Aggregate to

Hot Bitumen, 04.04

D5101-12 Test Method for Measuring the Filtration Compatibility of Soil-Geotextile Systems, 04.13

D5102-09 Test Methods for Unconfined Compressive Strength of Compacted Soil-Lime Mixtures, 04.08

D5103-07(2012) Test Method for Length and Length Distribution of Manufactured Staple Fibers (Single-Fiber Test), 07.02

D5104 Withdrawn 2009; Test Method for Shrinkage of Textile Fibers (Single-Fiber Test)

D5105-05(2011) Practice for Performing Accelerated Outdoor Weathering of Pressure-Sensitive Tapes Using Concentrated Natural Sunlight, 15.10

D5106-13 Specification for Steel Slag Aggregates for Bituminous Paving Mixtures, 04.03 D5107-03(2013) Practice for Preparatory Surface Cleaning of Architectural

Sandstone, 06.02 D5108-90(2007) Test Method for Organotin Release Rates of Antifouling

Coating Systems in Sea Water, 06.02 D5109-12 Test Methods for Copper-Clad Thermosetting Laminates for Printed

Wiring Boards, 10.02

D5110-98(2010) Practice for Calibration of Ozone Monitors and Certification of Ozone Transfer Standards Using Ultraviolet Photometry, 11.07
 D5111-12 Guide for Choosing Locations and Sampling Methods to Monitor

Atmospheric Deposition at Non-Urban Locations, 11.07

D5112-98(2009) Test Method for Vibration (Horizontal Linear Motion) Test of Products, 15.10

D5113 D5203

- D5113-97(2011)^{c1} Test Method for Determining Adhesive Attack on Rigid Cellular Foam, 15.06
- D5114-90(2010) Test Method for Laboratory Froth Flotation of Coal in a Mechanical Cell, 05.06
- D5115 Withdrawn 2011; Test Method for Collecting Gross Samples and Determining the Fuel Quality of RDF
- D5116-10 Guide for Small-Scale Environmental Chamber Determinations of Organic Emissions from Indoor Materials/Products, 11.07
- D5117-09 Test Method for Dye Penetration of Solid Fiberglass Reinforced Pultruded Stock, 08.03
- D5118/D5118M-12 Practice for Fabrication of Fiberboard Shipping Boxes, 15.10
- D5119 Withdrawn 2003; Test Method for Evaluation of Automotive Engine Oils
- in the CRC L-38 Spark-Ignition Engine
 D5120 Withdrawn 2014; Test Method for Inhibition of Respiration in Microbial Cultures in the Activated Sludge Process

 D5121-10 Practice for Preparation of Rock Slabs for Durability Testing, 04.08

- D5122 Not Assigned
 D5124-96(2013) Practice for Testing and Use of a Random Number Generator in Lumber and Wood Products Simulation, 04.10
- D5125-10 Test Method for Viscosity of Paints and Related Materials by ISO Flow Cups, 06.01
- **D5126/D5126M-90(2010)**^{€1} Guide for Comparison of Field Methods for Determining Hydraulic Conductivity in Vadose Zone, **04.08**
- D5127-13 Guide for Ultra-Pure Water Used in the Electronics and Semiconductor Industries, 11.01
- D5128-14 Test Method for On-Line pH Measurement of Water of Low Conductivity, 11.01
- D5129-95(2014) Test Method for Open Channel Flow Measurement of Water Indirectly by Using Width Contractions, 11.01

 D5130-95(2014) Test Method for Open-Channel Flow Measurement of Water
- Indirectly by Slope-Area Method, 11.01
- D5131-90(2007) Guide for Record Keeping for Electrodialysis/Electrodialysis
- Reversal Systems, 11.02

 D5132-11 Test Method for Horizontal Burning Rate of Polymeric Materials
 Used in Occupant Compartments of Motor Vehicles, 08.03

 D5133-13 Test Method for Low Temperature, Low Shear Rate, Viscosity/
- Temperature Dependence of Lubricating Oils Using a Temperature-Scanning Technique, 05.02
- **D5134-98(2008)**^{€1} Test Method for Detailed Analysis of Petroleum Naphthas through n-Nonane by Capillary Gas Chromatography, 05.02
- Test Method for Analysis of Styrene by Capillary Gas Chromatog-D5135-07 raphy, 06.04
- D5136-09(2013) Specification for High Purity, 06.04
- D5137-07(2013) Specification for Hexyl Acetate, 06.04
- D5138-11 Classification System and Basis for Specification for Liquid Crystal Polymers Molding and Extrusion Materials (LCP), 08.03
- D5139-12 Specification for Sample Preparation for Qualification Testing of Coatings to be Used in Nuclear Power Plants, 06.02
- D5140 Withdrawn 2004: Guide for Testing Polyurethane "Poured in Place" Thermal Break Materials
- D5141-11 Test Method for Determining Filtering Efficiency and Flow Rate of the Filtration Component of a Sediment Retention Device, 04.13
- D5142 Withdrawn 2010; Test Methods for Proximate Analysis of the Analysis Sample of Coal and Coke by Instrumental Procedures; Replaced by
- $D5143-06(2010)^{\epsilon 1}$ Test Method for Analysis of Nitroaromatic and Nitramine Explosive in Soil by High Performance Liquid Chromatography, 04.08

 D5144-08⁻¹ Guide for Use of Protective Coating Standards in Nuclear Power
- Plants, 06.02
- D5145-09 Test Methods for Nonvolatile and Pigment Content of Electrocoat
- Baths, 06.01
 D5146-10 Guide to Testing Solvent-Borne Architectural Coatings, 06.02
 D5147/D5147M-14 Test Methods for Sampling and Testing Modified Bituminous Sheet Material, 04.04
- D5148-10 Test Method for Centrifuge Kerosine Equivalent, 04.03
- D5149-02(2008) Test Method for Ozone in the Atmosphere: Continuous Measurement by Ethylene Chemiluminescence, 11.07
- D5150-92(2013) Test Method for Hiding Power of Architectural Paints Applied by Roller, **06.02**
- D5151-06(2011) Test Method for Detection of Holes in Medical Gloves, 09.02 D5152 Withdrawn 1998; Practice for Water Extraction of Residual Solids from Degraded Plastics for Toxicity Testing

 D5153-10 Test Method for Palladium in Molecular Sieve Catalyst by Atomic
- Absorption, 05.05
- D5154-10 Test Method for Determining Activity and Selectivity of Fluid Catalytic Cracking (FCC) Catalysts by Microactivity Test, 05.05
- D5155-10 Test Methods for Polyurethane Raw Materials: Determination of the Isocyanate Content of Aromatic Isocyanates, 08.03
- D5156-02(2008) Test Methods for Continuous Measurement of Ozone in Ambient, Workplace, and Indoor Atmospheres (Ultraviolet Absorption), 11.07
- D5157-97(2008) Guide for Statistical Evaluation of Indoor Air Quality Models, 11.07
- D5158-98(2013) Test Method for Determination of Particle Size of Powdered Activated Carbon by Air Jet Sieving, 15.01
- D5159-04(2009) Guide for Dusting Attrition of Granular Activated Carbon, 15.01

- D5160-95(2008) Guide for Gas-Phase Adsorption Testing of Activated Carbon, 15.01
- D5161 Withdrawn 2013; Guide for Specifying Inspection Requirements for Coating and Lining Work (Metal Substrates)
- D5162-08 Practice for Discontinuity (Holiday) Testing of Nonconductive Protective Coating on Metallic Substrates, 06.02
- D5163-08 Guide for Establishing a Program for Condition Assessment of Coating Service Level I Coating Systems in Nuclear Power Plants, 06.02
- D5164-05(2011) Specification for Propylene Glycol and Dipropylene Glycol, 06.04
- D5165-12 Practice for Laboratory Preparation of Gelled Vehicles Using a Resin Kettle, 06.03

 D5166-97(2008)^{c1} Practice for Laboratory Preparation of Gelled Vehicle
- Samples Úsing a Microwave Oven, 06.03
- D5167-13 Practice for Melting of Hot-Applied Joint and Crack Sealant and Filler for Evaluation, 04.03
- D5168-12 Practice for Fabrication and Closure of Triple-Wall Corrugated Fiberboard Containers, 15.10
- D5169-98(2010) Test Method for Shear Strength (Dynamic Method) of Hook
- and Loop Touch Fasteners, 07.02

 D5170-98(2010) Test Method for Peel Strength (T Method) of Hook and Loop Touch Fasteners, 07.02
- D5171-09a Test Method for Impact Resistance of Plastic Sew-Through
- Buttons, 07.02

 D5172-91(2010)⁻¹ Guide for Documenting the Standard Operating Procedures
- Used for the Analysis of Water, 11.01

 D5173-97(2007) Test Method for On-Line Monitoring of Carbon Compounds in Water by Chemical Oxidation, by UV Light Oxidation, by Both, or by High Temperature Combustion Followed by Gas Phase NDIR or by Electrolytic
- Conductivity, 11.01

 D5174-07(2013) Test Method for Trace Uranium in Water by Pulsed-Laser
- Phosphorimetry, 11.02
 D5175-91(2011) Test Method for Organohalide Pesticides and Polychlorinated Biphenyls in Water by Microextraction and Gas Chromatography, 11.02

 D5176-08 Test Method for Total Chemically Bound Nitrogen in Water by
- Pyrolysis and Chemiluminescence Detection, 11.02
 D5177 Withdrawn 2005; Guide for Waste Acceptance at Hazardous Waste Incinerators
- D5178-13 Test Method for Mar Resistance of Organic Coatings, 06.01
 D5179-02(2008) Test Method for Measuring Adhesion of Organic Coatings to
 Plastic Substrates by Direct Tensile Testing, 06.01
- D5180 Withdrawn 2007; Test Method for Quantitative Test for Turbidity in Clear Liquids
- D5181-09 Test Method for Abrasion Resistance of Printed Matter by the GA-CAT Comprehensive Abrasion Tester, 06.02
- D5182-97(2008) Test Method for Evaluating the Scuffing Load Capacity of Oils (FZG Visual Method), 05.02
- **D5183-05(2011)** Test Method for Determination of the Coefficient of Friction of Lubricants Using the Four-Ball Wear Test Machine, 05.02
- D5184-12 Test Methods for Determination of Aluminum and Silicon in Fuel Oils by Ashing, Fusion, Inductively Coupled Plasma Atomic Emission Spectrometry, and Atomic Absorption Spectrometry, 05.02
- D5185-13 Test Method for Multielement Determination of Used and Unused Lubricating Oils and Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), 05.02

 D5186-03(2009) Test Method for Determination of the Aromatic Content and Polynuclear Aromatic Content of Diesel Fuels and Aviation Turbine Fuels
- By Supercritical Fluid Chromatography, 05.02
- D5187-10 Test Method for Determination of Crystallite Size (Lc of Calcined Petroleum Coke by X-Ray Diffraction, 05.02
- D5188-10a Test Method for Vapor-Liquid Ratio Temperature Determination of
- Fuels (Evacuated Chamber Method), **05.02**D5189 Withdrawn 1993; Test Method for Temperature Corresponding to Vapor-Liquid Ratio of 20 for Gasoline and Gasoline-Oxygenate Blends (Bomb Method); Replaced by D5188
 D5190 Withdrawn 2012; Test Method for Vapor Pressure of Petroleum
- Products (Automatic Method)
- D5191-12 Test Method for Vapor Pressure of Petroleum Products (Mini Method), 05.02
- D5192-09 Practice for Collection of Coal Samples from Core, 05.06 D5193/D5193M-93(2012) Test Method for Coated Fabrics—Air Retention,
- 09.02 D5194-13 Test Method for Trace Chloride in Liquid Aromatic Hydrocarbons, 06.04
- D5195-08 Test Method for Density of Soil and Rock In-Place at Depths Below Surface by Nuclear Methods, 04.08
- D5196-06(2013) Guide for Bio-Applications Grade Water, 11.01 D5197-09^{c1} Test Method for Determination of Formaldehyde an
- D5197-09^{c1} Test Method for Determination of Formaldehyde and Other Carbonyl Compounds in Air (Active Sampler Methodology), 11.07
 D5198-09 Practice for Nitric Acid Digestion of Solid Waste, 11.04
- D5199-12 Test Method for Measuring the Nominal Thickness of Geosynthetics, **04.13**
- D5200-03(2008)^{c1} Test Method for Determination of Weight Percent Volatile Content of Solvent-Borne Paints in Aerosol Cans, 06.01
- D5201-05a(2010) Practice for Calculating Formulation Physical Constants of Paints and Coatings, 06.01
- D5202-08 Test Method for Determining Triaxial Compression Creep Strength of Chemical Grouted Soils, 04.08

 D5203-07 Specification for Polyethylene Plastics Molding and Extrusion
- Materials from Recycled Post-Consumer (HDPE) Sources, 08.03

D5204 D5297

- D5204-13 Classification System for Polyamide-Imide (PAI) Molding and Extrusion Materials, 08.03
- D5205-10 Classification System and Basis for Specification for Polyetherimide (PEI) Materials, 08.03
- D5206-13 Test Method for Windload Resistance of Rigid Plastic Siding, 08.03 D5207-09 Practice for Confirmation of 20-mm (50-W) and 125-mm (500-W) Test Flames for Small-Scale Burning Tests on Plastic Materials, 08.03
- D5208-14 Practice for Fluorescent Ultraviolet (UV) Exposure of Photodegradable Plastics, 08.03
- D5209 Withdrawn 2004: Measurement of Thickness of Nonmagnetic Materials by Means of a Digital Magnetic Intensity Instrument

 D5210-92(2007) Test Method for Determining the Anaerobic Biodegradation of
- Plastic Materials in the Presence of Municipal Sewage Sludge, **08.03** D5211-12 Specification for Xylenes for, 06.04
- D5212 Withdrawn 2004; Specification for High Load Rotational Confined Elastomeric Bearings for Bridges and Structures
- D5213-12 Specification for Polymeric Resin Film for Electrical Insulation and Dielectric Applications, 10.02
- D5214 Withdrawn 1995; Test Method for Polyimide Resin Film for Electrical
- Insulation and Dielectric Application; Replaced by D2305

 D5215-93(2012) Test Method for Instrumental Evaluation of Staining of Vinyl Flooring by Adhesives, 15.06
- D5216 Withdrawn 2000; Specification for Propylene Glycol Base Engine Coolant for Automobile and Light-Duty Service; Consolidated into D 3306
- D5217-91(2009) Guide for Detection of Fouling and Degradation of Particulate Ion Exchange Materials, 11.02
- D5218 Not Assigned
 D5219-09^{c1} Terminology Relating to Body Dimensions for Apparel Sizing, 07.02
- D5220-08 Test Method for Water Mass per Unit Volume of Soil and Rock
- In-Place by the Neutron Depth Probe Method, **04.08**D5221 Withdrawn 1997; Test Method for Continuous Measurement of Formaldehyde in Air
- D5222-08 Specification for High Fire-Point Mineral Electrical Insulating Oils, 10.03
- D5223 Withdrawn 2003; Specification for Engine Coolant Grade Propylene Glycol; Replaced by E1177
- D5224-12 Practice for Compression Molding Test Specimens of Thermosetting
- Molding Compounds, 08.03
 D5225-09 Test Method for Measuring Solution Viscosity of Polymers with a
- Differential Viscometer, **08.03 D5226-98(2010)** Practice for Dissolving Polymer Materials, **08.03**
- D5227-13 Test Method for Measurement of Hexane Extractable Content of Polyolefins, 08.03
- D5228-92(2010) Test Method for Determination of Butane Working Capacity of Activated Carbon, 15.01
- D5229/D5229M-14 Test Method for Moisture Absorption Properties and Equilibrium Conditioning of Polymer Matrix Composite Materials, 15.03 D5230-13 Test Method for Carbon Black—Automated Individual Pellet
- Hardness, 09.01
- D5231-92(2008) Test Method for Determination of the Composition of Unprocessed Municipal Solid Waste, 11.04
- D5232-13 Test Method for Determining the Stability and Miscibility of a Solid, Semi-Solid, or Liquid Waste Material, 11.04
- D5233-92(2009) Test Method for Single Batch Extraction Method for Wastes, 11.04
- D5234-92(2012) Guide for Analysis of Ethylene Product, 05.02
- D5235 Withdrawn 2006; Test Method for Microscopical Measurement of Dry Film Thickness of Coatings on Wood Products
- D5236-13 Test Method for Distillation of Heavy Hydrocarbon Mixtures (Vacuum Potstill Method), 05.02
- D5237-05(2013) Guide for Evaluating Fabric Softeners, 15.04
 D5238-10 Test Method for Smoldering Combustion Potential of Cotton-Based Batting, 07.02
 D5239-12 Practice for Characterizing Fly Ash for Use in Soil Stabilization,
- D5240/D5240M-12(2013) Test Method for Evaluation of Durability of Rock for Erosion Control Using Sodium Sulfate or Magnesium Sulfate, 04.08
- D5241-92(2011) Practice for Micro-Extraction of Water for Analysis of Volatile and Semi-Volatile Organic Compounds in Water, 11.02
- D5242-92(2013) Test Method for Open-Channel Flow Measurement of Water with Thin-Plate Weirs, 11.01
 D5243-92(2013) Test Method for Open-Channel Flow Measurement of Water
- Indirectly at Culverts, 11.01

 D5244 Withdrawn 2013; Practice for Recovery of Enteroviruses from Waters
- D5245-92(2012) Practice for Cleaning Laboratory Glassware, Plasticware, and Equipment Used in Microbiological Analyses, 11.02
- D5246-13 Test Method for Isolation and Enumeration of, 11.02
 D5247 Withdrawn 2001; Measurement of Thickness of Nonmagnetic Materials
 by Means of a Digital Magnetic Intensity Instrument
 D5248-04(2010) Specification for Reclaimed 1,1,2-Trichloro 1,2,2-Trifluo-
- roethane, 15.05
- D5249-10 Specification for Backer Material for Use with Cold- and Hot-Applied Joint Sealants in Portland-Cement Concrete and Asphalt Joints, 04.03
- D5250-06(2011) Specification for Poly(vinyl chloride) Gloves for Medical Application, 09.02
- D5251 Withdrawn 2014; Practice for the Operation of the Tetrapod Walker Drum Tester
- D5252-11 Practice for the Operation of the Hexapod Tumble Drum Tester, 07.02

- D5253-04(2010)^{€1} Terminology Relating to Floor Coverings and Textile Upholstered Furniture, 07.02

 D5254/D5254M-92(2010)^{c1} Practice for Minimum Set of Data Elements to
- Identify a Groundwater Site, 04.08
- D5255-01(2008) Practice for Certification of Personnel Engaged in the Testing of Soil and Rock, 04.08
- D5256-05(2009) Test Method for Relative Efficacy of Dynamic Solvent Systems for Dissolving Water-Formed Deposits, 11.02
- D5257-11 Test Method for Dissolved Hexavalent Chromium in Water by Ion Chromatography, 11.01
 D5258-02(2013) Practice for Acid-Extraction of Elements from Sediments
- Using Closed Vessel Microwave Heating, 11.02

 D5259-92(2012) Test Method for Isolation and Enumeration of Enterococci
- from Water by the Membrane Filter Procedure, 11.02
- D5260-04(2010) Classification for Chemical Resistance of Poly(Vinyl Chloride) (PVC) Homopolymer and Copolymer Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds, 08.03
- D5261-10 Test Method for Measuring Mass per Unit Area of Geotextiles, 04.13 D5262-07(2012) Test Method for Evaluating the Unconfined Tension Creep
- and Creep Rupture Behavior of Geosynthetics, 04.13

 D5263-93(2008)*1 Test Method for Determining the Relative Degree of Oxidation in Bituminous Coal by Alkali Extraction, 05.06
- D5264-98(2011) Practice for Abrasion Resistance of Printed Materials by the Sutherland Rub Tester, 15.10
- Test Method for Bridge Impact Testing, 15.10
- D5266-13 Practice for Estimating the Percentage of Wood Failure in Adhesive Bonded Joints, 15.06
- D5267-97(2012) Test Method for Determination of Extrudability of Cartridge Adhesives, 15.06
- D5268-13 Specification for Topsoil Used for Landscaping Purposes, 04.08 D5269-96(2008) Test Method for Determining Transmissivity of Nonleaky Confined Aquifers by the Theis Recovery Method, 04.08
- D5270-96(2014) Test Method for Determining Transmissivity and Storage
- Coefficient of Bounded, Nonleaky, Confined Aquifers, **04.08**D5271 Withdrawn 2011; Test Method for Determining the Aerobic Biodegradation of Plastic Materials in an Activated-Sludge-Wastewater-Treatment
- D5272-08(2013) Practice for Outdoor Exposure Testing of Photodegradable Plastics, 08.03
- D5273-92(2012) Guide for Analysis of Propylene Concentrates, 05.02
- D5274-00(2009) Guide for Analysis of 1,3Butadiene Product, 05.02
- D5275-11 Test Method for Fuel Injector Shear Stability Test (FISST) for
- Polymer Containing Fluids, **05.02 D5276-98(2009)** Test Method for Drop Test of Loaded Containers by Free Fall, 15.10
- D5277-92(2008) Test Method for Performing Programmed Horizontal Impacts Using an Inclined Impact Tester, 15.10
- D5278/D5278M-09(2013) Test Method for Elongation of Narrow Elastic Fabrics (Static-Load Testing), 07.02
- D5279-13 Test Method for Plastics: Dynamic Mechanical Properties: In Torsion, 08.03
- D5280-96(2013) Practice for Evaluation of Performance Characteristics of Air Quality Measurement Methods with Linear Calibration Functions, 11.07 D5281 Withdrawn 2014; Test Method for Collection and Analysis of
- Hexavalent Chromium in Ambient Atmospheres; Replaced by D7614

 D5282-05(2012) Test Methods for Compatibility of Construction Material with Silicone Fluid Used for Electrical Insulation, 10.03
- D5283-92(2009) Practice for Generation of Environmental Data Related to Waste Management Activities: Quality Assurance and Quality Control Planning and Implementation, 11.04
- D5284-09 Test Method for Sequential Batch Extraction of Waste with Acidic Extraction Fluid, 11.04
- D5285 Withdrawn 2008; Test Method for 24-Hour Batch-Type Measurement of Volatile Organic Sorption by Soils and Sediments

 D5286-01(2011) Test Methods for Determination of Transfer Efficiency Under General Production Conditions for Spray Application of Paints, 06.02

 D5287-08 Practice for Automatic Sampling of Gaseous Fuels, 05.06
- D5288-10 Test Method for Determining the Tracking Index of Electrical Insulating Materials Using Various Electrode Materials (Excluding Platinum), 10.02
- D5289-12 Test Method for Rubber Property—Vulcanization Using Rotorless Cure Meters, **09.01**D5290 Withdrawn 1997; Test Method for Measurement of Oil Consumption,
- Piston Deposits, and Wear in a Heavy-Duty High-Speed Diesel Engine—NTC-400 Procedure
- Test Methods for Instrumental Determination of Carbon, Hydrogen, and Nitrogen in Petroleum Products and Lubricants, 05.02
- D5292-99(2009) Test Method for Aromatic Carbon Contents of Hydrocarbon Oils by High Resolution Nuclear Magnetic Resonance Spectroscopy, 05.02
- 3-10⁻¹ Test Method for Apparent Viscosity of Engine Oils and Base Stocks Between –5 and –35°C Using Cold-Cranking Simulator, **05.02** D5293-10^{€1} D5294 Withdrawn 1997; Test Method for Determination of Beta Resins (BR) in
- D5295-00(2006) Guide for Preparation of Concrete Surfaces for Adhered (Bonded) Membrane Waterproofing Systems, 04.04
 D5296-11 Test Method for Molecular Weight Averages and Molecular Weight
- Distribution of Polystyrene by High Performance Size-Exclusion Chromatography, 08.03
- D5297-95(2009) Test Methods for Rubber Chemical Accelerator—Purity by

Pitch

D5297 D5384

- High Performance Liquid Chromatography, 09.01
- D5298-10 Test Method for Measurement of Soil Potential (Suction) Using Filter Paper, 04.08
- D5299-99(2012)^{€1} Guide for Decommissioning of Groundwater Wells, Vadose Zone Monitoring Devices, Boreholes, and Other Devices for Environmental Activities, 04.08
- D5300 Withdrawn 2000; Test Method for Measurement of Resin Content and Other Related Properties of Polymer Matrix Thermoset Prepreg By Combined Mechanical And Ultrasonic Methods
- D5301-92(2012) Practice for Physical Characterization of Paint Brushes, 06.02
 D5302 Withdrawn 2003; Test Method for Evaluation of Automotive Engine Oils for Inhibition of Deposit Formation and Wear in a Spark-Ignition Internal Combustion Engine Fueled with Gasoline and Operated Under Low-Temperature, Light-Duty Conditions

 D5303-92(2012) Test Method for Trace Carbonyl Sulfide in Propylene by Gas
- Chromatography, 05.02
- D5304-11 Test Method for Assessing Middle Distillate Fuel Storage Stability by Oxygen Overpressure, 05.02
- D5305-12 Test Method for Determination of Ethyl Mercaptan in LP-Gas Vapor, 05.02
- D5306-92(2013) Test Method for Linear Flame Propagation Rate of Lubricating Oils and Hydraulic Fluids, 05.02

 D5307 Withdrawn 2011; Test Method for Determination of Boiling Range
- Distribution of Crude Petroleum by Gas Chromatography
- D5308 Withdrawn 1998; Methods of Testing Semi-Flexible Cellular Urethanes for Automotive and Similar Energy Absorption Applications

 D5309-08(2013)^{c1} Specification for Cyclohexane 999, 06.04
- D5310-10^{€1} Test Method for Tar Acid Composition by Capillary Gas
- Chromatography, 06.04 D5311/D5311M-13 Test Method for Load Controlled Cyclic Triaxial Strength of
- Soil 04 08
- D5312/D5312M-12(2013) Test Method for Evaluation of Durability of Rock for Erosion Control Under Freezing and Thawing Conditions, 04.08
 D5313/D5313M-12(2013) Test Method for Evaluation of Durability of Rock for
- Erosion Control Under Wetting and Drying Conditions, 04.08 Guide for Soil Gas Monitoring in the Vadose Zone, 04.08
- D5315-04(2011) Test Method for Determination of N-Methyl-Carbamoyloximes and N-Methylcarbamates in Water by Direct Aqueous Injection HPLC with Post-Column Derivatization, 11.02
- D5316-98(2011) Test Method for 1,2-Dibromoethane and 1,2-Dibromo-3-Chloropropane in Water by Microextraction and Gas Chromatography, 11.02
- D5317-98(2011) Test Method for Determination of Chlorinated Organic Acid Compounds in Water by Gas Chromatography with an Electron Capture Detector. 11.02
- D5318 Withdrawn 2004; Test Method for Hydrolyzable Chloride in Peroxy Esters and Peroxy Dicarbonates
- D5319-12 Specification for Glass-Fiber Reinforced Polyester Wall and Ceiling Panels, 08.03
- D5320 Withdrawn 2004; Test Methods for Determination of 1,1,1-Trichloroethane and Methylene Chloride Content in Stabilized Trichloroethylene and Tetrachloroethylene; Replaced by D6806
- D5321/D5321M-14 Test Method for Determining the Shear Strength of Soil-Geosynthetic and Geosynthetic-Geosynthetic Interfaces by Direct
- Shear, 04.13

 D5322-98(2009) Practice for Laboratory Immersion Procedures for Evaluating the Chemical Resistance of Geosynthetics to Liquids, 04.13
- D5323-92(2011) Practice for Determination of 2 % Secant Modulus for Polyethylene Geomembranes, 04.13
- D5324-10 Guide for Testing Water-Borne Architectural Coatings, 06.02
 D5325-03(2008)^{c1} Test Method for Determination of Weight Percent Volatile
 Content of Water-Borne Aerosol Paints, 06.01
- D5326-94a(2013) Test Method for Color Development in Tinted Latex Paints, 06.02
- D5327-97(2013) Practice for Evaluating and Comparing Transfer Efficiency of Spray Applied Coatings Under General Laboratory Conditions, 06.02

 D5328 Withdrawn 2001; Test Method for Volatile Organic Compound (VOC40)
- Content of Non-Heatset Paste Printing Ink Systems at 40°C D5329-09 Test Methods for Sealants and Fillers, Hot-Applied, for Joints and
- Cracks in Asphaltic and Portland Cement Concrete Pavements, **04.03 D5330/D5330M-06(2012)** Specification for Pressure-Sensitive Tape for Packaging, Filament-Reinforced, **15.10 D5331-03(2009)** Test Method for Evaluation of Mechanical Handling of
- Unitized Loads Secured with Stretch Wrap Films, 15.10
- D5332 Withdrawn 2006; Test Method for Fiber Length and Length Distribution of Cotton Fibers
- D5334-08 Test Method for Determination of Thermal Conductivity of Soil and Soft Rock by Thermal Needle Probe Procedure, 04.08
- **D5335-08** Test Method for Linear Coefficient of Thermal Expansion of Rock
- Using Bonded Electric Resistance Strain Gauges, 04.08

 D5336-09 Specification for Polyphthalamide (PPA) Injection Molding Materials, 08.03
- D5337-11 Practice for Flow Rate Adjustment of Personal Sampling Pumps, 11.07
- D5338-11 Test Method for Determining Aerobic Biodegradation of Plastic Materials Under Controlled Composting Conditions, Incorporating
- Thermophilic Temperatures, **08.03**9 Withdrawn 2005; Practice for Quality Assurance Plan for Structural Steel Fabrication for Highway Structures
- D5340-12 Test Method for Airport Pavement Condition Index Surveys, 04.03

- D5341-99(2010)^{€1} Test Method for Measuring Coke Reactivity Index (CRI) and Coke Strength After Reaction (CSR), 05.06
- D5342 Withdrawn 2010; Test Method for Resistance to Bending of Paper and Paperboard (Taber-Type Tester in Basic Configuration)
- D5343-06(2012)⁶¹ Guide for Evaluating Cleaning Performance of Ceramic Tile Cleaners, 15.04
- D5344-99(2011) Test Method for Extension Force of Partially Oriented Yarn,
- D5345 Withdrawn 2000; Specification for Prediluted Aqueous Ethylene Glycol Base Low-Silicate Engine Coolant (50 Volume Percent Minimum) for Heavy-Duty Engines Requiring an Initial Charge of Supplemental Coolant Additive (SCA); Consolidated into D 4985
- D5346-93(2009) Test Method for Determination of the Pour Point of Petroleum Oil Used in Fatliquors and Softening Compounds, 15.04
- D5347-95(2012) Test Method for Determination of the Ash Content of Fats and Oils. 15.04
- D5348-95(2012) Test Method for Determination of the Moisture Content of Sulfonated and Sulfated Oils by Distillation with Xylene, 15.04

 D5349-95(2012) Test Method for Determination of the Moisture and Volatile
- Content of Sulfonated and Sulfated Oils by Hot-Plate Method, 15.04
- D5350-95(2012) Test Method for Determination of Organically Combined
- Sulfuric Anhydride by Titration, Test Method A, 15.04

 D5351-93(2009) Test Method for Determination of Organically Combined Sulfuric Anhydride by Extraction Titration, Test Method B, 15.04
- D5352-95(2012) Test Method for Determination of Organically Combined Sulfuric Anhydride Ash-Gravimetric, Test Method C, 15.04
- D5353-95(2012) Test Method for Determination of Total Desulfated Fatty Matter, 15.04
- D5354-95(2012) Test Method for Determination of Total Active Ingredients in Sulfonated and Sulfated Oils, 15.04
- D5355-95(2012) Test Method for Specific Gravity of Oils and Liquid Fats, 15.04

- 15.04
 D5356-10 Test Method for pH of Chrome Tanning Solutions, 15.04
 D5357-03(2008)^{c1} Test Method for Determination of Relative Crystallinity of Zeolite Sodium A by X-ray Diffraction, 05.05
 D5358-93(2014) Practice for Sampling with a Dipper or Pond Sampler, 11.04
 D5359-98(2010) Specification for Glass Cullet Recovered from Waste for Use in Manufacture of Glass Fiber, 11.04
- D5360-09 Practice for Design and Construction of Bituminous Surface Treatments, 04.03
- D5361/D5361M-14 Practice for Sampling Compacted Bituminous Mixtures for Laboratory Testing, 04.03
- D5362-13 Test Method for Snagging Resistance of Fabrics (Bean Bag), 07.02 D5363-03(2008) Specification for Anaerobic Single-Component Adhesives
- (AN), 15.06 **D5364-08** Guide for Design, Fabrication, and Erection of Fiberglass Reinforced (FRP) Plastic Chimney Liners with Coal-Fired Units, 08.03
- D5365-12 Test Method for Long-Term Ring-Bending Strain of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe, 08.03
- D5366-96(2011) Test Method for Determining the Dynamic Performance of a Wind Vane, 11.07
- D5367-08 Practice for Evaluating Coatings Applied Over Surfaces Treated With Inhibitors Used to Prevent Flash Rusting of Steel When Water or Water/Abrasive Blasted, 06.02
- D5368 Withdrawn 2014; Test Methods for Gravimetric Determination of Total Solvent Extractable Content (TSEC) of Solid Waste Samples
- D5369-93(2008)^{€1} Practice for Extraction of Solid Waste Samples for Chemical Analysis Úsing Soxhlet Extraction, 11.04
- D5370-14 Specification for Pozzolanic Blended Materials in Construction Applications, 11.04
- D5371 Not Assigned
- D5372-04(2009) Guide for Evaluation of Hydrocarbon Heat Transfer Fluids, 05.02
- D5373-14 Test Methods for Determination of Carbon, Hydrogen and Nitrogen in Analysis Samples of Coal and Carbon in Analysis Samples of Coal and Coke, 05.06

 D5374-13 Test Methods for Forced-Convection Laboratory Ovens for
- Evaluation of Electrical Insulation, 10.02
- D5375/D5375M-98(2011) Test Methods for Liner Removal at High Speeds from Pressure-Sensitive Label Stock, 15.10
- D5376-06(2012) Test Method for Rubber Compounding Materials Determination of the Basic Nitrogen Content in Rubber Antioxidant: Polymerized TMQ, 09.01
- D5377-93(2012) Classification for Rubber Compounding MaterialsGround Coal, 09.01
- D5378-12 Performance Specification for Woven and Knitted Shower Curtains for Institutional and Household Use, 07.02
- D5379/D5379M-12 Test Method for Shear Properties of Composite Materials by the V-Notched Beam Method, 15.03
- D5380-93(2009) Test Method for Identification of Crystalline Pigments and Extenders in Paint by X-Ray Diffraction Analysis, 06.01
- D5381-93(2009) Guide for X-Ray Fluorescence (XRF) Spectroscopy of Pigments and Extenders, 06.01
- D5382-02(2013) Guide to Evaluation of Optical Properties of Powder Coatings, 06.02
 D5383-02(2010) Practice for Visual Determination of the Lightfastness of Art
- Materials by Art Technologists, 06.02

 D5384-11 Test Methods for Chlorine in Used Petroleum Products (Field Test
- Kit Method), 05.02

D5385 D5475

- D5385-93(2006) Test Method for Hydrostatic Pressure Resistance of Waterproofing Membranes, 04.04
- D5386-10 Test Method for Color of Liquids Using Tristimulus Colorimetry, 06.04
- D5387-93(2013) Guide for Elements of a Complete Data Set for Non-Cohesive Sediments, 11.01
- D5388-93(2013) Test Method for Indirect Measurements of Discharge by Step-Backwater Method, 11.01
- D5389-93(2013) Test Method for Open-Channel Flow Measurement by Acoustic Velocity Meter Systems, 11.01
- D5390-93(2013) Test Method for Open-Channel Flow Measurement of Water with Palmer-Bowlus Flumes, 11.01
- D5391-14 Test Method for Electrical Conductivity and Resistivity of a Flowing High Purity Water Sample, 11.01
- D5392-93(2006) Test Method for Isolation and Enumeration of Escherichia Coli in Water by the Two-Step Membrane Filter Procedure, 11.02
- D5393 Withdrawn 1998; Test Method for Determination of Fogging Characteristics of Vehicle Interior Trim Materials
- D5394-02(2012) Specification for Reclaimed 1,1,1-Trichloroethane, 15.05 Specification for Reclaimed Methylene Chloride, 15.05 Specification for Reclaimed Perchloroethylene, 15.05 D5395-03(2013)
- D5396-04(2010) Test Method for Evaluation of Stress Crack Resistance of D5397-07(2012)
- Polyolefin Geomembranes Using Notched Constant Tensile Load Test, 04.13
- D5398-97(2010) Practice for Visual Evaluation of the Lightfastness of Art Materials by the User, 06.02
- D5399-09 Test Method for Boiling Point Distribution of Hydrocarbon Solvents by Gas Chromatography, 06.04
- D5400-03(2013) Test Methods for Hydroxypropylcellulose, 06.03
- D5401-03(2009) Test Method for Evaluating Clear Water Repellent Coatings on Wood, 06.02
- D5402-06(2011) Practice for Assessing the Solvent Resistance of Organic Coatings Using Solvent Rubs, 06.02
- D5403-93(2013) Test Methods for Volatile Content of Radiation Curable Materials, 06.02
- D5404/D5404M-12 Practice for Recovery of Asphalt from Solution Using the
- Rotary Evaporator, **04.03 D5405/D5405M-98(2011)^{c1}** Test Method for Conducting Time-to-Failure (Creep-Rupture) Tests of Joints Fabricated from Nonbituminous Organic Roof Membrane Material, 04.04
- D5406-93(2011) Practice for Rubber—Calculation of Producer's Process Performance Indexes, 09.01
- D5407 Withdrawn 2005; Test Method for Elastic Moduli of Undrained Intact Rock Core Specimens in Triaxial Compression Without Pore Pressure Measurement; Replaced by D7012
- D5408-93(2010)^{c1} Guide for Set of Data Elements to Describe a Groundwater Site, 04.08
- D5409/D5409M-93(2010)^{€1} Guide for Set of Data Elements to Describe a
- Ground-Water Site; Part Two—Physical Descriptors, 04.08 **D5410-93(2007)** Guide for Set of Data Elements to Describe a Ground-Water Site; Part Three--Usage Descriptors, 04.08
- D5411-10 Practice for Calculation of Average Energy Per Disintegration (Ē) for a Mixture of Radionuclides in Reactor Coolant, 11.02
 D5412-93(2011)^{c1} Test Method for Quantification of Complex Polycyclic
- Aromatic Hydrocarbon Mixtures or Petroleum Oils in Water, 11.02

 D5413-93(2013) Test Methods for Measurement of Water Levels in Open-Water Bodies, 11.02
- D5414-95(2012) Test Method for Evaluation of Horizontal Impact Performance of Load Unitizing Stretch Wrap Films, 15.10
- D5415-95(2012) Test Method for Evaluating Load Containment Performance of Stretch Wrap Films by Vibration Testing, 15.10
- D5416-95(2012) Test Method for Evaluating Abrasion Resistance of Stretch
- Wrap Films by Vibration Testing, 15.10

 D5417-11 Practice for Operation of the Vettermann Drum Tester, 07.02

 D5418-07 Test Method for Plastics: Dynamic Mechanical Properties: In Flexure (Dual Cantilever Beam), 08.03
- D5419-09 Test Method for Environmental Stress Crack Resistance (ESCR) of
- Threaded Plastic Closures, 08.03 D5420-10 Test Method for Impact Resistance of Flat, Rigid Plastic Specimen by Means of a Striker Impacted by a Falling Weight (Gardner Impact),
- D5421-05(2010) Specification for Contact Molded "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Flanges, 08.03
 D5422-09 Test Method for Measurement of Properties of Thermoplastic
- Materials by Screw-Extrusion Capillary Rheometer, 08.03

08 03

- Withdrawn 2014; Specification for Forced-Convection Laboratory Ovens for Evaluation of Electrical Insulation
- D5424-10 Test Method for Smoke Obscuration of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, 10.02
- D5425-13 Guide for Development of Fire Hazard Assessment Standards of Electrotechnical Products, 10.02
- D5426-12 Practices for Visual Inspection and Grading of Fabrics Used for Inflatable Restraints, 07.02
- D5427-09(2014) Practice for Accelerated Aging of Inflatable Restraint Fabrics, 07.02
- D5428-08(2013) Practice for Evaluating the Performance of Inflatable Restraint Modules, **07.02**D5429 Withdrawn 2009; Practice for Pretreatment of Backing Fabrics Used in
- Textile Conservation Research

D5430-13 Test Methods for Visually Inspecting and Grading Fabrics, 07.02 D5431-08(2013) Performance Specification for Woven and Knitted Sheeting Products for Institutional and Household Use, 07.02

- D5432-12 Performance Specification for Blanket Products for Institutional and Household Use, 07.02
- D5433-12 Performance Specification for Towel Products for Institutional and Household Use, 07.02
- D5434-12 Guide for Field Logging of Subsurface Explorations of Soil and Rock, **04.08**
- D5435-13 Test Method for Diagnostic Soil Test for Plant Growth and Food Chain Protection, 04.08
- **D5436-13** Specification for Cast Poly(Methyl Methacrylate) Plastic Rods, Tubes, and Shapes, 08.03
- D5437 Withdrawn 1999; Practice for Weathering of Plastics under Marine Floating Exposure
- D5438-11 Practice for Collection of Floor Dust for Chemical Analysis, 11.07 D5439-95(2012) Test Method for Determination of Sediment in Moellon, 15.04 D5440-93(2009) Test Method for Determining the Melting Point of Fats and Oils, 15.04
- **D5441-98(2013)** Test Method for Analysis of Methyl Tert-Butyl Ether (MTBE) by Gas Chromatography, **05.02 D5442-93(2013)** Test Method for Analysis of Petroleum Waxes by Gas
- Chromatography, **05.02 D5443-04(2009)**¹ Test Method for Paraffin, Naphthene, and Aromatic
- Hydrocarbon Type Analysis in Petroleum Distillates Through 200°C by Multi-Dimensional Gas Chromatography, 05.02
- D5444-08 Test Method for Mechanical Size Analysis of Extracted Aggregate, 04.03
- D5445-11a Practice for Pictorial Markings for Handling of Goods, 15.10
- D5446-08(2013) Practice for Determining Physical Properties of Fabrics, Yarns, and Sewing Thread Used in Inflatable Restraints, 07.02
 D5447-04(2010) Guide for Application of a Ground-Water Flow Model to a Site-Specific Problem, 04.08
- D5448/D5448M-11 Test Method for Inplane Shear Properties of Hoop Wound Polymer Matrix Composite Cylinders, 15.03
- D5449/D5449M-11 Test Method for Transverse Compressive Properties of Hoop Wound Polymer Matrix Composite Cylinders, 15.03
- D5450/D5450M-12 Test Method for Transverse Tensile Properties of Hoop
- Wound Polymer Matrix Composite Cylinders, 15.03

 D5451-93(2012) Practice for Sampling Using a Trier Sampler, 11.04

 D5452-12 Test Method for Particulate Contamination in Aviation Fuels by Laboratory Filtration, 05.02
- D5453-12 Test Method for Determination of Total Sulfur in Light Hydrocarbons, Spark Ignition Engine Fuel, Diesel Engine Fuel, and Engine Oil by Ultraviolet Fluorescence, 05.02
- D5454-11^{c1} Test Method for Water Vapor Content of Gaseous Fuels Using Electronic Moisture Analyzers, 05.06
- D5455 Withdrawn 2011; Test Method for Short-Term Liquid Sorption Into Paper (Bristow Test)
- D5457-12 Specification for Computing Reference Resistance of Wood-Based Materials and Structural Connections for Load and Resistance Factor Design, **04.10**
- D5458-95(2012) Test Method for Peel Cling of Stretch Wrap Film, 15.10 D5459-95(2012) Test Method for Machine Direction Elastic Recovery and
- Permanent Deformation and Stress Retention of Stretch Wrap Film, 15.10 D5460-02(2012) Test Method for Rubber Compounding Materials—Water in Rubber Additives, 09.01
- D5461-06(2012) Test Method for Rubber Compounding Materials—Wet Sieve Analysis of Powdered Rubber Compounding Materials, 09.01
- D5462-13 Test Method for On-Line Measurement of Low-Level Dissolved Oxygen in Water, 11.02
- D5463-13 Guide for Use of Test Kits to Measure Inorganic Constituents in
- Water, 11.01
 D5464-11 Test Method for pH Measurement of Water of Low Conductivity, 11.01
- D5465-93(2012) Practice for Determining Microbial Colony Counts from Waters Analyzed by Plating Methods, 11.02
- D5466-01(2007) Test Method for Determination of Volatile Organic Chemicals in Atmospheres (Canister Sampling Methodology), 11.07
- D5467/D5467M-97(2010) Test Method for Compressive Properties of Unidirectional Polymer Matrix Composite Materials Using a Sandwich
- D5468-02(2007) Test Method for Gross Calorific and Ash Value of Waste Materials, 11.04
 D5469/D5469M-12 Guide for Application of New Spray Applied Polyurethane
- Foam and Coated Roofing Systems, 04.04
- D5470-12 Test Method for Thermal Transmission Properties of Thermally Conductive Electrical Insulation Materials, 10.02
- D5471-10 Specification for O-Xylene 980, 06.04

 D5472 Withdrawn 2014; Test Method for Determining Specific Capacity and Estimating Transmissivity at the Control Well
- D5473-93(2006) Test Method for (Analytical Procedure for) Analyzing the Effects of Partial Penetration of Control Well and Determining the Horizontal and Vertical Hydraulic Conductivity in a Nonleaky Confined Aquifer, **04.08**
- D5474-93(2012) Guide for Selection of Data Elements for Groundwater Investigations, 04.08
- D5475 Withdrawn 2011; Test Method for Nitrogen- and Phosphorus-Containing Pesticides in Water by Gas Chromatography with a Nitrogen-Phosphorus

D5476 D5562

- D5476 Withdrawn 2005; Classification System for Thermoplastic Polyurethane Materials (TPU)
- **D5477-11** Practice for Identification of Polymer Layers or Inclusions by Fourier
- Transform Infrared Microspectroscopy (FT-IR), 08.03
 D5478-13 Test Methods for Viscosity of Materials by a Falling Needle Viscometer, 06.01
- D5479-94(2013) Practice for Testing Biofouling Resistance of Marine Coatings Partially Immersed, 06.02
- D5480 Withdrawn 2003; Test Method for Engine Oil Volatility by Gas Chromatography
- D5481-13 Test Method for Measuring Apparent Viscosity at High-Temperature and High-Shear Rate by Multicell Capillary Viscometer, 05.02
- D5482-07(2013) Test Method for Vapor Pressure of Petroleum Products (Mini Method—Atmospheric), 05.02
- D5483-05(2010) Test Method for Oxidation Induction Time of Lubricating Greases by Pressure Differential Scanning Calorimetry, 05.02
- D5484 Withdrawn 2004; Specification for Steel Grid Bridge Flooring D5485-11 Test Method for Determining the Corrosive Effect of Combustion
- Products Using the Cone Corrosimeter, 10.02

 D5486/D5486M-06(2012) Specification for Pressure-Sensitive Tape for
- Packaging, Box Closure, and Sealing, 15.10

 D5487-98(2008) Test Method for Simulated Drop of Loaded Containers by Shock Machines, 15.10
- D5488 Withdrawn 2002; Terminology of Environmental Labeling of Packaging Materials and Packages; Replaced by D996
- D5489-14 Guide for Care Symbols for Care Instructions on Textile Products, 07.02
- D5490-93(2008) Guide for Comparing Groundwater Flow Model Simulations to Site-Specific Information, 04.08
- D5491-08 Classification for Recycled Post-Consumer Polyethylene Film
- Sources for Molding and Extrusion Materials, **08.03 D5492-10** Test Method for Determination of Xylene Solubles in Propylene Plastics, **08.03**
- D5493-06(2011) Test Method for Permittivity of Geotextiles Under Load, 04.13 D5494-93(2011) Test Method for the Determination of Pyramid Puncture
- Resistance of Unprotected and Protected Geomembranes, 04.13
- D5495-03(2011) Practice for Sampling With a Composite Liquid Waste Sampler (COLIWASA), 11.04
- D5496-98(2009) Practice for In Field Immersion Testing of Geosynthetics, 04.13
- D5497 Withdrawn 2011; Terminology Relating to Buttons; Replaced by D2050 D5498-12a Guide for Developing a Training Program for Personnel Performing
 Coating and Lining Work Inspection for Nuclear Facilities, 06.02
 D5499-94(2013) Test Methods for Heat Resistance of Polymer Linings for Flue
- Gas Desulfurization Systems, 06.02
- D5500-98(2008) Test Method for Vehicle Evaluation of Unleaded Automotive Spark-Ignition Engine Fuel for Intake Valve Deposit Formation, **05.02 D5501-12**^{c1} Test Method for Determination of Ethernic
- Test Method for Determination of Ethanol and Methanol Content in Fuels Containing Greater than 20% Ethanol by Gas Chromatography, 05.02
- D5502-00(2010) Test Method for Apparent Density by Physical Measurements of Manufactured Anode and Cathode Carbon Used by the Aluminum Industry, 05.02
- D5503-94(2008) Practice for Natural Gas Sample-Handling and Conditioning Systems for Pipeline Instrumentation, 05.06
 D5504-12 Test Method for Determination of Sulfur Compounds in Natural Gas
- and Gaseous Fuels by Gas Chromatography and Chemiluminescence, 05.06
- D5505-06 Practice for Classifying Emulsified Recycling Agents, 04.03
- D5506-08 Practice for Organizations Engaged in the Certification of Personnel Testing and Inspecting Bituminous Paving Materials, 04.03
- D5507-99(2012) Test Method for Determination of Trace Organic Impurities in Monomer Grade Vinyl Chloride by Capillary Column/Multidimensional Gas Chromatography, 08.03
 D5508-94a(2009)^{c1} Test Method for Determination of Residual Acrylonitrile
- Monomer in Styrene-Acrylonitrile Copolymer Resins and Nitrile-Butadiene Rubber by Headspace-Capillary Gas Chromatography (HS-CGC), 08.03 D5509 Withdrawn 2002; Practice for Exposing Plastics to a Simulated
- Compost Environment D5510 Withdrawn 2010; Practice for Heat Aging of Oxidatively Degradable
- **Plastics**
- D5511-12 Test Method for Determining Anaerobic Biodegradation of Plastic Materials Under High-Solids Anaerobic-Digestion Conditions, 08.03

 D5512 Withdrawn 2002; Practice for Exposing Plastics to a Simulated Compost Environment Using an Externally Heated Reactor
- D5513-99(2009) Practice for Microwave Digestion of Industrial Furnace
- Feedstreams and Waste for Trace Element Analysis, 11.04

 D5514/D5514M-14 Test Method for Large Scale Hydrostatic Puncture Testing
- of Geosynthetics, 04.13

 D5515-97(2010)^{c1} Test Method for Determination of the Swelling Properties of Bituminous Coal Using a Dilatometer, **05.06 D5516-09** Test Method for Evaluating the Flexural Properties of Fire-Retardant
- Treated Softwood Plywood Exposed to Elevated Temperatures, 04.10
- D5517-07 Test Method for Determining Extractability of Metals from Art Materials, 06.02
- D5518 Withdrawn 2002; Guide for Acquisition of File Aerial Photography and Imagery for Establishing Historic Site-Use and Surficial Conditions D5519-07 Test Methods for Particle Size Analysis of Natural and Man-Made
- Riprap Materials, 04.08

 D5520-11 Test Method for Laboratory Determination of Creep Properties of

Frozen Soil Samples by Uniaxial Compression, 04.08

- D5521/D5521M-13 Guide for Development of Groundwater Monitoring Wells in Granular Aquifers, 04.08
- D5522 Withdrawn 2002; Specification for Minimum Requirements for Laboratories Engaged in Chemical Analysis of Soil, Rock, and Contained Fluid
- D5523-10 Test Method for Polyurethane Raw Materials: Acidity by Argentometric Determination of Hydrolyzable Chlorine in Monomeric, Aromatic Isocyanates, 08.03
- D5524 Withdrawn 2009; Test Method for Determination of Phenolic Antioxidants in High Density Polyethylene Using Liquid Chromatography; Replaced by D6953
- D5525 Withdrawn 2002; Practice for Exposing Plastics to a Simulated Landfill Environment
- D5526-12 Test Method for Determining Anaerobic Biodegradation of Plastic Materials Under Accelerated Landfill Conditions, 08.03
- D5527-00(2011) Practices for Measuring Surface Wind and Temperature by Acoustic Means, 11.07
- D5528-13 Test Method for Mode I Interlaminar Fracture Toughness of Unidirectional Fiber-Reinforced Polymer Matrix Composites, 15.03
- D5529 Not Assigned
 D5530-94(2009) Test Method for Total Moisture of Hazardous Waste Fuel by Karl Fischer Titrimetry, 11.04

 D5531-05(2011) Guide for Preparation, Maintenance, and Distribution of
- Physical Product Standards for Color and Geometric Appearance of Coatings, 06.01
- D5532 Withdrawn 2004; Specification for Micaceous Iron Oxide Pigments for Paint
- D5533 Withdrawn 2003; Test Method for Evaluation of Automotive Engine Oils
- in the Sequence IIIE, Spark-Ignition Engine

 D5534-94(2011)^{c1} Test Method for Vapor-Phase Rust-Preventing Characteristics of Hydraulic Fluids, 05.02
- D5535 Withdrawn 2009; Terminology Relating to Formed-in-Place Sealants for Joints and Cracks in Pavements
- D5536-94(2010) Practice for Sampling Forest Trees for Determination of Clear Wood Properties, 04.10
- D5537-10 Test Method for Heat Release, Flame Spread, Smoke Obscuration, and Mass Loss Testing of Insulating Materials Contained in Electrical or Optical Fiber Cables When Burning in a Vertical Cable Tray Configuration, 10.02
- D5538-13 Practice for Thermoplastic Elastomers—Terminology and Abbreviations, 09.01
- D5539-13 Specification for Seed Starter Mix, 04.08
 D5540-13 Practice for Flow Control and Temperature Control for On-Line Water Sampling and Analysis, 11.01
- D5541-94(2014) Practice for Developing a Stage-Discharge Relation for Open Channel Flow, 11.01
- D5542-04(2009) Test Methods for Trace Anions in High Purity Water by Ion Chromatography, 11.01
- D5543-09 Test Method for Low-Level Dissolved Oxygen in Water, 11.01
- D5544-11 Test Method for On-Line Measurement of Residue After Evaporation of High-Purity Water, 11.01
- D5545 Withdrawn 1998: Test Method for Identification of Cationic Slow-Set Emulsified Asphalts

 D5546-09 Test Method for Solubility of Asphalt Binders in Toluene by
- Centrifuge, 04.03

 D5547-95(2009) Test Method for Clay and Zeolite in Powdered Laundry
 Detergents by Atomic Absorption, 15.04

 D5548-13 Guide for Evaluating Color Transfer or Color Loss of Dyed Fabrics
- in Laundering (Not Suitable for Detergent or Washing Machine Rankings), 15.04
- D5549 Withdrawn 2002; Guide for the Contents of Geostatistical Site Investigation Report
- Test Method for Specific Gravity of Soil Solids by Gas Pycnometer, D5550-06 04.08
- D5551-95(2012) Test Method for Determination of the Cloud Point of Oil, 15.0⁴
- D5552-10 Test Method for Resistance of Colored Leather to Bleeding, 15.04 D5553-95(2012) Test Method for Determination of the Unsaponifiable Nonvolatile Matter in Sulfated Oils, 15.04
- D5554-95(2011) Test Method for Determination of the Iodine Value of Fats and
- Oils, 15.04

 D5555-95(2011) Test Method for Determination of Free Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils Used in Fat Liquors and
- Stuffing Compounds, 15.04

 D5556-95(2011) Test Method for Determination of the Moisture and Other Volatile Matter Contained in Fats and Oils Used in Fat Liquors and
- Softening Compounds, **15.04 D5557-95(2011)** Test Method for Determination of Insoluble Impurities Contained in Fats and Oils Used in Fat Liquors and Stuffing Compounds, 15.04
- D5558-95(2011) Test Method for Determination of the Saponification Value of Fats and Oils, 15.04

 D5559-95(2011) Test Method for Determination of Acidity as Free Fatty
- Acids/Acid Number in the Absence of Ammonium or Triethanolamine Soaps in Sulfonated and Sulfated Oils, 15.04
- D5560-95(2011) Test Method for Determination of Neutral Fatty Matter Contained in Fats and Oils, 15.04 D5561 Not Assigned
- D5562-95(2011) Test Method for Determination of the Acidity as Free Fatty

D5562 D5646

- Acids/Acid Number in the Presence of Ammonium or Triethanolamine Soaps, 15.04
- Withdrawn 1995; Test Method for Determination of the Total Alkalinity of Sulfonated or Sulfated Oils; Replaced by D5350
- D5564-95(2011) Test Method for Determination of the Total Ammonia Contained in Sulfonated or Sulfated Oils, 15.04
- D5565-95(2011) Test Method for Determination of the Solidification Point of Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils, 15.04
- D5566-95(2011) Test Method for Determination of Inorganic Salt Content of
- Sulfated and Sulfonated Oils, 15.04

 D5567-94(2011) Test Method for Hydraulic Conductivity Ratio (HCR) Testing of Soil/Geotextile Systems, 04.13
- D5568-08 Test Method for Measuring Relative Complex Permittivity and Relative Magnetic Permeability of Solid Materials at Microwave Frequencies Using Waveguide, 10.02
- D5569 Withdrawn 2003; Test Method for the Determination of Static Flow of Electrical Grade Magnesium Oxide for Use in Sheathed Heating Elements
- D5570/D5570M-10 Test Method for Water Resistance of Tape and Adhesives
 Used as Box Closure, 15.10
- D5571-94(2010) Test Method for Environmental Stress Crack Resistance (ESCR) of Plastic Tighthead Drums Not Exceeding 60 Gal (227 L) in Rated Capacity, 15.10
- D5572-95(2012) Specification for Adhesives Used for Finger Joints in Nonstructural Lumber Products, 15.06
- D5573-99(2012) Practice for Classifying Failure Modes in Fiber-Reinforced-
- Plastic (FRP) Joints, **15.06 D5574-94(2012)** Test Methods for Establishing Allowable Mechanical Properties of Wood-Bonding Adhesives for Design of Structural Joints,
- D5575-07(2013) Classification System for Copolymers of Vinylidene Fluoride (VDF) with Other Fluorinated Monomers, **08.03**
- D5576-00(2013) Practice for Determination of Structural Features in Polyolefins and Polyolefin Copolymers by Infrared Spectrophotometry (FT-IR), 08.03
- D5577-94(2010)^{c1} Guide for Techniques to Separate and Identify Contaminants in Recycled Plastics, 08.03
- D5578-04(2010) Test Method for Determination of Ethylene Oxic Workplace Atmospheres (HBr Derivatization Method), 11.07 Test Method for Determination of Ethylene Oxide in
- D5579-13 Test Method for Evaluating the Thermal Stability of Manual Transmission Lubricants in a Cyclic Durability Test, 05.02
- D5580-13 Test Method for Determination of Benzene, Toluene, Ethylbenzene, p/m-Vylene, o-Xylene, C9 and Heavier Aromatics, and Total Aromatics in Finished Gasoline by Gas Chromatography, **05.02 D5581-07a(2013)** Test Method for Resistance to Plastic Flow of Bituminous
- Mixtures Using Marshall Apparatus (6 inch-Diameter Specimen), 04.03
- D5582-00(2006) Test Method for Determining Formaldehyde Levels from Wood Products Using a Desiccator, 04.10

 D5583 Withdrawn 2010; Test Method for Detection and Estimation of
- Retention of Wood Preservatives by Aspergillus Bioassaying
- D5584 Withdrawn 2006; Test Methods for Chemical Analysis of Ammoniacal
- Copper Quat Type B (ACQ-B)

 D5585-11^{c1} Tables of Body Measurements for Adult Female Misses Figure
 Type, Size Range 00 20, 07.02

 D5586 Withdrawn 2010; Tables of Body Measurements for Women Aged 55
- and Older (All Figure Types)

 D5586/D5586M-10 Tables of Body Measurements for Women Aged 55 and Older, 07.02
- D5587-14 Test Method for Tearing Strength of Fabrics by Trapezoid Procedure, 07.02
- D5588-97(2012) Test Method for Determination of the Microbial Condition of Paint, Paint Raw Materials, and Plant Areas, 06.01
- D5589-09(2013) Test Method for Determining the Resistance of Paint Films and Related Coatings to Algal Defacement, 06.01

 D5590-00(2010)^{c1} Test Method for Determining the Resistance of Paint Films and Related Coatings to Fungal Defacement by Accelerated Four-Week Agar Plate Assay, 06.01
- D5591-04(2011) Test Method for Thermal Shrinkage Force of Yarn and Cord With a Thermal Shrinkage Force Tester, 07.02
- D5592-94(2010) Guide for Material Properties Needed in Engineering Design
- Using Plastics, **08.03**D5593 Withdrawn 2005; Classification for Thermoplastic Elastomers—Olefinic (TEO)
- D5594-98(2012) Test Method for Determination of the Vinyl Acetate Content of Ethylene-Vinyl Acetate (EVA) Copolymers by Fourier Transform Infrared
- Spectroscopy (FT-IR), **08.03**D5595 Withdrawn 1997; Practice for Determining Buoyancy Corrections
- During Precision Weighing of Low-Density Samples

 Dispersion Of the Dispersion of Carbon Black in Polyolefin Geosynthetics, 04.13

 D5597 Withdrawn 1999; Practice for Preparation of Oil-Based Ink Resin
- Solutions Using a Hot Oil Bath; Replaced by D5958
- D5598-01(2012) Test Method for Evaluating Unleaded Automotive Spark-Ignition Engine Fuel for Electronic Port Fuel Injector Fouling, 05.02
- D5599-00(2010) Test Method for Determination of Oxygenates in Gasoline by Gas Chromatography and Oxygen Selective Flame Ionization Detection, 05.02
- **D5600-09** Test Method for Trace Metals in Petroleum Coke by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), 05.02 D5601 Withdrawn 2002; Test Method for Tearing Resistance of Roofing and

Waterproofing Materials and Membranes

- D5602/D5602M-11 Test Method for Static Puncture Resistance of Roofing Membrane Specimens, 04.04
- D5603-01(2008) Classification for Rubber Compounding Materials—Recycled Vulcanizate Particulate Rubber, 09.01
- D5604-96(2012) Test Methods for Precipitated Silica—Surface Area by Single Point B.E.T. Nitrogen Adsorption, 09.01
- D5605-94(2011) Practice for Styrene-Butadiene Rubber (SBR)—Establishing Raw Mooney Viscosity Target Values, 09.01
- D5606-09(2013) Specification for Toluene for Toluene Diisocyanate (TDI) Feedstock, 06.04
- D5607-08 Test Method for Performing Laboratory Direct Shear Strength Tests of Rock Specimens Under Constant Normal Force, 04.08
- D5608-10 Practices for Decontamination of Field Equipment Used at Low Level Radioactive Waste Sites, 04.08
- D5609-94(2008) Guide for Defining Boundary Conditions in Groundwater Flow Modeling, 04.08
 D5610-94(2008) Guide for Defining Initial Conditions in Groundwater Flow
- Modeling, 04.08
- D5611-94(2008) Guide for Conducting a Sensitivity Analysis for a Groundwater Flow Model Application, 04.08
- D5612-94(2013) Guide for Quality Planning and Field Implementation of a Water Quality Measurement Program, 11.01
 D5613-94(2014) Test Method for Open-Channel Measurement of Time of
- Travel Using Dye Tracers, 11.02

 D5614-94(2014) Test Method for Open Channel Flow Measurement of Water with Broad-Crested Weirs, 11.02

 D5615-07c⁻¹ Test Method for Operating Characteristics of Home Reverse
- Osmosis Devices, 11.02
- D5616-04(2010) Specification for Reclaimed Trichloroethylene, 15.05 D5617-04(2010) Test Method for Multi-Axial Tension Test for Geosynthetics,
- 04.13 D5618-94(2011) Test Method for Measurement of Barnacle Adhesion Strength in Shear, **06.02**
- D5619-00(2011) Test Method for Comparing Metal Removal Fluids Using the Tapping Torque Test Machine, 05.02

 D5620 Withdrawn 2010; Test Method for Evaluating Thin Film Fluid Lubricants in a Drain and Dry Mode Using a Pin and Vee Block Test Machine
- D5621-07(2013) Test Method for Sonic Shear Stability of Hydraulic Fluids, 05.02
- D5622-95(2011) Test Methods for Determination of Total Oxygen in Gasoline and Methanol Fuels by Reductive Pyrolysis, 05.02
- D5623-94(2009) Test Method for Sulfur Compounds in Light Petroleum Liquids by Gas Chromatography and Sulfur Selective Detection, 05.02
- D5624-13 Practice for Determining the Transverse-Aggregate Spread Rate for Surface Treatment Applications, 04.03
- D5625 Withdrawn 2009; Test Method for Measuring Length, Width, and
- Squareness of Sheeted Paper and Paper Products

 D5626 Withdrawn 2011; Test Methods for U.S. Postal Service Optical

 Measurements for Small Areas

 D5627-94(2009)^{c1} Test Method for Water Extractable Residue from Particulate
- Ion-Exchange Resins, 11.02

 D5628-10 Test Method for Impact Resistance of Flat, Rigid Plastic Specimens
- by Means of a Falling Dart (Tup or Falling Mass), 08.03

 D5629-11 Test Method for Polyurethane Raw Materials: Determination of
- Acidity in Low-Acidity Aromatic Isocyanates and Polyurethane Prepolymers, 08.03
- D5630-13 Test Method for Ash Content in Plastics, 08.03
- D5631-11 Practice for Handling, Transportation, and Storage of Halon 1301, Bromotrifluoromethane (CF3Br), **15.05 D5632/D5632M-12^{c1}** Specification for Halo
- Specification for Halon 1301, Bromotrifluoromethane (CF3Br), 15.05
- D5633-04(2012) Practice for Sampling with a Scoop, 11.04
 D5634 Withdrawn 2010; Guide for Selection of Permanent and Durable Offset and Book Papers
- D5635/D5635M-11 Test Method for Dynamic Puncture Resistance of Roofing Membrane Specimens, 04.04

 D5636/D5636M-94(2011)^{c1} Test Method for Low Temperature Unrolling of Felt
- or Sheet Roofing and Waterproofing Materials, 04.04
- D5637-05(2012) Test Method for Moisture Resistance of Electrical Insulating Varnishes, 10.02
- D5638-05(2010) Test Method for Chemical Resistance of Electrical Insulating Varnishes, 10.02
- D5639/D5639M-11 Practice for Selection of Corrugated Fiberboard Materials and Box Construction Based on Performance Requirements, 15.10
- D5640-95(2014) Guide for Selection of Weirs and Flumes for Open-Channel Flow Measurement of Water, 11.02
- D5641-94(2011) Practice for Geomembrane Seam Evaluation by Vacuum Chamber, **04.13**
- D5642-09 Test Method for Sealed Tube Chemical Compatibility Test, 10.02 D5643/D5643M-06(2012)^{c1} Specification for Coal Tar Roof Cement, Asbestos Free, 04.04
- D5644-01(2013) Test Methods for Rubber Compounding Materials-Determination of Particle Size Distribution of Recycled Vulcanizate
- Particulate Rubber, 09.01

 D5645 Withdrawn 1999; Test Method for Determining Physical Properties of Inflatable Restraint Cushions; Replaced by D5807, D5822

 D5646-13 Terminology Relating to Seams and Stitches Used in Home Sewing,
- 07.02

D5647 D5739

- D5647-07(2012) Guide for Measuring Hairiness of Yarns by the Photo-Electric Apparatus, 07.02
- D5648-01(2014) Test Method for Torque-Tension Relationship of Adhesives Used on Threaded Fasteners (Lubricity), 15.06
- D5649-01(2008) Test Method for Torque Strength of Adhesives Used on Threaded Fasteners, 15.06
- D5650 Withdrawn 2010; Test Method for Resistance to Bending of Paper of Low Bending Stiffness (Taber-Type Tester in 0 to 10 Taber Stiffness Unit Configuration)
- D5651-13 Test Method for Surface Bond Strength of Wood-Base Fiber and Particle Panel Materials, 04.10
 D5652-95(2013) Test Methods for Bolted Connections in Wood and Wood-Based Products, 04.10
- D5653 Withdrawn 2006; Specification for Copper Dimethyldithiocarbamate D5654 Withdrawn 2006; Specification for Ammoniacal Copper Quat Type B
- D5655 Withdrawn 2006; Test Method of Analysis of Copper Dimethyldithiocarbamate (CDDC) Treated Wood by Colorimetry
- D5656-10 Test Method for Thick-Adherend Metal Lap-Shear Joints for Determination of the Stress-Strain Behavior of Adhesives in Shear by
- Tension Loading, 15.06

 D5657-07(2014) Test Method for Fluid Tightness Ability of Adhesives Used on Threaded Fasteners, 15.06
- D5658-13 Practice for Sampling Unconsolidated Waste From Trucks, 11.04 D5659-95(2006) Test Method for Chlorophenoxy Acid Herbicides in Waste Using HPLC, 11.04
- D5660 Withdrawn 2014; Test Method for Assessing the Microbial Detoxification of Chemically Contaminated Water and Soil Using a Toxicity Test with a Luminescent Marine Bacterium
- D5661 Withdrawn 2010; Test Method for Relative Solvency of Petroleum Oils by the PKP Method
- D5662-13 Test Method for Determining Automotive Gear Oil Compatibility with Typical Oil Seal Elastomers, 05.02
- D5663-97(2011) Guide for Validating Recycled Content in Packaging Paper and Paperboard, 15.10
- **D5664-10** Test Method for Evaluating the Effects of Fire-Retardant Treatments and Elevated Temperatures on Strength Properties of Fire-Retardant Treated Lumber, 04.10
- D5665-99a(2006) Specification for Thermoplastic Fabrics Used in Cold-Applied Roofing and Waterproofing, 04.04
- D5666-95(2009) Test Method for Rubber Chemical Antidegradants—Purity of, 09.01
- D5667-95(2010) Test Method for Rubber From Synthetic Sources—Total and Water Soluble Ash, 09.01
- D5668-09 Test Methods for Rubber From Synthetic Sources—Volatile Matter, 09.01
- D5669 Withdrawn 2000; Test Method for Rubber-Evaluation of Residual Unsaturation in Hydrogenated Nitrile Rubber (HNBR) by Curemeter
- D5670-95(2009) Test Method for Rubber—Determination of Residual Unsaturation in Hydrogenated Nitrile Rubber (HNBR) by Infrared Spectrophotometry, 09.01
- D5671-95(2011) Practice for Polishing and Etching Coal Samples for Microscopical Analysis by Reflected Light, 05.06
- **D5672-09** Test Method for Testing Flexible Cellular Materials Measurement of Indentation Force Deflection Using a 25-mm (1-in.) Deflection Technique, 08.03
- D5673-10 Test Method for Elements in Water by Inductively Coupled Plasma—Mass Spectrometry, 11.02
- D5674-95(2014) Guide for Operation of a Gaging Station, 11.02
- D5675-13 Classification for Low Molecular Weight PTFE and FEP Micronized Powders, **08.03**
- D5676 Withdrawn 2004 Specification for Recycled Polystyrene Molding and
- Extrusion Materials

 D5677-05(2010) Specification for Fiberglass (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Pipe Fittings, Adhesive Bonded Joint Type, for Aviation Jet Turbine Fuel Lines, 08.03
- D5678-95(2008) Test Method for Freeze/Thaw Resistance of Wax Emulsion Floor Polish, 15.04
- D5679-95a(2012) Practice for Sampling Consolidated Solids in Drums or
- Similar Containers, 11.04

 D5680-14 Practice for Sampling Unconsolidated Solids in Drums or Similar Containers, 11.04
- D5681-13 Terminology for Waste and Waste Management, 11.04
 D5682-08(2012) Test Methods for Electrical Resistivity of Liquid Paint and
- Related Materials, 06.01

 D5683/D5683M-95(2011)*1 Test Method for Flexibility of Roofing and Waterproofing Materials and Membranes, 04.04

 D5684-12 Terminology Relating to Pile Floor Coverings, 07.02

 D5685-11 Specification for "Fiberglass" (Glass-Fiber-Reinforced Thermoset-
- ting-Resin) Pressure Pipe Fittings, **08.03**
- D5686 Withdrawn 2002; Specification for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe and Pipe Fittings, Adhesive Bonded Joint Type Epoxy Resin, for Condensate Return Lines
- D5687/D5687M-95(2007) Guide for Preparation of Flat Composite Panels with Processing Guidelines for Specimen Preparation, 15.03
- D5688 Not Assigned
- Not Assigned D5689 Not Assigned D5690
- D5691 Not Assigned

- D5692 Not Assigned
- D5693 Not Assigned
- D5694 Not Assigned
- Not Assigned D5695 D5696 Not Assigned
- D5697 Not Assigned
- D5698 Not Assigned D5699 Not Assianed
- Not Assigned D5700
- Not Assigned D5701
- D5702-07(2012) Practice for Field Sampling of Coating Films for Analysis for Heavy Métals, 06.02
- D5703-95(2013) Practice for Preparatory Surface Cleaning for Clay Brick
- Masonry, 06.02
 D5704-13a Test Method for Evaluation of the Thermal and Oxidative Stability of Lubricating Oils Used for Manual Transmissions and Final Drive Axles, 05.02
- D5705-14 Test Method for Measurement of Hydrogen Sulfide in the Vapor Phase Above Residual Fuel Oils, 05.02
- D5706-11 Test Method for Determining Extreme Pressure Properties of Lubricating Greases Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, **05.02**
- D5707-11 Test Method for Measuring Friction and Wear Properties of Lubricating Grease Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, **05.02**
- D5708-12 Test Methods for Determination of Nickel, Vanadium, and Iron in Crude Oils and Residual Fuels by Inductively Coupled Plasma (ICP) Atomic Emission Spectrometry, 05.02
- D5709-09 Test Method for Sieve Analysis of Petroleum Coke, 05.02
- D5710/D5710M-13 Specification for Trinidad Lake Modified Asphalt, 04.03 D5711 Withdrawn 2011; Test Method for Determining the Adherent Coating on Coarse Aggregates
- D5712-10 Test Method for Analysis of Aqueous Extractable Protein in Natural
- Rubber and Its Products Using the Modified Lowry Method, 09.02

 D5713-09 Test Method for Analysis of High Purity Benzene for Cyclohexane Feedstock by Capillary Gas Chromatography, 06.04
- D5714 Withdrawn 2011; Specification for Content of Digital Geospatial
- D5715-00(2006) Test Method for Estimating the Degree of Humification of Peat and Other Organic Soils (Visual/Manual Method), 04.08
- D5716-95(2006) Test Method for Measuring the Rate of Well Discharge by Circular Orifice Weir, 04.08
- D5717 Withdrawn 2005; Guide for Design of Ground-Water Monitoring Systems in Karst and Fractured-Rock Aquifers
- D5718-13 Guide for Documenting a Groundwater Flow Model Application, 04.08
- D5719-13 Guide for Simulation of Subsurface Airflow Using Groundwater Flow Modeling Codes, 04.08
- D5720-95(2009) Practice for Static Calibration of Electronic Transducer-Based Pressure Measurement Systems for Geotechnical Purposes, 04.08
- D5721-08(2013) Practice for Air-Oven Aging of Polyolefin Geomembranes, 04.13
- D5722-08 Practice for Performing Accelerated Outdoor Weathering of Factory-Coated Embossed Hardboard Using Concentrated Natural Sunlight and a Soak-Freeze-Thaw Procedure, 06.01
- D5723-95(2010) Practice for Determination of Chromium Treatment Weight on Metal Substrates by X-Ray Fluorescence, 06.02
- D5724-06(2010) Specification for Gouache Paints, 06.02
- D5725 Withdrawn 2010; Test Method for Surface Wettability and Absorbency of Sheeted Materials Using an Automated Contact Angle Tester
- D5726-98(2013) Specification for Thermoplastic Fabrics Used in Hot-Applied
- Roofing and Waterproofing, 04.04

 D5727/D5727M-00(2011)*1 Specification for Emulsified Refined Coal Tar (Mineral Colloid Type), 04.04
- D5728-12 Practices for Securement of Cargo in Intermodal and Unimodal Surface Transport, 15.10
- D5729 Withdrawn 2008; Test Method for Thickness of Nonwoven Fabrics D5730 Withdrawn 2013; Guide for Site Characterization for Environmental Purposes With Emphasis on Soil, Rock, the Vadose Zone and
- Groundwater
- D5731-08 Test Method for Determination of the Point Load Strength Index of Rock and Application to Rock Strength Classifications, 04.08
 D5732 Withdrawn 2008; Test Method for Stiffness of Nonwoven Fabrics Using the Cantilever Test
- D5733 Withdrawn 2008; Test Method for Tearing Strength of Nonwoven Fabrics by the Trapezoid Procedure
- D5734 Withdrawn 2008; Tearing Strength of Nonwoven Fabrics by
- Falling-Pendulum (Elmendorf) Apparatus

 D5735 Withdrawn 2009; Test Method for Tearing Strength on Nonwoven
 Fabrics by the Tongue (Single Rip) Procedure (Constant-Rate-ofExtension Tensile Testing Machine)
- D5736 Withdrawn 2008; Test Method for Thickness of Highloft Nonwoven Fabrics
- D5737-95(2006) Guide for Methods for Measuring Well Discharge, 04.08 D5738-95(2006) Guide for Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements-Diagrams for Single Analyses, 04.08
- D5739-06(2013) Practice for Oil Spill Source Identification by Gas Chromatography and Positive Ion Electron Impact Low Resolution Mass Spectrometry, 11.02

D5740 D5825

- D5740-11 Guide for Writing Material Standards in the Classification, 08.03 D5741-96(2011) Practice for Characterizing Surface Wind Using a Wind Vane
- and Rotating Anemometer, 11.07

 D5742-95(2010) Test Method for Determination of Butane Activity of Activated Carbon, **15.01**
- D5743-97(2013) Practice for Sampling Single or Multilayered Liquids, With or Without Solids, in Drums or Similar Containers, 11.04
- ${\bf D5744\text{-}13^{\epsilon1}}$ Test Method for Laboratory Weathering of Solid Materials Using a
- Humidity Cell, 11.04
 D5745-09 Guide for Developing and Implementing Short-Term Measures or Early Actions for Site Remediation, 11.04
- D5746-98(2010) Classification of Environmental Condition of Property Area Types for Defense Base Closure and Realignment Facilities, 11.05
- D5747/D5747M-08(2013)^{c1} Practice for Tests to Evaluate the Chemical Resistance of Geomembranes to Liquids, 04.13
- D5748-95(2012) Test Method for Protrusion Puncture Resistance of Stretch Wrap Film, **15.10**
- D5749-01(2012) Specification for Reinforced and Plain Gummed Tape for Sealing and Securing, 15.10
- D5750/D5750M-95(2012) Guide for Width and Length of Pressure-Sensitive Tape, **15.10 D5751-99(2012)** Specification for Adhesives Used for Laminate Joints in
- Nonstructural Lumber Products, 15.06
- D5752-10 Specification for Supplemental Coolant Additives (SCAs) for Use in
- Precharging Coolants for Heavy-Duty Engines, 15.05

 D5753-05(2010) Guide for Planning and Conducting Borehole Geophysical Logging, **04.08**
- D5754-95(2006) Guide for Displaying the Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements-Trilinear Diagrams for
- Two or More Analyses, 04.08

 D5755-09(2014)^{c1} Test Method for Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Structure Number Surface Loading, 11.07
- D5756-02(2008) Test Method for Microvacuum Sampling and Indirect Analysis of Dust by Transmission Electron Microscopy for Asbestos Mass Surface Loading, 11.07
- D5757-11 Test Method for Determination of Attrition of FCC Catalysts by Air Jets, 05.05
- D5758-01(2011)^{c1} Test Method for Determination of Relative Crystallinity of Zeolite ZSM-5 by X-Ray Diffraction, **05.05 D5759-12** Guide for Characterization of Coal Fly Ash and Clean Coal
- Combustion Fly Ash for Potential Uses, 11.04
- D5760-13 Specification for Performance of Manual Transmission Gear Lubricants, 05.02
- D5761-96(2012) Practice for Emulsification/Suspension of Multiphase Fluid Waste Materials, 05.02
- D5762-12 Test Method for Nitrogen in Petroleum and Petroleum Products by Boat-Inlet Chemiluminescence, 05.02
- D5763-11 Test Method for Oxidation and Thermal Stability Characteristics of Gear Oils Using Universal Glassware, 05.02
- D5764-97a(2013) Test Method for Evaluating Dowel-Bearing Strength of Wood and Wood-Based Products, 04.10
- D5765-05(2010) Practice for Solvent Extraction of Total Petroleum Hydrocarbons from Soils and Sediments Using Closed Vessel Microwave
- Heating, 11.02
 D5766/D5766M-11 Test Method for Open-Hole Tensile Strength of Polymer Matrix Composite Laminates, 15.03
- D5767-95(2012) Test Methods for Instrumental Measurement of Distinctness-of-Image Gloss of Coating Surfaces, 06.01
- D5768-02(2010) Test Method for Determination of Iodine Value of Tall Oil Fatty
 Acids, 06.03
 D5769-10 Test Method for Determination of Benzene, Toluene, and Total
- Aromatics in Finished Gasolines by Gas Chromatography/Mass Spectrometry, 05.02
- D5770-11 Test Method for Semiguantitative Micro Determination of Acid Number of Lubricating Oils During Oxidation Testing, 05.02
- D5771-12 Test Method for Cloud Point of Petroleum Products (Optical Detection Stepped Cooling Method), 05.02
- D5772-10 Test Method for Cloud Point of Petroleum Products (Linear Cooling Rate Method), 05.02
- D5773-10 Test Method for Cloud Point of Petroleum Products (Constant Cooling Rate Method), 05.02
- D5774-95(2009) Test Methods for Rubber—Chemical Analysis of Extractables, 09.01
- D5775-95(2009)^{c1} Test Method for Rubber—Determination of Bound Styrene in Styrené Butadiene Rubber by Refractive Index, 09.01 D5776-13 Test Method for Bromine Index of Aromatic Hydrocarbons by
- Electrometric Titration, 06.04

 D5777-00(2011)^{c1} Guide for Using the Seismic Refraction Method for
- Subsurface Investigation, 04.08 D5778-12 Test Method for Electronic Friction Cone and Piezocone Penetration
- Testing of Soils, 04.08 D5779/D5779M-14 Test Method for Field Determination of Rapid Specific
- Gravity of Rock and Manmade Materials for Erosion Control, 04.08 D5780-10 Test Methods for Individual Piles in Permafrost Under Static Axial
- Compressive Load, 04.08 D5781/D5781M-13 Guide for Use of Dual-Wall Reverse-Circulation Drilling for
- Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, **04.08**
- D5782-95(2012) Guide for Use of Direct Air-Rotary Drilling for Geoenviron-

mental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, 04.08

- D5783-95(2012) Guide for Use of Direct Rotary Drilling with Water-Based Drilling Fluid for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, 04.08
- D5784/D5784M-13 Guide for Use of Hollow-Stem Augers for Geoenvironmental Exploration and the Installation of Subsurface Water-Quality Monitoring Devices, 04.08
- D5785-95(2013) Test Method for (Analytical Procedure) for Determining Transmissivity of Confined Nonleaky Aquifers by Underdamped Well Response to Instantaneous Change in Head (Slug Test), 04.08
- D5786-95(2012) Practice for (Field Procedure) for Constant Drawdown Tests in Flowing Wells for Determining Hydraulic Properties of Aquifer Systems, 04.08
- D5787-95(2009) Practice for Monitoring Well Protection, 04.08
- D5788-95(2011) Guide for Spiking Organics into Aqueous Samples, 11.02 D5789 Withdrawn 2002; Practice for Writing Quality Control Specifications for Standard Test Methods for Organic Constituents; Replaced by D5847

 D5790-95(2012) Test Method for Measurement of Purgeable Organic
- Compounds in Water by Capillary Column Gas Chromatography/Mass Spectrometry, 11.02

 D5791-95(2012)⁻¹ Guide for Using Probability Sampling Methods in Studies of
- Indoor Air Quality in Buildings, 11.07
- D5792-10 Practice for Generation of Environmental Data Related to Waste Management Activities: Development of Data Quality Objectives, 11.04
- D5793-13 Test Method for Binding Sites per Unit Length or Width of Pile Yarn Floor Coverings, 07.02
- D5794-95(2008) Guide for Determination of Anions in Cathodic Electrocoat Permeates by Ion Chromatography, 06.01
- D5795-95(2008) Test Method for Determination of Liquid Water Absorption of Coated Hardboard and Other Composite Wood Products ViaCobb Ring Apparatus, 06.02
- D5796-10 Test Method for Measurement of Dry Film Thickness of Thin-Film Coil-Coated Systems by Destructive Means Using a Boring Device, **06.02 D5797-13** Specification for Fuel Methanol (M70-M85) for Automotive
- Spark-Ignition Engines, 05.02
- D5798-13a Specification for Ethanol Fuel Blends for Flexible-Fuel Automotive Spark-Ignition Engines, 05.02
- D5799-95(2009) Test Method for Determination of Peroxides in Butadiene, 05.02
- D5800-10 Test Method for Evaporation Loss of Lubricating Oils by the Noack Method, 05.02
- D5801-12 Test Method for Toughness and Tenacity of Bituminous Materials, 04.03
- D5802 Withdrawn 2009; Test Method for Sorption of Bibulous Paper Products (Sorptive Rate and Capacity Using Gravimetric Principles)
- D5803 Withdrawn 2009; Test Method for Tensile Strength at Zero-Span ("Wet Zero-Span Tensile")
- D5804 Withdrawn 2009; Test Methods for Zero-Span Tensile Strength ("Dry
- Zero-Span Tensile")

 D5805-00(2009) Test Methods for Rubber—Determination of Carbon Black in Masterbatches, 09.01
- D5806-95(2009) Test Method for Disinfectant Quaternary Ammonium Salts by Potentiometric Titration, **15.04**
- D5807-08(2013) Practice for Evaluating the Overpressurization Characteristics of Inflatable Restraint Cushions, 07.02
- D5808-09a Test Method for Determining Chloride in Aromatic Hydrocarbons and Related Chemicals by Microcoulometry, 06.04
- D5810-96(2011) Guide for Spiking into Aqueous Samples, 11.01 D5811-08(2013) Test Method for Strontium-90 in Water, 11.02
- D5812 Withdrawn 2011; Test Method for Determination of Organochlorine
- Pesticides in Water by Capillary Column Gas Chromatography

 D5813-04(2012) Specification for Cured-In-Place Thermosetting Resin Sewer
 Piping Systems, 08.03

 D5814-10 Practice for Determination of Contamination in Recycled
- Poly(Ethylene Terephthalate) (PET) Flakes and Chips Using a Plaque Test, 08.03 D5815 Withdrawn 2009; Test Method for Determination of Phenolic
- Antioxidants and Erucamide Slip Additives in Linear Low-Density
- Polyethylene Using Liquid Chromatography (LC); Replaced by D6953

 D5816 Withdrawn 2000; Test Methods for Carbon Black—External Surface
 Area by Multipoint Nitrogen Adsorption; Replaced by D6556

 D5817-03a(2008) Practice for Carbon Black, Pelleted—Reduction, Blending,
- and Drying of Gross Samples for Testing, 09.01

 D5818-11 Practice for Exposure and Retrieval of Samples to Evaluate Installation Damage of Geosynthetics, 04.13
- D5819-05(2012) Guide for Selecting Test Methods for Experimental Evaluation of Geosynthetic Durability, 04.13
- D5820-95(2011) Practice for Pressurized Air Channel Evaluation of Dual Seamed Geomembranes, 04.13
- D5821-13 Test Method for Determining the Percentage of Fractured Particles in Coarse Aggregate, 04.03
- D5822-13 Test Method for Determining Seam Strength in Inflatable Restraint Cushions, **07.02**D5823-13 Test Method for Tuft Height of Pile Floor Coverings, **07.02**
- **D5824-98(2011)** Test Method for Determining Resistance to Delamination of Adhesive Bonds in Overlay-Wood Core Laminates Exposed to Heat and Water, 15.06
- D5825 Not Assigned

D5826 D5910

- D5826 Withdrawn 2009; Tables of Body Measurements for Children, Sizes 2
- to 6x/7 **D5827-09^{c1}** Test Method for Analysis of Engine Coolant for Chloride and Other Anions by Ion Chromatography, 15.05

 D5828-97(2011)^{c1} Test Method for Compatibility of Supplemental Coolant
- Additives (SCAs) and Engine Coolant Concentrates, 15.05
- D5829-96(2007) Guide for Preparing a Training Program for Environmental Analytical Laboratories, 11.04
- D5830-14 Test Method for Solvents Analysis in Hazardous Waste Using Gas Chromatography, 11.04
- D5831-09 Test Method for Screening Fuels in Soils, 11.04
- D5832-98(2008) Test Method for Volatile Matter Content of Activated Carbon Samples, 15.01
- D5833-12 Guide for Source Reduction Reuse, Recycling, or Disposal of Steel Cans, 15.10
- D5834 Withdrawn 2003; Guide for Source Reduction Reuse, Recycling, and Disposal of Solid and Corrugated Fiberboard (Cardboard)
- D5835-95(2013) Practice for Sampling Stationary Source Emissions for the Automated Determination of Gas Concentrations, 11.07
- **D5836-08(2013)** Test Method for Determination of 2,4-Toluene Diisocyanate (2,4-TDI) and 2,6-Toluene Diisocyanate (2,6-TDI) in Workplace Atmospheres (1-2 PP Method), 11.07 **D5837-12** Test Method for Furanic Compounds in Electrical Insulating Liquids
- by High-Performance Liquid Chromatography (HPLC), 10.03 D5838 Not Assigned
- D5839-96(2006) Test Method for Trace Element Analysis of Hazardous Waste Fuel by Energy-Dispersive X-Ray Fluorescence Spectrometry, 11.04
- D5840 Withdrawn 2005; Specification for Type II Polymer Modified Asphalt Cement for Use in Pavement Construction
- D5841 Withdrawn 2005; Specification for Type III Polymer Modified Asphalt Cement for Use in Pavement Construction
- D5842-04(2009) Practice for Sampling and Handling of Fuels for Volatility Measurement. 05.02
- D5843-95(2006) Guide for Application of Fully Adhered Vulcanized Rubber
- Sheets Used in Waterproofing, 04.04

 D5844 Withdrawn 2003; Test method for Evaluation of Automotive Engine Oils
- for Inhibition of Rusting (Sequence IID)

 D5845-01(2011) Test Method for Determination of MTBE, ETBE, TAME, DIPE, Methanol, Ethanol and tert-Butanol in Gasoline by Infrared Spectroscopy, 05.02
- D5846-07(2012) Test Method for Universal Oxidation Test for Hydraulic and Turbine Oils Using the Universal Oxidation Test Apparatus, 05.02
- D5847-02(2012) Practice for Writing Quality Control Specifications for Standard Test Methods for Water Analysis, 11.02
- D5848-10^{€1} Test Method for Mass Per Unit Area of Pile Yarn Floor Coverings,
- D5849/D5849M-07(2013)^{c1} Test Method for Evaluating Resistance of Modified Bituminous Roofing Membrane to Cyclic Fatigue (Joint Displacement), 04.04
- D5850-95(2012) Test Method for (Analytical Procedure) Determining Transmissivity, Storage Coefficient, and Anisotropy Ratio from a Network
- of Partially Penetrating Wells, 04.08

 D5851-95(2011) Guide for Planning and Implementing a Water Monitoring Program, 11.01
- D5852-00(2007) Test Method for Erodibility Determination of Soil in the Field or in the Laboratory by the Jet Index Method, 04.08

 D5853-11 Test Method for Pour Point of Crude Oils, 05.02
- D5854-96(2010) Practice for Mixing and Handling of Liquid Samples of Petroleum and Petroleum Products, 05.02
- D5855-95(2013) Test Method for (Analytical Procedure) for Determining Transmissivity and Storage Coefficient of Confined Nonleaky or Leaky Aquifer by Constant Drawdown Method in Flowing Well, 04.08
 D5856-95(2007) Test Method for Measurement of Hydraulic Conductivity of Porous Material Using a Rigid-Wall, Compaction-Mold Permeameter,
- 04.08
- D5857-14 Specification for Polypropylene Injection and Extrusion Materials Using ISO Protocol and Methodology, 08.03
- D5858-96(2008) Guide for Calculating In Situ Equivalent Elastic Moduli of Pavement Materials Using Layered Elastic Theory, 04.03
- D5859 Withdrawn 2005; Test Method for Determining the Slip Index of Painted Surfaces Using the Variable Incidence Tester
- D5860-95(2013) Test Method for Evaluation of the Effect of Water Repellent Treatments on Freeze-Thaw Resistance of Hydraulic Cement Mortar
- Specimens, 06.02

 D5861-07(2013) Guide for Significance of Particle Size Measurements of Coating Powders, 06.02

 D5862 Withdrawn 2009; Test Method for Evaluation of Engine Oils in
- Two-Stroke Cycle Turbo-Supercharged 6V92TA Diesel Engine
- D5863-00a(2011) Test Methods for Determination of Nickel, Vanadium, Iron, and Sodium in Crude Oils and Residual Fuels by Flame Atomic Absorption Spectrometry, 05.02
- D5864-11 Test Method for Determining Aerobic Aquatic Biodegradation of
- Lubricants or Their Components, **05.02 D5865-13** Test Method for Gross Calorific Value of Coal and Coke, **05.06 D5866-12** Test Method for Neps in Cotton Fibers, **07.02 D5867-12** Test Methods for Measurement of Physical Properties of Raw
- Cotton by Cotton Classification Instruments, 07.02

 D5868-01(2014) Test Method for Lap Shear Adhesion for Fiber Reinforced
- Plastic (FRP) Bonding, 15.06

D5869-07a(2013) Practice for Dark Oven Heat Exposure of Roofing and Waterproofing Materials, 04.04

- Practice for Calculating Property Retention Index of Plastics, **08.03** Specification for Benzene for Cyclohexane Feedstock, 06.04
- D5872/D5872M-13 Guide for Use of Casing Advancement Drilling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, 04.08
- D5873-14 Test Method for Determination of Rock Hardness by Rebound Hammer Method, 04.08
- D5874-02(2007) Test Method for Determination of the Impact Value (IV) of a Soil, 04.08
- D5875/D5875M-13 Guide for Use of Cable-Tool Drilling and Sampling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, 04.08 **D5876-95(2012)** Guide for Use of Direct Rotary Wireline Casing Advance-
- ment Drilling Methods for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices, 04.08
- D5877 Withdrawn 2014; Guide for Displaying Results of Chemical Analyses of Groundwater for Major Ions and Trace Elements—Diagrams Based on Data Analytical Calculations
- D5878-08 Guides for Using Rock-Mass Classification Systems for Engineering Purposes, 04.09
- D5879-95(2010) Practice for Surface Site Characterization for On-Site Septic Systems, **04.09**
- D5880-95(2006) Guide for Subsurface Flow and Transport Modeling, 04.09
 D5881-13 Test Method for (Analytical Procedure) Determining Transmissivity of Confined Nonleaky Aquifers by Critically Damped Well Response to Instantaneous Change in Head (Slug), 04.09
- D5882-07(2013) Test Method for Low Strain Impact Integrity Testing of Deep Foundations, 04.09
- D5883-12 Guide for Use of Rotary Kiln Produced Expanded Shale, Clay or Slate (ESCS) as a Mineral Amendment in Topsoil Used for Landscaping
- and Related Purposes, **04.09 D5884-04a(2010)** Test Method for Determining Tearing Strength of Internally Reinforced Geomembranes, 04.13
- D5885-06(2012) Test Method for Oxidative Induction Time of Polyolefin Geosynthetics by High-Pressure Differential Scanning Calorimetry, 04.13
- D5886-95(2011) Guide for Selection of Test Methods to Determine Rate of Fluid Permeation Through Geomembranes for Specific Applications, 04.13
- D5887-09 Test Method for Measurement of Index Flux Through Saturated Geosynthetic Clay Liner Specimens Using a Flexible Wall Permeameter, 04.13
- D5888-06(2011) Guide for Storage and Handling of Geosynthetic Clay Liners, 04.13
- D5889-11 Practice for Quality Control of Geosynthetic Clay Liners, 04.13
 D5890-11 Test Method for Swell Index of Clay Mineral Component of
- Geosynthetic Clay Liners, 04.13
- D5891-02(2009) Test Method for Fluid Loss of Clay Component of Geosynthetic Clay Liners, 04.13
- D5892 Withdrawn 2005; Specification for Type IV Polymer-Modified Asphalt Cement for Use in Pavement Construction
- D5893/D5893M-10 Specification for Cold Applied, Single Component, Chemically Curing Silicone Joint Sealant for Portland Cement Concrete Pavements, **04.03**
- D5894-10 Practice for Cyclic Salt Fog/UV Exposure of Painted Metal, (Alternating Exposures in a Fog/Dry Cabinet and a UV/Condensation Cabinet), 06.01
- **D5895-13** Test Methods for Evaluating Drying or Curing During Film Formation of Organic Coatings Using Mechanical Recorders, 06.01

 D5896-96(2012) Test Method for Carbohydrate Distribution of Cellulosic
- Materials, 06.03
- D5897-13 Test Method for Determination of Percent Hydroxyl on Cellulose Esters by Potentiometric Titration—Alternative Method, 06.03 D5898/D5898M-96(2013) Guide for Standard Details for Adhered Sheet
- Waterproofing, 04.04

 D5899-98(2013) Classification System for Rubber Compounding Materials for
- Use in Computer Material Management Systems, 09.01
- D5900-13 Specification for Physical and Chemical Properties of Industry Reference Materials (IRM), 09.01
- D5901 Withdrawn 2010; Test Method for Freezing Point of Aviation Fuels (Automated Optical Method)
- D5902-05(2010) Test Method for Rubber—Determination of Residual Unsaturation in Hydrogenated Nitrile Rubber (HNBR) by Iodine Value, 09.01
- D5903-96(2012) Guide for Planning and Preparing for a Groundwater Sampling Event, 04.09
- D5904-02(2009) Test Method for Total Carbon, Inorganic Carbon, and Organic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane
- Conductivity Detection, 11.02

 D5905-98(2013) Practice for the Preparation of Substitute Wastewater, 11.01

 D5906-02(2013) Guide for Measuring Horizontal Positioning During

 Measurements of Surface Water Depths, 11.01
- D5907-13 Test Methods for Filterable Matter (Total Dissolved Solids) and Nonfilterable Matter (Total Suspended Solids) in Water, 11.01
- D5908 Withdrawn 2008; Test Method for Resin Binder Distribution and Binder Penetration Analysis of Polyester Nonwoven Fabrics

 D5909-96a(2011) Test Method for Drying Time of Oxidative-Drying Printing Inks by Squalene Resistance, 06.02

 D5910-05(2012) Test Method for Determination of Free Formaldehyde in
- Emulsion Polymers by Liquid Chromatography, 06.03

D5911/D5911M D5997

- D5911/D5911M-96(2010)^{€1} Practice for Minimum Set of Data Elements to Identify a Soil Sampling Site, 04.09
- Withdrawn 2013; Test Method for Analytical Procedure) Determining Hydraulic Conductivity of an Unconfined Aquifer by Overdamped Well Response to Instantaneous Change in Head (Slug)
- D5913-96(2013) Test Method for Evaluation of Cleanability of Paint Brushes, 06.02
- D5914 Not Assigned D5915 Not Assigned
- Not Assigned
- Withdrawn 2011: Test Method for Detection and Enumeration of D5916 Clostridium perfringens from Water and Extracted Sediments by Membrane Filtration (MF)
- **D5917-12** Test Method for Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography and External Calibration, 06.04
- D5918-13 Test Methods for Frost Heave and Thaw Weakening Susceptibility of Soils, 04.09
- D5919-96(2011) Practice for Determination of Adsorptive Capacity of Activated Carbon by a Micro-Isotherm Technique for Adsorbates at ppb Concentrations. 15.01
- D5920 Withdrawn 2014; Test Method (Analytical Procedure) for Tests of Anisotropic Unconfined Aquifers by Neuman Method D5921-96(2010) Practice for Subsurface Site Characterization of Test Pits for
- On-Site Septic Systems, 04.09
- D5922-96(2010) Guide for Analysis of Spatial Variation in Geostatistical Site Investigations, 04.09
- D5923-96(2010) Guide for Selection of Kriging Methods in Geostatistical Site Investigations, 04.09
- D5924-96(2010) Guide for Selection of Simulation Approaches in Geostatistical Site Investigations, 04.09
- D5925 Withdrawn 2005; Practice for Preliminary Sizing and Delineation of Soil Absorption Field Areas for On-Site Septic Systems

 D5926-11 Specification for Poly (Vinyl Chloride) (PVC) Gaskets for Drain, Waste, and Vent (DWV), Sewer, Sanitary, and Storm Plumbing Systems, 08.03
- D5927-09 Classification System for Thermoplastic Polyester (TPES) Injection and Extrusion Materials Based on ISO Test Methods, 08.03
- D5928-96(2010)^{c1} Test Method for Screening of Waste for Radioactivity, 11.04 **D5929-96(2009)** Test Method for Determining Biodegradability of Materials Exposed to Municipal Solid Waste Composting Conditions by Compost Respirometry, 11.04
- D5930-09 Test Method for Thermal Conductivity of Plastics by Means of a
- Transient Line-Source Technique, 08.03
 D5931-13 Test Method for Density and Relative Density of Engine Coolant Concentrates and Aqueous Engine Coolants by Digital Density Meter, 15.05
- D5932-08(2013) Test Method for Determination of 2,4-Toluene Diisocyanate (2,4-TDI) and 2,6-Toluene Diisocyanate (2,6-TDI) in Air (with 9-(N-Methylaminomethyl) Anthracene Method) (MAMA) in the Workplace, 11.07
- D5933-96(2013) Specification for 258-in. and 4-in. Diameter Metal Shear Plates for Use in Wood Constructions, 04.10
- D5934 Withdrawn 2009; Test Method for Determination of Modulus of Elasticity for Rigid and Semi-Rigid Plastic Specimens by Controlled Rate of Loading Using Three-Point Bending

 Withdrawn 1998; Practice for Plastics—Acquisition and Presentation of
- Comparable Single-Point Data
- D5936 Withdrawn 1998; Specification for Multipurpose Test Specimens Used for Testing Plastics
- D5937 Withdrawn 1998; Test Method for Determination of Tensile Properties and Test Conditions for Moulding and Extrusion Plastics
- D5938 Withdrawn 1998; Guide for Describing the General Principles for Determination of Tensile Properties of Plastics
- D5939 Withdrawn 1998; Practice for Preparing Multipurpose Test Specimens
- and Bars of Thermoplastics by Injection Moulding
 D5940 Withdrawn 1998; Practice for Preparing Small Plate Test Specimens of
 Thermoplastics by Injection Moulding
 D5941 Withdrawn 1998; Test Method for Determining the Izod Impact Strength
- of Plastics
- D5942 Withdrawn 1998; Test Method for Determining Charpy Impact Strength of Plastics
- D5943 Withdrawn 1998; Test Method for Determining Flexural Properties of **Plastics**
- D5944 Withdrawn 1998; Guide for Describing the General Principles for Determining the Temperature of Deflection of Plastics Under Load
- D5945 Withdrawn 1998 Test Method for Determining Temperature of Deflection of Plastics and Ebonite Under Load
- D5946-09 Test Method for Corona-Treated Polymer Films Using Water Contact Angle Measurements, 08.03
- D5947-11 Test Methods for Physical Dimensions of Solid Plastics Specimens, 08.03
- D5948-05(2012) Specification for Molding Compounds, Thermosetting, 08.03 D5949-10 Test Method for Pour Point of Petroleum Products (Automatic Pressure Pulsing Method), 05.02
- D5950-12a Test Method for Pour Point of Petroleum Products (Automatic Tilt Method), 05.02
- D5951 Withdrawn 2011; Practice for Preparing Residual Solids Obtained After Biodegradability Standard Methods for Plastics in Solid Waste for Toxicity and Compost Quality Testing
- D5952-08 Guide for the Inspecting Water Systems for Legionellae and Investigating Possible Outbreaks of Legionellosis (Legionnaires Disease or Pontiac Fever), 11.07

D5953M-96(2009) Test Method for Determination of Non-Methane Organic Compounds (NMOC) in Ambient Air Using Cryogenic Preconcentration and Direct Flame Ionization Detection Method, 11.07

- D5954-98(2014)^{€1} Test Method for Mercury Sampling and Measurement in Natural Gas by Atomic Absorption Spectroscopy, 05.06

 D5955-02(2012)^{c1} Test Methods for Estimating Contribution of Environmental
- Tobacco Smoke to Respirable Suspended Particles Based on UVPM and FPM 11.07
- D5956-96(2006) Guide for Sampling Strategies for Heterogeneous Wastes, 11.04
- D5957-98(2013) Guide for Flood Testing Horizontal Waterproofing
- Installations, 04.04

 D5958-99(2012)^{c1} Practices for Preparation of Oil-Based Ink Resin Solutions, 06.03
- D5959-12 Test Method for Bulk Density of Level Paintbrush Filaments, 06.02 D5960-03(2013) Specification for Technical Grade Ethylene Dichloride, 15.05 D5961/D5961M-13 Test Method for Bearing Response of Polymer Matrix Composite Laminates, 15.03
- D5962 Withdrawn 2008; Guide for Maintaining Unqualified Coatings (Paints)
- Within Level I Areas of a Nuclear Power Facility

 D5963-04(2010)^{c1} Test Method for Rubber Property—Abrasion Resistance
 (Rotary Drum Abrader), 09.01

 D5964-07(2014) Practice for Rubber IRM 901, IRM 902, and IRM 903
- Replacement Oils for, 09.01
- D5965-02(2013) Test Methods for Specific Gravity of Coating Powders, 06.02
 D5966-13 Test Method for Evaluation of Engine Oils for Roller Follower Wear in Light-Duty Diesel Engine, 05.02
- D5967-13 Test Method for Evaluation of Diesel Engine Oils in T-8 Diesel Engine, **05.02**
- D5968-06(2013) Test Method for Evaluation of Corrosiveness of Diesel Engine
 Oil at 121 °C, 05.02
 D5969-11^{c1} Test Method for Corrosion-Preventive Properties of Lubricating
- Greases in Presence of Dilute Synthetic Sea Water Environments, 05.02
- **D5970-09** Test Method for Deterioration of Geotextiles from Outdoor Exposure, 04.13
- D5971/D5971M-13 Practice for Sampling Freshly Mixed Controlled Low-Strength Material, 04.09
- D5972-05(2010) Test Method for Freezing Point of Aviation Fuels (Automatic Phase Transition Method), 05.02
- D5973-97(2012) Specification for Elastomeric Strip Seals with Steel Locking Edge Rails Used in Expansion Joint Sealing, 04.03
- D5974-00(2010) Test Methods for Fatty and Rosin Acids in Tall Oil Fractionation Products by Capillary Gas Chromatography, 06.03
 D5975-96(2010) Test Method for Determining the Stability of Compost by
- Measuring Oxygen Consumption, 11.04
- D5976 Withdrawn 2005; Specification for Type I Polymer Modified Asphalt Cement for Use in Pavement Construction
- D5977-03(2012) Specification for High Load Rotational Spherical Bearings for Bridges and Structures, 04.03

 D5978-96(2011)^{c1} Guide for Maintenance and Rehabilitation of Groundwater
- Monitoring Wells, 04.09
- D5979-96(2008) Guide for Conceptualization and Characterization of
- Ground-Water Systems, **04.09 D5980-96(2010)** Guide for Selection and Documentation of Existing Wells for Use in Environmental Site Characterization and Monitoring, 04.09
- D5981-96(2008) Guide for Calibrating a Ground-Water Flow Model Application, 04.09
- D5982-07 Test Method for Determining Cement Content of Fresh Soil-Cement (Heat of Neutralization Method), 04.09
- D5983-13 Specification for Methyl Tertiary-Butyl Ether (MTBE) for Downstream Blending for Use in Automotive Spark-Ignition Engine Fuel, 05.02
- D5984-11 Test Method for Semi-Quantitative Field Test Method for Base Number in New and Used Lubricants by Color-Indicator Titration, 05.02
- **D5985-02(2008)** Test Method for Pour Point of Petroleum Products (Rotational Method), 05.02

 D5986-96(2011) Test Method for Determination of Oxygenates, Benzene,
- Toluene, C8-C 12 Aromatics and Total Aromatics in Finished Gasoline by Gas Chromatography/Fourier Transform Infrared Spectroscopy, 05.02
- D5987-96(2007) Test Method for Total Fluorine in Coal and Coke by Pyrohydrolytic Extraction and Ion Selective Electrode or Ion Chromato-
- graph Methods, **05.06 D5988-12** Test Method for Determining Aerobic Biodegradation of Plastic Materials in Soil, 08.03
- D5989-11 Specification for Extruded and Monomer Cast Shapes Made from Nylon (PA), **08.03**Withdrawn 2007; Classification System for Polyketone Injection
- D5990 Witndrawn 2007, Classification System for Chyleconic Ingland.

 Molding and Extrusion Materials (PK)

 D5991-09 Practice for Separation and Identification of Poly(Vinyl Chloride)

 (PVC) Contamination in Poly(Ethylene Terephthalate) (PET) Flake, 08.03

 D5992-96(2011) Guide for Dynamic Testing of Vulcanized Rubber and
- Rubber-Like Materials Using Vibratory Methods, 09.01

 D5993-99(2009) Test Method for Measuring Mass Per Unit of Geosynthetic
- Clay Liners, 04.13 D5994-10 Test Method for Measuring Core Thickness of Textured Geomem-
- branes, **04.13** D5995-98(2010) Guide for Environmental Site Characterization in Cold Regions, 04.09
- D5996-05(2009) Test Method for Measuring Anionic Contaminants in High-Purity Water by On-Line Ion Chromatography, 11.01
- D5997-96(2009) Test Method for On-Line Monitoring of Total Carbon,

D5997 D6082

- Inorganic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane Conductivity Detection, 11.01
- D5998-10 Specification for Molded Polyethylene Shipping and Storage Drums, 08.03
- D5999 Withdrawn 2003; Test Method for Noninterference of Adhesives in Repulping
- D6000-96(2008) Guide for Presentation of Water-Level Information from Ground-Water Sites, 04.09
- D6001-05(2012) Guide for Direct-Push Groundwater Sampling for Environmental Site Characterization, 04.09
- D6002 Withdrawn 2011; Guide for Assessing the Compostability of Environmentally Degradable Plastics D6003 Withdrawn 2004; Test Method for Determining Weight Loss From
- Plastic Materials Exposed to Simulated Municipal Solid-Waste (MSW) Aerobic Compost Environment
- D6004-04(2011) Test Method for Determining Adhesive Shear Strength of Carpet Adhesives, 15.06
- D6005-03(2009) Test Method for Determining Slump Resistance of Carpet Adhesives, 15.06
- D6006-11 Guide for Assessing Biodegradability of Hydraulic Fluids, 05.02
 D6007-02(2008) Test Method for Determining Formaldehyde Concentrations in Air from Wood Products Using a Small-Scale Chamber, 04.10
 D6008-96(2014) Practice for Conducting Environmental Baseline Surveys,
- 11.0S
- D6009-12 Guide for Sampling Waste Piles, 11.04
- D6010-12 Practice for Closed Vessel Microwave Solvent Extraction of Organic Compounds from Solid Matrices, 11.04
- D6011-96(2008) Test Method for Determining the Performance of a Sonic Anemometer/Thermometer, 11.07
- D6012-03(2013) Test Method for Determination of Resistance of Leather to
- (Bleeding) Color Stain Transfer, 15.04
 3-00(2010) Test Method for Determination of Area Stability of Leather to D6013-00(2010) Laundering, 15.04
- 4-00(2010) Test Method for Determination of Dynamic Water Absorption of Leather Surfaces, 15.04 D6014-00(2010)
- D6015-14 Test Method for Static Water Absorption of Leather, 15.04
- D6016-06(2012) Test Method for Determination of Nitrogen, Water Extractable in Leather, 15.04
- D6017-97(2009) Test Method for Determination of Magnesium Sulfate (Epsom Salt) in Leather, 15.04
- D6018-96(2012) Test Method for Determining the Presence of Lead Salts in Leather, 15.04
- D6019-10 Test Method for Determination of Chromic Oxide in Basic Chromium Tanning Liquors (Ammonium Persulfate Oxidation), 15.04
- D6020-00(2010) Practice for Calculation of (Non-Mineral) Combined Tanning Agents and Degree of Tannage, 15.04
- D6021-12 Test Method for Measurement of Total Hydrogen Sulfide in Residual Fuels by Multiple Headspace Extraction and Sulfur Specific Detection, 05.02
- D6022-06(2012) Practice for Calculation of Permanent Shear Stability Index, 05.02
- D6023-07 Test Method for Density (Unit Weight), Yield, Cement Content, and Air Content (Gravimetric) of Controlled Low-Strength Material (CLSM), 04.09
- D6024-07 Test Method for Ball Drop on Controlled Low Strength Material
- (CLSM) to Determine Suitability for Load Application, 04.09

 D6025-96(2008) Guide for Developing and Evaluating Ground-Water Modeling Codes, **04.09**
- D6026-13 Practice for Using Significant Digits in Geotechnical Data, 04.09 D6027 Withdrawn 2013; Practice for Calibrating Linear Displacement
- Transducers for Geotechnical Purposes

 D6028-96(2010)^{c1} Test Method (Analytical Procedure) for Determining
 Hydraulic Properties of a Confined Aquifer Taking into Consideration
 Storage of Water in Leaky Confining Beds by Modified Hantush Method, 04.09
- D6029-96(2010)^{€1} Test Method (Analytical Procedure) for Determining Hydraulic Properties of a Confined Aquifer and a Leaky Confining Bed with Negligible Storage by the Hantush-Jacob Method, 04.09
- with Negligible Storage by the Hantush-Jacob Method, **04.09 D6030-96(2008)** Guide for Selection of Methods for Assessing Ground Water or Aquifer Sensitivity and Vulnerability, **04.09 D6031/D6031M-96(2010)** Test Method for Logging In Situ Moisture Content and Density of Soil and Rock by the Nuclear Method in Horizontal, Slanted, and Vertical Access Tubes, **04.09 D6032-08** Test Method for Determining Rock Quality Designation (RQD) of
- P6032-08 Test Method for Determining hock adding Designation (1935) —
 Rock Core, 04.09
 P6033-96(2008) Guide for Describing the Functionality of a Ground-Water Modeling Code, 04.09
 P6034-96(2010) 1 Test Method (Analytical Procedure) for Determining the
- Efficiency of a Production Well in a Confined Aquifer from a Constant Rate Pumping Test, 04.09
- D6035/D6035M-13 Test Method for Determining the Effect of Freeze-Thaw on Hydraulic Conductivity of Compacted or Intact Soil Specimens Using a Flexible Wall Permeameter, 04.09
- D6036-96(2008) Guide for Displaying the Results of Chemical Analyses of Ground Water for Major Ions and Trace Elements—Use of Maps, 04.09 D6037-13^{€1} Test Methods for Dry Abrasion Mar Resistance of High Gloss
- Coatings, **06.01 D6038-05**^{c1} Test Methods for Determining the Compatibility of Resin/Solvent Mixtures by Precipitation Temperature (Cloud Point), **06.03 D6038-05**^{c1} **D6038-05**^{c1} **D6038-05 D6038-05 D6038**
- D6039/D6039M-11 Specification for Open and Covered Wood Crates, 15.10

D6040-12 Guide to Standard Test Methods for Unsintered Polytetrafluoroethvlene (PTFE) Extruded Film or Tape, 08.03

- D6041-11 Specification for Contact-Molded "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Corrosion Resistant Pipe and Fittings, 08.03
- D6042-09 Test Method for Determination of Phenolic Antioxidants and Erucamide Slip Additives in Polypropylene Homopolymer Formulations
- Using Liquid Chromatography (LC), **08.03**D6043 Withdrawn 2010; Guide for Selection of Permanent and Durable Artist Paper
- D6044-96(2009) Guide for Representative Sampling for Management of Waste and Contaminated Media, 11.04

 D6045-12 Test Method for Color of Petroleum Products by the Automatic
- Tristimulus Method, 05.02
- D6046-02(2012) Classification of Hydraulic Fluids for Environmental Impact,
- D6047-99(2009) Test Methods for Rubber, Raw-Determination of 5-Ethylidenenorbornene (ENB) or Dicyclopentadiene (DCPD) in Ethylene-Propylene-Diene (EPDM) Terpolymers, 09.01
- D6048-07(2012) Practice for Stress Relaxation Testing of Raw Rubber,
 Unvulcanized Rubber Compounds, and Thermoplastic Elastomers, 09.01
 D6049-03(2013) Test Method for Rubber Property—Measurement of the
 Viscous and Elastic Behavior of Unvulcanized Raw Rubbers and Rubber Compounds by Compression Between Parallel Plates, 09.01
- D6050-09 Test Method for Determination of Insoluble Solids in Organic Liquid Hazardous Waste, 11.04
- D6051-96(2006) Guide for Composite Sampling and Field Subsampling for Environmental Waste Management Activities, 11.04
- D6052-97(2008) Test Method for Preparation and Elemental Analysis of Liquid Hazardous Waste by Energy-Dispersive X-Ray Fluorescence, 11.04
 D6053-08 Test Method for Determination of Volatile Organic Compound (VOC)
 Content of Electrical Insulating Varnishes, 10.02
- D6054 Withdrawn 2012; Practice for Conditioning Electrical Insulating Materials for Testing

 D6055-96(2014) Test Methods for Mechanical Handling of Unitized Loads and
- Large Shipping Cases and Crates, 15.10
- D6056-96(2011) Test Method for Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Transmission Electron Microscopy, 11.07
- D6057-96(2011) Test Method for Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Phase Contrast Microscopy, 11.07
- D6058-96(2011) Practice for Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment, 11.07
 D6059-96(2011) Test Method for Determining Concentration of Airborne Single-Crystal Ceramic Whiskers in the Workplace Environment by Scanning Electron Microscopy, 11.07
- D6060-96(2009) Practice for Sampling of Process Vents with a Portable Gas Chromatograph, 11.07 D6061-01(2012)^{c1} Practice for Evaluating the Performance of Respirable
- Aerosol Samplers, 11.07
- D6062-07(2012) Guide for Personal Samplers of Health-Related Aerosol Fractions, 11.07 D6063-11 Guide for Sampling of Drums and Similar Containers by Field
- Personnel, 11.04
- D6064-11 Specification for HFC-227ea, 1,1,1,2,3,3,3-Heptafluoropropane (CF₃CHFCF₃), 15.05

 D6065-11 Practice for Handling, Transportation, and Storage of HFC-227ea
- 1,1,1,2,3,3,3-Heptafluoropropane (CF₃CHFCF₃), **15.05 D6066-11** Practice for Determining the Normalized Penetration Resistance of
- Sands for Evaluation of Liquefaction Potential, 04.09
- D6067-10 Practice for Using the Electronic Piezocone Penetrometer Tests for Environmental Site Characterization, 04.09

 D6068-10 Test Method for Determining J-R Curves of Plastic Materials, 08.03

 D6069-01(2006) Test Method for Trace Nitrogen in Aromatic Hydrocarbons by Oxidative Combustion and Reduced Pressure Chemiluminescence Detection, 06.04
- D6070-02(2010) Test Methods for Physical Properties of Smooth-Wall, Coilable, Polyethylene (PE) Conduit (Duct) for Preassembled Wire and Cable, **08.04**
- D6071-13 Test Method for Low Level Sodium in High Purity Water by Graphite Furnace Atomic Absorption Spectroscopy, 11.01
 D6072/D6072M-09 Practice for Obtaining Samples of Geosynthetic Clay
- Liners, 04.13
- D6073-08a(2013) Test Method for Relative Setting of Heatset Printing Inks, 06.02
- D6074-08 Guide for Characterizing Hydrocarbon Lubricant Base Oils, 05.02 D6075-13 Test Method for Cracking Resistance of Leather, 15.04 D6076-08(2013) Test Method for Shrinkage Temperature of Leather, 15.04 D6077-10 Test Method for Trapezoid Tearing Strength of Leather, 15.04 D6078-04(2010) Test Method for Evaluating Lubricity of Diesel Fuels by the
- Scuffing Load Ball-on-Cylinder Lubricity Evaluator (SLBOCLE), 05.02 D6079-11 Test Method for Evaluating Lubricity of Diesel Fuels by the High-Frequency Reciprocating Rig (HFRR), 05.02
- D6080-12a Practice for Defining the Viscosity Characteristics of Hydraulic Fluids. **05.02**
- D6081-98(2009) Practice for Aquatic Toxicity Testing of Lubricants: Sample Preparation and Results Interpretation, 05.02
 D6082-12 Test Method for High Temperature Foaming Characteristics of
- Lubricating Oils, 05.02

D6083 D6172

- **D6083-05**^{€1} Specification for Liquid Applied Acrylic Coating Used in Roofing, 04.04
- D6084/D6084M-13 Test Method for Elastic Recovery of Asphalt Materials by Ductilometer, 04.03
- D6085-97(2011) Practice for Sampling in Rubber Testing—Terminology and Basic Concepts, 09.01
- D6086-09a Test Method for Carbon Black—Void Volume (VV), 09.01
 D6087-08 Test Method for Evaluating Asphalt-Covered Concrete Bridge Decks Using Ground Penetrating Radar, 04.03
- D6088-06(2011) Practice for Installation of Geocomposite Pavement Drains. 04.13
- D6089-97(2010) Guide for Documenting a Ground-Water Sampling Event, 04.09
- D6090-12 Test Method for Softening Point Resins (Mettler Cup and Ball Method), 06.03
- D6091-07(2014) Practice for 99 %/95 % Interlaboratory Detection Estimate (IDE) for Analytical Methods with Negligible Calibration Error, 11.01
- D6092-97(2008) Practice for Specifying Standard Sizes of Stone for Erosion Control. **04.09**
- D6093-97(2011) Test Method for Percent Volume Nonvolatile Matter in Clear or Pigmented Coatings Using a Helium Gas Pycnometer, 06.01
 D6094 Withdrawn 2008; Guide to Assess the Compostability of Environmen-
- tally Degradable Nonwoven Fabrics
- D6095-12 Test Method for Longitudinal Measurement of Volume Resistivity for Extruded Crosslinked and Thermoplastic Semiconducting Conductor and Insulation Shielding Materials, 10.02
- D6096-11 Specification for Poly(Vinyl Chloride) Insulation for Wire and Cable, 90°C Operation, 10.02
 D6097-01a(2008)*1 Test Method for Relative Resistance to Vented Water-Tree
- Growth in Solid Dielectric Insulating Materials, 10.02
- D6098-10 Specification for Extruded and Compression Molded Shapes Made from Polycarbonate (PC), **08.03**D6099-13 Test Method for Polyurethane Raw Materials: Determination of
- Acidity in Moderate to High Acidity Aromatic Isocyanates, 08.03

 D6100-11 Specification for Extruded, Compression Molded and Injection
- Molded Polyoxymethylene Shapes (POM), 08.03
- D6101 Withdrawn 2010; Test Method for Equivalent Black Area (EBA) of Dirt in Pulp, Paper and Paperboard by Image Analysis
- D6102-12 Guide for Installation of Geosynthetic Clay Liners, 04.13 D6103 Withdrawn 2013; Test Method for Flow Consistency of Controlled Low Strength Material (CLSM)
- D6104-97(2011) Practice for Determining the Performance of Oil/Water Separators Subjected to Surface Run-Off, 11.02
 D6105-04(2012) Practice for Application of Electrical Discharge Surface Treatment (Activation) of Plastics for Adhesive Bonding, 15.06
- D6106-97(2010) Guide for Establishing Nomenclature of Ground-Water Aquifers, 04.09
- D6107-97(2012) Specification for Stop-Leak Additive for Engine Coolants Used in Light Duty Service, 15.05
- D6108-13 Test Method for Compressive Properties of Plastic Lumber and Shapes, 08.03
- D6109-13 Test Methods for Flexural Properties of Unreinforced and Reinforced Plastic Lumber and Related Products, 08.03
- D6110-10 Test Method for Determining the Charpy Impact Resistance of
- Notched Specimens of Plastics, 08.03

 D6111-13a Test Method for Bulk Density And Specific Gravity of Plastic Lumber and Shapes by Displacement, 08.03
- D6112-13 Test Methods for Compressive and Flexural Creep and Creep-Rupture of Plastic Lumber and Shapes, 08.03
- D6113-11 Test Method for Using a Cone Calorimeter to Determine Fire-Test-Response Characteristics of Insulating Materials Contained in
- Electrical or Optical Fiber Cables, 10.02

 D6114/D6114M-09 Specification for Asphalt-Rubber Binder, 04.03

 D6115-97(2011) Test Method for Mode I Fatigue Delamination Growth Onset of Unidirectional Fiber-Reinforced Polymer Matrix Composites, 15.03
- D6116-00(2010) Test Method for Blocking, 15.04
 D6117-13 Test Methods for Mechanical Fasteners in Plastic Lumber and
- Shapes, 08.03
- D6118 Not Assigned
- D6119-12 Practice for Creating Surface Appearance Changes in Pile Yarn Floor Covering from Foot Traffic, 07.02
 D6120-97(2012) Test Method for Electrical Resistivity of Anode and Cathode Carbon Material at Room Temperature, 05.02
- D6121-13 Test Method for Evaluation of Load-Carrying Capacity of Lubricants
 Under Conditions of Low Speed and High Torque Used for Final Hypoid Drive Axles, 05.02
- **D6122-13** Practice for Validation of the Performance of Multivariate Online, At-Line, and Laboratory Infrared Spectrophotometer Based Analyzer Systems 05.02
- D6123/D6123M-97(2012) Specification for Pressure-Sensitive Tape for Light-Duty Packaging and General Purpose Masking, 15.10

 D6124-06(2011) Test Method for Residual Powder on Medical Gloves, 09.02
- D6125 Withdrawn 2010; Test Method for Bending Resistance of Paper and Paperboard (Gurley Type Tester)
 D6126/D6126M-11^{c1} Specification for HFC-23 (Trifluoromethane, CHF, 15.05
- D6127-11 Specification for the 25 (minds)

 D6127-11 Practice for Handling, Transportation, and Storage of HFC-23 (Trifluoromethane, CHF3), 15.05
- D6128-06 Test Method for Shear Testing of Bulk Solids Using the Jenike Shear Cell, 04.09
- D6129-97(2007) Test Method for Silicon in Engine Coolant Concentrates by

Atomic Absorption Spectroscopy, 15.05

- D6130-11 Test Method for Determination of Silicon and Other Elements in Engine Coolant by Inductively Coupled Plasma-Atomic Emission
- Spectroscopy, 15.05

 D6131-97(2012) Test Method for Evaluating the Relative Tint Undertone of Titanium Dioxide Pigments, 06.01
- D6132-08 Test Method for Nondestructive Measurement of Dry Film Thickness
- of Applied Organic Coatings Using an Ultrasonic Gage, **06.01 D6133-02(2008)** Test Method for Acetone, *p*-Chlorobenzotrifluoride, Methyl Acetate or *t*-Butyl Acetate Content of Solventborne and Waterborne Paints, Coatings, Resins, and Raw Materials by Direct Injection Into a Gas Chromatograph, 06.01
- D6134-07(2013) Specification for Vulcanized Rubber Sheets Used in Waterproofing Systems, 04.04
- D6135-05 Practice for Application of Self-Adhering Modified Bituminous Waterproofing, 04.04 D6136/D6136M-97(2013)⁶¹
- Test Method for Kerosine Number of Unsaturated (Dry) Felt by Vacuum Method, 04.04
 D6137-97(2012) Test Method for Sulfuric Acid Resistance of Polymer Linings
- for Flue Gas Desulfurization Systems, 06.02

 D6138-13 Test Method for Determination of Corrosion-Preventive Properties of Lubricating Greases Under Dynamic Wet Conditions (Emcor Test), 05.03

 D6139-11 Test Method for Determining the Aerobic Aquatic Biodegradation of
- Lubricants or Their Components Using the Gledhill Shake Flask, 05.03
- D6140-00(2014) Test Method to Determine Asphalt Retention of Paving Fabrics Used in Asphalt Paving for Full-Width Applications, 04.13
- D6141-09 Guide for Screening Clay Portion of Geosynthetic Clay Liner (GCL) for Chemical Compatibility to Liquids, 04.13
- D6142-12 Test Method for Analysis of Phenol by Capillary Gas Chromatog-
- raphy, **06.04 D6143-13** Test Method for Iron Content of Bisphenol A (4,4 Isopropylidenedi-
- phenol), 06.04 D6144-13 Test Method for Analysis of AMS (α -Methylstyrene) by Capillary Gas Chromatography, 06.04
 D6145-97(2012) Guide for Monitoring Sediment in Watersheds, 11.01
- ____(2012) (D6147-97(2008)^{€1} Guide for Monitoring Aqueous Nutrients in Watersheds, 11.01 Test Method for Vulcanized Rubber and Thermoplastic Elastomer—Determination of Force Decay (Stress Relaxation) in Compression, 09.01
- D6148 Withdrawn 2010; Practice for Separation and Examination of Stickies D6149 Withdrawn 2003; Specification for Newsprint Including Newsprint Manufactured from Recycled Fiber
- D6150-09 Test Method for Estimating Processing Losses of Plastisols and Organosols Due to Volatility, **08.03**
- **D6151-08** Practice for Using Hollow-Stem Augers for Geotechnical Exploration and Soil Sampling, 04.09
- D6152/D6152M-12 Specification for SEBS-Modified Mopping Asphalt Used in Roofing, **04.04**
- D6153-97(2007) Specification for Materials for Bridge Deck Waterproofing Membrane Systems, 04.03
- D6154-09 Specification for Chemically Modified Asphalt Cement for Use in Pavement Construction, 04.03
- D6155-13 Specification for Nontraditional Coarse Aggregates for Bituminous
- Paving Mixtures, 04.03

 D6156 Withdrawn 2006; Practice for Use of Reversed-Phase High
 Performance Liquid Chromatographic Systems

 D6157-97(2011) Practice for Determining the Performance of Oil/Water
- Separators Subjected to a Sudden Release, 11.02
- D6158-10 Specification for Mineral Hydraulic Oils, 05.03
- D6159-97(2012) Test Method for Determination of Hydrocarbon Impurities in
- Ethylene by Gas Chromatography, 05.03

 D6160-98(2013) Test Method for Determination of Polychlorinated Biphenyls (PCBs) in Waste Materials by Gas Chromatography, 05.03

 D6161-10 Terminology Used for Microfiltration, Ultrafiltration, Nanofiltration and
- Reverse Osmosis Membrane Processes, 11.02
- D6162-00a(2008) Specification for Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements, 04.04
- D6163-00(2008) Specification for Styrene Butadiene Styrene (SBS) Modified
- Bituminous Sheet Materials Using Glass Fiber Reinforcements, **04.04 D6164/D6164M-11** Specification for Styrene Butadiene Styrene (SBS)
 Modified Bituminous Sheet Materials Using Polyester Reinforcements, 04.04
- D6165-97(2012) Guide for the Comparison, Detection, and Identification of the Odors of Paints, Inks, and Related Materials, 06.01
 D6166-12 Test Method for Color of Pine Chemicals and Related Products
- (Instrumental Determination of Gardner Color), 06.03
- D6167-11 Guide for Conducting Borehole Geophysical Logging: Mechanical Caliper. 04.09
- D6168-97(2010) Guide for Selection of Minimum Set of Data Elements Required to Identify Locations Chosen for Field Collection of Information to Describe Soil, Rock, and Their Contained Fluids, 04.09
- D6169/D6169M-13 Guide for Selection of Soil and Rock Sampling Devices Used With Drill Rigs for Environmental Investigations, 04.09
- D6170-97(2010) Guide for Selecting a Ground-Water Modeling Code, 04.09 D6171-97(2010) Guide for Documenting a Ground-Water Modeling Code, 04.09
- D6172-98(2010) Test Method for Determining the Volume of Bulk Materials Using Contours or Cross Sections Created by Direct Operator Compilation Using Photogrammetric Procedures, 05.06

D6173 D6263

- D6173-97(2014) Test Method for Determination of Various Anionic Surfactant Actives by Potentiometric Titration, 15.04
- D6174-01(2006) Test Method for Inorganic Sulfate in Surfactants by Potentiometric Lead Titration, 15.04
- D6175-03(2013) Test Method for Radial Crush Strength of Extruded Catalyst and Catalyst Carrier Particles, 05.05
- D6176-97(2008) Practice for Measuring Surface Atmospheric Temperature
- with Electrical Resistance Temperature Sensors, 11.07

 D6177-97(2008) 1 Practice for Determining Emission Profiles of Volatile Organic Chemicals Emitted from Bedding Sets, 11.07
- D6178-97(2008) Practice for Estimation of Short-term Inhalation Exposure to Volatile Organic Chemicals Emitted from Bedding Sets, 11.07
 D6179-07(2014) Test Methods for Rough Handling of Unitized Loads and Large Shipping Cases and Crates, 15.10
- D6180 Withdrawn 2014; Test Method for Stability of Insulating Oils of Petroleum Origin Under Electrical Discharge
- D6181 Withdrawn 2011; Test Method for Measurement of Turbidity in Mineral Insulating Oil of Petroleum Origin

 D6182-00(2010) Test Method for Flexibility and Adhesion of Finish on Leather,
- 15.04
- D6183-00(2010) Test Method for Tackiness of Finish on Leather, 15.04
 D6184-98(2005) Test Method for Oil Separation from Lubricating Grease (Conical Sieve Method), 05.03
- D6185-11 Practice for Evaluating Compatibility of Binary Mixtures of Lubricating Greases, 05.03
- D6186-08 Test Method for Oxidation Induction Time of Lubricating Oils by Pressure Differential Scanning Calorimetry (PDSC), 05.03

 D6187-97(2010) Practice for Cone Penetrometer Technology Characterization
- of Petroleum Contaminated Sites with Nitrogen Laser-Induced Fluorescence, 04.09
- D6188-97(2008) Test Method for Viscosity of Cellulose by Cuprammonium Ball Fall, 06.03
- D6189-97(2008) Practice for Evaluating the Efficiency of Chemical Removers
- for Organic Coatings, **06.02**D6190 Withdrawn 2001; Test Method for Cathodic Disbonding of Pipeline
- Coatings by Laboratory Simulation of Soil Burial

 D6191-97(2008) 1 Test Method for Measurement of Evolved Formaldehyde
- from Water Reducible Air-Dry Coatings, 06.01 D6192-11 Tables of Body Measurements for Girls, Sizes 2 to 20 (Reg & Slim) and Girls Plus, 07.02
- D6193-11 Practice for Stitches and Seams, 07.02
- D6194-10 Test Method for Glow-Wire Ignition of Materials, 10.02
- D6195-03(2011) Test Methods for Loop Tack, 15.10
 D6196-03(2009) Practice for Selection of Sorbents, Sampling, and Thermal Desorption Analysis Procedures for Volatile Organic Compounds in Air, 11.07
- D6197-99(2011) Test Method for Classifying and Counting Faults in Spun Yarns in Électronic Tests, 07.02
- D6198-12 Guide for Transport Packaging Design, 15.10
- D6199-07(2012) Practice for Quality of Wood Members of Containers and Pallets, 15.10
- D6200-01(2012) Test Method for Determination of Cooling Characteristics of
- Quench Óils by Cooling Curve Analysis, **05.03 D6201-04(2009)** Test Method for Dynamometer Evaluation of Unleaded Spark-Ignition Engine Fuel for Intake Valve Deposit Formation, **05.03**D6202 Withdrawn 2009; Test Method for Automotive Engine Oils on the Fuel
- Economy of Passenger Cars and Light-Duty Trucks in the Sequence VIA Spark Ignition Engine
- D6203-06(2012) Test Method for Thermal Stability of Way Lubricants, 05.03 D6204-12 Test Method for Rubber—Measurement of Unvulcanized Rheological Properties Using Rotorless Shear Rheometers, 09.01
- D6205-12 Practice for Calibration of the James Static Coefficient of Friction Machine, 15.04
- D6206-09 Practice for Sampling of Coating Films, 06.02
 D6207-03(2011) Test Method for Dimensional Stability of Fabrics to Changes in Humidity and Temperature, 07.02
- D6208-07(2014) Test Method for Repassivation Potential of Aluminum and Its Alloys by Galvanostatic Measurement, 15.05
- D6209-13 Test Method for Determination of Gaseous and Particulate Polycyclic Aromatic Hydrocarbons in Ambient Air (Collection on Sorbent-Backed Filters with Gas Chromatographic/Mass Spectrometric
- Analysis), 11.07

 D6210-10 Specification for Fully-Formulated Glycol Base Engine Coolant for Heavy-Duty Engines, 15.05
- D6211 Withdrawn 2003; Specification for Fully-Formulated Propylene Glycol-Base Engine Coolant for Heavy-Duty Engines; Replaced by D6210 D6212 Withdrawn 2008; Test Method for Total Sulfur in Aromatic Compounds
- by Hydrogenolysis and Rateometric Colorimetry

 D6213-97(2009) Practice for Tests to Evaluate the Chemical Resistance of Geogrids to Liquids, 04.13

 D6214/D6214M-98(2013)^{c1} Test Method for Determining the Integrity of Field
- Seams Used in Joining Geomembranes by Chemical Fusion Methods, 04.13
- D6215 Withdrawn 2004; Guide for Removal of Oily Soils from Metal Surfaces D6216-12 Practice for Opacity Monitor Manufacturers to Certify Conformance with Design and Performance Specifications, 11.07
- D6217-11 Test Method for Particulate Contamination in Middle Distillate Fuels by Laboratory Filtration, **05.03** *D6218 Not Assigned*
- D6220 Not Assigned

- D6221-00(2006) Specification for Reinforced Bituminous Flashing Sheets for Roofing and Waterproofing, 04.04
- D6222/D6222M-11 Specification for Atactic Polypropylene (APP) Modified
- Bituminous Sheet Materials Using Polyester Reinforcements, **04.04 D6223/D6223M-02(2009)** Specification for Atactic Polypropylene (APP)
 Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements, 04.04
- D6224-09 Practice for In-Service Monitoring of Lubricating Oil for Auxiliary Power Plant Equipment, **05.03 D6225/D6225M-98(2012)**^{c1} Test Me
- Test Method for Granule Cover of Mineral
- Surfaced Roofing, **04.04**6-10 Test Method for Open Cell Content of Rigid Cellular Plastics, **08.03** D6226-10
- D6227-12 Specification for Unleaded Aviation Gasoline Containing a Non-hydrocarbon Component, 05.03
- D6228-10 Test Method for Determination of Sulfur Compounds in Natural Gas and Gaseous Fuels by Gas Chromatography and Flame Photometric Detection, 05.06
- D6229-06(2010) Test Method for Trace Benzene in Hydrocarbon Solvents by Capillary Gas Chromatography, 06.04
- D6230-13 Test Method for Monitoring Ground Movement Using Probe-Type Inclinometers, **04.09 D6231-11** Specification for HFC-125 (Pentafluoroethane, C₂HF₅), **15.05**
- D6232-08 Guide for Selection of Sampling Equipment for Waste and Contaminated Media Data Collection Activities, 11.04
- D6233-98(2009) Guide for Data Assessment for Environmental Waste
- Management Activities, 11.04

 D6234-13 Test Method for Shake Extraction of Mining Waste by the Synthetic Precipitation Leaching Procedure, 11.04
- D6235-04(2010) Practice for Expedited Site Characterization of Vadose Zone and Ground Water Contamination at Hazardous Waste Contaminated Sites, 04.09
- D6236-11 Guide for Coring and Logging Soil-Cement or Lime-Stabilized Soil, 04.09
- **D6237-09** Guide for Painting Inspectors (Concrete and Masonry Substrates). 06.02
- D6238-98(2011) Test Method for Total Oxygen Demand in Water, 11.02 D6239-09 Test Method for Uranium in Drinking Water by High-Resolution Alpha-Liquid-Scintillation Spectrometry, 11.02
- D6240/D6240M-12^{c1} Tables of Body Measurements for Mature Men, ages 35 and older, Sizes Thirty-Four to Fifty-Two (34 to 52) Short, Regular, and Tall, 07.02
- D6241-04(2009)^{€1} Test Method for the Static Puncture Strength of Geotextiles
- and Geotextile-Related Products Using a 50-mm Probe, **04.13**D6242 Withdrawn 2008; Test Method for Mass Unit Area of Nonwoven Fabrics **D6243/D6243M-13a** Test Method for Determining the Internal and Interface Shear Strength of Geosynthetic Clay Liner by the Direct Shear Method, 04.13
- D6244-06(2011) Test Method for Vertical Compression of Geocomposite Pavement Panel Drains, 04.13
- D6245-12 Guide for Using Indoor Carbon Dioxide Concentrations to Evaluate Indoor Air Quality and Ventilation, 11.07
- D6246-08(2013) Practice for Evaluating the Performance of Diffusive Samplers, 11.07
- Samplers, 11.07
 D6247-10 Test Method for Determination of Elemental Content of Polyolefins by Wavelength Dispersive X-ray Fluorescence Spectrometry, 08.03
 D6248-98(2012)^{c1} Test Method for Vinyl and Trans Unsaturation in Polyethylene by Infrared Spectrophotometry, 08.03
 D6249-06(2011) Guide for Alkaline Stabilization of Wastewater Treatment Plant Residuals, 04.01
 P6250-08(2000) Practice for Position of Decision Point and Confidence Lim

- D6250-98(2009) Practice for Derivation of Decision Point and Confidence Limit for Statistical Testing of Mean Concentration in Waste Management Decisions, 11.04
- D6251/D6251M-11 Specification for Wood-Cleated Panelboard Shipping Boxes, 15.10
- D6252/D6252M-98(2011) Test Method for Peel Adhesion of Pressure-Sensitive Label Stocks at a 90 Angle, **15.10**
- D6253-10 Practice for Treatment and/or Marking of Wood Packaging Materials, 15.10
- D6254/D6254M-13 Specification for Wirebound Pallet-Type Wood Boxes, 15.10
- D6255/D6255M-05(2011) Specification for Steel or Aluminum Slotted Angle Crates, 15.10
 D6256/D6256M-10 Specification for Wood-Cleated Shipping Boxes with
- Skidded, Load-Bearing Bases, **15.10**D6257 Withdrawn 2000; Specification for Prediluted Aqueous Propylene
- Glycol Base Engine Coolant (50 Volume % Minimum) for Automobile and Light-Duty Service; Consolidated into D 3306
- D6258-09 Test Method for Determination of Solvent Red 164 Dye Concentration in Diesel Fuels, 05.03
- **D6259-98(2010)** Practice for Determination of a Pooled Limit of Quantitation. 05.03
- D6260 Withdrawn 2004; Test Method for Gravimetric Determination of Carbon Black in Nylon Materials (PA)
- D6261-14 Specification for Extruded and Compression Molded Basic Shapes Made from Thermoplastic Polyester (TPES), 08.03
- D6262-12 Specification for Extruded, Compression Molded, and Injection Molded Basic Shapes of Poly(aryl ether ketone) (PAEK), 08.03
 D6263-11 Specification for Extruded Rods and Bars Made From Rigid
- Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC),

D6264/D6264M D6351

- D6264/D6264M-12 Test Method for Measuring the Damage Resistance of a Fiber-Reinforced Polymer-Matrix Composite to a Concentrated Quasi-Static Indentation Force, 15.03
- D6265-09 Practice for Separation of Contaminants in Polymers Using an Extruder Filter Test, 08.03
- D6266-00a(2011) Test Method for Determining the Amount of Volatile Organic Compound (VOC) Released From Waterborne Automotive Coatings and Available for Removal in a VOC Control Device (Abatement), 06.01
- D6267-08 Test Method for Apparent Viscosity of Hydrocarbon Resins at Elevated Temperatures, 06.03
- D6268-09 Practice for Handling, Transportation, and Storage of HFC-125, Pentafluoroethane (C₂HF₅), **15.05**D6269 Withdrawn 2004; Test Method for Solidification Point of p-Xylene
- D6270-08(2012) Practice for Use of Scrap Tires in Civil Engineering Applications, 11.04
- D6271-10 Test Method for Estimating Contribution of Environmental Tobacco Smoke to Respirable Suspended Particles Based on Solanesol, 11.07
- D6272-10 Test Method for Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials by Four-Point Bending, 08.03 (3-14 Test Methods for Natural Gas Odor Intensity, 05.06
- D6273-14
- D6274-10 Guide for Conducting Borehole Geophysical Logging Gamma, 04.09
- D6275 Withdrawn 2004; Practice for Laboratory Testing of Bridge Decks
 D6276-99a(2006)^{c1} Test Method for Using pH to Estimate the Soil-Lime Proportion Requirement for Soil Stabilization, 04.09
- D6277-07(2012) Test Method for Determination of Benzene in Spark-Ignition Engine Fuels Using Mid Infrared Spectroscopy, **05.03 D6278-12^{<1}** Test Method for Shear Stability of Polymer Containing Fluids
- Using a European Diesel Injector Apparatus, 05.03
- D6279-03(2013) Test Method for Rub Abrasion Mar Resistance of High Gloss Coatings, 06.02
- D6280-98(2008) Specification for Zinc Phosphate Pigments, 06.03
 D6281-09 Test Method for Airborne Asbestos Concentration in Ambient and
- Indoor Atmospheres as Determined by Transmission Electron Microscopy Direct Transfer (TEM), 11.07

 D6282 Withdrawn 2014; Guide for Direct Push Soil Sampling for Environ-
- mental Site Characterizations
- D6283-12 Test Method for Tuft Element Length of Uncoated Pile Yarn Floor Coverings, 07.02
- D6284-09 Test Method for Rubber Property—Effect of Aqueous Solutions with Available Chlorine and Chloramine, 09.02
- D6285-99(2012)^{c1} Guide for Locating Abandoned Wells, 04.09
- D6286-12 Guide for Selection of Drilling Methods for Environmental Site Characterization, 04.09
- D6287-09 Practice for Cutting Film and Sheeting Test Specimens, 08.03 D6288-09 Practice for Separation and Washing of Recycled Plastics Prior to
- Testing, 08.03

 D6289-13 Test Method for Measuring Shrinkage from Mold Dimensions of Molded Thermosetting Plastics, 08.03

 D6290-13 Test Method for Color Determination of Plastic Pellets, 08.03
- D6291 Not Assigned
- Not Assigned D6292
- Withdrawn 2009; Test Method for Oxygenates and Paraffin, Olefin, Naphthene, Aromatic(O-PONA) Hydrocarbon Types in Low-Olefin Spark D6293 Ignition Engine Fuels by Gas Chromatography; Replaced by D6839
- D6294/D6294M-13 Test Method for Corrosion Resistance of Ferrous Metal
- Fastener Assemblies Used in Roofing and Waterproofing, 04.04
 D6295/D6295M-98(2011) Test Method for Dispensability of Light–Duty
 Pressure–Sensitive Film Tape, 15.10
- D6296-98(2013) Test Method for Total Olefins in Spark-ignition Engine Fuels
- by Multidimensional Gas Chromatography, **05.03**D6297-13 Specification for Asphaltic Plug Joints for Bridges, **04.03**D6298-13 Specification for Fiberglass Reinforced Styrene-Butadiene-Styrene (SBS) Modified Bituminous Sheets with a Factory Applied Metal Surface, 04.04
- D6299-13 Practice for Applying Statistical Quality Assurance and Control Charting Techniques to Evaluate Analytical Measurement System Performance, 05.03
- D6300-13 Practice for Determination of Precision and Bias Data for Use in Test Methods for Petroleum Products and Lubricants, 05.03
- D6301-13 Practice for Collection of On-Line Composite Samples of Suspended Solids and Ionic Solids in Process Water, 11.01
- D6302-98(2009) Practice for Evaluating the Kinetic Behavior of Ion Exchange Resins, 11.02
 D6303 Withdrawn 2007; Test Method for Formaldehyde in Water
- D6304-07 Test Method for Determination of Water in Petroleum Products, Lubricating Oils, and Additives by Coulometric Karl Fischer Titration, 05.04 D6305-08 Practice for Calculating Bending Strength Design Adjustment
- Factors for Fire-Retardant-Treated Plywood Roof Sheathing, 04.10 D6306-10 Guide for Placement and Use of Diffusion Controlled Passive
- Monitors for Gaseous Pollutants in Indoor Air, 11.07 D6307-10 Test Method for Asphalt Content of Hot-Mix Asphalt by Ignition
- Method, 04.03
- D6308 Withdrawn 1999; Guide for Identification of Composite Materials in Computerized Material Property Databases; Redesignated E1309
 D6309 Withdrawn 1999; Guide for Development of Standards for Data Records for Computerization of Mechanical Test Data for High-Modulus Fiber-Reinforced Composite Materials; Redesignated E1434
- D6311-98(2014) Guide for Generation of Environmental Data Related to

- Waste Management Activities: Selection and Optimization of Sampling Design, 11.04
- D6312-98(2012)^{c1} Guide for Developing Appropriate Statistical Approaches for Groundwater Detection Monitoring Programs, 04.09
- D6313 Withdrawn 2008; Test Method for Total Sulfur in Aromatic Compounds by Hydrogenolysis and Sulfur Specific Difference Photometry
- D6314 Withdrawn 2002; Specification for Fluorocarbon Perfluoromethoxy
- (MFA) Resin Molding and Extrusion Materials; Combined with D 3307 D6315 Withdrawn 2003; Practice for Manual Sampling of Coal from Tops of Barges; Replaced by D6883

 D6316-09b⁻¹ Test Method for Determination of Total, Combustible and
- Carbonate Carbon in Solid Residues from Coal and Coke, 05.06
- D6317-98(2009) Test Method for Low Level Determination of Total Carbon, Inorganic Carbon and Organic Carbon in Water by Ultraviolet, Persulfate Oxidation, and Membrane Conductivity Detection, 11.01
- D6318-03(2014) Practice for Calibrating a Fathometer Using a Bar Check Method, 11.01
- D6319-10 Specification for Nitrile Examination Gloves for Medical Application, 09.02
- D6320/D6320M-10(2014) Test Methods for Single Filament Hose Reinforcing
 Wire Made from Steel, 07.02
 D6321/D6321M-14 Practice for the Evaluation of Machine Washable T-Shirts,
- 07.02
- D6322-07 Guide to International Test Methods Associated with Textile Care Procedures, 07.02
- D6323-12^{c1} Guide for Laboratory Subsampling of Media Related to Waste Management Activities, 11.04
- D6324-11 Specification for Male Condoms Made from Polyurethane, 09.02 D6325-98(2011) Test Method for Determining Open Assembly Time of Carpet Mastic Adhesives, 15.06
- D6326-08(2014) Practice for The Selection of Maximum Transit-Rate Ratios and Depths for the U.S. Series of Isokinetic Suspended-Sediment Samplers, 11.01
- D6327-10 Test Method for Determination of Radon Decay Product Concentration and Working Level in Indoor Atmospheres by Active Sampling on a Filter, 11.07
- D6328-12 Guide for Quality Assurance Protocols for Chemical Analysis of Atmospheric Wet Deposition, 11.07
- D6329-98(2008) Guide for Developing Methodology for Evaluating the Ability of Indoor Materials to Support Microbial Growth Using Static Environ mental Chambers, 11.07
- D6330-98(2008) Practice for Determination of Volatile Organic Compounds (Excluding Formaldehyde) Emissions from Wood-Based Panels Using Small Environmental Chambers Under Defined Test Conditions, 11.07
- D6331-13 Test Method for Determination of Mass Concentration of Particulate Matter from Stationary Sources at Low Concentrations (Manual Gravimetric Method), 11.07
- D6332-12 Guide for Testing Systems for Measuring Dynamic Responses of Carbon Monoxide Detectors to Gases and Vapors, 11.07
- D6333-10 Practice for Collection of Dislodgeable Pesticide Residues from Floors, 11.07
- D6334-12 Test Method for Sulfur in Gasoline by Wavelength Dispersive X-Ray Fluorescence, 05.03
- D6335-09 Test Method for Determination of High Temperature Deposits by
- Thermo-Oxidation Engine Oil Simulation Test, 05.03

 D6336-11 Practice for Evaluation of Flushing Vehicles for Pigment Wetting Using a Vacuum Modified Sigma Blade Mixer, 06.03
- D6337-98(2013) Practice for Physical Characterization of Woven Paint Applicator Fabrics, 06.02
- D6338-10 Classification System for Highly Crosslinked Thermoplastic Vulcanizates (HCTPVs) Based on ASTM Standard Test Methods, 08.03
- D6339-11 Classification System for and Basis for Specifications for
- Syndiotactic Polystyrene Molding and Extrusion (SPS), 08.03
 D6340-98(2007) Test Methods for Determining Aerobic Biodegradation of Radiolabeled Plastic Materials in an Aqueous or Compost Environment,
- D6341-13 Test Method for Determination of the Linear Coefficient of Thermal Expansion of Plastic Lumber and Plastic Lumber Shapes Between -30 and 140°F (-34.4 and 60°C), **08.03**
- D6342-12 Practice for Polyurethane Raw Materials: Determining Hydroxyl Number of Polyols by Near Infrared (NIR) Spectroscopy, 08.03
 D6343-10 Test Methods for Thin Thermally Conductive Solid Materials for Electrical Insulation and Dielectric Applications, 10.02
- D6344-04(2009) Test Method for Concentrated Impacts to Transport
 Packages, 15.10
 D6345-10 Guide for Selection of Methods for Active, Integrative Sampling of
- Volatile Organic Compounds in Air, 11.07

 D6346-98(2009) Guide for Accepting, Segregating and Packaging Materials
 Collected Through Household Hazardous Waste Programs, 11.04

 D6347/D6347M-05(2010) Test Method for Determination of Bulk Density of
 Coal Using Nuclear Backscatter Depth Density Methods, 05.06
- D6348-12^{€1} Test Method for Determination of Gaseous Compounds by Extractive Direct Interface Fourier Transform Infrared (FTIR) Spectros-
- 9-13 Test Method for Determination of Major and Minor Elements in Coal, Coke, and Solid Residues from Combustion of Coal and Coke by Inductively Coupled Plasma—Atomic Emission Spectrometry, 05.06

 D6350-14 Test Method for Mercury Sampling and Analysis in Natural Gas by Atomic Fluorescence Spectroscopy, 05.06
- D6351-10 Test Method for Determination of Low Temperature Fluidity and

D6351 D6438

- Appearance of Hydraulic Fluids, 05.03
- D6352-12 Test Method for Boiling Range Distribution of Petroleum Distillates in Boiling Range from 174 to 700°C by Gas Chromatography, 05.03
- D6353-06(2011) Guide for Sampling Plan and Core Sampling for Prebaked Anodes Used in Aluminum Production, 05.03
- D6354-12 Guide for Sampling Plan and Core Sampling of Carbon Cathode Blocks Used in Aluminum Production, 05.03
- D6355-07(2012) Test Method for Human Repeat Insult Patch Testing of Medical Gloves, 09.02
- D6356/D6356M-98(2011)^{c1} Test Method for Hydrogen Gas Generation of Aluminum Emulsified Asphalt Used as a Protective Coating for Roofing, 04.04
- D6357-11 Test Methods for Determination of Trace Elements in Coal, Coke, and Combustion Residues from Coal Utilization Processes by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Plasma Mass Spectrometry, and Graphite Furnace Atomic Absorption Spectrometry, 05.06
- D6358-11 Classification System and Basis for Specification for Poly (Phenylene Sulfide) (PPS) Injection Molding and Extrusion Materials
- Using ISO Methods, **08.03**D6359 Withdrawn 2006; Specification for Minimum Retroreflectance of Newly Applied Pavement Marking Using Portable Hand-Operated Instruments

 D6360-07 Practice for Enclosed Carbon-Arc Exposures of Plastics, **08.03**
- D6361/D6361M-98(2010)⁶¹ Guide for Selecting Cleaning Agents and Processes, 15.05
- D6362-98(2013) Practice for Certificates of Reference Materials for Water Analysis, 11.01
- D6363-98(2013) Test Method for Determination of Hydrogen Peroxide and Combined Organic Peroxides in Atmospheric Water Samples by Peroxidase Enzyme Fluorescence Method, 11.07
- Peroxidase Enzyme Fluorescence Method, 11.07

 D6364-06(2011) Test Method for Determining Short-Term Compression Behavior of Geosynthetics, 04.13

 D6365-99(2011) Practice for the Nondestructive Testing of Geomembrane Seams using the Spark Test, 04.13

 D6366 Withdrawn 2006; Test Method for Total Trace Nitrogen and Its
- Derivatives in Liquid Aromatic Hydrocarbons by Oxidative Combustion and Electrochemical Detection
- D6367-12 Specification for AMS (α-Methylstyrene), 06.04
- D6368-06(2012) Specification for Vapor-Degreasing Solvents Based on, 15.05 D6369-99(2006) Guide for Design of Standard Flashing Details for EPDM Roof Membranes, 04.04
- D6370-99(2009) Test Method for Rubber—Compositional Analysis by Thermogravimetry (TGA), 09.01
 D6371-05(2010) Test Method for Cold Filter Plugging Point of Diesel and
- Heating Fuels, 05.03
- D6372-05(2010) Practice for Design, Testing, and Construction of Micro-Surfacing, 04.03
- D6373-13 Specification for Performance Graded Asphalt Binder, 04.03 D6374-12 Test Method for Volatile Matter in Green Petroleum Coke Quartz Crucible Procedure, 05.03
- D6375-09 Test Method for Evaporation Loss of Lubricating Oils by
- Thermogravimetric Analyzer (TGA) Noack Method, **05.03 D6376-10** Test Method for Determination of Trace Metals in Petroleum Coke by Wavelength Dispersive X-ray Fluorescence Spectroscopy, **05.03**
- D6377-10 Test Method for Determination of Vapor Pressure of Crude Oil: VPCR, 05.03

 D6378-10 Test Method for Determination of Vapor Pressure (VPX) of
- Petroleum Products, Hydrocarbons, and Hydrocarbon-Oxygenate Mixtures (Triple Expansion Method), 05.03
- D6379-11 Test Method for Determination of Aromatic Hydrocarbon Types in Aviation Fuels and Petroleum Distillates--High Performance Liquid
- Chromatography Method with Refractive Index Detection, **05.03 D6380/D6380M-03(2013)**^{c1} Specification for Asphalt Roll Roofing (Organic Felt), **04.04**
- D6381/D6381M-08(2013)^{c1} Test Method for Measurement of Asphalt Shingle Mechanical Uplift Resistance, 04.04
- D6382/D6382M-99(2011)^{€1} Practice for Dynamic Mechanical Analysis and Thermogravimetry of Roofing and Waterproofing Membrane Material, 04.04
- D6383/D6383M-99(2011)^{c1} Practice for Time-to-Failure (Creep-Rupture) of Adhesive Joints Fabricated from EPDM Roof Membrane Material, 04.04 D6384-11 Terminology Relating to Biodegradability and Ecotoxicity of Lubricants, 05.03
- D6385-99(2011) Test Method for Determining Acid Extractable Content in Activated Carbon by Ashing, 15.01
- D6386-10 Practice for Preparation of Zinc (Hot-Dip Galvanized) Coated Iron and Steel Product and Hardware Surfaces for Painting, 06.02
 D6387-99(2010)^{c1} Test Methods for Composition of Turpentine and Related Terpene Products by Capillary Gas Chromatography, 06.03
 D6388-99(2012) Practice for Tests to Evaluate the Chemical Resistance of
- Geonets to Liquids, **04.13**
- D6389-99(2012) Practice for Tests to Evaluate the Chemical Resistance of Geotextiles to Liquids, 04.13
- D6390-11 Test Method for Determination of Draindown Characteristics in Uncompacted Asphalt Mixtures, 04.03
- D6391-11 Test Method for Field Measurement of Hydraulic Conductivity Using Borehole Infiltration, 04.09

 D6392-12 Test Method for Determining the Integrity of Nonreinforced Geomembrane Seams Produced Using Thermo-Fusion Methods, 04.13

 D6393-08 Test Method for Bulk Solids Characterization by Carr Indices, 04.09

- D6394-14 Specification for Sulfone Plastics (SP), 08.03
- D6395-11 Test Method for Flatwise Flexural Impact Resistance of Rigid Plastics, 08.03
- D6396-99(2012) Test Method for Testing of Pipe Thread Sealants on Pipe Tees, 15.06
- D6397 Not Assigned
 D6398-08(2014) Practice to Enhance Identification of Drug Names on Labels, 15.10
- D6399-10 Guide for Selecting Instruments and Methods for Measuring Air Quality in Aircraft Cabins, 11.07
- D6400-12 Specification for Labeling of Plastics Designed to be Aerobically Composted in Municipal or Industrial Facilities, 08.03
- D6401-99(2009) Test Method for Determining Non-Tannins and Tannin in
- Extracts of Vegetable Tanning Materials, 15.04

 D6402-99(2009) Test Method for Determining Soluble Solids and Insolubles in Extracts of Vegetable Tanning Materials, 15.04

 D6403-99(2009) Test Method for Determining Moisture in Raw and Spent Materials, 15.04
- **D6404-99(2009)** Practice for Sampling Vegetable Materials Containing Tannin, 15.04
- D6405-99(2009) Practice for Extraction of Tannins from Raw and Spent Materials, 15.04
- D6406-99(2009) Test Method for Analysis of Sugar in Vegetable Tanning Materials, 15.04
- D6407-99(2009) Test Method for Analysis of Iron and Copper in Vegetable Tanning Materials, 15.04
- D6408-99(2009) Test Method for Analysis of Tannery Liquors, 15.04 D6409-99(2009) Practice for Color Tests with Sheepskin Skiver, 15.04
- D6410-99(2009) Test Method for Determining Acidity of Vegetable Tanning Liquors, **15.04**
- D6411/D6411M-99(2012) Specification For Silicone Rubber Room Temperature Vulcanizing Low Outgassing Materials, 15.06
- D6412/D6412M-99(2012) Specification For Epoxy (Flexible) Adhesive For Bonding Metallic And Nonmetallic Materials, 15.06
- D6413/D6413M-13b Test Method for Flame Resistance of Textiles (Vertical
- Test), 07.02

 D6414-14 Test Methods for Total Mercury in Coal and Coal Combustion
 Residues by Acid Extraction or Wet Oxidation/Cold Vapor Atomic Absorption, 05.06
- D6415/D6415M-06a(2013) Test Method for Measuring the Curved Beam Strength of a Fiber-Reinforced Polymer-Matrix Composite, 15.03
- D6416/D6416M-01(2012) Test Method for Two-Dimensional Flexural Properties of Simply Supported Sandwich Composite Plates Subjected to a Distributed Load, 15.03
- D6417-09 Test Method for Estimation of Engine Oil Volatility by Capillary Gas Chromatography, 05.03
- D6418-09 Practice for Using the Disposable En Core Sampler for Sampling
- and Storing Soil for Volatile Organic Analysis, 11.04

 D6419-00(2009) Test Method for Volatile Content of Sheet-Fed and Coldset Web Offset Printing Inks, 06.02

 D6420-99(2010) Test Method for Determination of Gaseous Organic
- Compounds by Direct Interface Gas Chromatography-Mass Spectrometry, 11.07
- D6421-99a(2009) Test Method for Evaluating Automotive Spark-Ignition Engine Fuel for Electronic Port Fuel Injector Fouling by Bench Procedure, 05.03
- D6422 Withdrawn 2007; Test Method for Water Tolerance (Phase Separation) of Gasoline-Alcohol Blends
- D6423-08 Test Method for Determination of pHe of Ethanol, Denatured Fuel Ethanol, and Fuel Ethanol (Ed75-Ed85), 05.03
- D6424-04a(2010) Practice for Octane Rating Naturally Aspirated Spark Ignition Aircraft Engines, 05.03
- D6425-11 Test Method for Measuring Friction and Wear Properties of Extreme Pressure (EP) Lubricating Oils Using SRV Test Machine, 05.03
- D6426-13 Test Method for Determining Filterability of Middle Distillate Fuel Oils, 05.03
- D6427/D6427M-10 Practice for Handling, Transportation, and Storage of HFC-236fa, 1,1,1,3,3,3-Hexafluoropropane (CF3CH2CF3), 15.05
- D6428 Withdrawn 2006; Test Method for Total Sulfur in Liquid Aromatic Hydrocarbons and Their Derivatives by Oxidative Combustion and Electrochemical Detection
- D6429-99(2011)⁶¹ Guide for Selecting Surface Geophysical Methods, 04.09 D6430-99(2010) Guide for Using the Gravity Method for Subsurface Investigation, 04.09
 D6431-99(2010) Guide for Using the Direct Current Resistivity Method for Subsurface Investigation, 04.09
- D6432-11 Guide for Using the Surface Ground Penetrating Radar Method for Subsurface Investigation, 04.09
- D6433-11 Practice for Roads and Parking Lots Pavement Condition Index Surveys, **04.03**
- D6434-12 Guide for the Selection of Test Methods for Flexible Polypropylene
- Geomembranes, 04.13

 D6435 Withdrawn 2007; Test Method for Shear Properties of Plastic Lumber and Plastic Lumber Shapes; Replaced by D2344

 D6436-14 Guide for Reporting Properties for Plastics and Thermoplastic Elastomers, 08.03

 D6437-05(2010)^{c1} Test Method for Polyurethane Raw Materials: Alkalinity in
- Low-Alkalinity Polyols (Determination of CPR Values of Polyols), **08.03 D6438-05(2010)** Test Method for Acetone, Methyl Acetate, and Parachloroben-

D6438 D6523

- zotrifluoride Content of Paints, and Coatings by Solid Phase Microextraction-Gas Chromatography, 06.01
- D6439-11 Guide for Cleaning, Flushing, and Purification of Steam, Gas, and Hydroelectric Turbine Lubrication Systems, 05.03
- D6440-10 Terminology Relating to Hydrocarbon Resins, 06.01
- **D6441-05(2010)** Test Methods for Measuring the Hiding Power of Powder Coatings, **06.02**
- D6442-06(2012) Test Method for Determination of Copper Release Rate From Antifouling Coatings in Substitute Ocean Water, 06.02
 D6443-04(2010) Test Method for Determination of Calcium, Chlorine, Copper,
- Magnesium, Phosphorus, Sulfur, and Zinc in Unused Lubricating Oils and Additives by Wavelength Dispersive X-ray Fluorescence Spectrometry (Mathematical Correction Procedure), 05.03
- Withdrawn 1999; Test Method for Sulfur in Gasoline by Wavelength Dispersive X-Ray Fluorescence
- D6445 Withdrawn 2009; Test Method for Sulfur in Gasoline by Energy-Dispersive X-ray Fluorescence Spectrometry
- D6446 Withdrawn 2012; Test Method for Estimation of Net Heat of Combustion (Specific Energy) of Aviation Fuels
- D6447-09 Test Method for Hydroperoxide Number of Aviation Turbine Fuels by Voltammetric Analysis, 05.03
- D6448-09 Specification for Industrial Burner Fuels from Used Lubricating Oils, 05.03
- D6449-99(2008) Test Method for Flow of Fine Aggregate Concrete for Fabric Formed Concrete (Flow Cone Method), 04.09
- D6450-12 Test Method for Flash Point by Continuously Closed Cup (CCCFP) Tester, 05.03
- D6451-99(2006) Guide for Application of Asphalt Based Protection Board, 04.04
- **D6452-99(2012)**^{€1} Guide for Purging Methods for Wells Used for Groundwater Quality Investigations, 04.09
- D6453 Withdrawn 2008; Guide for Format of Computerized Exchange of Soil and Rock Test Data
- D6454-99(2011) Test Method for Determining the Short-Term Compression Behavior of Turf Reinforcement Mats (TRMs), 04.13
- D6455-11 Guide for the Selection of Test Methods for Prefabricated Bituminous Geomembranes (PBGM), 04.13
- D6456-10 Specification for Finished Parts Made from Polyimide Resin, 08.03 D6457-08(2013) Specification for Extruded and Compression Molded Rod and
- Heavy-Walled Tubing Made from Polytetrafluoroethylene (PTFE), 08.03 D6458-12 Tables of Body Measurements for Boys, Sizes 8 to 14 Slim and 8 to 20 Regular, 07.02
- D6459-11 Test Method for Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Hillslopes from Rainfall-Induced Erosion. 04.09
- D6460-12 Test Method for Determination of Rolled Erosion Control Product (RECP) Performance in Protecting Earthen Channels from Stormwater-Induced Erosion, 04.09
- D6461-99(2007)⁶² Specification for Silt Fence Materials, 04.09
- D6462-03(2008) Practice for Silt Fence Installation, 04.09
- D6463/D6463M-06(2012) Test Method for Time to Failure of Pressure Sensitive Articles Under Sustained Shear Loading, 15.10
 D6464-03a(2009)^{c1} Specification for Expandable Foam Adhesives for Fastening Gypsum Wallboard to Wood Framing, 15.06
- D6465-99(2012) Guide for Selecting Aerospace and General Purpose
 Adhesives and Sealants, 15.06
 D6466-10 Test Method for Diameter of Wool and Other Animal Fibers By
- Sirolan-Laserscan Fiber Diameter Analyser, 07.02
- D6467-13 Test Method for Torsional Ring Shear Test to Determine Drained
- Residual Shear Strength of Cohesive Soils, 04.09 D6468-08(2013) Test Method for High Temperature Stability of Middle Distillate Fuels, 05.03
- D6469-12 Guide for Microbial Contamination in Fuels and Fuel Systems, 05.03
- D6470-99(2010) Test Method for Salt in Crude Oils (Potentiometric Method), 05.03
- D6471-10 Specification for Recycled Prediluted Aqueous Glycol Base Engine Coolant (50 Volume % Minimum) for Automobile and Light-Duty Service, 15.05
- D6472-10 Specification for Recycled Glycol Base Engine Coolant Concentrate
- for Automobile and Light-Duty Service, **15.05 D6473-10** Test Method For Specific Gravity And Absorption of Rock For Erosion Control, **04.09**
- D6474-12 Test Method for Determining Molecular Weight Distribution and Molecular Weight Averages of Polyolefins by High Temperature Gel
- Permeation Chromatography, 08.03

 D6475-06 Test Method for Measuring Mass Per Unit Area of Erosion Control Blankets, 04.09
- D6476-12 Test Method for Determining Dynamic Air Permeability of Inflatable Restraint Fabrics, 07.02
- D6477-13 Terminology Relating to Tire Cord, Bead Wire, Hose Reinforcing Wire, and Fabrics, 07.02
- D6478-10(2014) Test Method for Determining Specific Packability of Fabrics Used in Inflatable Restraints, 07.02
- D6479-12 Test Method for Determining the Edgecomb Resistance of Woven Fabrics Used in Inflatable Restraints, 07.02
- D6480-05(2010) Test Method for Wipe Sampling of Surfaces, Indirect Preparation, and Analysis for Asbestos Structure Number Surface Loading by Transmission Electron Microscopy, 11.07
- D6481-99(2010) Test Method for Determination of Phosphorus, Sulfur,

- Calcium, and Zinc in Lubrication Oils by Energy Dispersive X-ray Fluorescence Spectroscopy, 05.03
- D6482-06(2011) Test Method for Determination of Cooling Characteristics of Aqueous Polymer Quenchants by Cooling Curve Analysis with Agitation (Tensi Method), 05.03
- D6483 Withdrawn 2009; Test Method for Evaluation of Diesel Engine Oils in T-9 Diesel Engine
- D6484/D6484M-14 Test Method for Open-Hole Compressive Strength of Polymer Matrix Composite Laminates, 15.03
- D6485-11 Guide for Risk Characterization of Acute and Irritant Effects of Short-Term Exposure to Volatile Organic Chemicals Emitted from Bedding Sets. 11.07
- D6486-01(2011) Practice for Short Term Vehicle Service Exposure of
- Automotive Coatings, 06.02

 D6487-10 Practice for Preparing Prints of Paste Printing Inks Using a Hand Operated Laboratory Flat-Bed Press, 06.02

 D6488-08(2013) Terminology Relating to Print Problems, 06.02
- 9-99(2012) Test Method for Determining the Water Absorption of Hardened Concrete Treated With a Water Repellent Coating, 06.02 D6489-99(2012)
- D6490-99(2006) Test Method for Water Vapor Transmission of NonFilm Forming Treatments Used on Cementitious Panels, 06.02
- D6491-09 Practice for Evaluation of Aging Resistance of Prestressed Prepainted Metal In a Dry Heat Test, 06.02
- D6492-99(2011) Practice for Detection of Hexavalent Chromium On Zinc and Zinc/Aluminum Alloy Coated Steel, 06.02
- D6493-11 Test Methods for Softening Point of Hydrocarbon Resins and Rosin Based Resins by Automated Ring-and-Ball Apparatus, 06.03
- D6494-99(2010) Test Method for Determination of Asphalt Fume Particulate Matter in Workplace Atmospheres as Benzene Soluble Fraction, 11.07
- D6495-09 Guide for Acceptance Testing Requirements for Geosynthetic Clay Liners, 04.13
- D6496-04a(2009) Test Method for Determining Average Bonding Peel Strength Between Top and Bottom Layers of Needle-Punched Geosynthetic Clay Liners, **04.13**
- D6497-02(2010) Guide for Mechanical Attachment of Geomembrane to Penetrations or Structures, 04.13
- D6498-99(2007) Guide for Household Hazardous Waste Training Outline for Household Hazardous Waste Collection Operations, 11.04
- D6499-12 Test Method for The Immunological Measurement of Antigenic Protein in Natural Rubber and its Products, 09.02
- D6500-00(2012)^{€1} Test Method for Diameter of Wool and Other Animal Fibers Using an Optical Fiber Diameter Analyser, 07.02
- D6501-09 Test Method for Phosphonate in Brines, 11.01
 D6502-10 Test Method for Measurement of On-line Integrated Samples of Low Level Suspended Solids and Ionic Solids in Process Water by X-Ray Fluorescence (XRF), 11.01
- D6503-99(2009) Test Method for Enterococci in Water Using Enterolert, 11.02 D6504-11 Practice for On-Line Determination of Cation Conductivity in High
- Purity Water, 11.01

 D6505-00(2012) Test Method for Assay of, 15.05

 D6506-01(2009) Specification for Asphalt Based Protection Board for Below-Grade Waterproofing, 04.04

 D6507-11 Practice for Fiber Reinforcement Orientation Codes for Composite
- Materials, 15.03
- D6508-10 Test Method for Determination of Dissolved Inorganic Anions in Aqueous Matrices Using Capillary Ion Electrophoresis and Chromate Electrolyte, 11.02
- D6509/D6509M-09 Specification for Atactic Polypropylene (APP) Modified Bituminous Base Sheet Materials Using Glass Fiber Reinforcements, 04.04
- D6510-00(2006) Guide for Selection of Asphalt Used in Built-Up Roofing
- Systems, 04.04
 D6511/D6511M-06(2011)*

 Test Methods for Solvent Bearing Bituminous Compounds, 04.04
- D6512-07(2014) Practice for Interlaboratory Quantitation Estimate, 11.01 D6513-08 Practice for Calculating the Superimposed Load on Wood-frame Walls for Standard Fire-Resistance Tests, 04.10
- D6514-03(2008) Test Method for High Temperature Universal Oxidation Test for Turbine Oils, 05.03
- D6515-00(2010) Test Method for Rubber Shaft Seals Determination of Recovery From Bending, 09.02
- D6516 Not Assigned D6517-00(2012)^{€1} Gu Guide for Field Preservation of Groundwater Samples, 04.09
- D6518 Withdrawn 2008; Practice for Bias Testing a Mechanical Coal Sampling System; Replaced by D7430
- **D6519-08** Practice for Sampling of Soil Using the Hydraulically Operated Stationary Piston Sampler, 04.09
- D6520-06(2012) Practice for the Solid Phase Micro Extraction (SPME) of Water and its Headspace for the Analysis of Volatile and Semi-Volatile Organic Compounds, 11.02
- D6521-13 Practice for Accelerated Aging of Asphalt Binder Using a Pressurized Aging Vessel (PAV), 04.03
- D6522-11 Test Method for Determination of Nitrogen Oxides, Carbon Monoxide, and Oxygen Concentrations in Emissions from Natural Gas-Fired Reciprocating Engines, Combustion Turbines, Boilers, and Process Heaters Using Portable Analyzers, 11.07

 D6523-00(2014)^{c1} Guide for Evaluation and Selection of Alternative Daily
- Covers (ADCs) for Sanitary Landfills, 04.13

D6524 D6613

- D6524-00(2011) Test Method for Measuring the Resiliency of Turf Reinforcement Mats (TRMs), 04.13
- D6525-12 Test Method for Measuring Nominal Thickness of Rolled Erosion Control Products, 04.13
- D6526-12 Test Method for Analysis of Toluene by Capillary Column Gas Chromatography, 06.04
- D6527-00(2008) Test Method for Determining Unsaturated and Saturated Hydraulic Conductivity in Porous Media by Steady-State Centrifugation, 04.09
- D6528-07 Test Method for Consolidated Undrained Direct Simple Shear
- Testing of Cohesive Soils, **04.09 D6529-11** Test Method for Operating Performance of Continuous Electrodeionization Systems on Feeds from 501000 S/cm, **11.02**
- D6530-00(2013) Test Method for Total Active Biomass in Cooling Tower Waters (Kool Kount Assay; KKA), 11.02
- D6531-00(2010) Test Method for Relative Tinting Strength of Aqueous Ink Systems by Instrumental Measurement, 06.02
- D6532-00(2006) Test Method for Evaluation of the Effect of Clear Water Repellent Treatments on Water Absorption of Hydraulic Cement Mortar
- Specimens, 06.02

 D6533 Not Assigned

 D6534-05(2010) Test Method for Determining the Peak Force-to-Actuate of a Mechanical Pump Dispenser, 15.10

 D6535/D6535M-05(2010)^{c1} Test Method for Determining the Dip Tube Length
- of a Mechanical Pump Dispenser, **15.10 D6536/D6536M-00(2010)**^{c1} Test Method for Measuring the Dip Tube Length of
- a Mechanical Pump Dispenser, 15.10
- D6537-00(2014) Practice for Instrumented Package Shock Testing For
- Determination of Package Performance, 15.10

 D6538-12 Guide for Sampling Wastewater With Automatic Samplers, 11.04

 D6539-13 Test Method for Measurement of the Permeability of Unsaturated Porous Materials by Flowing Air, 04.09
- D6540-12 Test Method for Accelerated Soiling of Pile Yarn Floor Covering, 07.02
- **D6541-11** Specification for HFC-236fa, 1,1,1,3,3,3-Hexafluoropropane, (CF3CH 2CF3), 15.05
- D6542-05(2010) Practice for Tonnage Calculation of Coal in a Stockpile, 05.06 D6543-14a Guide to the Evaluation of Measurements Made by Online Coal Analyzers, 05.06
- D6544-12 Practice for Preparation of Textiles Prior to Ultraviolet (UV) Transmission Testing, 07.02
- D6545-10 Test Method for Flammability of Textiles Used In Children's
- Sleepwear, 07.02
 D6546-00(2010) Test Methods for and Suggested Limits for Determining Compatibility of Elastomer Seals for Industrial Hydraulic Fluid Applications, 05.03
- D6547-00(2010) Test Method for Corrosiveness of Lubricating Fluid to Bimetallic Couple, 05.03
- D6548 Withdrawn 2011; Test Method for Resistance to Mechanical Penetration of Sanitary Tissue Papers (Ball Burst Procedure)
- D6549-06(2011) Test Method for Determination of Cooling Characteristics of Quenchants by Cooling Curve Analysis with Agitation (Drayton Unit), 05.03
- D6550-10 Test Method for Determination of Olefin Content of Gasolines by
- Supercritical-Fluid Chromatography, 05.03

 D6551/D6551M-05(2011) Practice for Accelerated Weathering of Pressure-Sensitive Tapes by Xenon-Arc Exposure Apparatus, 15.10

 D6552-06(2011) Practice for Controlling and Characterizing Errors in Weighing
- Collected Aerosols, 11.07
- D6553-00(2010) Test Method for Coolant Compatibility of Way Lubricants, 05.03
- D6554/D6554M-14 Specification for 100 % Cotton Denim Fabrics, 07.02 D6555-03(2008) Guide for Evaluating System Effects in Repetitive-Member Wood Assemblies, 04.10
- D6556-10 Test Method for Carbon Black—Total and External Surface Area by Nitrogen Adsorption, 09.01
- D6557-13 Test Method for Evaluation of Rust Preventive Characteristics of Automotive Engine Oils, 05.03
- D6558-00a(2010) Test Method for Determination of TGA CO, 05.03
- D6559-00a(2010) Test Method for Determination of Thermogravimetric (TGA)
 Air Reactivity of Baked Carbon Anodes and Cathode Blocks, 05.03
 D6560-12 Test Method for Determination of Asphaltenes (Heptane Insolubles)
 in Crude Petroleum and Petroleum Products, 05.03
- D6561-06(2011) Test Method for Determination of Aerosol Monomeric and Oligomeric Hexamethylene Diisocyanate (HDI) in Air with (Methoxy-2-phenyl-1) Piperazine (MOPIP) in the Workplace, 11.07
- D6562-12 Test Method for Determination of Gaseous Hexamethylene
 Diisocyanate (HDI) in Air with 9-(N-methylaminomethyl) Anthracene
 Method (MAMA) in the Workplace, 11.07
 D6563-12 Test Method for Benzene, Toluene, Xylene (BTX) Concentrates
- Analysis by Gas Chromatography, **06.04 D6564-00(2012)**^{c1} Guide for Field Filtration of Groundwater Samples, **04.09**
- **D6565-00(2005)** Test Method for Determination of Water (Moisture) Content of
- Soil by the Time-Domain Reflectometry (TDR) Method, **04.09 D6566-12** Test Method for Measuring Mass per Unit Area of Turf Reinforce-
- D656-12 Test Method for Measuring Mass per Unit Area of Turf Heinforcement Mats, 04.13

 D6567-00(2006) Test Method for Measuring the Light Penetration of a Turf Reinforcement Mat (TRM), 04.13

 D6568-00(2011) Guide for Planning, Carrying Out, and Reporting Traceable Chemical Analyses of Water Samples, 11.01

- D6569-14 Test Method for On-Line Measurement of pH, 11.01 D6570-04(2010) Practice for Assigning Allowable Properties for Mechanically Graded Lumber, 04.10
- D6571 Withdrawn 2008; Test Method for Determination of Compression Resistance and Recovery Properties of Highloft Nonwoven Fabric Using
- Static Force Loading

 D6572-13^{c1} Test Methods for Determining Dispersive Characteristics of Clayey Soils by the Crumb Test, 04.09
- D6573/D6573M-13 Specification for General Purpose Wirebound Shipping Boxes, 15.10
- D6574/D6574M-13 Test Method for Determining the (In-Plane) Hydraulic
- Transmissivity of a Geosynthetic by Radial Flow, **04.13 D6575-00(2006)** Test Method for Determining Stiffness of Geosynthetics Used as Turf Reinforcement Mats (TRMs), 04.13

 D6576-13 Specification for Flexible Cellular Rubber Chemically Blown, 08.03
- D6577-06(2011)^{c1} Guide for Testing Industrial Protective Coatings, 06.02
- D6578-08 Practice for Determination of Graffiti Resistance, 06.02 D6579-11 Practice for Molecular Weight Averages and Molecular Weight Distribution of Hydrocarbon, Rosin and Terpene Resins by Size-Exclusion
- Chromatography, **06.03 D6580-00(2009)** Test Method for The Determination of Metallic Zinc Content in Both Zinc Dust Pigment and in Cured Films of Zinc-Rich Coatings, 06.01
- D6581-12 Test Methods for Bromate, Bromide, Chlorate, and Chlorite in Drinking Water by Suppressed Ion Chromatography, 11.01
- D6582 Withdrawn 2012; Guide for Ranked Set Sampling: Efficient Estimation of a Mean Concentration in Environmental Sampling
- D6583-04(2010) Test Method for Porosity of Paint Film by Mineral Oil Absorption, 06.02
- D6584-13 Test Method for Determination of Total Monoglycerides, Total Diglycerides, Total Triglycerides, and Free and Total Glycerin in B-100 Biodiesel Methyl Esters by Gas Chromatography, 05.03
- D6585-11 Specification for Unsintered Polytetrafluoroethylene (PTFE) Extruded Film or Tape, 08.03
- D6586-03(2008) Practice for the Prediction of Contaminant Adsorption On
- GAC In Aqueous Systems Using Rapid Small-Scale Column Tests, 15.01 D6587-12^{€1} Test Method for Yarn Number Using Automatic Tester, 07.02 D6588/D6588M-11 Test Method for Fatigue of Tire Cords (Disc Fatigue Test), 07.02
- D6589-05(2010)^{€1} Guide for Statistical Evaluation of Atmospheric Dispersion
- Model Performance, 11.07

 D6590/D6590M-00(2012) Specification for Pressure-Sensitive Tape for Sealing Fiber Containers and Cans, 15.10
- D6591-11 Test Method for Determination of Aromatic Hydrocarbon Types in Middle Distillates—High Performance Liquid Chromatography Method with Refractive Index Detection, 05.03
- D6592 Withdrawn 2010; Test Method for Portable Chemiluminescent Water Quality Determination
- D6593-13b Test Method for Evaluation of Automotive Engine Oils for Inhibition of Deposit Formation in a Spark-Ignition Internal Combustion Engine Fueled with Gasoline and Operated Under Low-Temperature, Light-Duty Conditions, 05.03
- <code>D6594-13</code> Test Method for Evaluation of Corrosiveness of Diesel Engine Oil at 135 $^{\circ}$ C, **05.03**
- D6595-00(2011) Test Method for Determination of Wear Metals and Contaminants in Used Lubricating Oils or Used Hydraulic Fluids by Rotating Disc Electrode Atomic Emission Spectrometry, 05.03
- D6596-00(2011) Practice for Ampulization and Storage of Gasoline and Related Hydrocarbon Materials, 05.03
- D6597-10 Practice for Assessment of Attaining Clean Up Level for Site Closure, 11.04
- D6598-11 Guide for Installing and Operating Settlement Platforms for Monitoring Vertical Deformations, 04.09
- D6599-00(2008) Practice for Construction of Live Fascines on Slopes, 04.09
 D6600-00(2013) Practice for Evaluating Test Sensitivity for Rubber Test Methods, 09.01
- D6601-12 Test Method for Rubber Properties—Measurement of Cure and After-Cure Dynamic Properties Using a Rotorless Shear Rheometer, 09.01
- D6602-13 Practice for Sampling and Testing of Possible Carbon Black Fugitive Emissions or Other Environmental Particulate, or Both, 09.01
- D6603-12 Specification for Labeling of UV-Protective Textiles, 07.02
- D6604-00(2013) Practice for Glass Transition Temperatures of Hydrocarbon Resins by Differential Scanning Calorimetry, 06.03 D6605-06(2011) Practice for Determining the Color Stability of Hydrocarbon
- Resins After Heating, **06.03 D6606-00(2010)** Test Method for Viscosity and Yield of Vehicles and Varnishes by the Duke Viscometer, **06.03**
- D6607-00(2009) Practice for Inclusion of Precision Statement Variation in
- Specification Limits, 04.03 D6608-12 Practice for the Identification of Trinidad Lake Asphalt in Asphalt
- Mixes, 04.03
- D6609-08 Guide for Part-Stream Sampling of Coal, 05.06
- D6610 Withdrawn 2003; Practice for Manually Sampling Coal from Surfaces of a Stockpile; Replaced by D6883

 D6611-00(2007) Test Method for Wet and Dry Yarn-on-Yarn Abrasion
- Resistance, 07.02

 D6612-00(2011) Test Method for Yarn Number and Yarn Number Variability Using Automated Tester, 07.02
- D6613-08(2013) Practice for Determining the Presence of Sizing in Nylon or Polyester Fabric, 07.02

D6614 D6703

- D6614-07(2011) Test Method for Stretch Properties of Textile Fabrics CRE Method, 07.02
- D6615-11a Specification for Jet B Wide-Cut Aviation Turbine Fuel, 05.03 D6616-07(2012) Test Method for Measuring Viscosity at High Shear Rate by Tapered Bearing Simulator Viscometer at 100°C, 05.03
- D6617-13 Practice for Laboratory Bias Detection Using Single Test Result from Standard Material, 05.03
- D6618-10a Test Method for Evaluation of Engine Oils in Diesel Four-Stroke Cycle Supercharged 1M-PC Single Cylinder Oil Test Engine, 05.03
- D6619-00(2012) Practice for Incorporating Pigments by High Speed Dispersion, 06.01
- D6620-06(2010) Practice for Asbestos Detection Limit Based on Counts, 11.07
 D6621-00(2012) Practice for Performance Testing of Process Analyzers for
- Aromatic Hydrocarbon Materials, 06.04

 D6622-01(2009) Guide for Application of Fully Adhered Hot-Applied Reinforced Waterprofing Systems, 04.04
 D6623 Withdrawn 2002; Test Method for Determination of Individual
- Components in Spark Ignition Engine Fuels by High Resolution Gas Chromatography; Replaced by D6729, D6730, D6733
- D6624-12 Practice for Determining a Flow-Proportioned Average Property
 Value (FPAPV) for a Collected Batch of Process Stream Material Using Stream Analyzer Data, 05.03
- D6625-13 Practice for Conducting a Test of Protective Properties of Polish Applied to a Painted Panel Using Fluorescent UV-Condensation Lightand Water-Exposure Apparatus, 15.04
- D6626-09 Specification for Performance Graded Trinidad Lake Modified
- Asphalt Binder, 04.03

 D6627/D6627M-11 Test Method for Determination of a Volatile Distillate Fraction of Cold Asphalt Mixtures, **04.03 D6628-03(2010)** Specification for Color of Pavement Marking Materials,
- 04.03
- D6629-01(2012)⁶¹ Guide for Selection of Methods for Estimating Soil Loss by Erosion, **04.09**
- D6630-08 Guide for Low Slope Insulated Roof Membrane Assembly Performance, 04.04
- D6631-05(2011) Guide for Committee D01 for Conducting an Interlaboratory Study for the Purpose of Determining the Precision of a Test Method, 06.01
- D6632 Withdrawn 2010; Test Method for Total Copper in Antifouling Paints
 D6633-05(2010) Test Method for Basic Functional Stability of a Mechanical Pump Dispenser, 15.10
- D6634/D6634M-14 Guide for Selection of Purging and Sampling Devices for Groundwater Monitoring Wells, 04.09
- D6635-01(2007) Test Method for Performing the Flat Plate Dilatometer, 04.09 Test Method for Determination of Ply Adhesion Strength of D6636-01(2011) Reinforced Geomembranes, 04.13
- D6637-11 Test Method for Determining Tensile Properties of Geogrids by the Single or Multi-Rib Tensile Method, 04.13
- D6638-11 Test Method for Determining Connection Strength Between Geosynthetic Reinforcement and Segmental Concrete Units (Modular Concrete Blocks), 04.13
- D6639-01(2008) Guide for Using the Frequency Domain Electromagnetic Method for Subsurface Investigations, 04.09
 D6640-01(2010) Practice for Collection and Handling of Soils Obtained in Core Barrel Samplers for Environmental Investigations, 11.04
- D6641/D6641M-09 Test Method for Compressive Properties of Polymer Matrix Composite Materials Using a Combined Loading Compression (CLC) Test Fixture, **15.03**
- D6642-01(2006) Guide for Comparison of Techniques to Quantify the Soil-Water (Moisture) Flux, 04.09
- D6643-01(2011) Test Method for Testing Wood-Base Panel Corner Impact Resistance, 04.10
- D6644-01(2013) Test Method for Tension Strength of Sew-Through Flange Buttons, **07.02**
- D6645-01(2010) Test Method for Methyl (Comonomer) Content in Polyethylene by Infrared Spectrophotometry, 08.03
 D6646-03(2008) Test Method for Determination of the Accelerated Hydrogen
- Sulfide Breakthrough Capacity of Granular and Pelletized Activated Carbon, 15.01
- D6647-01(2011) Test Method for Determination of Acid Soluble Iron Via Atomic Absorption, 15.01
- D6648-08 Test Method for Determining the Flexural Creep Stiffness of Asphalt Binder Using the Bending Beam Rheometer (BBR), 04.03
- D6649 Not Assigned D6650 Withdrawn 2008; Test Method for Determining the Dynamic Wiping Efficiency, Wet Particle Removal Ability, and Fabric Particle Contribution of Nonwoven Fabrics Used in Cleanrooms
- D6651 Withdrawn 2008; Test Method for Determining the Rate of Sorption and Sorptive Capacity of Nonwoven Fabrics
- D6652 Withdrawn 2008; Test Method for Determining Fibrous Debris From Nonwoven Fabrics
- D6653/D6653M-13 Test Methods for Determining the Effects of High Altitude
- on Packaging Systems by Vacuum Method, 15.10

 D6654-05(2010) Test Method for Basic Storage Stability of a Mechanical Pump Dispenser, 15.10

 D6655-01(2007) Terminology Relating to Mechanical Pump Dispensers, 15.10

 D6656-14a Test Method for Determination of Chromic Oxide in Wet Blue (Perchloric Acid Oxidation), **15.04**
- D6657-14a Test Method for pH of Wet Blue, 15.04

- D6658-08(2013) Test Method for Volatile Matter (Moisture) of Wet Blue by Oven Drying, 15.04
- D6659-10 Practice for Sampling and Preparation of Wet Blue for Physical and Chemical Tests, 15.04
- D6660-01(2007) Test Method for Freezing Point of Aqueous Ethylene Glycol Base Engine Coolants by Automatic Phase Transition Method, 15.05
- D6661-10 Practice for Field Collection of Organic Compounds from Surfaces
- Using Wipe Sampling, 11.04

 D6662-13 Specification for Polyolefin-Based Plastic Lumber Decking Boards, 08.03
- D6663-08(2013) Specification for Woven and Knitted Comforter and Accessory Products for Institutional and Household Use, 07.02
- D6664 Withdrawn 2010; Specification for Woven, Knitted and Flocked Bedspread Products for Institutional and Household Use

 D6665-09 Practice for Evaluation of Aging Resistance of Pre-stressed
- Prepainted Metal in a Boiling Water Test, 06.02

 D6666-04(2009) Guide for Evaluation of Aqueous Polymer Quenchants, 05.03
- D6667-10 Test Method for Determination of Total Volatile Sulfur in Gaseous Hydrocarbons and Liquefied Petroleum Gases by Ultraviolet Fluorescence, **05.03**
- D6668-01(2010) Test Method for Discrimination Between Flammability Ratings of F = 0 and F = 1, **05.03**
- D6669-12 Practice for Selecting and Constructing Exposure Scenarios for Assessment of Exposures to Alkyd and Latex Interior Paints, 11.07
- D6670-13 Practice for Full-Scale Chamber Determination of Volatile Organic Emissions from Indoor Materials/Products, 11.07
- D6671/D6671M-13 Test Method for Mixed Mode I-Mode II Interlaminar Fracture Toughness of Unidirectional Fiber Reinforced Polymer Matrix Composites, 15.03
- D6672-08 Practice for Formatting Cutting Data to Drive Numerically Controlled Fabric Cutting Machines, 07.02
- D6673-10 Practice for Sewn Products Pattern Data Interchange—Data Format. 07.02
- D6674-01(2013) Guide for Proficiency Test Program for Fabrics, 07.02
 D6675-01(2011) Practice for Salt-Accelerated Outdoor Cosmetic Corrosion
 Testing of Organic Coatings on Automotive Sheet Steel, 06.01
- D6676 Withdrawn 2010; test Method for Cathodic Disbonding of Exterior
 Pipeline Coatings at Elevated Temperatures Using Interior Heating
 D6676/D6676M-13 Test Method for Cathodic Disbonding of Exterior Pipeline
- Coatings at Elevated Temperatures Using Interior Heating, 06.02
- D6677-07(2012) Test Method for Evaluating Adhesion by Knife, 06.02
- D6678 Not Assigned
- D6679 Not Assigned D6680 Not Assigned
- D6681-13 Test Method for Evaluation of Engine Oils in a High Speed, Single-Cylinder Diesel Engine—Caterpillar 1P Test Procedure, 05.03
- D6682-08 Test Method for Measuring Shear Stresses of Powders Using Peschl Rotational Split Level Shear Tester, 04.09
- D6683-08 Test Method for Measuring Bulk Density Values of Powders and Other Bulk Solids as Function of Compressive Stress, 04.09
- D6684-04(2010) Specification for Materials and Manufacture of Articulating
 Concrete Block (ACB) Revetment Systems, 04.09
 D6685-01(2008) Guide for the Selection of Test Methods for Fabrics Used for
- Fabric Formed Concrete (FFC), 04.09
- D6686-01(2013) Test Method for Evaluation of Tannin Stain Resistance of Coatings, 06.02
- D6687-07(2013) Guide for Testing Printing Ink Vehicles and Components Thereof, 06.03
- D6688-11 Practice for Relative Resistance of Printed Matter to Liquid Chemicals by a Sandwich Technique, 06.02
- D6689-01(2011) Guide for Optimizing, Controlling and Reporting Test Method Uncertainties from Multiple Workstations in the Same Laboratory Organization, 11.01

 D6690-12 Specification for Joint and Crack Sealants, Hot Applied, for
- Concrete and Asphalt Pavements, 04.03
 D6691-09 Test Method for Determining Aerobic Biodegradation of Plastic
- Materials in the Marine Environment by a Defined Microbial Consortium or Natural Sea Water Inoculum, 08.03
- D6692 Withdrawn 2010; Test Method for Determining the Biodegradability of Radiolabeled Polymeric Plastic Materials in Seawater
- D6693-04(2010) Test Method for Determining Tensile Properties of Nonreinforced Polyethylene and Nonreinforced Flexible Polypropylene
- Geomembranes, 04.13

 D6694/D6694M-08(2013)^{c1} Specification for Liquid-Applied Silicone Coating
 Used in Spray Polyurethane Foam Roofing Systems, 04.04

 D6695-08 Practice for Xenon-Arc Exposures of Paint and Related Coatings,
- 06.01
- D6696-14 Guide for Understanding Cyanide Species, 11.02 D6697 Withdrawn 2010; Test Method for Determination for Chemical Oxygen
- Demand (Manganese III Oxygen Demand) of Water D6698-12 Test Method for On-Line Measurement of Turbidity Below 5 NTU in
- Water, 11.01
- Volter, 11.01

 D6699-01(2010) Practice for Sampling Liquids Using Bailers, 11.04

 D6700-01(2013) Practice for Use of Scrap Tire-Derived Fuel, 11.04

 D6701 Withdrawn 2008; Test Method for Determining Water Vapor Transmission Rates Through Nonwoven and Plastic Barriers
- D6702 Withdrawn 2008; Test Method for Determining the Dynamic Wiping Efficiency of Nonwoven Fabrics Not Used in Cleanrooms
- D6703-13 Test Method for Automated Heithaus Titrimetry, 04.03

D6704 D6793

- D6704-08 Test Method for Determining the Workability of Asphalt Cold Mix
- Patching Material, 04.03

 D6705/D6705M-04(2011)^{c1} Guide for Repair and Recoat of Spray Polyure-thane Foam Roofing Systems, 04.04
- D6706-01(2013) Test Method for Measuring Geosynthetic Pullout Resistance in Soil, 04.13
- D6707-06(2011) Specification for Circular-Knit Geotextile for Use in Subsurface Drainage Applications, 04.13
 D6708-13 Practice for Statistical Assessment and Improvement of Expected
- Agreement Between Two Test Methods that Purport to Measure the Same Property of a Material, 05.03
- **D6709-13** Test Method for Evaluation of Automotive Engine Oils in the Sequence VIII Spark-Ignition Engine (CLR Oil Test Engine), 05.03
- D6710-02(2012) Guide for Evaluation of Hydrocarbon-Based Quench Oil, 05.03
- D6711-01(2008) Practice for Specifying Rock to Fill Gabions, Revet Mattresses, and Gabion Mattresses, 04.09
- 2-01(2009) Specification for Ultra-High-Molecular-Weight Polyethylene (UHMW-PE) Solid Plastic Shapes, 08.03 D6712-01(2009)
- D6713-01(2009) Specification for Extruded and Compression Molded Shapes Made from Poly(Vinylidene Fluoride) (PVDF), 08.03
 D6714-01(2010)^{€1} Test Method for Chromic Oxide in Ashed Wet Blue
- (Perchloric Acid Oxidation), 15.04
- D6715-13 Practice for Sampling and Preparation of Fresh or Salt-Preserved (Cured) Hides and Skins for Chemical and Physical Tests, 15.04
- D6716-08(2013) Test Method for Total Ash in Wet Blue or Wet White, 15.04 D6717-07(2012) Test Method for Linear Density of Elastomeric Yarns (Skein
- Specimens), 07.02 D6718 Withdrawn 2011; Practice for Writing Committee D13 Standards
- D6719-12 Guide for Standard Test Methods and Practices for Evaluating Pile Yarn Floor Covering, 07.02
 D6720-07(2012) Test Method for Evaluation of Recoverable Stretch of Stretch Yarns (Skein Method), 07.02
 D6721-07(2012) Test Method for Evaluation of Chloring in Coal by
- D6721-01(2006) Test Method for Determination of Chlorine in Coal by Oxidative Hydrolysis Microcoulometry, 05.06
- D6722-11 Test Method for Total Mercury in Coal and Coal Combustion Residues by Direct Combustion Analysis, 05.06
- D6723-12 Test Method for Determining the Fracture Properties of Asphalt Binder in Direct Tension (DT), 04.03
- D6724-04(2010) Guide for Installation of Direct Push Groundwater Monitoring Wells, **04.09**
- D6725-04(2010) Practice for Direct Push Installation of Prepacked Screen Monitoring Wells in Unconsolidated Aquifers, 04.09
 D6726-01(2007) Guide for Conducting Borehole Geophysical Logging—
- Electromagnetic Induction, **04.09**
- D6727-01(2007) Guide for Conducting Borehole Geophysical Logging— Neutron, 04.09
- D6728-11 Test Method for Determination of Contaminants in Gas Turbine and Diesel Engine Fuel by Rotating Disc Electrode Atomic Emission Spectrometry, 05.03
- D6729-04(2009) Test Method for Determination of Individual Components in Spark Ignition Engine Fuels by 100 Metre Capillary High Resolution Gas Chromatography, 05.03
- D6730-01(2011) Test Method for Determination of Individual Components in Spark Ignition Engine Fuels by 100-Metre Capillary (with Precolumn)
 High-Resolution Gas Chromatography, **05.03 D6731-01(2011)** Test Method for Determining the Aerobic, Aquatic
 Biodegradability of Lubricants or Lubricant Components in a Closed
- Respirometer, 05.03
- D6732-04(2010) Test Method for Determination of Copper in Jet Fuels by Graphite Furnace Atomic Absorption Spectrometry, 05.03
- D6733-01(2011) Test Method for Determination of Individual Components in Spark Ignition Engine Fuels by 50-Metre Capillary High Resolution Gas Chromatography, **05.03 D6734-01(2009)** Test Method for Low Levels of Coliphages in Water, **11.02 D6735-01(2009)** Test Method for Measurement of Gaseous Chlorides and
- Fluorides from Mineral Calcining Exhaust Sources-Impinger Method,
- D6736-08(2013) Test Method for Burnish Resistance of Latex Paints, 06.02 D6737-12 Test Method for Bulk Density of Tapered Paintbrush Filaments, 06.02
- D6738-11 Test Method for Precipitated Silica—Volatile Content, 09.01
- D6739-11
- Test Method for Silica—pH Value, 09.01
 Test Method for Silica—pH Value, 09.01
 Test Method for Silanes Used in Rubber Formulations, 09.01 D6740-10 Test Methods for Silanes Used in Rubber Formulations, 09.01
- D6742/D6742M-12 Practice for Filled-Hole Tension and Compression Testing of Polymer Matrix Composite Laminates, 15.03
 3-11 Test Method for Thermal Stability of Organic Heat Transfer Fluids,
- D6743-11 05.03
- D6744-06(2011)^{€1} Test Method for Determination of the Thermal Conductivity of Anode Carbons by the Guarded Heat Flow Meter Technique, 05.03
- D6745-11 Test Method for Linear Thermal Expansion of Electrode Carbons, 05.03 D6746-10 Test Method for Determination of Green Strength and Stress
- Relaxation of Raw Rubber or Unvulcanized Compounds, 09.01
- D6747-12 Guide for Selection of Techniques for Electrical Detection of Leaks in Geomembranes, 04.13
- D6748-02a(2012) Test Method for Determination of Potential Instability of Middle Distillate Fuels Caused by the Presence of Phenalenes and Phenalenones (Rapid Method by Portable Spectrophotometer), 05.03

- D6749-02(2012) Test Method for Pour Point of Petroleum Products (Automatic Air Pressure Method), 05.03
- D6750-13 Test Methods for Evaluation of Engine Oils in a High-Speed, Single-Cylinder Diesel Engine-1K Procedure (0.4 % Fuel Sulfur) and 1N Procedure (0.04 % Fuel Sulfur), 05.03
- D6751-12 Specification for Biodiesel Fuel Blend Stock (B100) for Middle Distillate Fuels, 05.03
- D6752/D6752M-11 Test Method for Bulk Specific Gravity and Density of Compacted Bituminous Mixtures Using Automatic Vacuum Sealing Method 04.03
- D6753/D6753M-02(2009) Specification for Coal Tar Adhesive, 04.04 D6754/D6754M-10 Specification for Ketone Ethylene Ester Based Sheet Roofing, 04.04

 D6756-10 Test Method for Determination of the Red Dye Concentration and
- Estimation of the ASTM Color of Diesel Fuel and Heating Oil Using a Portable Visible Spectrophotometer, 05.03
- D6757-07(2013) Specification for Underlayment Felt Containing Inorganic Fibers Used in Steep-Slope Roofing, 04.04
- D6758-08 Test Method for Measuring Stiffness and Apparent Modulus of Soil and Soil-Aggregate In-Place by Electro-Mechanical Method, 04.09
- D6759-09 Practice for Sampling Liquids Using Grab and Discrete Depth Samplers, 11.04
- D6760-08 Test Method for Integrity Testing of Concrete Deep Foundations by Ultrasonic Crosshole Testing, 04.09
 D6761-07(2012) Test Method for Determination of the Total Pore Volume of
- Catalysts and Catalyst Carriers, 05.05

 D6762-02a(2009)^{c1} Test Method for Determining the Hiding Power of Paint by Visual Evaluation of Spray Applied Coatings, 06.01
- D6763-08 Guide for Testing Exterior Wood Stains and Clear Water Repellents, 06.02
- D6764-02(2013) Guide for Collection of Water Temperature, Dissolved-Oxygen Concentrations, Specific Electrical Conductance, and pH Data from Open Channels, 11.01
- D6765-13 Practice for Live Staking, 04.09
 D6766-12 Test Method for Evaluation of Hydraulic Properties of Geosynthetic Clay Liners Permeated with Potentially Incompatible Aqueous Solutions, 04.13
- D6767-11 Test Method for Pore Size Characteristics of Geotextiles by Capillary Flow Test, 04.13
- D6768-04(2009) Test Method for Tensile Strength of Geosynthetic Clay Liners,
- D6769/D6769M-02(2010)^{c1} Guide for Application of Fully Adhered,
 Cold-Applied, Prefabricated Reinforced Modified Bituminous Membrane
- Waterproofing Systems, 04.04
 D6770-07(2011) Test Method for Abrasion Resistance of Textile Webbing (Hex Bar Method), 07.02
- D6771 Withdrawn 2011; Practice for Low-Flow Purging and Sampling for Wells and Devices Used for Ground-Water Quality Investigations
- D6772-02(2007) Test Method for Dimensional Stability of Sandwich Core Materials, 15.03
- D6773-08 Test Method for Bulk Solids Using Schulze Ring Shear Tester, 04.09 D6774-02(2010) Test Method for Crimp and Shrinkage Properties for Textured Yarns Using a Dynamic Textured Yarn Tester, 07.02
 D6775-13 Test Method for Breaking Strength and Elongation of Textile
- Webbing, Tape and Braided Material, **07.02**D6776 Withdrawn 2012; Test Method for Determining Anaerobic Biodegradability of Radiolabeled Plastic Materials in a Laboratory-Scale Simulated Landfill Environment
- D6777-02(2010)^{c1} Test Method for Relative Rigidity of Poly(Vinyl Chloride)(PVC) Siding, 08.03
- D6778-12 Classification System and Basis for Specification for Polyoxymethylene Molding and Extrusion Materials (POM), 08.03
- D6779-12a Classification System for and Basis of Specification for Polyamide Molding and Extrusion Materials (PA), 08.03
 D6780/D6780M-12 Test Method for Water Content and Density of Soil In situ by Time Domain Reflectometry (TDR), 04.09
- D6781-02(2007) Guide for Carbon Reactivation, 15.01
 D6782-13 Test Methods for Standardization and Calibration of In-Line Dry Lumber Moisture Meters, 04.10
- D6783-05(2011) Specification for Polymer Concrete Pipe, 08.03
 D6784-02(2008) Test Method for Elemental, Oxidized, Particle-Bound and
- Total Mercury in Flue Gas Generated from Coal-Fired Stationary Sources (Ontario Hydro Method), 11.07
- **D6785-13** Test Method for Determination of Lead in Workplace Air Using Flame or Graphite Furnace Atomic Absorption Spectrometry, 11.07
- D6786-08 Test Method for Particle Count in Mineral Insulating Oil Using
- Automatic Optical Particle Counters, 10.03

 D6787/D6787M-02(2012)⁻¹ Specification for Repositionable Note Pad, 15.10

 D6788-02(2012) Specification for Repositionable Pressure-Sensitive Flags, 15.10
- D6789 Withdrawn 2011; Test Method for Accelerated Light Aging of Printing and Writing Paper by Xenon-Arc Exposure Apparatus

 D6790/D6790M-14 Test Method for Determining Poisson's Ratio of Honeycomb Cores, 15.03

 D6791-11 Test Method for Determination of Grain Stability of Calcined
- Petroleum Coke, 05.03
- D6792-13 Practice for Quality System in Petroleum Products and Lubricants Testing Laboratories, 05.03
 D6793-02(2012) Test Method for Determination of Isothermal Secant and
- Tangent Bulk Modulus, 05.03

D6794 D6890

- D6794-13 Test Method for Measuring the Effect on Filterability of Engine Oils After Treatment with Various Amounts of Water and a Long (6 h) Heating Time, 05.03
- 5-13 Test Method for Measuring the Effect on Filterability of Engine Oils After Treatment with Water and Dry Ice and a Short (30 min) Heating D6795-13 Time, **05.03**
- D6796-02(2008) Practice for Production of Coal, Coke and Coal Combustion
- D6796-02(2008) Practice for Production of Coal, Coke and Coal Combustion Samples for Interlaboratory Studies, 05.06
 D6797-07(2011) Test Method for Bursting Strength of Fabrics Constant-Rate-of-Extension (CRE) Ball Burst Test, 07.02
 D6798-02(2013)^{c1} Terminology Relating to Flax and Linen, 07.02
 D6799-13 Terminology Relating to Inflatable Restraints, 07.02
 D6800-12 Practice for Preparation of Water Samples Using Reductive
- Precipitation Preconcentration Technique for ICP-MS Analysis of Trace Metals, 11.02
- D6801-07 Test Method for Measuring Maximum Spontaneous Heating Temperature of Art and Other Materials, 06.02
- D6802-02(2010) Test Method for Determination of the Relative Content Of Dissolved Decay Products in Mineral Insulating Oils by Spectrophotometry, 10.03
- D6803-13 Practice for Testing and Sampling of Volatile Organic Compounds (Including Carbonyl Compounds) Emitted from Paint Using Small Environmental Chambers, 11.07
- D6804-02(2011) Guide for Hand Hole Design in Corrugated Boxes, 15.10 D6805-02(2008) Practice for Infrared (IR) Procedure for Determination of Aromatic/ Aliphatic Ratio of Bituminous Emulsions, 04.04
- D6806-02(2012) Practice for Analysis of Halogenated Organic Solvents and Their Admixtures by Gas Chromatography, 15.05
- D6807-02(2009) Test Method for Operating Performance of Continuous Electrodeionization Systems on Reverse Osmosis Permeates from, 11.02
- D6808-02(2012) Practice for Competency Requirements of Reference Material Producers for Water Analysis, 11.01
 D6809-02(2012) Guide for Quality Control and Quality Assurance Procedures
- for Aromatic Hydrocarbons and Related Materials, 06.04

 D6810-13 Test Method for Measurement of Hindered Phenolic Antioxidant Content in Non-Zinc Turbine Oils by Linear Sweep Voltammetry, 05.03
- D6811 Withdrawn 2013; Test Method for Measurement of Thermal Stability of Aviation Turbine Fuels under Turbulent Flow Conditions (HiReTS Method)
- D6812-04a(2010) Practice for Ground-Based Octane Rating Procedures for Turbocharged/Supercharged Spark Ignition Aircraft Engines, 05.03
- D6813-02a(2013) Guide for Performance Evaluation of Hydraulic Fluids for Piston Pumps, 05.03
- D6814-02(2013) Test Method for Determination of Percent Devulcanization of Crumb Rubber Based on Crosslink Density, 09.01
- **D6815-09** Specification for Evaluation of Duration of Load and Creep Effects of Wood and Wood-Based Products, 04.10
- D6816-11 Practice for Determining Low-Temperature Performance Grade (PG) of Asphalt Binders, 04.03
- D6817/D6817M-13a Specification for Rigid Cellular Polystyrene Geofoam, 04.13
- D6818-02(2009) Test Method for Ultimate Tensile Properties of Turf Reinforcement Mats, 04.13
- D6819 Withdrawn 2011; Test Method for Accelerated Temperature Aging of Printing and Writing Paper by Dry Oven Exposure Apparatus

 D6820-02(2007) Guide for Use of the Time Domain Electromagnetic Method for Subsurface Investigation, 04.09

 D6821-12 Test Method for Low Temperature Viscosity of Drive Line Lubricants in Constant Shear Street Viscometer 05.03
- in a Constant Shear Stress Viscometer, 05.03
- D6822-12b Test Method for Density, Relative Density, and API Gravity of Crude Petroleum and Liquid Petroleum Products by Thermohydrometer Method, **05.03**
- D6823-08(2013) Specification for Commercial Boiler Fuels With Used Lubricating Oils, 05.03
 D6824-13^{c1} Test Method for Determining Filterability of Aviation Turbin
- Test Method for Determining Filterability of Aviation Turbine Fuel, 05.03
- D6825-02(2008)⁶¹ Guide for Placement of Riprap Revetments, 04.09 D6826-05(2014)^{c1} Specification for Sprayed Slurries, Foams and Indigenous Materials Used As Alternative Daily Cover for Municipal Solid Waste Landfills, 04.13
- D6827-02(2008) Test Method for Zinc Analysis of Floor Polishes and Floor
- Polish Polymers By Flame Atomic Absorption (A.A.), **15.04 D6828-02(2011)** Test Method for Stiffness of Fabric by Blade/Slot Procedure, 07.02
- D6829-02(2008) Tables of Body Measurements for Juniors, Sizes 0 to 19, 07.02 D6830-02(2008) Test Method for Characterizing the Pressure Drop and
- Filtration Performance of Cleanable Filter Media, 11.07
- D6831-11 Test Method for Sampling and Determining Particulate Matter in Stack Gases Using an In-Stack, Inertial Microbalance, 11.07
 D6832-13^{c1} Test Method for the Determination of Hexavalent Chromium in
- Workplace Air by Ion Chromatography and Spectrophotometric Measurement Using 1,5-diphenylcarbazide, 11.07

 D6833 Withdrawn 2011; Test Method for Accelerated Pollutant Aging of
- Printing and Writing Paper by Pollution Chamber Exposure Apparatus
- D6834-02(2008) Test Method for Determining Product Leakage from a Package with a Mechanical Pump Dispenser, 15.10
 D6835-08(2014) Classification System for Thermoplastic Elastomer-Ether-Ester Molding and Extrusion Materials (TEEE), 08.03
 D6836-02(2008)^{c2} Test Methods for Determination of the Soil Water
- Characteristic Curve for Desorption Using Hanging Column, Pressure

Extractor, Chilled Mirror Hygrometer, or Centrifuge, 04.09

- D6837-13 Test Method for Measurement of Effects of Automotive Engine Oils on Fuel Economy of Passenger Cars and Light-Duty Trucks in Sequence VIB Spark Ignition Engine, 05.03
 8-04(2010) Test Method for Cummins M11 High Soot Test, 05.03
- D6838-04(2010) Test Method for Cummins M11 High Soot Test, 05.03
 D6839-13 Test Method for Hydrocarbon Types, Oxygenated Compounds, and Benzene in Spark Ignition Engine Fuels by Gas Chromatography, 05.03
- D6840-02(2013) Test Method for Effect of Drycleaning on Buttons, 07.02 D6841-08 Practice for Calculating Design Value Treatment Adjustment Factors for Fire-Retardant-Treated Lumber, 04.10
- D6842-02(2007) Guide for Designing Cost-Effective Sampling and Measurement Plans by Use of Estimated Uncertainty and Its Components
- in Waste Management Decision-Making, 11.04
 3-10 Test Method for Silanes Used in Rubber Formulations, 09.01
 4-10 Test Method for Silanes Used in Rubber Formulations, 09.01 D6843-10 D6844-10
- D6845-12 Test Method for Silica, Precipitated, Hydrated—CTAB (Cetyltrimeth-
- vlammonium Bromide) Surface Area. 09.01
- D6846-02(2012) Practice for Preparing Prints of Paste Printing Inks with a Printing Gage, 06.02
- D6847 Withdrawn 2010; Test Method for Quantitative Extraction and Recovery of Asphalt Binder from Asphalt Mixtures
- D6848 Withdrawn 2011; Specification for Aluminum Pigmented Emulsified Asphalt Used as a Protective Coating for Roofing
- D6849-13 Practice for Storage and Use of Liquefied Petroleum Gases (LPG) in Sample Cylinders for LPG Test Methods, 05.03
- D6850-13 Guide for QC of Screening Methods in Water, 11.02
- D6851-02(2011) Test Method for Determination of Contact pH with Activated Carbon, **15.01**
- D6852 Withdrawn 2011; Guide for Determination of Biobased Content, Resources Consumption, and Environmental Profile of Materials and **Products**
- D6854-12a Test Method for Silica-Oil Absorption Number, 09.01
 D6855-12 Test Method for Determination of Turbidity Below 5 NTU in Static Mode 11.01
- D6856/D6856M-03(2008)^{c1} Guide for Testing Fabric-Reinforced Textile Composite Materials, 15.03

 D6857/D6857M-11 Test Method for Maximum Specific Gravity and Density of
- Bituminous Paving Mixtures Using Automatic Vacuum Sealing Method,
- D6859-11 Test Method for Pile Thickness of Finished Level Pile Yarn Floor Coverings, 07.02
- D6860/D6860M-13 Tables of Body Measurements for Boys, Sizes 4H to 20H Husky, 07.02
- Test Method for 90 Degree Peel Resistance of Adhesives, 15.06 Specification for Color and Appearance Retention of Solid Colored Plastic Siding Products, 08.03
- D6865-11 Classification System and Basis for Specifications for Acrylonitrile-Styrene-Acrylate (ASA) and Acrylonitrile-EPDM-Styrene (AES) Plastics and Alloys Molding and Extrusion Materials, 08.03
- D6866-12 Test Methods for Determining the Biobased Content of Solid, Liquid, and Gaseous Samples Using Radiocarbon Analysis, 08.03

 D6867-03(2009) Specification for Perfluoroalkoxy (PFA)-Fluoropolymer Tubing,
- 08.03
- D6868-11 Specification for Labeling of End Items that Incorporate Plastics and Polymers as Coatings or Additives with Paper and Other Substrates Designed to be Aerobically Composted in Municipal or Industrial Facilities,
- D6869-03(2011) Test Method for Coulometric and Volumetric Determination of Moisture in Plastics Using the Karl Fischer Reaction (the Reaction of lodine with Water), 08.03
- D6871-03(2008) Specification for Natural (Vegetable Oil) Ester Fluids Used in
- Electrical Apparatus, 10.03

 D6873/D6873M-08 Practice for Bearing Fatigue Response of Polymer Matrix Composite Laminates, 15.03
- D6874-12 Test Methods for Nondestructive Evaluation of Wood-Based Flexural Members Using Transverse Vibration, **04.10 D6875-12** Test Method for Solidification Point of Industrial Organic Chemicals
- by Thermistor, 06.04
- D6877-13^{c1} Test Method for Monitoring Diesel Particulate Exhaust in the Workplace, 11.07
- D6878/D6878M-13 Specification for Thermoplastic Polyolefin Based Sheet Roofing, **04.04**
- D6880/D6880M-11 Specification for Wood Boxes, 15.10
 D6881/D6881M-03(2013) Classification for Standard Plastics Industry Bulk Box/Pallet Unit Size Classified By Bulk Density, 15.10
 D6883-04(2012) Practice for Manual Sampling of Stationary Coal from Railroad Cars, Barges, Trucks, or Stockpiles, 05.06
- D6884-03(2010) Practice for Installation of Articulating Concrete Block (ACB) Revetment Systems, 04.09
- D6886-12 Test Method for Determination of the Individual Volatile Organic Compounds (VOCs) in Air-Dry Coatings by Gas Chromatography, 06.01
- Compounds (Vocs) in Air-Dry Coalings by Gas Chromatography, **06.01 D6887-03(2013)** Test Method for Testing Alkyd Compatibility with Resin or Resin Solutions, **06.03 D6888-09** Test Method for Available Cyanide with Ligand Displacement and Flow Injection Analysis (FIA) Utilizing Gas Diffusion Separation and Amperometric Detection, **11.02 D6889-03(2011)** Practice for Fast Screening for Volatile Organic Compounds in Water Using Solid Phase Microextraction (SPME), **11.02 D689-03(2013)** Test Method for Determining the Profit of Profit of
- D6890-13b Test Method for Determination of Ignition Delay and Derived

D6890 D6991

- Cetane Number (DCN) of Diesel Fuel Oils by Combustion in a Constant Volume Chamber, 05.05
- D6891-13a Test Method for Evaluation of Automotive Engine Oils in the Sequence IVA Spark-Ignition Engine, 05.03
- D6892-03(2008) Test Method for Pour Point of Petroleum Products (Robotic Tilt Method), 05.03
- D6894-13 Test Method for Evaluation of Aeration Resistance of Engine Oils in
- Direct-Injected Turbocharged Automotive Diesel Engine, 05.03

 D6895-06(2012) Test Method for Rotational Viscosity of Heavy Duty Diesel Drain Oils at 100°C, 05.03

 D6896-12 Test Method for Determination of Yield Stress and Apparent
- Viscosity of Used Engine Oils at Low Temperature, 05.03

 D6897-09 Test Method for Vapor Pressure of Liquefied Petroleum Gases
- (LPG) (Expansion Method), 05.03
- D6898-03(2010) Test Method for Evaluating Diesel Fuel Lubricity by an Injection Pump Rig, 05.03
- D6899 Withdrawn 2010; Guide for Laboratory Cyclic Corrosion Testing of Automotive Painted Steel
- D6900-10 Test Method for Wet Adhesion of Latex Paints to a Gloss Alkyd Enamel Substrate, 06.02
- D6901-06 Specification for Artists' Colored Pencils, 06.02
- D6902-04(2011) Test Method for Laboratory Measurement of Formaldehyde Evolved During the Curing of Melamine-Formaldehyde-Based Coatings, 06.01
- D6903-07(2013) Test Method for Determination of Organic Biocide Release Rate From Antifouling Coatings in Substitute Ocean Water, 06.02
- D6904-03(2013) Practice for Resistance to Wind-Driven Rain for Exterior Coatings Applied on Masonry, 06.02
- D6905-03(2012) Test Method for Impact Flexibility of Organic Coatings, 06.01
 D6906-12a Test Method for Determination of Titanium Treatment Weight on Metal Substrates by Wavelength Dispersive X-Ray Fluorescence, 06.02
 D6907-05(2010) Practice for Sampling Soils and Contaminated Media with Hand-Operated Bucket Augers, 11.04
 D6908-06(2010) Practice for Integrity Testing of Water Filtration Membrane Systems, 11.02

- D6909-10 Specification for High Temperature and Acid-Resistant Fluorocarbon Terpolymer Elastomer, 09.02
- D6910/D6910M-09 Test Method for Marsh Funnel Viscosity of Clay Construction Slurries, 04.09
- D6911-03(2010) Guide for Packaging and Shipping Environmental Samples for Laboratory Analysis, 04.09
- D6913-04(2009) Test Methods for Particle-Size Distribution (Gradation) of Soils Using Sieve Analysis, 04.09
 D6914-04(2010) Practice for Sonic Drilling for Site Characterization and the Installation of Subsurface Monitoring Devices, 04.09
 D6915-12 Practice for Carbon Black—Evaluation of Standard Reference

- Blacks, 09.01 D6916-06c(2011) Test Method for Determining the Shear Strength Between Segmental Concrete Units (Modular Concrete Blocks), 04.13
- D6917-03(2011) Guide for Selection of Test Methods for Prefabricated Vertical Drains (PVD), 04.13
- D6918-09(2014)⁶¹ Test Method for Testing Vertical Strip Drains in the Crimped Condition, 04.13
- D6919-09 Test Method for Determination of Dissolved Alkali and Alkaline Earth Cations and Ammonium in Water and Wastewater by Ion Chromatography, 11.02
 D6920-13 Test Method for Total Sulfur in Naphthas, Distillates, Reformulated
- Gasolines, Diesels, Biodiesels, and Motor Fuels by Oxidative Combustion and Electrochemical Detection, 05.03
- D6922-13 Test Method for Determination of Homogeneity and Miscibility in Automotive Engine Oils, 05.03
- D6923-13 Test Method for Evaluation of Engine Oils in a High Speed, Single-Cylinder Diesel Engine—Caterpillar 1R Test Procedure, 05.03
 D6924-03(2012) Specification for Preformed Thermoplastic Vulcanizate Elastomeric Joint Seals for Bridges, 04.03
 D6925-09 Test Method for Preparation and Determination of the Relative
- Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor, 04.03
- D6926-10 Practice for Preparation of Bituminous Specimens Using Marshall Apparatus, 04.03
- D6927-06 Test Method for Marshall Stability and Flow of Bituminous Mixtures, 04.03
- D6928-10 Test Method for Resistance of Coarse Aggregate to Degradation by Abrasion in the Micro-Deval Apparatus, 04.03
- D6929-10 Practice for Freezing of Emulsified Asphalts, 04.03
- D6930-10 Test Method for Settlement and Storage Stability of Emulsified Asphalts, 04.03
- D6931-12 Test Method for Indirect Tensile (IDT) Strength of Bituminous Mixtures, 04.03

 D6932/D6932M-08(2013) Guide for Materials and Construction of Open-
- Graded Friction Course Plant Mixtures, 04.03
- D6933-13 Test Method for Oversized Particles in Emulsified Asphalts (Sieve Test), 04.03
- D6934-08 Test Method for Residue by Evaporation of Emulsified Asphalt, 04.03
- D6935-11 Test Method for Determining Cement Mixing of Emulsified Asphalt, 04.03
- D6936-09 Test Method for Determining Demulsibility of Emulsified Asphalt, 04.03
- D6937-08 Test Method for Determining Density of Emulsified Asphalt, 04.03

- D6938-10 Test Method for In-Place Density and Water Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth), 04.09
 D6940-10 Practice for Measuring Sifting Segregation Tendencies of Bulk
- Solids, 04.09
- D6941-12 Practice for Measuring Fluidization Segregation Tendencies of Powders, **04.09**
- D6942-03(2012) Test Method for Stability of Cellulose Fibers in Alkaline Environments, 06.03
- D6943-10 Practice for Immersion Testing of Industrial Protective Coatings, 06.02
- D6944-09 Practice for Resistance of Cured Coatings to Thermal Cycling, 06.02
- D6945/D6945M-03(2011)^{€1} Specification for Emulsified Refined Coal-Tar (Ready to Use, Commercial Grade), 04.04
- D6946 Withdrawn 2012; Specification for Emulsified Refined Coal-Tar (Driveway Sealer, Ready to Use, Primarily Residential Grade)
- D6946/D6946M-13^{c1} Specification for Emulsified Refined Coal-Tar (Driveway Sealer, Ready to Use, Primarily Residential Grade), 04.04
 D6947/D6947M-07(2013)^{c1} Specification for Liquid Applied Moisture Cured
- Polyurethane Coating Used in Spray Polyurethane Foam Roofing System, 04.04
- D6948/D6948M-03(2011)^{c1} Practice for Application of Refined Coal Tar (Ready to Use, Commercial Grade), 04.04
- D6950/D6950M-04(2012)^{c1} Practice for Application of Heat Weldable Atactic Polypropylene (APP) Modified Bituminous Waterproofing Membranes Systems for New Building Decks, 04.04
- D6951/D6951M-09 Test Method for Use of the Dynamic Cone Penetrometer in Shallow Pavement Applications, 04.03
- D6953-11 Test Method for Determination of Antioxidants and Erucamide Slip
- Additives in Polyethylene Using Liquid Chromatography (LC), 08.03

 D6954-04(2013) Guide for Exposing and Testing Plastics that Degrade in the Environment by a Combination of Oxidation and Biodegradation, 08.03

 D6956-11 Guide for Demonstrating and Assessing Whether a Chemical
- Analytical Measurement System Provides Analytical Results Consistent with Their Intended Use, 11.04
- D6957-12 Practice for Measuring Curl in Paint Brush Filling Material, 06.02 D6958-03(2009) Test Methods for Evaluating Side-Bonding Potential of Wood Coatings, 04.10
- D6959-08 Practice for Data Exchange Format for Sewn Product Plotting Devices, 07.02
- D6960 Withdrawn 2013; Table of Body Measurments Relating to Women's
- Plus Size Figure Type, Sizes 14W-32W

 D6961/D6961M-09 Test Method for Color Measurement of Flax Fiber, 07.02

 D6962-12 Practice for Operation of a Roller Chair Tester for Pile Yarn Floor Coverings, 07.02
- D6963-13 Terminology Relating to Sewn Products Automation, 07.02
 D6966-13 Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Determination of Metals, 11.07
- D6968-03(2009) Test Method for Simultaneous Measurement of Sulfur Compounds and Minor Hydrocarbons in Natural Gas and Gaseous Fuels by Gas Chromatography and Atomic Emission Detection, 05.06
- D6969-03(2008) Practice for Preparation of Calcined Petroleum Coke
- Samples for Analysis, 05.03

 D6970-03(2013)^{c1} Practice for Collection of Calcined Petroleum Coke
 Samples for Analysis, 05.03

 D6971-09 Test Method for Measurement of Hindered Phenolic and Aromatic
- Amine Antioxidant Content in Non-zinc Turbine Oils by Linear Sweep Voltammetry, 05.03
- D6973-08^{€1} Test Method for Indicating Wear Characteristics of Petroleum Hydraulic Fluids in a High Pressure Constant Volume Vane Pump, 05.04 D6974-09(2013) Practice for Enumeration of Viable Bacteria and Fungi in
- Liquid Fuels—Filtration and Culture Procedures, **05.04 D6975-04(2010)** Test Method for Cummins M11 EGR Test, **05.04**
- D6976-13 Specification for Rubber Contraceptives—Vaginal Diaphragms, 09.02
- D6977-04(2010) Specification for Polychloroprene Examination Gloves for Medical Application, 09.02
- D6978-05(2013) Practice for Assessment of Resistance of Medical Gloves to Permeation by Chemotherapy Drugs, 09.02
- D6979-13 Test Method for Polyurethane Raw Materials: Determination of Basicity in Polyols, Expressed as Percent Nitrogen, 08.03
- D6980-12 Test Method for Determination of Moisture in Plastics by Loss in Weight, 08.03 D6982-09 Practice for Detecting Hot Spots Using Point-Net (Grid) Search
- Patterns, 11.04 D6984-13 Test Method for Evaluation of Automotive Engine Oils in the
- Sequence IIIF, Spark-Ignition Engine, 05.04

 D6985 Withdrawn 2010; Specification for Middle Distillate Fuel Oil—Military
- Marine Applications

 D6986-03(2010) Test Method for Free Water, Particulate and Other
- Contamination in Aviation Fuels (Visual Inspection Procedures), **05.04** D6987/D6987M-13a Test Method for Evaluation of Diesel Engine Oils in T-10
- Exhaust Gas Recirculation Diesel Engine, 05.04 D6988-13 Guide for Determination of Thickness of Plastic Film Test Specimens, 08.03
- D6989-03(2013) Practices for Preparation of Solvent and Water Based Ink Resin Solutions, 06.03
- D6990-05(2011) Practice for Evaluating Biofouling Resistance and Physical Performance of Marine Coating Systems, 06.02
 D6991-05(2010) Test Method for Measurements of Internal Stresses in

D6991 D7088

- Organic Coatings by Cantilever (Beam) Method, 06.01
- D6992-03(2009) Test Method for Accelerated Tensile Creep and Creep-Rupture of Geosynthetic Materials Based on Time-Temperature Superposition Using the Stepped Isothermal Method, 04.13
- D6994-10 Test Method for Determination of Metal Cyanide Complexes in Wastewater, Surface Water, Groundwater and Drinking Water Using Anion Exchange Chromatography with UV Detection, 11.02
- D6995-05(2013) Test Method for Determining Field VMA based on the Maximum Specific Gravity of the Mix (Gmm), 04.03
 D6997-12 Test Method for Distillation of Emulsified Asphalt, 04.03
- D6998-11 Practice for Evaluating Aggregate Coating using Emulsified Asphalts, 04.03
- D6999-12 Practice for Miscibility of Emulsified Asphalts, 04.03
- D7000-11 Test Method for Sweep Test of Bituminous Emulsion Surface Treatment Samples, 04.03
- D7001-06(2011) Specification for Geocomposites for Pavement Edge Drains and Other High-Flow Applications, 04.13
- D7002-10 Practice for Leak Location on Exposed Geomembranes Using the
- Water Puddle System, 04.13

 D7003/D7003M-03(2013)^{c1} Test Method for Strip Tensile Properties of Reinforced Geomembranes, 04.13

 D7004/D7004M-03(2013)^{c1} Test Method for Grab Tensile Properties of Tensile Properties Of
- Reinforced Geomembranes, 04.13
- D7005-03(2008) Test Method for Determining the Bond Strength (Ply
- Adhesion) of Geocomposites, 04.13 D7006-03(2013) Practice for Ultrasonic Testing of Geomembranes, 04.13
- D7007-09 Practices for Electrical Methods for Locating Leaks in Geomembranes Covered with Water or Earth Materials, 04.13
- D7008-08(2013) Specification for Geosynthetic Alternate Daily Covers, 04.13 D7011-10a Test Method for Determination of Trace Thiophene in Refined Benzene by Gas Chromatography and Sulfur Selective Detection, 06.04
- D7012-13 Test Methods for Compressive Strength and Elastic Moduli of Intact Rock Core Specimens under Varying States of Stress and Temperatures, 04.09
- D7013/D7013M-11 Guide for Calibration Facility Setup for Nuclear Surface Gauges, 04.09
- D7014-10 Practice for Assembly and Placement of Double-Twisted Wire Mesh Gabions and Revet Mattresses, 04.09
- D7015-13 Practices for Obtaining Intact Block (Cubical and Cylindrical)
- Samples of Soils, **04.09 D7016/D7016M-09**^{c1} Test Method to Evaluate Edge Binding Components
- Used in Mattresses After Exposure to An Open Flame, **07.02 D7017-14** Performance Specification for Rainwear and All-Purpose, Water-Repellent Coat Fabrics, **07.02**
- D7018/D7018M-12 Terminology Relating to Glass Fiber and Its Products, 07.02
- D7019-14 Performance Specification for Brassiere, Slip, Lingerie and Underwear Fabrics, 07.02
- D7020-14 Performance Specification for Woven Blouse, Dress, Dress Shirt & Sport Shirt Fabrics, 07.02
- D7021-14 Performance Specification for Bathrobe, Dressing Gown, Negligee, Nightgown, and Pajama Fabrics, **07.02 D7022-13**^{c1} Terminology Belating to Appare

- D7022-13^{c1} Terminology Relating to Apparel, 07.02
 D7023-06(2012) Terminology Relating to Home Furnishings, 07.02
 D7024 Withdrawn 2013; Test Method for Steady State and Dynamic Thermal Performance of Textile Materials
- D7025-09 Test Method for Assessing Clean Flax Fiber Fineness, 07.02 D7026-13 Guide for Sampling and Reporting of Results for Determination of
- Percent Biobased Content of Materials via Carbon Isotope Analysis, 08.03 D7027-13 Test Method for Evaluation of Scratch Resistance of Polymeric
- Coatings and Plastics Using an Instrumented Scratch Machine, **08.03 D7028-07** c1 Test Method for Glass Transition Temperature (DMA Tg) of Polymer Matrix Composites by Dynamic Mechanical Analysis (DMA), 15.03
- D7029-09 Test Method for Determination of Reactivity of Unsaturated Polyesters and Vinyl Esters at 180.0°F (82.2°C), 08.03
- Test Method for Short Term Creep Performance of Corrugated Fiberboard Containers Under Constant Load Using a Compression Test Machine, 15.10
- D7031-11 Guide for Evaluating Mechanical and Physical Properties of Wood-Plastic Composite Products, 04.10
 D7032-10a Specification for Establishing Performance Ratings for Wood-Plastic Composite Deck Boards and Guardrail Systems (Guards or Handrails), 04.10
- D7033-14 Practice for Establishing Design Capacities for Oriented Strand Board (OSB) Wood-Based Structural-Use Panels, 04.10
 D7034-11 Guide for Deriving Acceptable Levels of Airborne Chemical
- Contaminants in Aircraft Cabins Based on Health and Comfort Considerations, 11.07

 D7035-10 Test Method for Determination of Metals and Metalloids in Airborne
- Particulate Matter by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), 11.07
- D7036-12 Practice for Competence of Air Emission Testing Bodies, 11.07 D7038-13 Test Method for Evaluation of Moisture Corrosion Resistance of Automotive Gear Lubricants, 05.04
- D7039-13 Test Method for Sulfur in Gasoline, Diesel Fuel, Jet Fuel, Kerosine, Biodiesel, Biodiesel Blends, and Gasoline-Ethanol Blends by Monochromatic Wavelength Dispersive X-ray Fluorescence Spectrometry, **05.04 D7040-04(2010)** Test Method for Determination of Low Levels of Phosphorus
- in ILSAC GF 4 and Similar Grade Engine Oils by Inductively Coupled

Plasma Atomic Emission Spectrometry, 05.04

- D7041-04(2010)^{€1} Test Method for Determination of Total Sulfur in Light Hydrocarbons, Motor Fuels, and Oils by Online Gas Chromatography with Flame Photometric Detection, 05.04
- D7042-12a Test Method for Dynamic Viscosity and Density of Liquids by Stabinger Viscometer (and the Calculation of Kinematic Viscosity), 05.04
- D7043-12 Test Method for Indicating Wear Characteristics of Non-Petroleum and Petroleum Hydraulic Fluids in a Constant Volume Vane Pump, 05.04
- D7044-04a(2010) Specification for Biodegradable Fire Resistant Hydraulic Fluids, **05.04**
- D7045-04(2010) Guide for Optimization of Ground Water Monitoring Constituents for Detection Monitoring Programs for RCRA Waste Disposal Facilities, 04.09
- D7046-11 Guide for Use of the Metal Detection Method for Subsurface Exploration, 04.09
- D7047-12 Test Method for Mucilloid Content of Plantago Insularis (Ovata, Psyllium), 04.09
- D7048-04(2010) Guide for Applying Statistical Methods for Assessment and Corrective Action Environmental Monitoring Programs, 04.09
- D7049-04(2010) Test Method for Metal Removal Fluid Aerosol in Workplace Atmospheres, 11.07
 D7050-04(2014) Practice for Rubber from Natural Sources—Sampling and
- Sorting Bales Based on Predicted Processing Properties, **99.01 D7051-05(2013)** Test Method for Cyclic Thermal Shock of SBS-Modified
- Bituminous Roofing Sheets with Factory-Applied Metal Surface, 04.04
- D7053/D7053M-11 Guide for Determining and Evaluating Causes of Water Leakage of Low-Sloped Roofs, 04.04
- D7054-04(2013) Specification for Cautionary Labeling of Extension Poles For Use With Paint Applicators Distributed In North America, 06.02
- D7055-09 Practice for Preparation (by Abrasive Blast Cleaning) of Hot-Rolled Carbon Steel Panels for Testing of Coatings, 06.02

 D7056-07(2012) Test Method for Determining the Tensile Shear Strength of Pre-Fabricated Bituminous Geomembrane Seams, 04.13

 D7057-13 Test Method for Analysis of Isopropylbenzene (Cumene) by Gas Chromatography (External Standard), 06.04

- D7058-04(2009) Test Method for Determination of the Red Dye Concentration and Estimation of Saybolt Color of Aviation Turbine Fuels and Kerosine Using a Portable Visible Spectrophotometer, 05.04
- D7059-09(2013) Test Method for Determination of Methanol in Crude Oils by Multidimensional Gas Chromatography, 05.04
- D7060-12 Test Method for Determination of the Maximum Flocculation Ratio and Peptizing Power in Residual and Heavy Fuel Oils (Optical Detection
- Method), 05.04

 D7061-12 Test Method for Measuring n-Heptane Induced Phase Separation of Asphaltene-Containing Heavy Fuel Oils as Separability Number by an Optical Scanning Device, **05.04**
- D7063/D7063M-11 Test Method for Effective Porosity and Effective Air Voids
- of Compacted Bituminous Paving Mixture Samples, 04.03
 D7064/D7064M-08(2013) Practice for Open-Graded Friction Course (OGFC) Mix Design, 04.03
- D7065-11 Test Method for Determination of Nonylphenol, Bisphenol A, p-tert -Octylphenol, Nonylphenol Monoethoxylate and Nonylphenol Diethoxylate in Environmental Waters by Gas Chromatography Mass Spectrometry, 11.02
- D7066-04(2011) Test Method for dimer/trimer of chlorotrifluoroethylene (S-316) Recoverable Oil and Grease and Nonpolar Material by Infrared Determination, 11.02
- D7067-05 Specification for Reinforced White PIB Sheet Used in Roofing
- Membrane, 04.04

 D7069-04(2010) Guide for Field Quality Assurance in a Ground-water Sampling Event, 04.09
- D7070-08 Test Methods for Creep of Rock Core Under Constant Stress and
- Temperature, 04.09

 D7072-04(2013) Practice for Evaluating Accelerated Efflorescence of Latex Coatings, 06.02

 D7073-05(2012) Guide for Application and Evaluation of Brush and Roller
- Applied Paint Films, 06.02
- D7075 Withdrawn 2013; Practice for Evaluating and Reporting Environmental Performance of Biobased Products
- D7076-10 Test Method for Measurement of Shives in Retted Flax, 07.02 D7077 Withdrawn 2010; Test Method for Evaluation of Drop Size by weight of Solutions and Suspensions
 D7078/D7078M-12 Test Method for Shear Properties of Composite Materials
- by V-Notched Rail Shear Method, 15.03
- D7081-05 Specification for Non-Floating Biodegradable Plastics in the Marine Environment, 08.03
- D7082-04(2010) Specification for Polyethylene Stay In Place Form System for
- End Walls for Drainage Pipe, **08.03**D7083-04(2010)^{c1} Practice for Determination of Monomeric Plasticizers in Poly (Vinyl Chloride) (PVC) by Gas Chromatography, **08.03**D7084-04(2009) Test Method for Determination of Bulk Crush Strength of
- Catalysts and Catalyst Carriers, 05.05

 D7085-04(2010)^{c1} Guide for Determination of Chemical Elements in Fluid
- Catalytic Cracking Catalysts by X-ray Fluorescence Spectrometry (XRF), 05.05
- D7087-05a(2010) Test Method for An Imaging Technique to Measure Rust Creepage at Scribe on Coated Test Panels Subjected to Corrosive
- Environments, **06.01 D7088-08** Practice for Resistance to Hydrostatic Pressure for Coatings Used in Below Grade Applications Applied to Masonry, 06.02

D7089 D7183

- D7089-06 Practice for Determination of the Effectiveness of Anti-Graffiti Coating for Use on Concrete, Masonry and Natural Stone Surfaces by Pressure Washing, 06.02
- D7090-04(2010) Test Method for Purity of Isophorone by Capillary Gas Chromatography, 06.04
- D7091-12 Practice for Nondestructive Measurement of Dry Film Thickness of Nonmagnetic Coatings Applied to Ferrous Metals and Nonmagnetic, Nonconductive Coatings Applied to Non-Ferrous Metals, 06.01
- D7093-13 Test Method for Formability of Thin Film Organic Coatings on Steel Over a Biaxially Stretched Dome, 06.02
- D7094-12 Test Method for Flash Point by Modified Continuously Closed Cup (MCCCFP) Tester, 05.04
 D7095-04(2009) Test Method for Rapid Determination of Corrosiveness to
- Copper from Petroleum Products Using a Disposable Copper Foil Strip, 05.04
- D7096-10 Test Method for Determination of the Boiling Range Distribution of Gasoline by Wide-Bore Capillary Gas Chromatography, 05.04

 D7097-09 Test Method for Determination of Moderately High Temperature
 Piston Deposits by Thermo-Oxidation Engine Oil Simulation Test—TEOST MHT, 05.04

 D7098-08⁻¹ Test Method for Oxidation Stability of Lubricants by Thin-Film
- Oxygen Uptake (TFOUT) Catalyst B, 05.04
- D7099-04(2010) Terminology Relating to Frozen Soil and Rock, 04.09
- Test Method for Hydraulic Conductivity Compatibility Testing of Soils with Aqueous Solutions, 04.09
- D7101-13 Index Test Method for Determination of Unvegetated Rolled Erosion Control Product (RECP) Ability to Protect Soil from Rain Splash and Associated Runoff Under Bench-Scale Conditions, 04.09
- D7102-10 Guide for Determination of Endotoxin on Sterile Medical Gloves, 09.02
- D7103-06(2013) Guide for Assessment of Medical Gloves, 09.02
- D7105-06(2013) Test Method for Determining the Adhesive and Cohesive Strength Between Materials in Roofing or Waterproofing Membranes and Systems, **04.04**
- D7106-05(2010) Guide for Selection of Test Methods for Ethylene Propylene Diene Terpolymer (EPDM) Geomembranes, 04.13
 D7107-04(2010) Test Method for Creep Measurement of Self-Lubricating Bushings, 08.03
- D7108-12 Guide for Establishing Qualifications for a Nuclear Coatings Specialist, 06.02
- D7109-12 Test Method for Shear Stability of Polymer Containing Fluids Using a European Diesel Injector Apparatus at 30 and 90 Cycles, 05.04
- D7110-05a(2011) Test Method for Determining the Viscosity-Temperature Relationship of Used and Soot-Containing Engine Oils at Low Temperatures, 05.04
- D7111-11 Test Method for Determination of Trace Elements in Middle Distillate Fuels by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AÉS), **05.04**
- D7112-12 Test Method for Determining Stability and Compatibility of Heavy Fuel Oils and Crude Oils by Heavy Fuel Oil Stability Analyzer (Optical
- Detection), 05.04

 D7113/D7113M-10 Test Method for Density of Bituminous Paving Mixtures in Place by the Electromagnetic Surface Contact Methods, 04.03

 D7115-10 Test Method for Measurement of Superpave Gyratory Compactor (SGC) Internal Angle of Gyration Using Simulated Loading, 04.03
- D7116 Withdrawn 2012; Specification for Joint Sealants, Hot Applied, Jet Fuel Resistant Types, for Portland Cement Concrete Pavements
- D7119/D7119M-13a Guide for Sampling Spray Polyurethane Foam and Coating in Roofing, 04.04
- D7120/D7120M-10 Guide for Evaluation and Preparation of Roof Membranes
- for Coating Application, 04.04

 D7121-05(2012) Test Method for Rubber Property—Resilience Using Schob
 Type Rebound Pendulum, 09.01

 D7122-11 Specification for HCFC Blend B (CF3CCl2H, Ar, and CF4), 15.05
- D7123-11 Practice for Handling, Transportation, and Storage of HCFC Blend B (CF3CCl 2H, Ar, and CF4), 15.05
- **D7124-12** Specification for Benzene for Use with Zeolite Based Catalysts, 06.04
- D7125-11 Specification for Cumene (Isopropylbenzene) Manufactured Via a Zeolite Process, 06.04
- D7126-10 Test Method for On-Line Colorimetric Measurement of Silica, 11.01 D7127-13 Test Method for Measurement of Surface Roughness of Abrasive Blast Cleaned Metal Surfaces Using a Portable Stylus Instrument, 06.02
- D7128-05(2010) Guide for Using the Seismic-Reflection Method for Shallow Subsurface Investigation, 04.09
- D7129-09 Test Method for Determination of Ammonia Trapping in a Grafted Battery Separator, 10.02

 D7131-09 Test Method for Determination of Ion Exchange Capacity (IEC) in
- Grafted Battery Separator, 10.02
- D7132-14 Test Method for Determination of Retained Blowing Agent in Extruded Polystyrene Foam, 08.03
- D7133-11 Test Method for Polyurethane Raw Materials: Instrumental Measurement of Tristimulus CIELAB Color and Yellowness Index of Liquids, **08.03**
- D7134-05(2012) Test Method for Molecular Mass Averages and Molecular Mass Distribution of Atactic Polystyrene by Matrix Assisted Laser Desorption/Ionization (MALDI)-Time of Flight (TOF) Mass Spectrometry (MS), 08.03
- D7136/D7136M-12 Test Method for Measuring the Damage Resistance of a

- Fiber-Reinforced Polymer Matrix Composite to a Drop-Weight Impact Event, 15.03
- D7137/D7137M-12 Test Method for Compressive Residual Strength Properties of Damaged Polymer Matrix Composite Plates, 15.03
- D7138-08 Test Method to Determine Melting Temperature of Synthetic Fibers, 07.02
- D7139-09(2013)^{c1} Terminology for Cotton Fibers, 07.02
 D7140/D7140M-13 Test Method to Measure Heat Transfer Through Textile
 Thermal Barrier Materials, 07.02
- D7142-05(2011) Test Method for Holding Strength of Prong-Ring Attached Snap Fasteners, 07.02
- D7143-11 Practice for Emission Cells for the Determination of Volatile Organic Emissions from Indoor Materials/Products, 11.07
- D7144-05a(2011) Practice for Collection of Surface Dust by Micro-vacuum Sampling for Subsequent Metals Determination, 11.07
 D7145-05(2010)^{c1} Guide for Measurement of Atmospheric Wind and
- Turbulence Profiles by Acoustic Means, 11.07
- D7147-11 Specification for Testing and Establishing Allowable Loads of Joist Hangers, **04.10**
- D7148-13 Test Method for Determining the Ionic Resistivity (ER) of Alkaline Battery Separator Using a Carbon Electrode in an Electrolyte Bath Measuring System, 10.02

 D7149-05(2011) Practice for Determining the Freeze Thaw Stability of
- Practice for Determining the Freeze Thaw Stability of Adhesives, 15.06
- D7150-13 Test Method for the Determination of Gassing Characteristics of Insulating Liquids Under Thermal Stress, 10.03
- D7151-13 Test Method for Determination of Elements in Insulating Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), 10.03
- D7152-11 Practice for Calculating Viscosity of a Blend of Petroleum Products, 05 04
- D7153-05(2010) Test Method for Freezing Point of Aviation Fuels (Automatic Laser Method), 05.04
- D7154-05(2010) Test Method for Freezing Point of Aviation Fuels (Automatic Fiber Optical Method), **05.04**
- D7155-11 Practice for Evaluating Compatibility of Mixtures of Turbine Lubricating Oils, 05.04
- D7156-13 Test Method for Evaluation of Diesel Engine Oils in the T-11 Exhaust Gas Recirculation Diesel Engine, 05.04
- D7157-12 Test Method for Determination of Intrinsic Stability of Asphaltene-Containing Residues, Heavy Fuel Oils, and Crude Oils (n-Heptane Phase
- Separation; Optical Detection), 05.04

 D7158/D7158M-11 Test Method for Wind Resistance of Asphalt Shingles
 (Uplift Force/Uplift Resistance Method), 04.04
- D7160-05(2010) Practice for Determination of Expiration Dating for Medical Gloves, 09.02
- D7161-05(2010) Practice for Determination of Real Time Expiration Dating of Mature Medical Gloves Stored Under Typical Warehouse Conditions,
- D7163-11 Test Method for Specular Gloss of Printed Matter, 06.02
- D7164-10 Practice for On-line/At-line Heating Value Determination of Gaseous Fuels by Gas Chromatography, 05.06
- D7165-10 Practice for Gas Chromatograph Based On-line/At-line Analysis for Sulfur Content of Gaseous Fuels, 05.06
- D7166-10 Practice for Total Sulfur Analyzer Based On-line/At-line for Sulfur Content of Gaseous Fuels, 05.06
- **D7167-12** Guide for Establishing Procedures to Monitor the Performance of Safety-Related Coating Service Level III Lining Systems in an Operating Nuclear Power Plant, 06.02
- D7168-11^{€1} Test Method for 99Tc in Water by Solid Phase Extraction Disk, 11.02
- D7169-11 Test Method for Boiling Point Distribution of Samples with Residues Such as Crude Oils and Atmospheric and Vacuum Residues by High Temperature Gas Chromatography, 05.04
 D7170-12a Test Method for Determination of Derived Cetane Number (DCN)
- of Diesel Fuel Oils—Fixed Range Injection Period, Constant Volume Combustion Chamber Method, **05.05**
- D7171-05(2011) Test Method for Hydrogen Content of Middle Distillate Petroleum Products by Low-Resolution Pulsed Nuclear Magnetic
- Personance Spectroscopy, **05.04 D7172-06^{c1}** Test Method for Determining The Relative Density (Specific Gravity) And Absorption Of Fine Aggregates Using Infrared, **04.03 D7173-11** Practice for Determining the Separation Tendency of Polymer from
- Polymer Modified Asphalt, 04.03
- D7174-05(2011) Specification for Preformed Closed-Cell Polyolefin Expansion Joint Fillers for Concrete Paving and Structural Construction, 04.03
- D7175-08 Test Method for Determining the Rheological Properties of Asphalt
- Binder Using a Dynamic Shear Rheometer, **04.03 D7176-06(2011)** Specification for Non-Reinforced Polyvinyl Chloride (PVC)
 Geomembranes Used in Buried Applications, **04.13 D7177-05(2010)** Specification for Air Channel Evaluation of Polyvinyl Chloride (PVC) Dual Track Seamed Geomembranes, **04.13**
- D7178-06(2011) Practice for Determining the Number of Constrictions "m" of Non-Woven Geotextiles as a Complementary Filtration Property, 04.13
- D7179-07(2013) Test Method for Determining Geonet Breaking Force, 04.13
 D7180/D7180M-05(2013)^{c1} Guide for Use of Expanded Polystyrene (EPS)
 Geofoam in Geotechnical Projects, 04.13
 D7181-11 Test Method for Consolidated Drained Triaxial Compression Test for
- Soils, 04.09
- D7183-12 Test Method for Determination of Total Sulfur in Aromatic

D7183 D7273/D7273M

- Hydrocarbons and Related Chemicals by Ultraviolet Fluorescence, 06.04 D7184-13 Test Method for Ultra Low Nitrogen in Aromatic Hydrocarbons by Oxidative Combustion and Reduced Pressure Chemiluminescence Detection, 06.04
- D7185-12 Specification for Low Toluene Low Dioxane (LTLD) Benzene, 06.04 D7186-12 Practice for Quality Assurance Observation of Roof Construction and Repair, 04.04
- D7187-10 Test Method for Measuring Mechanistic Aspects of Scratch/Mar Behavior of Paint Coatings by Nanoscratching, **06.01 D7188-05(2010)** Terminology for Printing Inks, Materials, and Processes,
- 06.02
- D7189-12 Test Method for Relative Mileage of News Ink on Newsprint, 06.02 D7190-10(2011) Practice to Evaluate Leaching of Water-Soluble Materials from Latex Paint Films, 06.02
- D7191-10 Test Method for Determination of Moisture in Plastics by Relative Humidity Sensor, 08.03
- D7192-10 Test Method for High Speed Puncture Properties of Plastic Films Using Load and Displacement Sensors, 08.03
- **D7193-11** Specification for Unsintered Pigmented Polytetrafluoroethylene
- (PTFE) Extruded Film or Tape, 08.03

 D7194-12 Specification for Aerospace Parts Machined from Polychlorotrifluoroethylene (PCTFE), 08.03

 D7195-06(2012) Guide for Protocol for Setting Color Specifications for a
- Material, 06.01
- D7196-12 Test Method for Raveling Test of Cold Mixed Emulsified Asphalt Samples, **04.03**
- D7197-13 Table of Body Measurements for Misses Maternity Sizes Two to Twenty-Two (2-22), 07.02
- D7198-05(2012) Specification for Disposable Embalming Gloves for
- Single-Use Applications, 09.02

 D7199-07(2012) Practice for Establishing Characteristic Values for Reinforced Glued Laminated Timber (Glulam) Beams Using Mechanics-Based Models, 04.10
- D7200-12 Practice for Sampling and Counting Airborne Fibers, Including Asbestos Fibers, in Mines and Quarries, by Phase Contrast Microscopy and Transmission Electron Microscopy, 11.07

 D7201-06(2011) Practice for Sampling and Counting Airborne Fibers, Including
- Asbestos Fibers, in the Workplace, by Phase Contrast Microscopy (with
- an Option of Transmission Electron Microscopy), 11.07

 D7202-14^{c1} Test Method for Determination of Beryllium in the Workplace by Extraction and Optical Fluorescence Detection, 11.07
- D7203-11 Practice for Screening Trichloroethylene (TCE)-Contaminated Media
 Using a Heated Diode Sensor, 11.04
 D7204-07 Practice for Sampling Waste Streams on Conveyors, 11.04
 D7205/D7205M-06(2011) Test Method for Tensile Properties of Fiber
 Reinforced Polymer Matrix Composite Bars, 15.03
- D7206M-06(2013)^{c1} Guide for Cyclic Deactivation of Fluid Catalytic Cracking (FCC) Catalysts with Metals, **05.05**
- Withdrawn 2014; Test Method for Determination of Unvegetated Rolled Erosion Control Product (RECP) Ability to Protect Sand from Hydraulically-Induced Shear Stresses under Bench-Scale Conditions
- D7208-14 Test Method for Determination of Temporary Ditch Check Performance in Protecting Earthen Channels from Stormwater-Induced Erosion, **04.09**
- D7209-06 Guide for Waste Reduction, Resource Recovery, and Use of Recycled Polymeric Materials and Products, 08.03
 D7210-13 Practice for Extraction of Additives in Polyolefin Plastics, 08.03
- Specification for Parts Machined from Polychlorotrifluoroethylene (PCTFE) and Intended for General Use, 08.03
- D7212-13 Test Method for Low Sulfur in Automotive Fuels by Energy-Dispersive X-ray Fluorescence Spectrometry Using a Low-Background Proportional Counter, 05.04
- D7213-12^{c1} Test Method for Boiling Range Distribution of Petroleum Distillates in the Boiling Range from 100 to 615°C by Gas Chromatography, 05.04
 D7214-07a(2012) Test Method for Determination of the Oxidation of Used Lubricants by FT-IR Using Peak Area Increase Calculation, 05.04
 D7215-08(2013) Test Method for Calculated Flash Point from Simulated
- Distillation Analysis of Distillate Fuels, 05.04
- D7216-13 Test Method for Determining Automotive Engine Oil Compatibility
- with Typical Seal Elastomers, **05.04 7-11** Test Method for Determining Extreme Pressure Properties of Solid D7217-11 Bonded Films Using a High-Frequency, Linear-Oscillation (SRV) Test Machine. 05.04
- D7219-08 Specification for Isotropic and Near-isotropic Nuclear Graphites, 05.05
- D7220-12 Test Method for Sulfur in Automotive, Heating, and Jet Fuels by Monochromatic Energy Dispersive X-ray Fluorescence Spectrometry, 05.04
- D7223-11 Specification for Aviation Certification Turbine Fuel, 05.04
 D7224-13 Test Method for Determining Water Separation Characteristics of Kerosine-Type Aviation Turbine Fuels Containing Additives by Portable Separometer, 05.04
- D7225-13 Guide for Blood Cleaning Efficiency of Detergents and Washer-Disinfectors, 15.04
- D7226-13 Test Method for Determining the Viscosity of Emulsified Asphalts Using a Rotational Paddle Viscometer, 04.03

 D7227/D7227M-11^{c1} Practice for Rapid Drying of Compacted Asphalt
 Specimens Using Vacuum Drying Apparatus, 04.03

 D7228-06a(2011) Test Method for Prediction of Asphalt-Bound Pavement
- Layer Temperatures, 04.03

D7229-08(2013)^{c1} Test Method for Preparation and Determination of Bulk Specific Gravity of Dense-Graded Cold Mix Asphalt (CMA) Specimens by Means of Superpave Gyratory Compactor, 04.03

- D7230-06(2013) Guide for Évaluating Polymeric Lining Systems for Water Immersion in Coating Service Level III Safety-Related Applications on Metal Substrates, 06.02
- D7232-06(2012) Test Method for Rapid Determination of the Nonvolatile Content of Coatings by Loss in Weight, 06.01
 D7233-08(2012) Test Method for Testing Fracture of Level Paintbrush
- Filaments, 06.02

 D7234-12 Test Method for Pull-Off Adhesion Strength of Coatings on Concrete Using Portable Pull-Off Adhesion Testers, **06.02**
- D7235-10 Guide for Establishing a Linear Correlation Relationship Between Analyzer and Primary Test Method Results Using Relevant ASTM Standard Practices, 05.04
- D7236-07(2013) Test Method for Flash Point by Small Scale Closed Cup Tester (Ramp Method), 05.04
- D7237-10 Test Method for Free Cyanide with Flow Injection Analysis (FIA)
 Utilizing Gas Diffusion Separation and Amperometric Detection, 11.02
 D7238-06(2012) Test Method for Effect of Exposure of Unreinforced Polyolefin Geomembrane Using Fluorescent UV Condensation Apparatus, 04.13
 D7239-13 Specification for Hybrid Geosynthetic Paving Mat for Highway
- Applications, 04.13
- D7240-06(2011) Practice for Leak Location using Geomembranes with an Insulating Layer in Intimate Contact with a Conductive Layer via Electrical
- Capacitance Technique (Conductive Geomembrane Spark Test), 04.13 D7241-13 Test Method for Pile Thickness of Finished Multilevel Pile Yarn Floor Covering, 07.02
- D7242/D7242M-06(2013)⁶¹ Practice for Field Pneumatic Slug (Instantaneous Change in Head) Tests to Determine Hydraulic Properties of Aquifers with Direct Push Groundwater Samplers, 04.09

 D7243-11 Guide for Measuring the Saturated Hydraulic Conductivity of Paper
- Industry Sludges, 04.09
- D7244-06a(2011) Test Method for Relative Cure of Energy-Cured Inks and Coatings, 06.02
- Test Method for Measuring Total Water and Volatiles in Liquid Coatings Which Produce Cure Water Upon Heating, 06.01
- D7246-06(2011)^{€1} Test Method for Detection of Holes in Polyethylene Food
- Service Gloves, **09.02**D7247-07a⁻¹ Test Method for Evaluating the Shear Strength of Adhesive Bonds in Laminated Wood Products at Elevated Temperatures, 15.06
- D7248/D7248M-12 Test Method for Bearing/Bypass Interaction Response of
- Polymer Matrix Composite Laminates Using 2-Fastener Specimens, **15.03** D7249/D7249M-12^{c1} Test Method for Facing Properties of Sandwich
- Constructions by Long Beam Flexure, 15.03

 D7250/D7250M-06(2012) Practice for Determining Sandwich Beam Flexural and Shear Stiffness, 15.03
- D7251-11 Specification for Color and Appearance Retention of Variegated Color Plastic Siding Products, 08.03
- D7252-06(2011)^{€1} Test Method for Polyurethane Raw Materials: Determination
- of Monomer and Isomers in Isocyanates, 08.03

 D7253-06(2011)^{c1} Test Method for Polyurethane Raw Materials: Determination of Acidity as Acid Number for Polyether Polyols, 08.03

 D7254-07 Specification for Polypropylene (PP) Siding, 08.03

 D7255-14 Test Method for Abrasion Resistance of Leather (Rotary Platform,
- Abraser Method), 15.04 D7256/D7256M Withdrawn 2008; Practice for Mechanical Collection and
- Within-System Preparation of a Gross Sample of Coal from Moving Streams; Replaced by D7430
- D7257-06(2011) Test Method for Automated Shelling Two-Piece Child-Resistant Closures That Are Activated by Two Simultaneous Dissimilar Motions, 15.10
- D7258-14 Specification for Polymeric Piles, 08.03
 D7260-12 Practice for Optimization, Calibration, and Validation of Inductively
 Coupled Plasma-Atomic Emission Spectrometry (ICP-AES) for Elemental
 Analysis of Petroleum Products and Lubricants, 05.04
- Test Method for Determining Water Separation Characteristics of Diesel Fuels by Portable Separometer, 05.04
- D7262-10 Test Method for Estimating the Permanganate Natural Oxidant Demand of Soil and Aquifer Solids, 04.09
- D7263-09 Test Methods for Laboratory Determination of Density (Unit Weight) of Soil Specimens, 04.09
 D7264/D7264M-07 Test Method for Flexural Properties of Polymer Matrix
- Composite Materials, 15.03
- D7265-12 Specification for Hydrogen Thermophysical Property Tables, 05.06
 D7266-13^{c1} Test Method for Analysis of Cyclohexane by Gas Chromatography (External Standard), 06.04
- D7267-13 Test Method for Edge Ravel Resistance of Finished Loop Pile, Pile Yam Floor Covering, **07.02 D7268-14** Performance Specification for Seamless Knit Garments Including
- Intimates and Swimwear, 07.02
- D7269/D7269M-11 Test Methods for Tensile Testing of Aramid Yarns, 07.02 D7270-07(2013) Guide for Environmental and Performance Verification of Factory-Applied Liquid Coatings, 06.02
- D7271-06(2012) Test Method for Viscoelastic Properties of Paste Ink Vehicle Using an Oscillatory Rheometer, 06.03
- D7272-06(2011) Test Method for Determining the Integrity of Seams Used in Joining Geomembranes by Pre-manufactured Taped Methods, 04.13 D7273/D7273M-08(2013)^{c1} Guide for for Acceptance Testing Requirements for
- Geonets and Geonet Drainage Geocomposites, 04.13

D7274 D7365

- D7274-06a(2011) Test Method for Mineral Stabilizer Content of Prefabricated Bituminous Geomembranes (BGM), 04.13
- D7275-07(2012) Test Method for Tensile Properties of Bituminous Geomembranes (BGM), 04.13
- D7276-08 Guide for Analysis and Interpretation of Test Data for Articulating Concrete Block (ACB) Revetment Systems in Open Channel Flow, 04.09
- D7277-08 Test Method for Performance Testing of Articulating Concrete Block (ACB) Revetment Systems for Hydraulic Stability in Open Channel Flow, 04.09
- D7278-11 Guide for Prediction of Analyzer Sample System Lag Times, 05.04
 D7279-08 Test Method for Kinematic Viscosity of Transparent and Opaque Liquids by Automated Houillon Viscometer, 05.04
- D7280-06(2011) Test Method for Quinoline-Insoluble (QI) Content of Tar and Pitch by Stainless Steel Crucible Filtration, 05.04
- D7281-07(2013) Test Method for Determining Water Migration Resistance Through Roof Membranes, 04.04
- D7282-06 Practice for Set-up, Calibration, and Quality Control of Instruments Used for Radioactivity Measurements, 11.02
- D7283-13 Test Method for Alpha and Beta Activity in Water By Liquid
- Scintillation Counting, 11.02

 D7284-13 Test Method for Total Cyanide in Water by Micro Distillation followed by Flow Injection Analysis with Gas Diffusion Separation and Amperometric Detection, 11.02
- D7285-06(2010) Guide for Recordkeeping Microfiltration and Ultrafiltration Systems, 11.02
- D7290-06(2011) Practice for Evaluating Material Property Characteristic Values for Polymeric Composites for Civil Engineering Structural
- Applications, 15.03

 D7291/D7291M-07 Test Method for Through-Thickness "Flatwise" Tensile Strength and Elastic Modulus of a Fiber-Reinforced Polymer Matrix Composite Material, 15.03

 D7292-12 Specification for Extruded, Compression-Molded, and Injection-
- Molded Basic Shapes of Polyamide-Imide (PAI), **08.03 D7293-12** Specification for Extruded and Compression-Molded Shapes Made
- from Polyetherimide (PEI), **08.03 D7294-13** Guide for Collecting Treatment Process Design Data at a Contaminated Site—A Site Contaminated With Chemicals of Interest,
- D7295-11 Practice for Sampling and Determination of Hydrogen Cyanide (HCN) in Combustion Effluents and Other Stationary Sources, 11.07
- D7296-12 Practice for Collection of Settled Dust Samples Using Dry Wipe Sampling Methods for Subsequent Determination of Beryllium and Compounds, 11.07
- D7297-14 Practice for Evaluating Residential Indoor Air Quality Concerns, 11.07
- D7298-06(2011)^{€1} Test Method for Measurement of Comparative Legibility by
- Means of Polarizing Filter Instrumentation, 15.10

 D7299-12 Practice for Verifying Performance of a Vertical Inclinometer Probe,
- D7300-11 Test Method for Laboratory Determination of Strength Properties of Frozen Soil at a Constant Rate of Strain, 04.09
- D7301-11 Specification for Nuclear Graphite Suitable for Components Subjected to Low Neutron Irradiation Dose, 05.05
- D7303-12 Test Method for Determination of Metals in Lubricating Greases by Inductively Coupled Plasma Atomic Emission Spectrometry, 05.04

 D7304-14 Test Method for Determination of Denatonium Ion in Engine Coolant
- by HPLC, **15.05**
- D7305-08a(2013) Test Method for Reflection Density of Printed Matter, 06.02
 D7306-07(2013) Practice for Testing Low Temperature Film-Formation of Latex Paints by Visual Observation, 06.02
- D7307-06(2011) Practice for Sampling of Thermoplastic Traffic Marking Materials, 06.02
- D7308-07(2012) Practice for Sample Preparation of Thermoplastic Traffic Marking Materials, 06.02
 D7309-13 Test Method for Determining Flammability Characteristics of Plastics and Other Solid Materials Using Microscale Combustion Calorimetry,
- D7310-11 Guide for Defect Detection and Rating of Plastic Films Using Optical Sensors, 08.03
- D7311/D7311M Withdrawn 2013; Specification for Liquid-Applied, Single-Pack, Moisture-Triggered, Aliphatic Polyurethane Roofing Membrane
 D7312-10 Test Method for Determining the Permanent Shear Strain and Complex Shear Modulus of Asphalt Mixtures Using the Superpave Shear Tester (SST), 04.03
- D7313-13 Test Method for Determining Fracture Energy of Asphalt-Aggregate Mixtures Using the Disk-Shaped Compact Tension Geometry, 04.03
- D7314-10 Practice for Determination of the Heating Value of Gaseous Fuels
- using Calorimetry and On-line/At-line Sampling, 05.06

 D7315-12 Test Method for Determination of Turbidity Above 1 Turbidity Unit (TU) in Static Mode, 11.01
- **D7316-06** Guide for Interpretation of Existing Field Instrumentation to Influence Emergency Response Decisions, 11.02
- D7317-07(2013) Test Method for Coagulated Pentane Insolubles in Used Lubricating Oils by Paper Filtration (LMOA Method), 05.04
- D7318-13 Test Method for Existent Inorganic Sulfate in Ethanol by Potentiometric Titration, 05.04
- D7319-13 Test Method for Determination of Existent and Potential Sulfate and Inorganic Chloride in Fuel Ethanol and Butanol by Direct Injection Suppressed Ion Chromatography, 05.04
- D7320-13 Test Method for Evaluation of Automotive Engine Oils in the

Sequence IIIG, Spark-Ignition Engine, 05.04

- D7321-11⁶¹ Test Method for Test Method for Particulate Contamination of Biodiesel B100 Blend Stock Biodiesel Esters and Biodiesel Blends by Laboratory Filtration, 05.04
- D7322-13a Test Method for Determination of Rolled Erosion Control Product (RECP) Ability to Encourage Seed Germination and Plant Growth Under Bench-Scale Conditions, 04.09
- D7323-13 Practice for Handling, Transportation, and Storage of IG-100 (Nitrogen), 15.05
- D7324-13 Practice for Handling, Transportation, and Storage of IG-55 Ar N2, 15.05
- D7325-13 Practice for Handling, Transportation, and Storage of IG-541 N2, Ar , CO2, 15.05
- Practice for Handling, Transportation, and Storage of HFC Blend B (CH2FCF 3, CHF2 CF3, and CO2), 15.05
- D7327-12 Specification for HFC Blend B ($\mathrm{CH_2FCF_3}$, $\mathrm{CHF_2CF_3}$, and $\mathrm{CO_2}$), 15.05
- D7328-13 Test Method for Determination of Existent and Potential Inorganic Sulfate and Total Inorganic Chloride in Fuel Ethanol by Ion Chromatography Using Aqueous Sample Injection, 05.04
- D7329-07(2012) Specification for Food Preparation and Food Handling (Food Service) Gloves, 09.02

 D7330-11^{€1} Test Method for Assessment of Surface Appearance Change in
- Pile Floor Coverings Using Standard Reference Scales, 07.02
- D7331-11 Practice for Sewn Products Marker Data Interchange, 07.02 D7332/D7332M-09 Test Method for Measuring the Fastener Pull-Through Resistance of a, 15.03
- D7334-08(2013) Practice for Surface Wettability of Coatings, Substrates and Pigments by Advancing Contact Angle Measurement, 06.01

- D7336/D7336M-12 Test Method for Static Energy Absorption Properties of Honeycomb Sandwich Core Materials, 15.03
 D7337/D7337M-12 Test Method for Tensile Creep Rupture of Fiber Reinforced Polymer Matrix Composite Bars, 15.03
 D7338-10 Guide for Assessment Of Fungal Growth in Buildings, 11.07
 D7339-12 Test Method for Determination of Volatile Organic Compounds Emitted from Carpet using a Specific Sorbent Tube and Thermal
- Desorption / Gas Chromatography, 11.07

 D7340-07(2012)*1 Practice for Thermal Conductivity of Leather, 15.04 D7341-14 Practice for Establishing Characteristic Values for Flexural Properties of Structural Glued Laminated Timber by Full-Scale Testing, 04.10
- D7342-07 Test Method for Shear Stability of Lubricating Grease in Presence of Water (Water Stability Test), 05.04
 D7343-12 Practice for Optimization, Sample Handling, Calibration, and Validation of X-ray Fluorescence Spectrometry Methods for Elemental Analysis of Petroleum Products and Lubricants, 05.04
- D7344-11a Test Method for Distillation of Petroleum Products at Atmospheric Pressure (Mini Method), 05.04
- D7345-08 Test Method for Distillation of Petroleum Products at Atmospheric Pressure (Micro Distillation Method), 05.04
- D7346-12 Test Method for No Flow Point and Pour Point of Petroleum
- Products, **05.04 D7347-07**^{€1} Test Method for Determination of Olefin Content in Denatured Ethanol by Supercritical Fluid Chromatography, **05.04**
- D7348-13 Test Methods for Loss on Ignition (LOI) of Solid Combustion
- Residues, 05.06

 D7349/D7349M-11 Test Method for Determining the Capability of Roofing and Waterproofing Materials to Seal around Fasteners, 04.04
- D7351-13 Test Method for Determination of Sediment Retention Device Effectiveness in Sheet Flow Applications, 04.09
- D7352-07(2012) Practice for Direct Push Technology for Volatile Contaminant Logging with the Membrane Interface Probe (MIP), 04.09
 D7353-07(2013) Practice for Sampling of Liquids in Waste Management Activities Using a Peristaltic Pump, 11.04
- D7354-11 Guide for Artists Paint Waste Disposal in Private, Non-Commercial Settings, 06.02

 D7355-10 Guide for Artists' Paint Waste Disposal in Smaller Commercial or
- Educational Settings, 06.02
- D7356/D7356M-13 Test Method for Accelerated Acid Etch Weathering of Automotive Clearcoats Using a Xenon-Arc Exposure Device, 06.01
- D7357-07(2012) Specification for Cellulose Fibers for Fiber-Reinforced Concrete, 06.03

 D7358-07(2013) Test Method for Water Content of Paints by Quantitative Calcium Hydride Reaction Test Kit, 06.01
- D7359-13 Test Method for Total Fluorine, Chlorine and Sulfur in Aromatic Hydrocarbons and Their Mixtures by Oxidative Pyrohydrolytic Combustion followed by Ion Chromatography Detection (Combustion Ion Chromatogra-
- phy-CIC), **06.04 D7360-11** Test Method for Analysis of Benzene by Gas Chromatography with External Calibration, **06.04**
- D7361-07(2012) Test Method for Accelerated Compressive Creep of Geosynthetic Materials Based on Time-Temperature Superposition Using the Stepped Isothermal Method, 04.13
- D7362-07 Guide for Rapid Screening of Vegetation for Radioactive Strontium Aerial Deposition, 11.02
- D7363-13a Test Method for Determination of Parent and Alkyl Polycyclic Aromatics in Sediment Pore Water Using Solid-Phase Microextraction and Gas Chromatography/Mass Spectrometry in Selected Ion Monitoring Mode, 11.02
- D7365-09a Practice for Sampling, Preservation and Mitigating Interferences in

D7365 D7451

- Water Samples for Analysis of Cyanide, 11.02
- D7366-08(2013) Practice for Estimation of Measurement Uncertainty for Data from Regression-based Methods, 11.01
- D7367-07 Test Method for Determining Water Holding Capacity of Fiber Mulches for Hydraulic Planting, 04.09

 D7369-11 Test Method for Determining the Resilient Modulus of Bituminous
- Mixtures by Indirect Tension Test, 04.03
- **D7370-09** Test Method for Determination of Relative Density and Absorption of Fine, Coarse and Blended Aggregate Using Combined Vacuum Saturation and Rapid Submersion, **04.03**
- D7371-12 Test Method for Determination of Biodiesel (Fatty Acid Methyl Esters) Content in Diesel Fuel Oil Using Mid Infrared Spectroscopy (FTIR-ATR-PLS Method), 05.04
- D7372-12 Guide for Analysis and Interpretation of Proficiency Test Program Results, 05.04
- D7373-12 Test Method for Predicting Biodegradability of Lubricants Using a Bio-kinetic Model, 05.04
- D7374-08 Practice for Evaluating Elevated Temperature Performance of Adhesives Used in End-Jointed Lumber, 04.10
- D7375-08 Test Method for Trace Quantities of Water in Aromatic Hydrocar-
- bons and Their Mixtures by Coulometric Karl Fischer Titration, 06.04

 D7376-10a Practice for Outdoor Evaluation of Wet Stack Storage Conditions on Coil-Coated Metals, 06.02
- D7377-09(2013) Practice for Evaluating the Water Wash-Off Resistance of Traffic Paints using a Water Faucet, 06.02
- D7378-10 Practice for Measurement of Thickness of Applied Coating Powders to Predict Cured Thickness, 06.02
- D7379-08 Test Methods for Strength of Modified Bitumen Sheet Material Laps Using Cold Process Adhesive, 04.04
- D7380-08 Test Method for Soil Compaction Determination at Shallow Depths Using 5-lb (2.3 kg) Dynamic Cone Penetrometer, 04.09

 D7381-07(2013) Practice for Establishing Allowable Stresses for Round Timbers for Piles from Tests of Full-Size Material, 04.10
- D7382-08 Test Methods for Determination of Maximum Dry Unit Weight and Water Content Range for Effective Compaction of Granular Soils Using a Vibrating Hammer, 04.09
- D7383-10 Test Methods for Axial Compressive Force Pulse (Rapid) Testing of Deep Foundations, 04.09
- D7384 Withdrawn 2013; Practice for Minimum Geospatial Data for a Surface Coal Mining Boundary
- D7385-13 Guide for Estimating Carbon Saturation by Temperature Rise upon Immersion, 15.01
- D7386-12 Practice for Performance Testing of Packages for Single Parcel Delivery Systems, 15.10
- **D7387-13** Test Method for Vibration Testing of Intermediate Bulk Containers (IBCs) Used for Shipping Liquid Hazardous Materials (Dangerous Goods), 15.10
- D7388-08(2013) Specification for Engine Coolant Grade 1,3-Propanediol (PDÒ), 15.05
- D7389-07(2012) Test Method for Acid Number (Empirical) of Maleic Anhydride (MAH) Grafted Waxes, 15.04
- D7390-07(2012) Guide for Evaluating Asbestos in Dust on Surfaces by
- Comparison Between Two Environments, 11.07
 D7391-09 Test Method for Categorization and Quantification of Airborne Fungal Structures in an Inertial Impaction Sample by Optical Microscopy, 11.07
- D7392-07 Practice for PM Detector and Bag Leak Detector Manufacturers to Certify Conformance with Design and Performance Specifications for Cement Plants, 11.07
- D7393-07(2012) Practice for Indicating Oil in Abrasives, 06.02
- D7394-13 Practice for Rheological Characterization of Architectural Coatings using Three Rotational Bench Viscometers, 06.01
- D7395-07(2012) Rate, 06.01 Test Method for Cone/Plate Viscosity at a 500 s-1 Shear
- D7396-08 Guide for Preparation of New, Continuous Zinc-Coated (Galvanized) Steel Surfaces for Painting, 06.02
- D7397-10 Test Method for Cloud Point of Petroleum Products (Miniaturized Optical Method), 05.04
- D7398-11 Test Method for Boiling Range Distribution of Fatty Acid Methyl Esters (FAME) in the Boiling Range from 100 to 615°C by Gas Chromatography, 05.04
- D7399-08 Test Method for Determination of the Amount of Polypropylene (PP) in Polypropylene/LDPE Mixtures Using Infrared Spectrophotometer
- (FTIR), 08.03
 0-08 Test Methods for Downhole Seismic Testing, 04.09 D7400-08
- Test Methods for Laboratory Determination of Rock Anchor Capacities by Pull and Drop Tests, 04.09
- Practice for Identifying Cationic Emulsified Asphalts, **04.03**Test Method for Determination of Residue of Emulsified Asphalt by D7402-09
- D7403-09 Low Temperature Vacuum Distillation. 04.03
- D7404-07(2012) Test Method for Determination of Emulsified Asphalt Residue by Moisture Analyzer, 04.03
- D7405-10a Test Method for Multiple Stress Creep and Recovery (MSCR) of Asphalt Binder Using a Dynamic Shear Rheometer, 04.03
- D7406-07(2012) Test Method for Time-Dependent (Creep) Deformation Under Constant Pressure for Geosynthetic Drainage Products, 04.13
 D7407-07(2012) Guide for Determining The Transmission of Gases Through
- Geomembranes, 04.13
- D7408-12 Specification for Non Reinforced PVC (Polyvinyl Chloride) Geomembrane Seams, 04.13

- **D7409-07**^{€1} Test Method for Carboxyl End Group Content of Polyethylene Terephthalate (PET) Yarns, 04.13
- D7410-07(2012) Practice for Qualification of Cotton Classification Instruments for Cotton Marketing, 07.02
- D7412-09 Test Method for Condition Monitoring of Phosphate Antiwear Additives in In-Service Petroleum and Hydrocarbon Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry,
- 05.04

 D7414-09 Test Method for Condition Monitoring of Oxidation in In-Service Petroleum and Hydrocarbon Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, **05.04 D7415-09** Test Method for Condition Monitoring of Sulfate By-Products in
- In-Service Petroleum and Hydrocarbon Based Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, 05.04
- Practice for Analysis of In-Service Lubricants Using a Particular Five-Part (Dielectric Permittivity, Time-Resolved Dielectric Permittivity with Switching Magnetic Fields, Laser Particle Counter, Microscopic Debris Analysis, and Orbital Viscometer) Integrated Tester, 05.04
- D7417-10 Test Method for Analysis of In-Service Lubricants Using Particular Four-Part Integrated Tester (Atomic Emission Spectroscopy, Infrared Spectroscopy, Viscosity, and Laser Particle Counter), 05.04

 D7418-12 Practice for Set-Up and Operation of Fourier Transform Infrared (FT-IR) Spectrometers for In-Service Oil Condition Monitoring, 05.04

 D7419-13 Test Method for Determination of Total Aromatics and Total
- Saturates in Lube Basestocks by High Performance Liquid Chromatography (HPLC) with Refractive Index Detection, 05.04
 0-11 Test Method for Determining Tribomechanical Properties of Grease
- Lubricated Plastic Socket Suspension Joints Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, **05.04 D7421-11** Test Method for Determining Extreme Pressure Properties of
- Lubricating Oils Using High-Frequency, Linear-Oscillation (SRV) Test Machine, 05.04
- D7422-13 Test Method for Evaluation of Diesel Engine Oils in T-12 Exhaust Gas Recirculation Diesel Engine. 05.04
- **D7423-09** Test Method for Determination of Oxygenates in C2, C3, C4, and C5 Hydrocarbon Matrices by Gas Chromatography and Flame Ionization Detection, 05.04
- D7425/D7425M-13 Specification for Spray Polyurethane Foam Used for
- Roofing Applications, **04.04 D7426-08(2013)** Test Method for Assignment of the DSC Procedure for Determining Tg of a Polymer or an Elastomeric Compound, **09.01 D7427-08**Test Method for Immunological Measurement of Four Principal Compound (19.01)
- D7427-08⁻² Test Method for Immunological Measurement of Four Principal Allergenic Proteins (Hev b 1, 3, 5 and 6.02) in Natural Rubber and Its Products Derived from Latex, 09.02

 D7428-08⁻¹ Test Method for Resistance of Fine Aggregate to Degradation by
- Abrasion in the Micro-Deval Apparatus, 04.03
- D7430-14 Practice for Mechanical Sampling of Coal, 05.06
- D7433-13 Test Method for Measuring Surface Water Absorption of Overlaid Wood-Based Panels, 04.10
- D7434-08 Test Method for Determining the Performance of Passive Radio Frequency Identification (RFID) Transponders on Palletized or Unitized Loads, 15.10
- D7435-08 Test Method for Determining the Performance of Passive Radio Frequency Identification (RFID) Transponders on Loaded Containers, 15 10
- D7436-12 Classification System for Unfilled Polyethylene Plastics Molding and Extrusion Materials with a Fractional Melt Index Using ISO Protocol and Methodology, 08.03
- D7437-08(2013) Test Method for Temperature and Hard Water Stability of Engine Coolants, 15.05
- D7438-13 Practice for Field Calibration and Application of Hand-Held Moisture Meters, 04.10
- D7439-14 Test Method for Determination of Elements in Airborne Particulate
 Matter by Inductively Coupled Plasma–Mass Spectrometry, 11.07
 D7440-08 Practice for Characterizing Uncertainty in Air Quality Measurements,
- 11.07
- D7441-08(2013) Practice for Separation of Beryllium from Other Metals in Digestion and Extraction Solutions from Workplace Dust Samples, 11.07
- D7442-08a Practice for Sample Preparation of Fluid Catalytic Cracking Catalysts and Zeolites for Elemental Analysis by Inductively Coupled
- Plasma Atomic Emission Spectroscopy, **05.05**D7443 Withdrawn 2013; Practice for Minimum Geospatial Data for
 Underground Coal Mining Extents

 D7444-11 Practice for Heat and Humidity Aging of Oxidatively Degradable
- Plastics, 08.03
- D7445-09 Specification for Rigid Poly(Vinyl Chloride) (PVC) Siding with Foam Plastic Backing (Backed Vinyl Siding), 08.03
- D7446-09 Specification for Structural Insulated Panel (SIP) Adhesives for Laminating Oriented Strand Board (OSB) to Rigid Cellular Polystryene Thermal Insulation Core Materials, 15.06
- D7447-08(2014) Practice for Symbolizing Adhesive Applications, 15.06
 D7448-09 Practice for Establishing the Competence of Laboratories Using
- ASTM Procedures in the Sampling and Analysis of Coal and Coke, 05.06

 D7449/D7449M-08⁻¹ Test Method for Measuring Relative Complex Permittivity and Relative Magnetic Permeability of Solid Materials at Microwave Frequencies Using Coaxial Air Line, 10.02

 D7450-13 Specification for Performance of Rear Axle Gear Lubricants Intended for API Category GL-5 Service, 05.04

 D7451-08a(2013) Test Method for Water Separation Properties of Light and
- Middle Distillate, and Compression and Spark Ignition Fuels, 05.04

D7452 D7549

- D7452-12 Test Method for Evaluation of the Load Carrying Properties of Lubricants Used for Final Drive Axles, Under Conditions of High Speed and Shock Loading, 05.04

 D7453-09 Practice for Sampling of Petroleum Products for Analysis by
- Process Stream Analyzers and for Process Stream Analyzer System Validation, 05.04
- D7454-08 Test Method for Determination of Vibrated Bulk Density of Calcined
- Petroleum Coke using a Semi-Automated Apparatus, 05.04

 D7455-08 Practice for Sample Preparation of Petroleum and Lubricant Products for Elemental Analysis, 05.04

 D7457-12 Test Method for Determining Chloride in Aromatic Hydrocarbons and Related Chemicals by Microcoulometry, 06.04

 D7458-08 Test Method for Determination of Beryllium in Soil, Rock, Sediment,
- and Fly Ash Using Ammonium Bifluoride Extraction and Fluorescence Detection, 04.09
- D7459-08 Practice for Collection of Integrated Samples for the Speciation of Biomass (Biogenic) and Fossil-Derived Carbon Dioxide Emitted from Stationary Emissions Sources, 11.07
- D7460-10 Test Method for Determining Fatigue Failure of Compacted Asphalt Concrete Subjected to Repeated Flexural Bending, 04.03

 D7462-11 Test Method for Oxidation Stability of Biodiesel (B100) and Blends of Biodiesel with Middle Distillate Petroleum Fuel (Accelerated Method), 05.04
- D7463-08 Test Method for Adenosine Triphosphate (ATP) Content of Microorganisms in Fuel, Fuel/Water Mixtures and Fuel Associated Water,
- D7464-08(2013) Practice for Manual Sampling of Liquid Fuels, Associated Materials and Fuel System Components for Microbiological Testing, 05.04
- D7465-08 Specification for Ethylene Propylene Diene Terpolymer (EPDM) Sheet Used In Geomembrane Applications, 04.13
- D7466-10 Test Method for Measuring Asperity Height of Textured Geomembranes, **04.13**
- D7467-13 Specification for Diesel Fuel Oil, Biodiesel Blend (B6 to B20), 05.04 D7468-13 Test Method for Cummins ISM Test, 05.04
- D7469-12 Test Methods for End-Joints in Structural Wood Products, **04.10**
- D7470-08 Practice for Evaluating Elevated Temperature Performance of End-Jointed Lumber Studs, 04.10
- D7471-09(2014) Specification for CPT-Fluoropolymer Molding and Extrusion Materials, 08.03
- D7472-09(2014) Specification for EFEP-Fluoropolymer Molding and Extrusion Materials, 08.03
- D7473-12 Test Method for Weight Attrition of Plastic Materials in the Marine
- Environment by Open System Aquarium Incubations, **08.03 D7474-12** Practice for Determining Residual Stresses in Extruded or Molded Sulfone Plastic (SP) Parts by Immersion in Various Chemical Reagents, 08.03
- D7475-11 Test Method for Determining the Aerobic Degradation and Anaerobic Biodegradation of Plastic Materials under Accelerated Bioreactor Landfill Conditions, 08.03
- D7476-08(2013) Test Method for Brine Saturation Value of Cured (Salt-Preserved) Hides and Skins, 15.04
- D7477-08(2013) Test Method for Determining the Area Stability of Wet Blue Submersed in Boiling Water, 15.04
- D7478/D7478M-11 Specification for Heavy Duty Sheathed Wood Crates, 15 10
- D7480-08(2014) Guide for Evaluating the Attributes of a Forest Management
- Plan, **04.10 D7481-09** Test Methods for Determining Loose and Tapped Bulk Densities of Powders using a Graduated Cylinder, 04.09
- D7482-08 Practice for Sampling, Storage, and Handling of Hydrocarbons for
- Mercury Analysis, **05.04 D7483-13a** Test Method for Determination of Dynamic Viscosity and Derived
- Kinematic Viscosity of Liquids by Oscillating Piston Viscometer, **05.04 D7484-13a** Test Method for Evaluation of Automotive Engine Oils for Valve-Train Wear Performance in Cummins ISB Medium-Duty Diesel Engine, 05.04
- **D7485-09** Test Method for Determination of Nonylphenol, p-tert-Octylphenol, Nonylphenol Monoethoxylate and Nonylphenol Diethoxylate in Environmental Waters by Liquid Chromatography/Tandem Mass
- Spectrometry, 11.02

 D7486-08(2013)¹¹ Test Method for Measurement of Fines and Dust Particles on Plastic Pellets by Wet Analysis, 08.03

 D7487-13 Practice for Polyurethane Raw Materials: Polyurethane Foam Cup
- Test, 08.03
- D7488-11 Test Method for Open Time of Latex Paints, 06.02
- D7489-09(2013) Practice for Evaluating Touch-Up Properties of Architectural Coatings under Various Environmental Conditions, 06.02
- D7490-13 Test Method for Measurement of the Surface Tension of Solid Coatings, Substrates and Pigments using Contact Angle Measurements, 06.01
- D7491-08 Guide for Management of Non-Conforming Coatings in Coating Service Level I Areas of Nuclear Power Plants, 06.02
- D7492/D7492M-11 Guide for Use of Drainage System Media with Waterproofing Systems, 04.04
- D7493-08 Test Method for Online Measurement of Sulfur Compounds in Natural Gas and Gaseous Fuels by Gas Chromatograph and Electrochemical Detection, 05.06
- **D7495-12** Specification for Minimum Requirements for Accreditation Bodies that Accredit Agencies Testing and Inspecting Road and Paving Materials, 04.03

D7496-11 Test Method for Viscosity of Emulsified Asphalt by Saybolt Furol Viscometer, 04.03

- D7497-09 Practice for Recovering Residue from Emulsified Asphalt Using Low Temperature Evaporative Technique, **04.03 D7498/D7498M-09(2014)**^{с1} Test Method for Vertical Strip Drains Using a Large
- Scale Consolidation Test, **04.13**
- D7499/D7499M-09 Test Method for Measuring Geosynthetic-Soil Resilient Interface Shear Stiffness, 04.13
- D7500-12 Test Method for Determination of Boiling Range Distribution of Distillates and Lubricating Base Oils—in Boiling Range from 100 to 735°C
- by Gas Chromatography, **05.04 D7501-12a** Test Method for Determination of Fuel Filter Blocking Potential of Biodiesel (B100) Blend Stock by Cold Soak Filtration Test (CSFT), **05.04**
- D7503-10 Test Method for Measuring the Exchange Complex and Cation Exchange Capacity of Inorganic Fine-Grained Soils, 04.09
- D7504-12 Test Method for Trace Impurities in Monocyclic Aromatic Hydrocarbons by Gas Chromatography and Effective Carbon Number, 06.04
- D7505/D7505M-10 Specification for Self-Adhesive Polyester Fabric Reinforced Polymer Modified Asphalt Steep Slope Roll Roofing Surfaced with Mineral
- Granules, 04.04

 D7506/D7506M-12 Test Method for Pocket Reinforcement, 07.02
- D7507-14 Specification for Woven High Stretch Fabrics Used in Apparel, 07.02
- D7508/D7508M-10 Specification for Polyolefin Chopped Strands for Use in Concrete, 07.02
- D7509-09 Specification for Fluorocarbon Feedstock Grade Chloroform, 15.05 D7510-10 Practice for Performing Detection and Quantitation Estimation and Data Assessment Utilizing DQCALC Software, based on ASTM Practices
- Data Assessment Unificing DeCALC Software, used on ASTM Fractices
 D6091 and D6512 of Committee D19 on Water, 11.01
 D7511-12 Test Method for Total Cyanide by Segmented Flow Injection
 Analysis, In-Line Ultraviolet Digestion and Amperometric Detection, 11.02
 D7512-09 Guide for Monitoring of Suspended-Sediment Concentration in
 Open Channel Flow Using Optical Instrumentation, 11.01
- D7513-09 Test Method for Capacity of Mixed Bed Ion Exchange Cartridges, 11.02
- D7514-09 Test Method for Evaluating Ink Stainblocking of Architectural Paint Systems by Visual Assessment, 06.02
- D7515-09(2014) Test Method for Purity of 1,3-Propanediol (Gas Chromatographic Method), 15.05
- D7517-09(2014) Specification for Fully-Formulated 1,3 Propanediol (PDO)
- Base Engine Coolant for Heavy-Duty Engines, 15.05

 D7518-10 Specification for 1,3 Propanediol (PDO) Base Engine Coolant for Automobile and Light-Duty Service, 15.05

 D7519-11 Test Method for Internal Bond Strength and Thickness Swell of Cellulosic-Based Fiber and Particle Panels After Repeated Wetting, 04.10
- D7520-13 Test Method for Determining the Opacity of a Plume in the Outdoor Ambient Atmosphere, 11.07
- D7521-13 Test Method for Determination of Asbestos in Soil, 11.07 D7522/D7522M-09 Test Method for Pull-Off Strength for FRP Bonded to
- Concrete Substrate, 15.03 D7524-10 Test Method for Determination of Static Dissipater Additives (SDA) in Aviation Turbine Fuel and Middle Distillate Fuels—High Performance
 Liquid Chromatograph (HPLC) Method, 05.04

 D7525-09 Test Method for Oxidation Stability of Spark Ignition Fuel—Rapid
 Small Scale Oxidation Test (RSSOT), 05.04

 D7527-10 Test Method for Measurement of Antioxidant Content in Lubricating
- Greases by Linear Sweep Voltammetry, 05.04
- D7528-13 Test Method for Bench Oxidation of Engine Oils by ROBO Apparatus, 05.04
- D7530/D7530M-10 Specification for Self-Adhesive Glass Fiber Fabric Reinforced Polymer Modified Asphalt Steep Slope Roll Roofing Surfaced with Mineral Granules, 04.04
- D7532-09 Practice for Determination of Re-tack Ability of Carpet Adhesives, 15.06
- D7533/D7533M Withdrawn 2013; Practice for Minimum Geospatial Data for Abandoned Mine Land Problem Area
- D7534/D7534M Withdrawn 2013; Practice for Minimum Geospatial Data for

- D/534/D/534W Withdrawh 2013; Practice for Minimum Geospatial Data for Abandoned Mine Land Planning Unit

 D7535-09^{c1} Test Method for Lead-210 in Water, 11.02

 D7536-09 Test Method for Chlorine in Aromatics by Monochromatic Wavelength Dispersive X-ray Fluorescence Spectrometry, 06.04

 D7538-09(2013) Practice for Evaluating the Water Wash-Off Resistance of Traffic Paints Using an Atomizing Spray Device, 06.02

 D7539-10 Practice for Using a Test Chamber for Humidity Conditioning of Test
- Panels of Pavement Marking Paints, 06.02
- D7540-09(2013) Practice for Dispersion of Chromatic Pigments with a Mechanical Muller, 06.01
- D7541-11 Practice for Estimating Critical Surface Tensions, 06.01
 D7542-09 Test Method for Air Oxidation of Carbon and Graphite in the Kinetic
- Regime, 05.05
- D7544-12 Specification for Pyrolysis Liquid Biofuel, 05.04
 D7545-13 Test Method for Oxidation Stability of Middle Distillate Fuels—Rapid Small Scale Oxidation Test (RSSOT), 05.04
- D7546-09 Test Method for Determination of Moisture in New and In-Service Lubricating Oils and Additives by Relative Humidity Sensor, **05.04 D7547-13** Specification for Hydrocarbon Unleaded Aviation Gasoline, **05.04**
- Test Method for Determination of Accelerated Iron Corrosion in D7548-09 Petroleum Products, 05.04
- D7549-13 Test Method for Evaluation of Heavy-Duty Engine Oils under High

D7549 D7638

- Output Conditions-Caterpillar C13 Test Procedure, 05.04
- D7550-09 Test Method for Determination of Ammonium, Alkali and Alkaline Earth Metals in Hydrogen and Other Cell Feed Gases by Ion Chromatography, 05.06
- Test Method for Determination of Total Volatile Sulfur in Gaseous D7551-10 Hydrocarbons and Liquefied Petroleum Gases and Natural Gas by Ultraviolet Fluorescence, 05.06
- D7552-09 Test Method for Determining the Complex Shear Modulus (G*) Of Bituminous Mixtures Using Dynamic Shear Rheometer, 04.03
- D7553-10 Test Method for Solubility of Asphalt Materials in N-Propyl Bromide, 04.03
- D7556-10 Test Methods for Determining Small-Strain Tensile Properties of Geogrids and Geotextiles by In-Air Cyclic Tension Tests, 04.13
- D7557/D7557M-09(2013)^{€1} Practice for Sampling of Expanded Polystyrene Geofoam Specimens, 04.13
- D7558-09 Test Method for Colorimetric/Spectrophotometric Procedure to Quantify Extractable Chemical Dialkyldithiocarbamate, Thiuram, and Mercaptobenzothiazole Accelerators in Natural Rubber Latex and Nitrile Gloves. 09.02
- D7559/D7559M-09(2014) Test Method for Determining Pressure Decay of Inflatable Restraint Cushions, 07.02
 D7563-10 Test Method for Evaluation of the Ability of Engine Oil to Emulsify
- Water and Simulated Ed85 Fuel, 05.04
- D7564/D7564M-09 Practice for Construction of Asphalt-Rubber Cape Seal, 04.03
- D7565/D7565M-10 Test Method for Determining Tensile Properties of Fiber Reinforced Polymer Matrix Composites Used for Strengthening of Civil Structures, 15.03
- D7566-13 Specification for Aviation Turbine Fuel Containing Synthesized Hydrocarbons, 05.04
- D7567-09 Test Method for Determining Gel Content in Crosslinked Ethylene Plastics Using Pressurized Liquid Extraction, 08.03
- D7568-13 Specification for Polyethylene-Based Structural-Grade Plastic Lumber for Outdoor Applications, 08.03
- D7569-10 Practice for Determination of Gas Content of Coal—Direct Desorption Method, 05.06
- D7570-09 Test Method for Evaluation of Dimensional Stability of Pile Yarn
- Floor Covering, **07.02 D7571-10(2014)**^{c1} Specification for Retained Sewn Seam Strength After Exposures to Hot Air and Open Flame, 07.02
- D7572-13 Guide for Recovery of Aqueous Cyanides by Extraction from Mine Rock and Soil, 11.02
- D7573-09 Test Method for Total Carbon and Organic Carbon in Water by High Temperature Catalytic Combustion and Infrared Detection, 11.02
- **D7574-09** Test Method for Determination of Bisphenol A in Environmental
- Waters by Liquid Chromatography/Tandem Mass Spectrometry, 11.02 D7575-11 Test Method for Solvent-Free Membrane Recoverable Oil and Grease by Infrared Determination, 11.02
- D7576-10 Test Method for Determination of Benzene and Total Aromatics in Denatured Fuel Ethanol by Gas Chromatography, 05.04
- D7577-12 Test Method for Determining the Accelerated Iron Corrosion Rating of Denatured Fuel Ethanol and Ethanol Fuel Blends, 05.04
- D7578-10^{c1} Guide for Calibration Requirements for Elemental Analysis of Petroleum Products and Lubricants, 05.04
- D7579-09(2013) Test Method for Pyrolysis Solids Content in Pyrolysis Liquids by Filtration of Solids in Methanol, 05.04
- D7580/D7580M-09 Test Method for Rotary Stretch Wrapper Method for Determining the Readability of Passive RFID Transponders on Homogenous Palletized or Unitized Loads, 15.10
- Test Methods for Proximate Analysis of Coal and Coke by Macro D7582-12 Thermogravimetric Analysis, 05.06
- Test Method for John Deere Coolant Cavitation Test, 15.05 D7583-09
- D7584-10 Test Method for Evaluating the Resistance of the Surface of Wet Blue to the Growth of Fungi in an Environmental Chamber, 15.04

 D7585/D7585M-10 Practice for Evaluating Retroreflective Pavement Markings Using Portable Hand-Operated Instruments, 04.03
- D7586/D7586M-11 Test Method for Quantification of Air Intrusion in Low-Sloped Mechanically Attached Membrane Roof Assemblies, 04.04
- D7588-11 Guide for FT-IR Fingerprinting of a Non-Aqueous Liquid Paint as
- on Fuel Economy of Passenger Cars and Light-Duty Trucks in Sequence VID Spark Ignition Engine, **05.04 D7590-09**Guide for Measurement of Effects of Automotive Engine Oils on Fuel Economy of Passenger Cars and Light-Duty Trucks in Sequence VID Spark Ignition Engine, **05.04 D7590-09**
- Guide for Measurement of Remaining Primary Antioxidant Content In In-Service Industrial Lubricating Oils by Linear Sweep Voltammetry,
- 05.04
 D7591-12 Test Method for Determination of Free and Total Glycerin in
- Biodiesel Blends by Anion Exchange Chromatography, **05.04 D7592-10** Specification for Specification for Grade 94 Unleaded Aviation Gasoline Certification and Test Fuel, **05.04**
- **D7593-13** Test Method for Determination of Fuel Dilution for In-Service Engine Oils by Gas Chromatography, **05.04**14-11 Test Method for Determining Fretting Wear Resistance of
- Lubricating Greases Under High Hertzian Contact Pressures Using a High-Frequency, Linear-Oscillation (SRV) Test Machine, 05.04
 D7596-10 Test Method for Automatic Particle Counting and Particle Shape
- Classification of Oils Using a Direct Imaging Integrated Tester, **05.04 D7597-09**^{c2} Test Method for Determination of Diisopropyl Methylphosphonate, Ethyl Hydrogen Dimethylamidophosphate, Ethyl Methylphosphonic Acid, Isopropyl Methylphosphonic Acid, Methylphosphonic Acid and Pinacolyl

- Methylphosphonic Acid in Water by Liquid Chromatography/Tandem Mass Spectrometry, 11.02
- Test Method for Determination of Thiodiglycol in Water by Single Reaction Monitoring Liquid Chromatography/Tandem Mass Spectrometry, 11.02 D7599-09^{c2}
- Test Method for Determination of Diethanolamine, Triethanolamine, N-Methyldiethanolamine and N-Ethyldiethanolamine in Water by Single Reaction Monitoring Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), 11.02

 0-09*3 Test Method for Determination of Aldicarb, Carbofuran, Oxamyl
- D7600-09^{c3} and Methomyl by Liquid Chromatography/Tandem Mass Spectrometry, 11.02
- D7601-10 Practice for Pressure Driven Membrane Separation Element/Bundle Evaluation, 11.02
- D7602-11 Practice for Installation of Vulcanized Rubber Linings, 06.02
- D7603-13 Test Method for Determination of Storage Stability and Compatibility in Automotive Gear Oils, 05.04
- D7605-11 Test Method for Thermoplastic Elastomers—Measurement of Polymer Melt Rheological Properties and Congealed Dynamic Properties Using Rotorless Shear Rheometers, 09.01
- D7606-11 Practice for Sampling of High Pressure Hydrogen and Related Fuel Cell Feed Gases, **05.06 D7607/D7607M-1**Test Method for Analysis of Oxygen in Gaseous Fuels
- (Electrochemical Sensor Method), 05.06
- D7608-10 Test Method for Torsional Ring Shear Test to Determine Drained Fully Softened Shear Strength and Nonlinear Strength Envelope of Cohesive Soils (Using Normally Consolidated Specimen) for Slopes with No Preexisting Shear Surfaces, 04.09
- D7609/D7609M Withdrawn 2013; Practice for Minimum Geospatial Data for an Abandoned Mine Land Project Site
- D7610/D7610M Withdrawn 2013; Practice for Minimum Geospatial Data for Abandoned Mine Land Keyword Feature
- D7611/D7611M-13 Practice for Coding Plastic Manufactured Articles for Resin Identification. 08.03
- D7612-10 Practice for Categorizing Wood and Wood-Based Products According to Their Fiber Sources, 04.10
- D7613-10 Specification for Flexible Polypropylene Reinforced (fPP-R) and Nonreinforced (fPP) Geomembranes, 04.13
- D7614-12 Test Method for Determination of Total Suspended Particulate (TSP) Hexavalent Chromium in Ambient Air Analyzed by Ion Chromatography (IC) and Spectrophotometric Measurements, 11.07
- D7615/D7615M-11 Practice for Open-Hole Fatigue Response of Polymer
- Matrix Composite Laminates, 15.03

 D7616/D7616M-11 Test Method for Determining Apparent Overlap Splice
 Shear Strength Properties of Wet Lay-Up Fiber-Reinforced Polymer Matrix
 Composites Used for Strengthening Civil Structures, 15.03
- D7617/D7617M-11 Test Method for Transverse Shear Strength of Fiberreinforced Polymer Matrix Composite Bars, 15.03
- D7618-13 Specification for Ethyl Tertiary-Butyl Ether (ETBE) for Blending with Aviation Spark-Ignition Engine Fuel, 05.04
- D7619-12b Test Method for Sizing and Counting Particles in Light and Middle Distillate Fuels, by Automatic Particle Counter, 05.04
- **D7620-10** Test Method for Determination of Total Sulfur in Liquid Hydrocarbon Based Fuels by Continuous Injection, Air Oxidation and Ultraviolet Fluorescence Detection, **05.04 D7621-13** Test Method for Determination of Hydrogen Sulfide in Fuel Oils by
- Rapid Liquid Phase Extraction, **05.04 D7622-10^{c1}** Test Method for Total Mercury in Crude Oil Using Combustion and Direct Cold Vapor Atomic Absorption Method with Zeeman Background Correction, 05.04
- D7623-10 Test Method for Total Mercury in Crude Oil Using Combustion-Gold Amalgamation and Cold Vapor Atomic Absorption Method, 05.04
- D7624-10 Test Method for Condition Monitoring of Nitration in In-Service
 Petroleum and Hydrocarbon-Based Lubricants by Trend Analysis Using
 Fourier Transform Infrared (FT-IR) Spectrometry, 05.04
 D7625-10 Test Method for Laboratory Determination of Abrasiveness of Rock
- Using the CERCHAR Method, 04.09

 D7626-10 Test Methods for Determining the Organic Treat Loading of
- Organophilic Clay, 04.09
- D7627 Withdrawn 2013; Practice for Minimum Geospatial Data for Land
- Reclamation and Performance Bond Status of a Permitted Coal Mine
 D7628 Withdrawn 2013; Practice for Minimum Geospatial Data for Lands
 Unsuitable for Mining Petitions and Designated Areas
 D7629/D7629M Withdrawn 2013; Practice for Minimum Geospatial Data for
- Representing Coal Spoil and Refuse Features
 D7630/D7630M Withdrawn 2013; Practice for Minimum Geospatial Data for
- Postmining Land Uses
- D7631 Withdrawn 2013; Practice for Minimum Geospatial Data for a Coal Mining Environmental Resource Monitoring Location
 D7633-13 Test Method for Carbon Black—Carbon Content, 09.01
- Test Method for Visualizing Particulate Sizes and Morphology of D7634-10 Particles Contained in Hydrogen Fuel by Microscopy, 05.06
- D7635/D7635M-10 Test Method for Measurement of Thickness of Coatings Over Fabric Reinforcement, 04.04
- D7636/D7636M-11 Practice for Sampling and Analysis of Modified Bitumen
- Roof Systems, **04.04 D7637-10** Test Method for Determination of Glycerin Assay by Titration (Sodium Meta Periodate), 15.05
- D7638-10 Test Method for Determination of Fatty Acids and Esters in Glycerin. 15.05

D7639 D7735

- D7639-10 Test Method for Determination of Zirconium Treatment Weight or Thickness on Metal Substrates by X-Ray Fluorescence, 06.02
- Specification for Engine Coolant Grade Glycerin, 15.05
- D7641-10(2014)^{c1} Guide for Textile Fibers, 07.02
- D7642-12 Practice for Establishment of Calibration Cottons for Cotton Classification Instruments, 07.02
- D7643-10 Practice for Determining the Continuous Grading Temperatures and
- Continuous Grades for PG Graded Asphalt Binders, **04.03 D7644-10^{c2}** Test Method for Determination of Bromadiolone, Brodifacoum, Diphacinone and Warfarin in Water by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), 11.02

 D7645-14 Test Method for Determination of Aldicarb, Aldicarb Sulfone,
- Aldicarb Sulfoxide, Carbofuran, Methomyl, Oxamyl, and Thiofanox in Water by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), 11.02
- D7646-10 Test Method for Determination of Cooling Characteristics of Aqueous Polymer Quenchants for Aluminum Alloys by Cooling Curve Analysis, 05.04
- D7647-10 Test Method for Automatic Particle Counting of Lubricating and Hydraulic Fluids Using Dilution Techniques to Eliminate the Contribution of Water and Interfering Soft Particles by Light Extinction, 05.04

 D7648-12 Practice for Active Soil Gas Sampling for Direct Push or Manual-Driven Hand-Sampling Equipment, 04.09

 D7649-10 Test Method for Determination of Trace Carbon Dioxide, Argon,
- Nitrogen, Oxygen and Water in Hydrogen Fuel by Jet Pulse Injection and Gas Chromatography/Mass Spectrometer Analysis, 05.06
- D7650-13 Test Method for Sampling of Particulate Matter in High Pressure Hydrogen used as a Gaseous Fuel with an In-Stream Filter, 05.06
- D7651-10 Test Method for Gravimetric Measurement of Particulate
- Concentration of Hydrogen Fuel, 05.06

 D7652-11 Test Method for Determination of Trace Hydrogen Sulfide, Carbonyl Sulfide, Methyl Mercaptan, Carbon Disulfide and Total Sulfur in Hydrogen Fuel by Gas Chromatography and Sulfur Chemiluminescence Detection, 05.06
- D7653-10 Test Method for Determination of Trace Gaseous Contaminants in Hydrogen Fuel by Fourier Transform Infrared (FTIR) Spectroscopy, 05.06
- D7654/D7654M-10 Specification for Asphalt Used in Roofing Measured by Dynamic Shear Rheometer, 04.04
- D7655/D7655M-12 Classification for Size of Aggregate Used as Ballast for Membrane Roof Systems, 04.04
- D7659-10 Guide for Strategies for Surface Sampling of Metals and Metalloids for Worker Protection, 11.07
- D7660-10 Guide for Conducting Internal Pressure Tests on United Nations (UN) Packagings, 15.10
 Test Method for Determining Compatibility of Personal Lubricants
- D7661-10 with Natural Rubber Latex Condoms, 09.02
- D7662-13 Test Method for Carbon Content in Carbon Black Feedstock Oils, 09.01
- D7663-12 Practice for Active Soil Gas Sampling in the Vadose Zone for Vapor Intrusion Evaluations, 04.09
- D7664-10 Test Methods for Measurement of Hydraulic Conductivity of Unsaturated Soils, 04.09
- D7665-10 Guide for Evaluation of Biodegradable Heat Transfer Fluids, 05.04
 D7666-12 Specification for Triglyceride Burner Fuel, 05.04
 D7667-10^{€1} Test Method for Determination of Corrosiveness to Silver by
- D7667-10^{c1} Test Method for Determination of Corrosiveness to Silver by Automotive Spark-Ignition Engine Fuel—Thin Silver Strip Method, **05.04**D7668-12a Test Method for Determination of Derived Cetane Number (DCN)
- of Diesel Fuel Oils-Ignition Delay and Combustion Delay Using a Constant Volume Combustion Chamber Method, 05.05
- D7669-11 Guide for Practical Lubricant Condition Data Trend Analysis, 05.04 Contamination Analysis Using Membrane Filters, **05.04 D7671-10^{c1}** Test Method for Corrections (Corrections (Correctio D7670-10 Practice for Processing In-service Fluid Samples for Particulate
- D7671-10^{c1} Test Method for Corrosiveness to Silver by Automotive Spark–Ignition Engine Fuel–Silver Strip Method, 05.04
 D7672-13 Specification for Evaluating Structural Capacities of Rim Board
- Products and Assemblies, **04.10 D7673/D7673M-10^{c2}** Specification for Halon 1211, Bromochlorodifluoromethane (CF2BrCl), **15.05**
- D7674-14a Test Method for Hexane/Petroleum Ether Extract in Wet Blue and Wet White, 15.04
- D7675-11 Test Method for Determination of Total Hydrocarbons in Hydrogen by FID Based Total Hydrocarbon (THC) Analyzer, 05.06
 D7677-11 Test Method for the Continuous Measurement of Dissolved Ozone in Low Conductivity Water, 11.01
- D7678-11 Test Method for Total Petroleum Hydrocarbons (TPH) in Water and Wastewater with Solvent Extraction using Mid-IR Laser Spectroscopy, 11.02
- D7679-13 Test Method for Sulfur Content in Carbon Black Feedstock Oils, 09.01
- D7680-10 Practice for Preparing Prints of Paste Printing Inks by a
 Motor-Driven Printability Tester, 06.02
 D7681-11 Test Method for Measuring Gradation of Glass Spheres Using a
- Flowing Stream Digital Image Analyzer, 06.02

 D7682-12 Test Method for Replication and Measurement of Concrete Surface
- Profiles Using Replica Putty, 06.02 D7683-11 Test Method for Cloud Point of Petroleum Products (Small Test Jar
- Method), 05.04 D7684-11 Guide for Microscopic Characterization of Particles from In-Service
- Lubricants, 05.04 D7685-11 Practice for In-Line, Full Flow, Inductive Sensor for Ferromagnetic

and Non-ferromagnetic Wear Debris Determination and Diagnostics for Aero-Derivative and Aircraft Gas Turbine Engine Bearings, 05.04

- D7686-11 Test Method for Field-Based Condition Monitoring of Soot in In-Service Lubricants Using a Fixed-Filter Infrared (IR) Instrument, 05.04
- D7687-11 Test Method for Measurement of Cellular Adenosine Triphosphate in Fuel, Fuel/Water Mixtures, and Fuel-Associated Water with Sample Concentration by Filtration, 05.04
- D7688-11 Test Method for Evaluating Lubricity of Diesel Fuels by the High-Frequency Reciprocating Rig (HFRR) by Visual Observation, 05.04 D7689-11 Test Method for Cloud Point of Petroleum Products (Mini Method),
- 05.04 D7690-11 Practice for Microscopic Characterization of Particles from In-Service Lubricants by Analytical Ferrography, 05.04
- D7691-11 Test Method for Multielement Analysis of Crude Oils Using Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), 05.04
- D7698-11a Test Method for In-Place Estimation of Density and Water Content of Soil and Aggregate by Correlation with Complex Impedance Method, 04.09
- D7699/D7699M-11 Practice for Minimum Geospatial Data for Abandoned Mine Land Problem Areas, Planning Units, Keyword Features, and Project Sites, **04.09**
- D7700-12 Guide for Selecting Test Methods for Geomembrane Seams, 04.13
 D7701-11 Test Method for Determining the Flow Rate of Water and Suspended Solids from a Geotextile Bag, 04.13
- D7702/D7702M-13a Guide for Considerations When Evaluating Direct Shear Results Involving Geosynthetics, 04.13
- D7703-11 Practice for Electrical Leak Location on Exposed Geomembranes Using the Water Lance System, 04.13
- D7704-12 Test Method for Total Aldehydes in Styrene Monomer by
- Potentiometric Titration, **06.04 D7705/D7705M-12** Test Method for Alkali Resistance of Fiber Reinforced Polymer (FRP) Matrix Composite Bars used in Concrete Construction, 15.03
- D7706-11 Practice for Rapid Screening of VOC Emissions from Products
- Using Micro-Scale Chambers, 11.07

 D7707-11 Specification for Wipe Sampling Materials for Beryllium in Surface Dust, 11.07
- D7708-14 Test Method for Microscopical Determination of the Reflectance of Vitrinite Dispersed in Sedimentary Rocks, 05.06
- (WVTR) of Pharmaceutical Bottles and Blisters, 15.10

 D7710-14 Test Method for Determination of Volume and Density of Rigid and Irregularly Shaped Molded Cellular Materials, 08.03

 D7711-11 Guide for Description of Polymer Delivers Delivers
- D7712-11 Terminology for Sampling and Analysis of Asbestos, 11.07
- D7713-12 Specification for Aqueous Engine Coolant Grade Glycol (53% Nominal), 15.05
- D7714-11 Specification for Glycerin Base Engine Coolant for Automobile and Light-Duty Service, 15.05
- D7715-12 Specification for Fully-Formulated Glycerin Base Engine Coolant for Heavy-Duty Engines, 15.05
- D7716-11a Test Method for Determination of Residual Methanol in Glycerin by Gas Chromatography, 15.05
- D7717-11 Practice for Preparing Volumetric Blends of Denatured Fuel Ethanol and Gasoline Blendstocks for Laboratory Analysis, 05.04
 D7718-11 Practice for Obtaining In-Service Samples of Lubricating Grease,
- 05.04
- D7719-12 Specification for High Octane Unleaded Test Fuel, 05.04 Guide for Statistically Evaluating Measurand Alarm Limits when D7720-11
- Using Oil Analysis to Monitor Equipment and Oil for Fitness and Contamination, 05.04
- D7721-11 Practice for Determining the Effect of Fluid Selection on Hydraulic
- System or Component Efficiency, 05.04

 D7722-13 Terminology Relating to Industrial Textile Stitches and Seams, 07.02

 D7723-11 Test Method for Rubber Property—Macro-Dispersion of Fillers in Compounds, 09.01
- D7724-11 Test Method for Carbon Black—Non-Dispersible Matter by Mechanical Flushing (NDM), 09.01
- D7725-12 Test Method for the Continuous Measurement of Turbidity Above 1 Turbidity Unit (TU), 11.01
- D7726-11 Guide for The Use of Various Turbidimeter Technologies for Measurement of Turbidity in Water, 11.01
 D7727-11^{c1} Practice for Calculation of Dose Equivalent Xenon (DEX) for
- Radioactive Xenon Fission Products in Reactor Coolant, 11.02
- D7728-11 Guide for Selection of ASTM Analytical Methods for Implementation of International Cyanide Management Code Guidance, 11.02
- D7729-12 Practice for Determining and Expressing Precision of Measurement Results, in the Analysis of Water, as Relative Standard Deviation, Utilizing DQCALC Software, 11.01
- **D7730-11** Test Method for Determination of Dioctyl Sulfosuccinate in Sea Water by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), 11.02

 D7731-11^{c1} Test Method for Determination of Dipropylene Glycol Monobutyl
- Ether and Ethylene Glycol Monobutyl Ether in Sea Water by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), 11.02

 D7733-12 Specification for Acrylic Dispersion Ground, 06.02

 D7734/D7734M-13 Test Method for Determination of Open Time of Oxidative Printing Inks and Overprint Varnishes by a Manual Method, 06.02

 D7735-11 Test Method for Type A Durometer Hardness Testing of Road

D7735 D7833

- Marking Thermoplastic at Elevated Temperatures, 06.02
- D7736-12 Test Method for Determination of Acids and Glycol Esters in Ethylene Glycol, 15.05
- D7737-11 Test Method for Individual Geogrid Junction Strength, 04.13 D7739-11 Practice for Thermal Oxidative Stability Measurement via Quartz Crystal Microbalance, 05.04
- D7740-11 Practice for Optimization, Calibration, and Validation of Atomic Absorption Spectrometry for Metal Analysis of Petroleum Products and Lubricants, 05.04
 D7741/D7741M-11^{c1} Test Method for Measurement of Apparent Viscosity of
- Asphalt-Rubber or Other Asphalt Binders by Using a Rotational Hand Held Viscometer, 04.03
- D7742-11 Practice for Determination of Nonylphenol Polyethoxylates (NPnEO, $3 \le n \le 18$) and Octylphenol Polyethoxylates (OPnEO, $2 \le n \le 12$) in Water by Single Reaction Monitoring (SRM) Liquid Chromatography/ Tandem Mass Spectrometry (LC/MS/MS), 11.02
- D7743-12 Test Method for Measuring the Minimum Fluidization Velocities of Free Flowing Powders, 04.09
 744/D7744M-11 Test Methods for Tensile Testing of High Performance
- Polyethylene Tapes, 07.02
- D7745-11 Practice for Testing Pultruded Composites, 08.03
- D7746-11 Practice for Calculating the Superimposed Load on Wood-frame Floor-Ceiling Assemblies for Standard Fire-Resistance Tests, 04.10
- D7747/D7747M-11^{€1} Test Method for Determining Integrity of Seams Produced Using Thermo-Fusion Methods for Reinforced Geomembranes by the Strip Tensile Method, 04.13
- D7748/D7748M-14 Test Method for Flexural Rigidity of Geogrids, Geotextiles and Related Products, 04.13
- D7749-11 Test Method for Determining Integrity of Seams Produced Using Thermo-Fusion Methods for Reinforced Geomembranes by the Grab Method, 04.13
- D7750-12 Test Method for Cure Behavior of Thermosetting Resins by Dynamic Mechanical Procedures using an Encapsulated Specimen Rheometer, 15.03
- D7751-12 Test Method for Determination of Additive Elements in Lubricating Oils by EDXRF Analysis, **05.04 D7752-11** Practice for Evaluating Compatibility of Mixtures of Hydraulic Fluids,
- 05.04
- D7753-12 Test Method for Hydrocarbon Types and Benzene in Light Petroleum Distillates by Gas Chromatography, 05.04
- **D7754-11** Test Method for Determination of Trace Oxygenates in Automotive Spark-Ignition Engine Fuel by Multidimensional Gas Chromatography,
- D7755-11 Practice for Determining the Wear Volume on Standard Test Pieces Used by High-Frequency, Linear-Oscillation (SRV) Test Machine, 05.04
- D7756-13 Test Method for Residues in Liquefied Petroleum (LP) Gases by Gas Chromatography with Liquid, On-Column Injection, 05.04
- D7757-12 Test Method for Silicon in Gasoline and Related Products by Monochromatic Wavelength Dispersive X-ray Fluorescence Spectrometry, 05.04
- D7758-11 Practice for Passive Soil Gas Sampling in the Vadose Zone for Source Identification, Spatial Variability Assessment, Monitoring, and Vapor Intrusion Evaluations, 04.09
- D7759-12a Guide for Nuclear Surface Moisture and Density Gauge Calibration, 04.09
- D7760-12 Test Method for Measurement of Hydraulic Conductivity of Tire Derived Aggregates Using a Rigid Wall Permeameter, 04.09
- D7762-11 Practice for Design of Stabilization of Soil and Soil-Like Materials with Self-Cementing Fly Ash, 04.09
- D7764-12 Practice for Pre-Installation Acceptance Testing of Vibrating Wire Piezometers, 04.09
- D7765-12 Practice for Use of Foundry Sand in Structural Fill and Embankments 04.09
- D7766/D7766M-11 Practice for Damage Resistance Testing of Sandwich Constructions, 15.03
- D7767-11 Test Method to Measure Volatiles from Radiation Curable Acrylate Monomers, Oligomers, and Blends and Thin Coatings Made from Them,
- D7768-12 Test Method for Speciated Organic Volatile Content of Waterborne Multi-Component Coatings by Gas Chromatography, 06.01
- D7770-12 Test Method for Standard Test Method for Collection of Volatile Organic Compounds Emitted During Simulated Manufacturing of Engineered Wood Products Via a Sealed Caul Plate Method, 04.10
- **D7771-13** Test Method for Determination of Benzo-α-Pyrene (BaP) Content in Carbon Black, 09.01
- D7772-11 Test Method for Carbon Black Extractables Absorbance of Cyclohexane Extract, 09.01
- D7773-12 Test Method for Determination of Volatile Inorganic Acids (HCI, HBr, and HNO, 11.07
- D7774-12 Test Method for Flexural Fatigue Properties of Plastics, 08.03 D7775-11^{c1} Guide for Measurements on Small Graphite Specimens, 05.05
- D7776-12 Guide for Self-Assessment of Quality System Practices in Petroleum Products and Lubricant Testing Laboratories, 05.04
- D7777-13 Test Method for Density, Relative Density, or API Gravity of Liquid Petroleum by Portable Digital Density Meter, 05.04

 D7778-12 Guide for Conducting an Interlaboratory Study to Determine the Precision of a Test Method, 05.04
- D7779-11 Test Method for Determination of Fracture Toughness of Graphite at Ambient Temperature, 05.05

- D7780-12 Practice for Geospatial Data for Representing Coal Mining Features, 04.09
- Test Method for Nitrite-Nitrate in Water by Nitrate Reductase, 11.02 Practice for Determination of the 99 %/95 % Critical Level (WCL) D7782-13 and a Reliable Detection Estimate (WDE) Based on Within-laboratory Data, 11.01
- D7783-13 Practice for Within-laboratory Quantitation Estimation (WQE), 11.01
- D7784-12 Practice for the Rapid Assessment of Gamma-ray Emitting
 Radionuclides in Environmental Media by Gamma Spectrometry, 11.02
- D7785-12 Test Method for Water in Lint Cotton by Oven Evaporation Combined with Volumetric Karl Fischer Titration, 07.02
- D7786-12 Test Method for Determining Enamel Holdout, 06.02
 D7787/D7787M-13 Practice for Selecting Wood Substrates for Weathering Evaluations of Architectural Coatings, 06.02
- D7788-14 Practice for Collection of Total Airborne Fungal Structures via Inertial Impaction Methodology, 11.07
- D7789-12 Practice for Collection of Fungal Material from Surfaces by Swab, 11.07
- D7790-12 Guide for Preparation of Plastic Packagings Containing Liquids for United Nations (UN) Drop Testing, 15.10
- Test Method for Uniaxial Fatigue Properties of Plastics, **08.03** Specification for Insulated Vinyl Siding, **08.03** D7791-12
- D7793-13
- 14-12 Practice for Blending Mid-Level Ethanol Fuel Blends for Flexible-Fuel Vehicles with Automotive Spark-Ignition Engines, 05.04 D7794-12
- D7795-12 Test Method for Acidity in Ethanol and Ethanol Blends by Titration,
- D7796-12 Test Method for Analysis of Ethyl tert-Butyl Ether (ETBE) by Gas Chromatography, 05.04
- D7797-12 Test Method for Determination of the Fatty Acid Methyl Esters Content of Aviation Turbine Fuel Using Flow Analysis by Fourier
- Transform Infrared Spectroscopy Rapid Screening Method, **05.04 D7798-13** Test Method for Boiling Range Distribution of Petroleum Distillates with Final Boiling Points up to 538°C by Ultra Fast Gas Chromatography (UF GC), 05.04
- D7799-12a Specification for Tufted and Woven Broadloom Carpet Adhesives
- Without Homogenous PVC or Non-PVC Backings, 15.06

 D7801-12 Terminology for Paint Brush Application Tools, 06.02
- Terminology for Paint Roller Application Tools, 06.02
- D7803-12 Practice for Preparation of Zinc (Hot-Dip Galvanized) Coated Iron and Steel Product and Hardware Surfaces for Powder Coating, 06.02

 D7804-12 Test Method for Fiber Shedding of Paint Roller Covers, 06.02
- D7805-13 Terminology for Printing Ink Vehicles and Related Materials, 06.03
 D7806-12 Test Method for Determination of the Fatty Acid Methyl Ester (FAME) Content of a Blend of Biodiesel and Petroleum-Based Diesel Fuel Oil Using Mid-Infrared Spectroscopy, 05.04

 D7807-12 Test Method for Determination of Boiling Range Distribution of
- Hydrocarbon and Sulfur Components of Petroleum Distillates by Gas Chromatography and Chemiluminescence Detection, 05.04
- D7808-12 Practice for Determining the Site Precision of a Process Stream Analyzer on Process Stream Material, 05.04
- D7811-13 Test Method for Bow and Skew Using a Measuring Tool, 07.02
- D7815-12 Practice for Handling, Transportation, and Storage of Halon 1211, Bromochlorodifluoromethane (CF2BrCl), 15.05 D7816-12 Test Method for Enumeration of Halophilic and Proteolytic Bacteria
- in Raceway Brine, Brine-Cured Hides and Skins, 15.04

 D7817-12 Test Method for Enumeration of Yeast and Mold in Raceway Brine,
- Brine-Cured Hides and Skins, 15.04
- D7818-12 Test Method for Enumeration of Proteolytic Bacteria in Fresh (Uncured) Hides and Skins, 15.04
- D7819-12 Test Method for Enumeration of Yeast and Mold on Fresh (Uncured) Hides and Skins, 15.04
- D7820-12 Test Method for Engine Coolant Corrosion Protection Under Accelerated Thermal and Oxidizing Conditions Using a Rotating Pressure Vessel, 15.05
- **D7821-12** Test Method for Field Test Determination of Urea Concentration in Diesel Exhaust Fluid (DEF), 15.05
- D7822-13 Practice for Dermal Wipe Sampling for the Subsequent Determination of Metals and Metalloids, 11.07
- D7823-13 Test Method for Determination of Low Level, Regulated Phthalates in Poly (Vinyl Chloride) Plastics by Thermal Desorption—Gas Chromatography/Mass Chromatography, 08.03
- D7825-12 Guide for Generating a Process Stream Property Value through the Application of a Process Stream Analyzer, 05.04
- D7826-13 Guide for Evaluation of New Aviation Gasolines and New Aviation Gasoline Additives, 05.04 Test Method for Measuring n-Heptane Induced Phase Separation of
- Asphaltene from Heavy Fuel Oils as Separability Number by an Optical Device, 05.04
- D7828-12 Test Method for Determination of Residue Composition in Liquefied Petroleum Gas (LPG) Using Automated Thermal Desorption/Gas
 Chromatography (ATD/GC), 05.04

 D7829-13^{c1} Guide for Sediment and Water Determination in Crude Oil, 05.04

 D7830/D7830M-13 Test Method for In-Place Density (Unit Weight) and Water
- Content of Soil Using an Electromagnetic Soil Density Gauge, 04.09
- D7831-13 Practice for Sampling of Tanks by Field Personnel, 11.04
 D7832/D7832M-14 Guide for Performance Attributes of Waterproofing Membranes Applied to Below-Grade Walls / Vertical Surfaces (Enclosing Interior Spaces). 04.04
- D7833-14 Test Method for Determination of Hydrocarbons and Non-Hydrocarbon Gases in Gaseous Mixtures by Gas Chromatography, 05.06

D7834 D7912

- D7834-13 Test Method for Filling Material Shedding of Paint Brushes, 06.02 D7835/D7835M-13 Test Method for Determining the Solvent Resistance of an Organic Coating using a Mechanical Rubbing Machine, 06.02
- D7836-13 Test Methods for Measurement of the Rotational Viscosity of Paints, Inks and Related Liquid Materials as a Function of Temperature, 06.01
- D7840-12 Test Method for Foaming Tendencies of Non-Aqueous Engine Coolants in Glassware. 15.05
- **D7841-13** Practice for Sustainable Laundry Best Management Practices. 07.02
- D7842/D7842M-12 Test Method for Holding Strength of Tack and Prong Fastener Attached Buttons, 07.02
- D7843-12 Test Method for Measurement of Lubricant Generated Insoluble Color Bodies in In-Service Turbine Oils using Membrane Patch Colorimetry, 05.04
- D7844-12 Test Method for Condition Monitoring of Soot in In-Service Lubricants by Trend Analysis using Fourier Transform Infrared (FT-IR) Spectrometry, 05.04
- D7845-13 Test Method for Determination of Chemical Species in Marine Fuel Oil by Multidimensional Gas Chromatography - Mass Spectrometry, 05.04
- D7846-12 Practice for Reporting Uniaxial Strength Data and Estimating
- Weibull Distribution Parameters for Advanced Graphites, **05.04 D7847-12** Guide for Interlaboratory Studies for Microbiological Test Methods, **05.04**
- D7849-14 Classification for Nomenclature of Reference Materials of Committee D24, 09.01
- D7850-13 Specification for Biological Properties of Industry Reference Materials (IRM), 09.02
- D7852-13 Practice for Use of an Electrically Conductive Geotextile for Leak Location Surveys, 04.13
- D7853-13 Test Method for Hydraulic Pullout Resistance of a Geomembrane with Locking Extensions Embedded in Concrete, 04.13
 D7854-13 Test Method for Carbon Black-Void Volume at Mean Pressure,
- D7855/D7855M-13 Test Method for Determination of Mold Growth on Coated Building Products Designed for Interior Applications Using an Environmental Chamber and Indirect Inoculation, 06.01
- D7856-14 Specification for Color and Appearance Retention of Solid and Variegated Color Plastic Siding Products using CIELab Color Space, 08.03
- D7858-13 Test Method for Determination of Bisphenol A in Soil, Sludge and Biosolids by Pressurized Fluid Extraction and Analyzed by Liquid Chromatography/Tandem Mass Spectrometry, 11.04
- D7859-13^{c1} Practice for Spraying, Sampling, Packaging, and Test Specimen Preparation of Spray Polyurethane Foam (SPF) Insulation for Testing of Emissions Using Environmental Chambers, 11.07
- D7862-13 Specification for Butanol for Blending with Gasoline for Use as Automotive Spark-Ignition Engine Fuel, **05.04 D7863-13** Guide for Evaluation of Convective Heat Transfer Coefficient of
- Liquids, **05.04**
- D7865-13 Guide for Identification, Packaging, Handling, Storage and Deployment of Fabricated Geomembrane Panels, 04.13
- D7866-14 Specification for Radiation Attenuating Protective Gloves, 09.02
 D7867-13 Test Methods for Measurement of the Rotational Viscosity of Paints, Inks and Related Liquid Materials as a Function of Temperature, **06.01**
- D7868-13 Practice for Determining the Dry Fall (Fog) Properties of Protective Coatings, 06.02
- D7869-13 Practice for Xenon Arc Exposure Test with Enhanced Light and Water Exposure for Transportation Coatings, 06.01
- D7870/D7870M-13 Practice for Moisture Conditioning Compacted Asphalt Mixture Specimens by Using Hydrostatic Pore Pressure, 04.03
- D7871-13 Test Method for Analysis of Cyclohexane by Gas Chromatography (Effective Carbon Number), 06.04
- D7872-13 Test Method for Determining the Concentration of Pipeline Drag Reducer Additive in Aviation Turbine Fuels. 05.04

- D7873-13^{€1} Test Method for Determination of Oxidation Stability and Insolubles Formation of Inhibited Turbine Oils at 120 °C Without the Inclusion of Water (Dry TOST Method), 05.04
- D7874-13 Guide for Applying Failure Mode and Effect Analysis (FMEA) to In-Service Lubricant Testing, 05.04
- D7875-14 Test Method for Determination of Butanol and Acetone Content of Butanol for Blending with Gasoline by Gas Chromatography, 05.04
- D7876-13 Practice for Sample Decomposition Using Microwave Heating (With or Without Prior Ashing) for Atomic Spectroscopic Elemental Determination in Petroleum Products and Lubricants, 05.04
- D7877-14 Guide for Electronic Methods for Detecting and Locating Leaks in
- Waterproof Membranes, **04.04 D7878/D7878M-13**^{c1} Tables for Body Measurements for Adult Female Misses Petite Figure Type, Size Range 00P 20P, **07.02**
- D7879-13 Test Method for Determining Flax Fiber Widths Using Image Analysis. 07.02
- D7880/D7880M-13 Test Method for Determining Flow Rate of Water and Suspended Solids Retention from a Closed Geosynthetic Bag, 04.13
- Test Method for Determination of 4-Carboxybenzaldehyde and p-Toluic Acid in Purified Terephthalic Acid by Capillary Electrophoresis with Reverse Voltage Mode, 06.04
- D7882-13 Test Method for Determination of 4-Carboxybenzaldehyde and p-Toluic Acid in Purified Terephthalic Acid by Capillary Electrophoresis with
- Normal Voltage Mode, 06.04

 D7883-13 Test Method for Determination of 4-Carboxybenzaldehyde and p-Toluic Acid in Purified Terephthalic Acid by Weak Anion Exchange High Performance Liquid Chromatography, 06.04
- D7884-13 Test Method for Determination of 4-Carboxybenzaldehyde and p-Toluic Acid in Purified Terephthalic Acid by Reverse Phase High Performance Liquid Chromatography, **06.04 D7886-14** Practice for Asbestos Exposure Assessments for Repetitive Maintenance and Installation Tasks, **11.07**
- D7887-13 Guide for Selection of Substitute, Non-hazardous, Liquid Filling Substances for Packagings Subjected to the United Nations Performance Tests, 15.10
- D7888-13 Practice for Evaluating Adhesive and the Effects of Plasticizer
- Found Within Polyvinyl Chloride-Backed Floor Coverings, **15.06 D7889-13** Test Method for Field Determination of In-Service Fluid Properties
- Using IR Spectroscopy, **05.04 D7893-13** Guide for Corrosion Test Panel Preparation, Testing, and Rating of Coil-Coated Building Products, 06.02
- D7896-14 Test Method for Thermal Conductivity, Thermal Diffusivity and Volumetric Heat Capacity of Engine Coolants and Related Fluids by Transient Hot Wire Liquid Thermal Conductivity Method, 15.05
- D7898-14 Practice for Lubrication and Hydraulic Filter Debris Analysis (FDA) for Condition Monitoring of Machinery, 05.04
- D7899-13 Test Method for Measuring the Merit of Dispersancy of In-Service Engine Oils with Blotter Spot Method, 05.04
 D7900-13^{c1} Test Method for Determination of Light Hydrocarbons in Stabilized
- Crude Oils by Gas Chromatography, 05.04
- D7901-14 Specification for Dimethyl Ether for Fuel Purposes, 05.04
- D7902-14 Terminology for Radiochemical Analyses, 11.02
- D7903-14 Practice for Determining the Capacity of Oxygen Removal Ion Exchange Cartridges, 11.02
- D7906-14 Practice for Recovery of Asphalt from Solution Using Toluene and the Rotary Evaporator, 04.03
- D7907-14 Test Methods for Determination of Bactericidal Efficacy on the Surface of Medical Examination Gloves, 09.02
- D7909-14 Guide for Placement of Blind Actual Leaks during Electrical Leak Location Surveys of Geomembranes, 04.13
- D7910-14 Practice for Collection of Fungal Material From Surfaces by Tape Lift, 11.07
- D7912-14 Test Method for Resistance of Finish to Heat Aging (Finish Stability), **15.04**

E. MISCELLANEOUS SUBJECTS

- E1-13 Specification for ASTM Liquid-in-Glass Thermometers, 14.03
- E2 Withdrawn 1983; Methods of Preparation of Micrographs of Metals and Alloys (Including Recommended Practice for Photography As Applied to Metallography); Replaced by E883
 E3-11 Guide for Preparation of Metallographic Specimens, 03.01

- E4-13 Practices for Force Verification of Testing Machines, 03.01

 E5 Withdrawn 1937; Methods of Preparation of Metallographic Specimens; Replaced by E3
- Terminology Relating to Methods of Mechanical Testing, 03.01 E7-03(2009) Terminology Relating to Metallography, 03.01
- Withdrawn 2008; Test Methods for Tension Testing of Metallic Materials [Metric]
- E8/E8M-13a Test Methods for Tension Testing of Metallic Materials, 03.01 E9-09 Test Methods of Compression Testing of Metallic Materials at Room Temperature, 03.01
- Test Method for Brinell Hardness of Metallic Materials, 03.01 E10-12
- Specification for Woven Wire Test Sieve Cloth and Test Sieves, 14.02 E11-13 Withdrawn 1996; Terminology Relating to Density and Specific Gravity of Solids, Liquids, and Gases; Replaced by E1547
- Withdrawn 1967; Definitions of Terms Relating to Screen (Sieve) Withdrawn 1983; Recommended Practice for Thermal Analysis of Metals E14 and Alloys
- E15
- Withdrawn 1949; Methods of Radiographic Testing of Metal Castings Withdrawn 1978; Method of Free Bend Test for Ductility of Welds E16
- Withdrawn 1939; Specification for Sieves for Testing Purposes (Wire Cloth Sieves, Bound - Hole and Square - Hole Screens or Sieves)-Replaced by E11
- E18-14 Test Methods for Rockwell Hardness of Metallic Materials, 03.01
- Withdrawn 1962; Classification of Austenite Grain Size in Steels; E19 Replaced by E112
- E20 Withdrawn 1994; Practice for Particle Size Analysis of Particulate Substances in the Range of 0.2 to 75 Micrometres by Optical Microscopy
- Test Methods for Elevated Temperature Tension Tests of Metallic Materials, 03.01
- Withdrawn 1959; Recommended Practice for Conducting Long-Time High-Temperature Tension Test of Metallic Materials; Replaced by E139
- E23-12c Test Methods for Notched Bar Impact Testing of Metallic Materials, 03.01
- Withdrawn 1968: Definitions of Terms Relating to Rheological Properties of Matter
- E25 Withdrawn 1950; Method of Quantitative Spectrochemical Analysis of High Grade Pig Lead
- F26 Withdrawn 1954; Method of Quantitative Spectrochemical Analysis of Zinc Base Alloy and High Grade Zinc by the Solution-d-c Arc Technique
- E27 Withdrawn 1986; Method for Spectrographic Analysis of Zinc and Zinc Alloys by the Solution-Residue Technique
 E28-99(2009) Test Methods for Softening Point of Resins Derived from Naval Stores by Ring-and-Ball Apparatus, 06.03
- E29-13 Practice for Using Significant Digits in Test Data to Determine Conformance with Specifications, 14.02
- Withdrawn 1995; Test Methods for Chemical Analysis of Steel, Cast Iron,
- Open-Hearth Iron, and Wrought Iron
 Withdrawn 1995; Methods for Chemical Analysis of Ferroalloys
 86(2006)^{c1} Practices for Sampling Ferroalloys and Steel Additives for Determination of Chemical Composition, 03.05 E32-86(2006)⁶¹
- Withdrawn 1959; Hardness Conversion Table for Cartridge Brass E33 (Relationship Between Diamond Pyramid Hardness, Rockwell Hardness, and Brinell Hardness); Replaced by E140
- E34-11^{c1} Test Methods for Chemical Analysis of Aluminum and Aluminum-Base Alloys, 03.05
- Withdrawn 2008; Test Methods for Chemical Analysis of Magnesium and E35 Magnesium Allovs
- E36 Withdrawn 1980; Methods for Chemical Analysis of Brasses; Replaced by E478
- E37-05(2011) Test Methods for Chemical Analysis of Pig Lead, 03.05
 E38 Withdrawn 1989; Methods for Chemical Analysis of Nickel-Chromium and Nickel-Chromium-Iron Alloys; Replaced by E353
- F39 Withdrawn 1995; Methods for Chemical Analysis of Nickel
- Withdrawn 1993; Test Method for Chemical Analysis of Slab Zinc E40 (Spelter); Replaced by E536
 E41-92(2010) Terminology Relating To Conditioning, 14.04
- Redesignated G23 E42
- Withdrawn 1962; Recommended Practice for Identification of Crystalline E43 Materials by the Hanawalt X-Ray Diffraction Method
- Withdrawn 1993; Definitions of Terms Relating to Heat Treatment of Metals; Redesignated A919
- E45-13 Test Methods for Determining the Inclusion Content of Steel, 03.01 Withdrawn 1994; Test Methods for Chemical Analysis of Lead- and E46 Tin-Base Solder
- Withdrawn 1997; Test Methods for Chemical Analysis of Zinc Die-Casting Allovs
- Withdrawn 1959; Hardness Conversion Table for Steel (Relationship Between Diamond Pyramid Hardness, Rockwell Hardness, and Brinell Hardness); Replaced by E140
- Withdrawn 1950; Method of Spectrochemical Analysis of Lead Alloys for Minor Constituents and Impurities
- E50-11 Practices for Apparatus, Reagents, and Safety Considerations for Chemical Analysis of Metals, Ores, and Related Materials, 03.05

- E51 Withdrawn 1984; Method for Spectrographic Analysis of Tin Alloys by the Powder Technique
- Withdrawn 1969; Industrial Radiographic Terminology for Use in Radiographic Inspection of Castings and Weldments
- E53-07(2013) Test Method for Determination of Copper in Unalloyed Copper
- by Gravimetry, 03.05
 Withdrawn 2002; Test Methods for Chemical Analysis of Special Brasses and Bronzes
- E55-11 Practice for Sampling Wrought Nonferrous Metals and Alloys for Determination of Chemical Composition, 03.05
- Withdrawn 1994; Test Method for Chemical Analysis of Silver Brazing
- E57 Withdrawn 1987; Methods for Chemical Analysis of White Metal Bearing Alloys
- E58 Withdrawn 1951; Tentative Photometric Method for Determination of
- Bismuth in Pig Lead; Combined with E 37
 Withdrawn 1996; Practice for Sampling Steel and Iron for Determination E59 of Chemical Composition
- Practice for Analysis of Metals. Ores, and Related Materials by E60-11 Spectrophotometry, 03.05
- Withdrawn 1950; Methods for Photometry for Chemical Analysis of Magnesium and Magnesium-Base Alloys; Redesignated E35
- F62 Withdrawn 2010; Test Methods for Chemical Analysis of Copper and Copper Alloys (Photometric Methods)
- E63 Withdrawn 1951; Tentative Photometric Method for Chemical Analysis of Copper-Nickel and Copper-Nickel-Zinc Alloys; Combined with E 75 Withdrawn 1957; Photometric Methods for Determination of Iron in Slab
- E64 Zinc (Spelter); Combined with E 40 Withdrawn 1951; Method of Sampling Slab Zinc (Spelter)
- F65
- Withdrawn 1948; Method for Sampling Molybdenum Salts and Compounds for Metallurgical Use; Combined with A 146
- Withdrawn 1951; Tentative Photometric Method for Chemical Analysis of Lead, Tin, Antimony and Their Alloys
- Withdrawn 1980; Method for Polarographic Determination of Lead and Cadmium in Zinc
- E69-02(2007) Test Method for Combustible Properties of Treated Wood by the Fire-Tube Apparatus, 04.10
- Test Method for pH of Aqueous Solutions With the Glass Electrode, E70-07 15.05
- Withdrawn 1974; Reference Radiographs for Steel Castings up to 2 in. in Thickness; Replaced by E446
 E72-14a Test Methods of Conducting Strength Tests of Panels for Building
- Construction, 04.11
- E73-13 Practice for Static Load Testing of Truss Assemblies, 04.11
- E74-13a Practice of Calibration of Force-Measuring Instruments for Verifying the Force Indication of Testing Machines, 03.01
- Withdrawn 2010; Test Methods for Chemical Analysis of Copper-Nickel and Copper-Nickel-Zinc Alloys
- Withdrawn 2003; Test Methods for Chemical Analysis of Nickel-Copper Alloys
- E77-07 Test Method for Inspection and Verification of Thermometers, 14.03 Withdrawn 1953; Method of Compression Testing of Metallic Materials; Combined with E 9
- Withdrawn 1964; Methods for Estimating the Average Grain Size of Wrought Copper and Copper-Base Alloys; Replaced by E112
- Withdrawn 1986; Recommended Practice for Dilatometric Analysis of Metallic Materials; Replaced by E228
- E81-96(2011) Test Method for Preparing Quantitative Pole Figures, 03.01
- E82-09 Test Method for Determining the Orientation of a Metal Crystal, 03.01 E83-10a Practice for Verification and Classification of Extensometer Systems, 03.01
- E84-14 Test Method for Surface Burning Characteristics of Building Materials, 04.07
- Withdrawn 1959; Recommended Practice for Conducting Time-for-Rupture-Tension Tests of Metallic Materials; Replaced by E139
- Withdrawn 1983; Methods for Chemical Analysis of Antimony
- Withdrawn 1984; Methods for Chemical Analysis of Lead, Tin, Antimony and Their Alloys (Photometric Method)
- E88-11 Practice for Sampling Nonferrous Metals and Alloys in Cast Form for Determination of Chemical Composition, 03.05
- Withdrawn 1962; Methods for Estimating the Average Ferrite Grain Size of Low-Carbon Steels; Replaced by E112
- E90-09 Test Method for Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions and Elements, **04.06**Withdrawn 1962; Method for Estimating the Average Grain Size of
- Non-Ferrous Metals, Other Than Copper, and Their Alloys; Replaced by E112
- Withdrawn 2010; Test Method for Vickers Hardness of Metallic Materials; Replaced by E384
- Withdrawn 1959; Hardness Conversion Table for Nickel and High Nickel Alloys (Relationship Between Diamond Pyramid Hardness, Brinell Hardness, and Rockwell Hardness; Replaced by E140
- E94-04(2010) Guide for Radiographic Examination, 03.03
 E95-68(2011) Specification for Cell-Type Oven with Controlled Rates of
- Ventilation, 14.04
 E96/E96M-13 Test Methods for Water Vapor Transmission of Materials, 04.06 Withdrawn 1992; Test Method for Directional Reflectance Factor, 45-° 0-°,

E97 E193

- of Opaque Specimens by Broad-Band Filter Reflectometry; Replaced by E1347
- E98 Withdrawn 1965; Reference Radiographs for Inspection of Aluminum and Magnesium Castings; Replaced by E155
- Withdrawn 1973; Reference Radiographs for Steel Welds; Replaced by E99 E390
- E100-10 Specification for ASTM Hydrometers, 14.03
- E100-10 Specification for ASTM involonments, 14.03
 E101 Withdrawn 1996; Test Method for Spectrographic Analysis of Aluminum and Aluminum Alloys by the Point-to-Plane Technique
 E102/E102M-93(2009) Test Method for Saybolt Furol Viscosity of Bituminous Materials at High Temperatures, 04.04
- E103-12 Practice for Rapid Indentation Hardness Testing of Metallic Materials, 03.01
- E104-02(2012) Practice for Maintaining Constant Relative Humidity by Means of Aqueous Solutions, 11.07
- E105-10 Practice for Probability Sampling of Materials, 14.02
- E106 Withdrawn 2011; Test Methods for Chemical Analysis of Copper-Beryllium Alloys
- E107 Withdrawn 2003; Test Methods for Chemical Analysis of Electronic Nickel
- E108-11 Test Methods for Fire Tests of Roof Coverings, 04.07
 E109 Withdrawn 1981; Method for Dry Powder Magnetic Particle Inspection; Replaced by E709
- E110-10 Test Method for Indentation Hardness of Metallic Materials by Portable Hardness Testers, 03.01
- E111-04(2010) Test Method for Young's Modulus, Tangent Modulus, and Chord Modulus, 03.01
- E112-13 Test Methods for Determining Average Grain Size, 03.01
- E113 Withdrawn 1981; Recommended Practice for Ultrasonic Testing by the Resonance Method
- E114-10 Practice for Ultrasonic Pulse-Echo Straight-Beam Contact Testing, 03.03
- E115 Withdrawn 2003; Practice for Photographic Processing in Optical
- Emission Spectrographic Analysis E116 Withdrawn 2002; Practice for Photographic Photometry in Spectrochemical Analysis
- E117 Withdrawn 1995; Method for Spectrographic Analysis of Pig Lead by the Point-To-Plane Technique
- E118 Withdrawn 2010; Test Methods for Chemical Analysis of Copper-Chromium Alloys
- E119-12a Test Methods for Fire Tests of Building Construction and Materials, 04.07
- E120 Withdrawn 2003; Test Methods for Chemical Analysis of Titanium and
- Titanium Alloys E121 Withdrawn 2010; Test Methods for Chemical Analysis of Copper-Tellurium Alloys
- -09^{c1} Practice for Calculating Sample Size to Estimate, With Specified Precision, the Average for a Characteristic of a Lot or Process, 14.02
- E123-02(2012) Specification for Apparatus for Determination of Water by Distillation, 14.04
- E124-94(2010) Specification for Weighing and Drying Apparatus for Microchémical Analysis, 14.04
- E125-63(2013) Reference Photographs for Magnetic Particle Indications on Ferrous Castings, 03.03
- E126-13a Test Method for Inspection, Calibration, and Verification of ASTM
- Hydrometers, 14.03
 E127-10 Practice for Fabricating and Checking Aluminum Alloy Ultrasonic Standard Reference Blocks, 03.03
- E128-99(2011) Test Method for Maximum Pore Diameter and Permeability of Rigid Porous Filters for Laboratory Use, 14.04
- Withdrawn 1999; Test Method for Spectrographic Analysis of Thermionic
- Nickel Alloys by the Powder Technique E130 Withdrawn 2013; Practice for Designation of Shapes and Sizes of Graphite Electrodes
- E131-10 Terminology Relating to Molecular Spectroscopy, 03.06 E132-04(2010) Test Method for Poisson's Ratio at Room Temperature, 03.01 E133-92(2010) Specification for Distillation Equipment, 14.04
- E134 Withdrawn 1987; Specification for Pensky-Martens Closed Flash Tester E135-14a Terminology Relating to Analytical Chemistry for Metals, Ores, and Related Materials, 03.05
- E136-12 Test Method for Behavior of Materials in a Vertical Tube Furnace at 750°C, **04.07**Withdrawn 1992; Practice for Evaluation of Mass Spectrometers for
- Quantitative Analysis from a Batch Inlet
- E138 Withdrawn 1981; Method for Wet Magnetic Particle Inspection; Replaced by E709
- E139-11 Test Methods for Conducting Creep, Creep-Rupture, and Stress-Rupture Tests of Metallic Materials, **03.01 E140-12b** Hardness Conversion Tables for Metals Relationship Among
- Brinell Hardness, Vickers Hardness, Rockwell Hardness, Superficial Hardness, Knoop Hardness, Scleroscope Hardness, and Leeb Hardness,
- E141-10 Practice for Acceptance of Evidence Based on the Results of Probability Sampling, 14.02
- E142 Withdrawn 2000; Method for Controlling Quality of Radiographic Testing; Replaced by E94
- E143-13 Test Method for Shear Modulus at Room Temperature, 03.01 E144-94(2011) Practice for Safe Use of Oxygen Combustion Bombs, 14.04
 E145-94(2011) Specification for Gravity-Convection and Forced-Ventilation Ovens, 14.04

- E146 Withdrawn 1991; Methods for Chemical Analysis of Zirconium and Zirconium Alloys
- E147-61(2011) Specification for Apparatus for Microdetermination of Nitrogen by Kjeldahl Method, 14.04
- Withdrawn 1987; Specification for Apparatus for Microdetermination of Nitrogen by the Dumas Method
- E149 Withdrawn 1980; Method of Test for Bond Strength of Mortar to Masonry Units; Redesignated C952
- E150 Withdrawn 1984; Recommended Practice for Conducting Creep and Creep-Rupture Tension Tests of Metallic Materials Under Conditions of Rapid Heating and Short Times
- E151 Withdrawn 1984; Recommended Practice for Tension Tests of Metallic Materials at Elevated Temperatures with Rapid Heating and Conventional or Rapid Strain Rates
- E152 Withdrawn 1995; Methods of Fire Tests of Door Assemblies
 E153 Withdrawn 1967; Method of Test for Bulk Density of Abrasive Grains
 E154/E154M-08a(2013)^{c1} Test Methods for Water Vapor Retarders Used in
- Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover, 04.11
- E155-10 Reference Radiographs for Inspection of Aluminum and Magnesium Castings, 03.03
- E156 Withdrawn 1993; Test Method for Determination of Phosphorus In High-Phosphorus Brazing Alloys (Photometric Method)
- E157 Withdrawn 1999; Practice for Assigning Crystallographic Phase Designations in Metallic Systems
- E158 Withdrawn 2004; Practice for Fundamental Calculations to Convert Intensities into Concentrations in Optical Emission Spectrochemical Analysis
- E159-10 Test Method for Loss of Mass in a Reducing Gas Atmosphere for Cobalt, Copper, Tungsten, and Iron Powders (Hydrogen Loss), 02.05
- E160 Withdrawn 1993; Test Method for Combustible Properties of Treated Wood by the Crib Test
- E161-12 Specification for Precision Electroformed Sieves, 14.02
 E162-13 Test Method for Surface Flammability of Materials Using a Radiant
- Heat Energy Source, **04.07**E163 Withdrawn 1995; Methods of Fire Tests of Window Assemblies
- E164-13 Practice for Contact Ultrasonic Testing of Weldments, 03.03 E165/E165M-12 Practice for Liquid Penetrant Examination for General Industry, 03.03
- E166 Withdrawn 1978; Recommended Practice for Goniophotometry of Transmitting Objects and Materials; Replaced by E167
- E167 Withdrawn 2005; Practice for Goniophotometry of Objects and Materials E168-06 Practices for General Techniques of Infrared Quantitative Analysis, 03.06
- E169-04(2014) Practices for General Techniques of Ultraviolet-Visible Quantitative Analysis, 03.06
- E170-10 Terminology Relating to Radiation Measurements and Dosimetry, 12.02
- E171/E171M-11 Practice for Conditioning and Testing Flexible Barrier Packaging, 15.10
- E172 Withdrawn 2001; Practice for Describing and Specifying the Excitation Source in Emission Spectrochemical Analysis
 E173 Withdrawn 1997; Practice for Conducting Interlaboratory Studies of
- Methods for Chemical Analysis of Metals
- E174 Withdrawn 1968; Method of Test for Oxygen in Molybdenum
- E175-82(2010) Terminology of Microscopy, 03.01 E176-14b Terminology of Fire Standards, 04.07
- E177-14 Practice for Use of the Terms Precision and Bias in ASTM Test Methods, 14.02
- E178-08 Practice for Dealing With Outlying Observations, 14.02
- E179-12 Guide for Selection of Geometric Conditions for Measurement of Reflection and Transmission Properties of Materials, 06.01
- E180 Withdrawn 2009; Practice for Determining the Precision of ASTM Methods for Analysis and Testing of Industrial and Specialty Chemicals
- E181-10 Test Methods for Detector Calibration and Analysis of Radionuclides, 12.02
- E182 Withdrawn 1981; Methods for Analysis of Phosphorus-32
- Withdrawn 1975; Recommended Practice for Determining Changes in Chemical Reactivity of Inorganic Materials Exposed to High-Energy
- E184 Withdrawn 2002; Practice for Effects of High-Energy Neutron Radiation on the Mechanical Properties of Metallic Materials, E706 (IB)

 E185-10 Practice for Design of Surveillance Programs for Light-Water
- Moderated Nuclear Power Reactor Vessels, 12.02

 E186-10 Reference Radiographs for Heavy-Walled (2 to 4 1/2-in. (50.8 to 114-mm)) Steel Castings, 03.03

 E187 Withdrawn 1970; Recommended Practice for Conducting Natural Light
- (Sunlight and Daylight) Exposures Under Glass; Redesignated G24 Withdrawn 1971; Recommended Practice for Operating Enclosed Carbon-Arc Type Apparatus for Light Exposure of Nonmetallic Materials;
- Replaced by G23 E189 Withdrawn 1988; Recommended Practice for Determining Temperature-Electrical Resistance Characteristics (EMF) of Metallic Materials
- E190-92(2008) Test Method for Guided Bend Test for Ductility of Welds, 03.01 E191-64(2011) Specification for Apparatus For Microdetermination of Carbon and, **14.04**
- E192-13 Reference Radiographs of Investment Steel Castings for Aerospace Applications, 03.03
- E193-94(2010) Specification for Laboratory Glass Micropipets, 14.04

E194 E288

- E194-10 Test Method for Acid-Insoluble Content of Copper and Iron Powders, 02.05
- E195 Withdrawn 1984; Methods for Chemical Analysis of Reactor and Commercial Columbium
- E196-06(2012) Practice for Gravity Load Testing of Floors and Low Slope Roofs, **04.11**
- E197 Withdrawn 1981; Specification for Enclosures and Servicing Units for
- Tests Above and Below Room Temperature E198 Withdrawn 1968; Method for Radiochemical Determination of Casium-137 in Aqueous Solutions
- Withdrawn 1966; Recommended Practice for Measuring Neutron Flux Environment for Reactor Irradiated Specimens; Replaced by E261 to E266
- E200-08 Practice for Preparation, Standardization, and Storage of Standard and Reagent Solutions for Chemical Analysis, 15.05
- E201 Withdrawn 2001; Test Method for Calculation of Volume and Weight of Industrial Chemical Liquids
- E202-12 Test Methods for Analysis of Ethylene Glycols and Propylene Glycols, 15.05
- E203-08 Test Method for Water Using Volumetric Karl Fischer Titration, 15.05
 E204 Withdrawn 2014; Practices for Identification of Material by Infrared Absorption Spectroscopy, Using the ASTM Coded Band and Chemical Classification Index
- E205-96(2010) Specification for Glass and Oxygen Combustion Flask, 14.04 E206 Withdrawn 1988; Definitions of Terms Relating to Fatigue Testing and the Statistical Analysis of Fatigue Data; Replaced by E1150
- E207-08 Test Method for Thermal EMF Test of Single Thermoelement Materials by Comparison with a Reference Thermoelement of Similar EMF-Temperature Properties, 14.03
- E208-06(2012) Test Method for Conducting Drop-Weight Test to Determine Nil-Ductility Transition Temperature of Ferritic Steels, 03.01
 E209-00(2010) Practice for Compression Tests of Metallic Materials at Elevated Temperatures with Conventional or Rapid Heating Rates and Strain Rates. 03.01
- E210-63(2010) Specification for Microscope Objective Thread, 14.04 E211-82(2010) Specification for Cover Glasses and Glass Slides for Use in Microscopy, 14.04
- E212 Withdrawn 1997; Test Method for Spectrographic Analysis of Carbon and Low-Alloy Steel by the Rod-to-Rod Technique
- E213-14 Practice for Ultrasonic Testing of Metal Pipe and Tubing, 03.03 E214 Withdrawn 2007; Practice for Immersed Ultrasonic Testing by the Reflection Method Using Pulsed Longitudinal Waves
- E215-11 Practice for Standardizing Equipment for Electromagnetic Testing of Seamless Aluminum-Alloy Tube, 03.03
- E216 Withdrawn 1969; Recommended Practice for Measuring Coating Thickness by Magnetic or Electromagnetic Methods; Replaced by E376
- Withdrawn 1992; Test Method for Uranium by Controlled-Potential E217 Coulometry
- E218 Withdrawn 1968; Method for Radiochemical Determination of Cesium-137 in Aqueous Solutions (Chloroplatinate Method)
- E219 Withdrawn 2001; Test Method for Atom Percent Fission in Uranium Fuel (Radiochemical Method)
- E220-13 Test Method for Calibration of Thermocouples By Comparison Techniques, 14.03
- E221 Withdrawn 1968; Definitions of Terms Relating to Carbon Paper and Luked Ribbon Products and Images Made Therefrom; Redesignated F221

 E222-10 Test Methods for Hydroxyl Groups Using Acetic Anhydride
- Acetylation, 15.05
- Test Methods for Analysis of Sulfuric Acid, 15.05 Test Methods for Analysis of Hydrochloric Acid, 15.05
- Withdrawn 1983; Method for Spectrographic Determination of Magnesium in Cast Iron by the Solution-Rotating Disk Technique
- Withdrawn 1987; Method for Spectrochemical Analysis of Magnesium Alloys for Calcium by Flame Photometry Withdrawn 2002; Test Method for Optical Emission Spectrometric
- Analysis of Aluminum and Aluminum Alloys by the Point-to-Plane Technique
- E228-11 Test Method for Linear Thermal Expansion of Solid Materials With a Push-Rod Dilatometer, 14.02
- Withdrawn 2003; Test Method for Shear Strength and Shear Modulus of Structural Adhesives
- E230/E230M-12 Specification and Temperature-Electromotive Force (emf)
 Tables for Standardized Thermocouples, 14.03
- Withdrawn 1985; Method for Static Determination of Young's Modulus of E231 Metals at Low and Elevated Temperatures
- Redesignated F232
- F233 Withdrawn 1996; Test Method for Assay of n-Butyllithium Solutions Withdrawn 2009; Test Method for Total Bromine Number of Unsaturated Aliphatic Chemicals
- E235/E235M-12 Specification for Type K and Type N Mineral-Insulated, Metal-Sheathed Thermocouples for Nuclear or for Other High-Reliability Applications, 14.03
- E236-66(2011) Specification for Apparatus for Microdetermination of Alkoxyl Groups, 14.04
- E237-02(2012) Specification for Laboratory Glass Microvolumetric Vessels (Volumetric Flasks and Centrifuge Tubes), 14.04
- E238-12 Test Method for Pin-Type Bearing Test of Metallic Materials, 03.01 E239 Redesignated G26 E240 Redesignated G27
- E241-09(2014) Guide for Limiting Water-Induced Damage to Buildings, 04.11

- E242-01(2010) Reference Radiographs for Appearances of Radiographic Images as Certain Parameters are Changed, 03.03
- E243-13 Practice for Electromagnetic (Eddy Current) Examination of Copper and Copper-Alloy Tubes, 03.03

 E244 Withdrawn 2001; Test Method for Atom Percent Fission in Uranium and
- Plutonium Fuel (Mass Spectrometric Method)
- E245 Withdrawn 1968; Method for Colorimetric Determination of Uranium in Aqueous Solutions; Replaced by E318
- E246-10 Test Methods for Determination of Iron in Iron Ores and Related Materials by Dichromate Titrimetry, 03.05
- E247-01(2010) Test Method for Determination of Silica in Manganese Ores, Iron Ores, and Related Materials by Gravimetry, 03.05
- E248-12 Test Method for Determination of Manganese in Manganese Ores by Pyrophosphate Complexed Permanganate Potentiometric Titrimetry, 03.05 E249 Withdrawn 1974; Specification for Standard Tire for Pavement Skid Resistance Tests; Replaced by E112
- E250 Withdrawn 2014; Practice for Use of CODEN
- E251-92(2009) Test Methods for Performance Characteristics of Metallic Bonded Resistance Strain Gauges, 03.01
- E252-06(2013) Test Method for Thickness of Foil, Thin Sheet, and Film by Mass Measurement, 02.02 E253-13a Terminology Relating to Sensory Evaluation of Materials and
- Products, 15.08
- E254 Redesignated F254
- E255-07 Practice for Sampling Copper and Copper Alloys for the Determination of Chemical Composition, 03.05
- E256-09 Test Method for Chlorine in Organic Compounds by Sodium Peroxide Bomb Ignition, 15.05
- E257 Withdrawn 2009; Test Method for Sulfur in Organic Compounds by Sodium Peroxide Bomb Ignition
- E258-07 Test Method for Total Nitrogen in Organic Materials by Modified Kjeldahl Method, 15.05
- **E259-06(2011)** Practice for Preparation of Pressed Powder White Reflectance Factor Transfer Standards for Hemispherical and Bi-Directional Geometries, 06.01
- E260-96(2011) Practice for Packed Column Gas Chromatography, 03.06 E261-10 Practice for Determining Neutron Fluence, Fluence Rate, and Spectra by Radioactivation Techniques, 12.02
- E262-13 Test Method for Determining Thermal Neutron Reaction Rates and Thermal Neutron Fluence Rates by Radioactivation Techniques, 12.02
- E263-13 Test Method for Measuring Fast-Neutron Reaction Rates by Radioactivation of Iron, 12.02
- E264-08(2013) Test Method for Measuring Fast-Neutron Reaction Rates by Radioactivation of Nickel, 12.02
- E265-07(2013) Test Method for Measuring Reaction Rates and Fast-Neutron Fluences by Radioactivation of Sulfur-32, **12.02**
- E266-11 Test Method for Measuring Fast-Neutron Reaction Rates by Radioactivation of Aluminum, 12.02
- E267 Withdrawn 2006; Test Method for Uranium and Plutonium Concentrations and Isotopic Abundances
- E268 Withdrawn 1991; Terminology Relating to Electromagnetic Testing; Replaced by E1316
- E269 Withdrawn 1991; Definitions of Terms Relating to Magnetic Particle Examination; Replaced by E1316
 E270 Withdrawn 1991; Terminology Relating to Liquid Penetrant Examination;
- Replaced by E1316
- E271 Withdrawn 2003; Test Methods for Analysis of Aqueous Hydrofluoric Acid
- E272-10 Reference Radiographs for High-Strength Copper-Base and Nickel-Copper Alloy Castings, 03.03
- E273-10 Practice for Ultrasonic Testing of the Weld Zone of Welded Pipe and
- Tubing, 03.03
 E274/E274M-11 Test Method for Skid Resistance of Paved Surfaces Using a Full-Scale Tire, 04.03
- E275-08(2013) Practice for Describing and Measuring Performance of Ultraviolet and Visible Spectrophotometers, 03.06
- E276-13 Test Method for Particle Size or Screen Analysis at No. 4 (4.75-mm) Sieve and Finer for Metal-Bearing Ores and Related Materials, 03.05
- Withdrawn 1990; Test Method for Total Iron in Iron Ores by Stannous Chloride Reduction and Dichromate Titration E278-01(2010)^{c1} Test Method for Determination of
- E278-01(2010)^{c1} Test Method for Determination of Phosphorus in Iron Ores by Phosphomolybdate Coprecipitation and Nitric Acid Titrimetry, 03.05
 E279-97(2010) Test Method for Determination of Abrasion Resistance of Iron
- Orè Pellets and Sinter by the Tumbler Test, 03.05
- E280-10 Reference Radiographs for Heavy-Walled (4 1/2 to 12-in. (114 to 305-mm)) Steel Castings, 03.03
- E281 Withdrawn 1983; Method for Spectrographic Analysis of Carbon and Low-Alloy Steel by the Pellet Technique
 E282 Withdrawn 1983; Method for Spectrographic Analysis of Carbon and Low-Alloy Steel by the Point-to-Plane Technique
- E283-04(2012) Test Method for Determining Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen, 04.11
- E284-13a Terminology of Appearance, 06.01
- E285-08 Test Method for Oxyacetylene Ablation Testing of Thermal Insulation Materials, 15.03
- E286 Withdrawn 1991; Test Method for Surface Flammability of Building Materials Using an 8-ft (2.44-m) Tunnel Furnace
 E287-02(2012) Specification for Laboratory Glass Graduated Burets, 14.04
- E288-10 Specification for Laboratory Glass Volumetric Flasks, 14.04

E289 E387

- E289-04(2010) Test Method for Linear Thermal Expansion of Rigid Solids with Interferometry, 14.02
- Test Methods for Bend Testing of Material for Ductility, 03.01 E291-09 Test Methods for Chemical Analysis of Caustic Soda and Caustic Potash (Sodium Hydroxide and Potassium Hydroxide), 15.05
- E292-09^{c1} Test Methods for Conducting Time-for-Rupture Notch Tension Tests of Materials, 03.01
- E293 Withdrawn 1997; Test Method for Spectographic Determination of Acid-Soluble Aluminum in Low-Alloy Steel by the Solution Technique
- E294 Withdrawn 2000; Test Method for Effective Pumping Speed of Vacuum Chamber Systems
- E295-82(2014) Test Method for Measured Speed of Oil Diffusion Pumps, 15.03
- E296-70(2010) Practice for Ionization Gage Application to Space Simulators, 15.03
- E297 Withdrawn 1984; Methods for Calibrating Ionization Vacuum Gage Tubes
- E298-08 Test Methods for Assay of Organic Peroxides, 15.05E299-08 Test Method for Trace Amounts of Peroxides In Organic Solvents, 15.05
- E300-03(2009) Practice for Sampling Industrial Chemicals, 15.05
- E301 Withdrawn 2001; Test Method for Total Acidity of Organic Acids E302 Withdrawn 2001; Test Methods for Monobasic Organic Acids
- E303-93(2013) Test Method for Measuring Surface Frictional Properties Using the British Pendulum Tester, 04.03
- E304 Withdrawn 1992; Practice for Use and Evaluation of Spark Source Mass Spectrometers for Analysis of Solids
- E305-13 Practice for Establishing and Controlling Atomic Emission Spectrochemical Analytical Čurves, 03.05
- E306 Withdrawn 1989; Method for Absolute Calibration of Reflectance Standards
- E307-72(2014) Test Method for Normal Spectral Emittance at Elevated Temperatures, 15.03
- E308-13 Practice for Computing the Colors of Objects by Using the CIE System, 06.01
- E309-11 Practice for Eddy-Current Examination of Steel Tubular Products
- Using Magnetic Saturation, 03.03
 E310-10 Reference Radiographs for Tin Bronze Castings, 03.03
- E311 Withdrawn 1982; Recommended Practice for Sampling and Sample Preparation Techniques in Spectrochemical Analysis
- E312-06(2011) Practice for Description and Selection of Conditions for Photographing Specimens Using Analog (Film) Cameras and Digital Still Cameras (DSC), 06.01
- E313-10 Practice for Calculating Yellowness and Whiteness Indices from Instrumentally Measured Color Coordinates, 06.01
- E314-10 Test Methods for Determination of Manganese in Iron Ores by Pyrophosphate (Potentiometric) and Periodate (Photometric) Techniques, 03.05
- E315 Withdrawn 2010; Test Methods for Chemical Analysis of Molybdenum E316-11 Test Method for Determination of Iron in Manganese Ores by
- Hydrogen Sulfide Reduction-Dichromate Titrimetry, 03.05 E317-11 Practice for Evaluating Performance Characteristics of Ultrasonic Pulse-Echo Testing Instruments and Systems without the Use of
- Electronic Measurement Instruments, 03.03 E318 Withdrawn 1996; Test Method for Uranium in Aqueous Solutions by Colorimetry
- E319-85(2008) Practice for the Evaluation of Single-Pan Mechanical Balances,
- E320 Withdrawn 1993; Test Method for Cesium-137 in Nuclear Fuel Solutions by Radiochemical Analysis
- E321-96(2012) Test Method for Atom Percent Fission in Uranium and Plutonium Fuel (Neodymium-148 Method), 12.01
 E322-12 Test Method for Analysis of Low-Alloy Steels and Cast Irons by Wavelength Dispersive X-Ray Fluorescence Spectrometry, 03.05
- E323-11 Specification for Perforated-Plate Sieves for Testing Purposes, 14.02
 E324 Withdrawn 2001; Test Method for Relative Initial and Final Melting Points and the Melting Range of Organic Chemicals
- E325 Withdrawn 1996; Test Method for Silicon in Organic Compounds byPeroxide Bomb Ignition
- E326 Withdrawn 2001; Test Method for Hydroxyl Groups by Phthalic Anhydride Esterification
- E327 Withdrawn 1999; Test Method for Optical Emission Spectrometric Analysis of Stainless Type 18-8 Steels by the Point-to-Plane Technique E328-13 Test Methods for Stress Relaxation for Materials and Structures,
- 03.01
- E329-14a Specification for Agencies Engaged in Construction Inspection, Testing, or Special Inspection, 04.02
 E330/E330M-14 Test Method for Structural Performance of Exterior Windows,
- Doors, Skylights and Curtain Walls by Uniform Static Air Pressure Difference, 04.11
- E331-00(2009) Test Method for Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Uniform Static Air Pressure Difference, 04.11
- Withdrawn 1977; Recommended Practice for Combined Simulated E332 Space-Environment Testing of Thermal Control Materials; Replaced by E512
- Withdrawn 1977; Recommended Practice for Testing Thermal Control Coatings with Simulated 2000 to 4000 A Solar Ultraviolet Radiation; Replaced by E512

- E334-01(2013) Practice for General Techniques of Infrared Microanalysis, 03.06
- Withdrawn 2002; Test Method for Hydroxyl Groups by Pyromellitic Dianhydride Esterification
- E336-14 Test Method for Measurement of Airborne Sound Attenuation between Rooms in Buildings, 04.06
- E337-02(2007) Test Method for Measuring Humidity with a Psychrometer (the Measurement of Wet- and Dry-Bulb Temperatures), 11.07
- E338 Withdrawn 2010; Test Method of Sharp-Notch Tension Testing of High-Strength Sheet Materials
- E339 Withdrawn 1993; Test Method for Discrimination of Differences in the Production of Alcoholic Beverages by the Duo-Trio Method

 E340-13 Test Method for Macroetching Metals and Alloys, 03.01

 E341-08 Practice for Measuring Plasma Arc Gas Enthalpy by Energy Balance,
- 15.03
- 15.03
 E342-11 Test Method for Determination of Chromium Oxide in Chrome Ores by Permanganate Titrimetry, 03.05
 E343 Withdrawn 2002; Test Method for Measuring Reaction Rates by Analysis of Molybdenum-99 Radioactivity From Fission Docimeters
 E344-13 Terminology Relating to Thermometry and Hydrometry, 14.03
 E345-93(2013)^{c1} Test Methods of Tension Testing of Metallic Foil, 03.01
 E346-08^{c1} Test Methods for Analysis of Methanol, 15.05
 E347 Withdrawn 2003; Test Method for Ash in Polybasic Acids
 E348 Withdrawn 2000; Practices for Man-Rated Space Facilities

- E349-06(2014) Terminology Relating to Space Simulation, 15.03 E350-12 Test Methods for Chemical Analysis of Carbon Steel, Low-Alloy Steel,
- Silicon Electrical Steel, Ingot Iron, and Wrought Iron, 03.05 E351-13 Test Methods for Chemical Analysis of Cast Iron—All Types, 03.05
- E352-13 Test Methods for Chemical Analysis of Tool Steels and Other Similar Medium- and High-Alloy Steels, 03.05
- E353-93(2006) Test Methods for Chemical Analysis of Stainless, Heat-Resisting, Maraging, and Other Similar Chromium-Nickel-Iron Alloys, 03.05
- -93(2006) Test Methods for Chemical Analysis of High-Temperature, Electrical, Magnetic, and Other Similar Iron, Nickel, and Cobalt Alloys, E354-93(2006) 03.05
- E355-96(2014) Practice for Gas Chromatography Terms and Relationships, 03.06
- Withdrawn 2001; Practices for Describing and Specifying the Spectrograph
- Withdrawn 2009; Test Method for Phosphorus in Organic Compounds by E357 Sodium Peroxide Bomb Ignition
- F358 Withdrawn 2000; Test Methods for Analysis of Phosphoric Acid
- E359-10 Test Methods for Analysis of Soda Ash (Sodium Carbonate), 15.05 E360 Withdrawn 2006; Test Methods for Chemical Analysis of Silicon and Ferrosilicon
- E361 Withdrawn 2005; Test Methods for the Determination of Arsenic and Lead in Ferromanganese
- E362 Withdrawn 2005; Test Methods for the Determination of Arsenic and Lead in Silicomanganese and Ferrosilicon Manganese
- E363-09 Test Methods for Chemical Analysis of Chromium and Ferrochromium, 03.05
- E364 Withdrawn 2006; Test Methods for Chemical Analysis of Ferrochrome-Silicon
- E365 Withdrawn 2005; Test Method for the Determination of Vanadium in Ferrovanadium and Vanadium Alloying Additives E366 Not Assigned
- E367-09 Test Methods for Chemical Analysis of Ferroniobium, 03.05
- E368 Withdrawn 1998; Method for Chemical Analysis of Ferromolybdenum
- E369 Not Assigned
- Not Assigned E370
- E371 Withdrawn 2006; Test Method for The Determination of Boron in Ferroboron
- E372-13 Test Method for Determination of Calcium and Magnesium in Magnesium Ferrosilicon by EDTA Titration, 03.05
- E373 Not Assigned
- E374 Not Assigned
- Withdrawn 1992; Definitions of Terms Relating To Resinography
- E376-11 Practice for Measuring Coating Thickness by Magnetic-Field or Eddy-Current (Electromagnetic) Testing Methods, 03.03

 E377-08 Practice for Internal Temperature Measurements in Low-Conductivity
- Materials, 15.03
 E378 Withdrawn 2004; Test Method for Spectrographic Analysis of Silver by
- the Powder Technique
- E379 Withdrawn 1987; Specification for Apparatus for Direct Microdetermina-tion of Oxygen in Organic Compounds
 E380 Withdrawn 1997; Practice for Use of the International System of Units
- (SI) (the Modernized Metric System); Replaced by IEEE/ASTM SI-10

 E381-01(2012) Method of Macroetch Testing Steel Bars, Billets, Blooms, and Forgings, 03.01

 E382-12 Test Method for Determination of Crushing Strength of Iron Ore
- Pellets, 03.05
- E383 Withdrawn 1993; Method for X-Ray Emission Spectrometric Determina-
- E383 Withdrawn 1993; Method for X-Ray Emission Spectrometric Determination of Tungsten in Nickel-Tungsten Alloys
 E384-11^{c1} Test Method for Knoop and Vickers Hardness of Materials, 03.01
 E385-11 Test Method for Oxygen Content Using a 14-MeV Neutron Activation and Direct-Counting Technique, 12.02
 E386-90(2011) Practice for Data Presentation Relating to High-Resolution Nuclear Magnetic Resonance (MMR) Spectroscopy, 03.06
- E387-04(2014) Test Method for Estimating Stray Radiant Power Ratio of

E387 E487

- Dispersive Spectrophotometers by the Opaque Filter Method, 03.06 E388-04(2009) Test Method for Wavelength Accuracy and Spectral Bandwidth of Fluorescence Spectrometers, 03.06
- E389-13 Test Method for Particle Size or Screen Analysis at No. 4 (4.75-mm) Sieve and Coarser for Metal-Bearing Ores and Related Materials, 03.05
- E390-11 Reference Radiographs for Steel Fusion Welds, 03.03
- Withdrawn 1999; Practice for Presentation of Phase Diagrams
- E392 Withdrawn 1980; Recommended Practice for Equipment for Conditioned Atmospheres: Temperatures and Relative Humidity
- E393-13 Test Method for Measuring Reaction Rates by Analysis of Barium-140 From Fission Dosimeters, 12.02
- E394-09 Test Method for Iron in Trace Quantities Using the 1,10-Phenanthroline Method, 15.05
- Withdrawn 2007; Test Method for Determination of Total Sulfur in Iron E395 Ores and Related Materials by Combustion-Iodate Titration; Replaced by E1915
- E396-12^{€1} Test Methods for Chemical Analysis of Cadmium, 03.05
- Withdrawn 1984; Methods for Chemical Analysis of Tungsten
- Using Dynamic Relative Humidity Measurement, 15.10 E399-12^{c3} Test Method for Linear Electric Electri E398-13 Test Method for Water Vapor Transmission Rate of Sheet Materials
- Test Method for Linear-Elastic Plane-Strain Fracture Toughness K, 03.01
- E400 Withdrawn 2007; Test Method for Analysis of Ores, Minerals, and Rocks by Fire Assay Preconcentration Atomic Emission Spectrometry
- Withdrawn 1996; Practice for Bonding Thin Spectrochemical Samples and Standards to a Greater Mass of Material
- E402 Withdrawn 2007; Test Method for Spectrographic Analysis of Uranium Oxide (U₃O₈) by Gallium Oxide-Carrier Technique
- E403 Withdrawn 1995; Test Method for Optical Emission Spectrometric Analysis of Carbon and Low-Alloy Steel by the Point-To-Plane Technique; Replaced by E415
- E404 Withdrawn 2006; Test Method for Spectrographic Determination of Boron In Carbon and Low Alloy Steel by the Point-To-Plane Technique
- E405-04(2012) Test Methods for Wear Testing Rotary Operators for Windows, 04 11
- E406-81(2012) Practice for Using Controlled Atmospheres in Spectrochemical Analysis, **03.05 E407-07**⁶¹ Practice
- Practice for Microetching Metals and Alloys, 03.01
- E408-13 Test Methods for Total Normal Emittance of Surfaces Using Inspection-Meter Techniques, 15.03
- Withdrawn 2002; Practice for Description and Performance of the Microphotometer
- E410-08 Test Method for Moisture and Residue in Liquid Chlorine, 15.05 E411-12 Test Method for Trace Quantities of Carbonyl Compounds with 2,4-Dinitrophenylhydrazine, 15.05
- E412 Withdrawn 1996; Test Method for Assay of Liquid Chlorine (Zinc Amalgam Method); Replaced by E1746
- E413-10 Classification for Rating Sound Insulation, 04.06
- E414 Withdrawn 1994; Test Method for Spectrographic Analysis of Copper by the Briquet Technique
- E415-14 Test Method for Analysis of Carbon and Low-Alloy Steel by Spark Atomic Emission Spectrometry, **03.05**E416 Withdrawn 2005; Practice for Planning and Safe Operation of a
- Spectrochemical Laboratory
- Withdrawn 1977; Method for Colorimetric Determination of Technetium in Aqueous Solutions; Replaced by E321
- Withdrawn 1984; Method for Fast-Neutron Flux Measurements by Track-Etch Techniques; Replaced by E854
- E419 Withdrawn 1983; Guide for Selection of Neutron Activation Detector Materials; Replaced by E844
- E420 Withdrawn 1982; Specification for Sheathed Electrical Resistance Heater
 E421 Withdrawn 1997; Test Method for Spectrographic Determination of
 Silicon and Aluminum in High-Purity Iron
 E422-05(2011) Test Method for Measuring Heat Flux Using a Water-Cooled
- Calorimeter, 15.03
 E423-71(2014) Test Method for Normal Spectral Emittance at Elevated Temperatures of Nonconducting Specimens, 15.03
- E424-71(2007) Test Methods for Solar Energy Transmittance and Reflectance
- (Terrestrial) of Sheet Materials, 12.02 F425 Withdrawn 1991; Terminology Relating to Leak Testing; Replaced by
- E1316 E426-12 Practice for Electromagnetic (Eddy-Current) Examination of Seamless and Welded Tubular Products, Titanium, Austenitic Stainless Steel and Similar Alloys, 03.03
- Withdrawn 2013; Practice for Testing for Leaks Using the Halogen Leak Detector Alkali-Ion Diode
- E428-08(2013) Practice for Fabrication and Control of Metal, Other than Aluminum, Reference Blocks Used in Ultrasonic Testing, 03.03
- E430-11 Test Methods for Measurement of Gloss of High-Gloss Surfaces by Abridged Goniophotometry, 06.01
- E431-96(2011) Guide to Interpretation of Radiographs of Semiconductors and Related Devices, 03.03
- E432-91(2011) Guide for Selection of a Leak Testing Method, 03.03
- E433-71(2013) Reference Photographs for Liquid Penetrant Inspection, 03.03
 E434-10 Test Method for Calorimetric Determination of Hemispherical Emittance and the Ratio of Solar Absorptance to Hemispherical Emittance Using Solar Simulation, 15.03
- E435 Withdrawn 1995; Test Method for Acetic Anhydride Content (Assay) of Acetic Anhydride

- E436-03(2008) Test Method for Drop-Weight Tear Tests of Ferritic Steels, 03.01
- Withdrawn 2000; Specification for Industrial Wire Cloth and Screens (Square Opening Series); Replaced by E2016
- E438-92(2011) Specification for Glasses in Laboratory Apparatus, 14.04 E439-10 Test Methods for Chemical Analysis of Beryllium, 03.05
- E440 Withdrawn 1994; Test Method for Traces of Peroxides in Organic Solvents with N' N' -Diphenyl-p-Phenylenediamine
 E441 Withdrawn 1996; Test Method for Vinyl Unsaturation in Organic
- Compounds With Mercuric Acetate
- E442 Withdrawn 1996; Test Method for Chlorine, Bromine, or Iodine in Organic Compounds by Oxygen Flask Combustion
- Withdrawn 1996; Test Method for Sulfur in Organic Compounds by Oxygen Flask Combustion
- Guide for Scope of Work of Forensic Document Examiners, 14.02 E445/E445M-88(2013) Test Method for Stopping Distance on Paved Surfaces Using a Passenger Vehicle Equipped With Full-Scale Tires, 04.03
- E446-10 Reference Radiographs for Steel Castings Up to 2 in. (50.8 mm) in Thickness, 03.03
- E448-82(2008) Practice for Scleroscope Hardness Testing of Metallic Materials, 03.01
 E449-08(2013) Test Methods for Analysis of Calcium Chloride, 15.05
- E450 Withdrawn 1993; Method for Measurement of Color of Low-Colored Clear Liquids Using the Hunterlab Color Difference Meter Withdrawn 1988; Practice for Testing Pavement Polishing in the
- Laboratory (Full-Scale Wheel Method)

 -02(2013) Test Method for Calibration of Refractory Metal Thermocouples
- Using a Radiation Thermometer, 14.03
- E453 Withdrawn 2008; Practice for Examination of Fuel Element Cladding Including the Determination of the Mechanical Properties
- E454-12 Specification for Industrial Perforated Plate and Screens (Square Opening Series), 14.02
 E455-11 Test Method for Static Load Testing of Framed Floor or Roof
- Diaphragm Constructions for Buildings, 04.11

 E456-13a⁻¹ Terminology Relating to Quality and Statistics, 14.02
- E457-08 Test Method for Measuring Heat-Transfer Rate Using a Thermal Capacitance (Slug) Calorimeter, 15.03
- Test Method for Heat of Ablation, 15.03
- E459-05(2011) Test Method for Measuring Heat Transfer Rate Using a Thin-Skin Calorimeter, 15.03
- E460-12 Practice for Determining Effect of Packaging on Food and Beverage
- Products During Storage, **15.08**Withdrawn 1992; Practice for Sensory Evaluation of Industrial and Institutional Food Purchase
- E462 Withdrawn 1998; Test Method for Odor and Taste Transfer from Packaging Film; Replaced by E1870
- E463-09 Test Method for Determination of Silica in Fluorspar by Silico-Molybdate Visible Spectrometry, 03.05 E464 Withdrawn 1986; Method of Test for Aluminum Oxide in Iron Ores
- E465-11 Test Methods for Determination of Manganese (IV) in Manganese
- Ores by Redox Titrimetry, 03.05 E466-07 Practice for Conducting Force Controlled Constant Amplitude Axial
- Fatigue Tests of Metallic Materials, 03.01

 E467-08^{c1} Practice for Verification of Constant Amplitude Dynamic Forces in
- an Axial Fatigue Testing System, 03.01

 E468-11 Practice for Presentation of Constant Amplitude Fatigue Test Results for Metallic Materials, 03.01
- E469 Withdrawn 1982; Measuring Heat Flux Using a Multiple-Wafer Calorimeter
- E470 Withdrawn 1982; Measuring Gas Enthalpy Using Calorimeter Probes E471-96(2011) Test Method for Obtaining Char Density Profile of Ablative
- Materials by Machining and Weighing, 15.03

 E472 Withdrawn 1995; Practice for Reporting Thermoanalytical Data

 E473-11a Terminology Relating to Thermal Analysis and Rheology, 14.02
- E474 Withdrawn 1986; Method for Evaluation of Temperature Scale for Differential Thermal Analysis
- E475-10 Test Method for Assay of Di-tert-Butyl Peroxide Using Gas Chromatography, 15.05
- Withdrawn 2008; Test Method for Thermal Instability of Confined Condensed Phase Systems (Confinement Test)
- E477-13 Test Method for Laboratory Measurements of Acoustical and Airflow Performance of Duct Liner Materials and Prefabricated Silencers, 04.06
 E478-08 Test Methods for Chemical Analysis of Copper Alloys, 03.05
- E479 Withdrawn 2014; Guide for Preparation of a Leak Testing Specification E480 Withdrawn 1993; Practice for Establishing Conditions for Laboratory Sensory Evaluation of Foods And Beverages

 E481-10 Test Method for Measuring Neutron Fluence Rates by Radioactiva-
- tion of Cobalt and Silver, 12.02

 E482-11^{c1} Guide for Application of Neutron Transport Methods for Reactor Vessel Surveillance, E706 (IID), 12.02

 E483 Withdrawn 1989; Method for Spectrographic Analysis of Nickel Alloys by
- the Silver Chloride-Lithium Fluoride Carrier Technique E484 Withdrawn 1983; Method for Optical Emission Spectrometric Analysis of
- Steel by the Solution-Reservoir Cup Technique
- E485 Withdrawn 2011; Test Method for Optical Emission Vacuum Spectro-metric Analysis of Blast Furnace Iron by the Point-to-Plane Technique E486 Withdrawn 1991; Method for Spectrographic Analysis of Admiralty Metal
- by the Cast Pin and Point-to-Plane Technique E487-14 Test Method for Constant-Temperature Stability of Chemical

Materials, 14.02

E488/E488M E581

- E488/E488M-10 Test Methods for Strength of Anchors in Concrete Elements,
- E489 Withdrawn 2005; Test Method for Tensile Strength Properties of Metal Connector Plates
- E490-00a(2014) Standard Solar Constant and Zero Air Mass Solar Spectral Irradiance Tables, 15.03
- E491-73(2010) Practice for Solar Simulation for Thermal Balance Testing of Spacecraft, 15.03
 E492-09 Test Method for Laboratory Measurement of Impact Sound
- Transmission Through Floor-Ceiling Assemblies Using the Tapping Machine, 04.06
- E493/E493M-11 Practice for Leaks Using the Mass Spectrometer Leak Detector in the Inside-Out Testing Mode, 03.03
- E494-10 Practice for Measuring Ultrasonic Velocity in Materials, 03.03 E495 Withdrawn 1991; Test Method for Fission Zirconium in Irradiated Nuclear Fuels by Spectrophotometry
- **E496-14**⁻¹ Test Method for Measuring Neutron Fluence and Average Energy from, 12.02
- E497 Withdrawn 2008; Practice for Installing Sound-Isolating Lightweight **Partitions**
- E498/E498M-11 Practice for Leaks Using the Mass Spectrometer Leak
 Detector or Residual Gas Analyzer in the Tracer Probe Mode, 03.03
 E499/E499M-11 Practice for Leaks Using the Mass Spectrometer Leak
- Detector in the Detector Probe Mode, 03.03
- E500 Withdrawn 1991; Terminology Relating to Ultrasonic Examination; Replaced by E1316
- E501-08 Specification for Standard Rib Tire for Pavement Skid-Resistance Tests, 04.03
- E502-07(2013) Test Method for Selection and Use of ASTM Standards for the
- Determination of Flash Point of Chemicals by Closed Cup Methods, 14.02 E503/E503M Withdrawn 2010; Test Methods for Measurement of Skid Resistance on Paved Surfaces Using a Passenger Vehicle Diagonal Braking Technique
- Withdrawn 1998; Practice for Selection of Electrode Material Used in Optical Emission Spectroscopy Based on Physical Properties

 E505-01(2011) Reference Radiographs for Inspection of Aluminum and
- Magnesium Die Castings, 03.03
- E506-08 Test Method for Mercury in Liquid Chlorine, 15.05
 E507-13 Test Method for Determination of Aluminum in Iron Ores by Flame Atomic Absorption Spectrometry, 03.05
- E508-13 Test Method for Determination of Calcium and Magnesium in Iron Ores by Flame Atomic Absorption Spectrometry, 03.05
- E509/E509M-14 Guide for In-Service Annealing of Light-Water Moderated
- Nuclear Reactor Vessels, 12.02

 Withdrawn 1985; Recommended Practice for Determining Pavement Surface Frictional and Polishing Characteristics Using a Small Torque Device
- E511-07 Test Method for Measuring Heat Flux Using a Copper-Constantan
- Circular Foil, Heat-Flux Transducer, 15.03

 E512-94(2010) Practice for Combined, Simulated Space Environment Testing of Thermal Control Materials with Electromagnetic and Particulate Radiation, 15.03
- E513 Withdrawn 1988; Definitions of Terms Relating to Constant-Amplitude,
- Low-Cycle Fatigue Testing; Replaced by E1150
 E514/E514M-14 Test Method for Water Penetration and Leakage Through
- Masonry, 04.05
 E515-11 Practice for Leaks Using Bubble Emission Techniques, 03.03
 E516-95a(2013) Practice for Testing Thermal Conductivity Detectors Used in Gas Chromatography, 03.06
- E517-00(2010) Test Method for Plastic Strain Ratio, 03.01 E518/E518M-10 Test Methods for Flexural Bond Strength
- Test Methods for Flexural Bond Strength of Masonry, 04.05 E519/E519M-10 Test Method for Diagonal Tension (Shear) in Masonry
- Assemblages, 04.05

 E520-08 Practice for Describing Photomultiplier Detectors in Emission and Absorption Spectrometry, 03.05

 E521-96(2009)^{c1} Practice for Neutron Radiation Damage Simulation by
- Charged-Particle Irradiation, 12.02
- Withdrawn 1984; Method for Calibration of Germanium Detectors for Measurement of Gamma-Ray Emission Rates of Radionuclides; Replaced by E181
- E523-11 Test Method for Measuring Fast-Neutron Reaction Rates by
- Radioactivation of Copper, 12.02

 E524-08 Specification for Standard Smooth Tire for Pavement Skid-Resistance Tests, 04.03
- Withdrawn 2001; Practice for Reporting Dosimetry Results on Nuclear E525 Graphite
- E526-08(2013) Test Method for Measuring Fast-Neutron Reaction Rates by
- Radioactivation of Titanium, 12.02
 E527-12 Practice for Numbering Metals and Alloys in the Unified Numbering System (UNS), 01.01
- Withdrawn 1998; Practices for Grounding Basic Optical Emission Spectrochemical Equipment
- E529-04(2011) Guide for Conducting Flexural Tests on Beams and Girders for Building Construction, 04.11
- E530 Not Assigned
- E531-13 Practice for Surveillance Testing of High-Temperature Nuclear Component Materials, 12.02
- Not Assigned
- Withdrawn 2003; Test Method for Trace Amounts of Arsenic in Inorganic E533 Industrial Chemicals

- E534-13 Test Methods for Chemical Analysis of Sodium Chloride, 15.05
- Practice for Preparation of Fire-Test-Response Standards, 04.07 E535-14 Test Methods for Chemical Analysis of Zinc and Zinc Alloys, 03.05
- Test Method for The Thermal Stability of Chemicals by Differential Scanning Calorimetry, 14.02
- E538-98(2008) Test Methods for Mercury in Caustic Soda (Sodium Hydroxide) and Caustic Potash (Potassium Hydroxide), 15.05
- E539-11 Test Method for Analysis of Titanium Alloys by X-Ray Fluorescence Spectrometry, 03.05
- Withdrawn 1980; Definitions of Terms Relating to Building Construction; Combined with E 631
- E541-10 Specification for Agencies Engaged in System Analysis and Compliance Assurance for Manufactured Building, 14.02
- E542-01(2012) Practice for Calibration of Laboratory Volumetric Apparatus, 14.04

- E543-13 Specification for Agencies Performing Nondestructive Testing, 03.03
 E544-10 Practices for Referencing Suprathreshold Odor Intensity, 15.08
 E545-14 Test Method for Determining Image Quality in Direct Thermal Neutron Radiographic Examination, 03.03
- E546-08 Test Method for Frost/Dew Point of Sealed Insulating Glass Units, 04.11
- E547-00(2009) Test Method for Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Cyclic Static Air Pressure Difference, 04.11
- E548 Withdrawn 2003; Guide for General Criteria Used for Evaluating Laboratory Competence
- E549-87(2008) Guide for Preparing Field Sprayer Calibration Procedures, 11.05
- E550-87(2008) Guide for Preparing Granular Pesticide Ground Applicator Calibration Procedures, 11.05
- Withdrawn 2000; Test Methods for Developing Effective Bird Control Chemicals
- Withdrawn 2000; Test Method for Efficacy of Acute Mammalian F552 Predacides
- F553 Not Assigned
- Withdrawn 2000; Guide for Use and Development of Strychnine as an E554 Avicide
- E555 Withdrawn 2000; Practice for Determining Acute Oral LD50 for Testing Vertebrate Control Agents
- E556/E556M-11 Test Method for Calibrating a Wheel Force or Torque Transducer Using a Calibration Platform (User Level), 04.03
- E557-12 Guide for Architectural Design and Installation Practices for Sound Isolation between Spaces Separated by Operable Partitions, 04.06 E558 Redesignated A938
- Withdrawn 1978; Recommended Practice for Classifying Pavement Surface Textures, Suitable for Skid-Resistance Photo-Interpretation
- E560 Withdrawn 2009; Practice for Extrapolating Reactor Vessel Surveillance Dosimetry Results, E 706(IC) E561-10^{c2} Test Method for K-R Co
- Test Method for K-R Curve Determination, 03.01
- E562-11 Test Method for Determining Volume Fraction by Systematic Manual Point Count, 03.01
- E563-11 Practice for Preparation and Use of an Ice-Point Bath as a Reference Temperature, 14.03
- E564-06(2012) Practice for Static Load Test for Shear Resistance of Framed Walls for Buildings, 04.11
- E565 Withdrawn 2000; Test Method for Efficacy of a Single-Dose Acute Rodenticide Under Laboratory Conditions for Commensal Rodents
- E566-14 Practice for Electromagnetic (Eddy Current) Sorting of Ferrous Metals, 03.03
- E567 Withdrawn 1996; Test Method for Tertiary Hydroxyl Groups With Hydrogen Bromide
- E568 Withdrawn 1981; Methods for Chemical Analysis of Magnesium Ferrosilicon; Replaced by E372
 E569/E569M-13 Practice for Acoustic Emission Monitoring of Structures
- During Controlled Stimulation, 03.03
 E570-09 Practice for Flux Leakage Examination of Ferromagnetic Steel Tubular Products, 03.03
- E571-12 Practice for Electromagnetic (Eddy-Current) Examination of Nickel and Nickel Alloy Tubular Products, 03.03
- E572-13 Test Method for Analysis of Stainless and Alloy Steels by Wavelength Dispersive X-Ray Fluorescence Spectrometry, 03.05

 E573-01(2013) Practices for Internal Reflection Spectroscopy, 03.06

 E574-13 Specification for Duplex, Base Metal Thermocouple Wire With Glass

- Fiber or Silica Fiber Insulation, 14.03

 E575-05(2011) Practice for Reporting Data from Structural Tests of Building Constructions, Elements, Connections, and Assemblies, 04.11

 E576-08 Test Method for Frost/Dew Point of Sealed Insulating Glass Units in
- the Vertical Position, 04.11
- E577 Withdrawn 2011; Guide for Dimensional Coordination of Rectilinear Building Parts and Systems
- E578-07(2013) Test Method for Linearity of Fluorescence Measuring Systems, 03.06
- E579-04(2009) Test Method for Limit of Detection of Fluorescence of Quinine
- Sulfate in Solution, 03.06

 E580/E580M-14 Practice for Installation of Ceiling Suspension Systems for Acoustical Tile and Lay-in Panels in Areas Subject to Earthquake Ground Motions 04.06
- E581-10 Test Methods for Chemical Analysis of Manganese-Copper Alloys.

E582 E676

- E582-07(2013)^{€1} Test Method for Minimum Ignition Energy and Quenching Distance in Gaseous Mixtures, 14.02
- Withdrawn 1996; Practice for Systematizing the Development of (ASTM) Voluntary Consensus Standards for the Solution of Nuclear and Other Complex Problems
- Withdrawn 1992; Recommended Guide for Developing the (ASTM) Voluntary Consensus Standards Required to Help Implement the National Energy Plan
- E585/E585M-12 Specification for Compacted Mineral-Insulated, Metal-Sheathed, Base Metal Thermocouple Cable, 14.03
- Withdrawn 1991; Terminology Relating to Industrial Radiology; Replaced bv E1316
- E587-10 Practice for Ultrasonic Angle-Beam Contact Testing, 03.03
- E588-03(2009) Practice for Detection of Large Inclusions in Bearing Quality Steel by the Ultrasonic Method, 01.05
- Withdrawn 2000; Guide for Use and Development of PA-14 Avian Stressing Agent
- E590 Withdrawn 2000; Guide for Use and Development of Sodium
- Monofluoroacetate (Compound 1080) as a Predacide

 E591 Withdrawn 1991; Practice for Safety and Health Requirements Relating to Occupational Exposure to Ozone

 E592-99(2009)^{c1} Guide to Obtainable ASTM Equivalent Penetrameter
- Sensitivity for Radiography of Steel Plates, 03.03

 E593 Withdrawn 2000; Test Method for Efficacy of a Multiple-Dose
- Rodenticide Under Laboratory Conditions
- E594-96(2011) Practice for Testing Flame Ionization Detectors Used in Gas or Supercritical Fluid Chromatography, 03.06
- E595-07 Test Method for Total Mass Loss and Collected Volatile Condensable Materials from Outgassing in a Vacuum Environment, 15.03
- E596-96(2009) Test Method for Laboratory Measurement of Noise Reduction
- of Sound-Isolating Enclosures, **04.06**Withdrawn 1999; Practice for Determining A Single-Number Rating of Airborne Sound Isolation for Use in Multiunit Building Specifications
- E598-08 Test Method for Measuring Extreme Heat-Transfer Rates from High-Energy Environments Using a Transient, Null-Point Calorimeter, 15.03
- Withdrawn 1997; Test Method for Efficacy of Slimicides for the Paper Industry—Fungal Slime; Replaced by E1839
- E600 Withdrawn 1997; Test Method for Efficacy of Slimicides for the Paper Industry—Bacterial Slime; Replaced by E1839
- E601-07a(2013) Test Method for Measuring Electromotive Force (emf) Stability of Base-Metal Thermoelement Materials with Time in Air, 14.03
- Withdrawn 2010; Test Method for Sharp-Notch Tension Testing with Cylindrical Specimens
- E603-13 Guide for Room Fire Experiments, 04.07
- E604-83(2008) Test Method for Dynamic Tear Testing of Metallic Materials, 03.01
- E605-93(2011) Test Methods for Thickness and Density of Sprayed Fire-Resistive Material (SFRM) Applied to Structural Members, 04.11
- E606/E606M-12 Test Method for Strain-Controlled Fatigue Testing, 03.01 Withdrawn 2011; Test Method for Atomic Emission Spectrometric Analysis Aluminum Alloys by the Point to Plane Technique Nitrogen Atmosphere
- E608/E608M-13 Specification for Mineral-Insulated, Metal-Sheathed Base
- Metal Thermocouples, 14.03

 E609-10 Terminology Relating to Pesticides, 11.05

 E610 Withdrawn 1991; Terminology Relating to Acoustic Emission; Replaced by E1316
- E611-08 Test Methods for Low Concentrations of Diethlyene Glycol in Ethylene Glycol by Gas Chromatography, 15.05
- Withdrawn 1997; Guide for Field Evaluation of Nematode Control Agents—Site Selection Procedures
- E613 Withdrawn 1997; Guide for Evaluation of Nematode Control Agents— Side Effects of Nematicide Application on Other Organisms
- E614 Withdrawn 1997; Guide for Greenhouse or Growth Chamber Evaluation of Nematicides Against Root-Knot Nematode
- E615 Withdrawn 2000; Guide for Use and Development of Sodium Cyanide as a Predacide
- E616 Withdrawn 1996; Terminology Relating to Fracture Testing; Replaced by
- E1823 E617-13 Specification for Laboratory Weights and Precision Mass Standards,
- 14.04 E618-07(2013) Test Method for Evaluating Machining Performance of Ferrous Metals Using an Automatic Screw/Bar Machine, 01.05
- E619-09 Practice for Evaluating Foreign Odors in Paper Packaging, 15.08
 E620-11 Practice for Reporting Opinions of Scientific or Technical Experts,
- 14.02
- E621 Withdrawn 2008; Practice for Use of Metric (SI) Units in Building Design and Construction(Committee E06 Supplement to E380)
 E622 Withdrawn 2000; Guide for Developing Computerized Systems
 E623 Withdrawn 1994; Guide for Developing Functional Requirements for
- Computerized Systems; Replaced by E622 Withdrawn 1994; Guide for Developing Implemention Designs for Computerized Systems; Replaced by E622
- F625 Withdrawn 2000; Guide for Training Users of Computerized Systems E626 Withdrawn 1994; Guide for Evaluating Computerized Systems; Replaced
- by E622 Withdrawn 2000; Guide for Documenting Computerized Systems Withdrawn 1997; Guide for Field Evaluation of Nematode Control F627 E628 Agents—Test Materials and Environmental Conditions

- E629 Withdrawn 1997; Guide for Field Evaluation of Nematode Control Agents-Determination of Nematode Population Responses to Control Agents
- Withdrawn 1997; Guide for Evaluation of Nematode Control Agents— E630 Plant Responses
- E631-06 Terminology of Building Constructions, 04.11
- E632 Withdrawn 2005; Practice for Developing Accelerated Tests to Aid Prediction of the Service Life of Building Components and Materials
- E633-13 Guide for Use of Thermocouples in Creep and Stress-Rupture Testing to 1800°F (1000°C) in Air, 03.01
- E634-12 Practice for Sampling of Zinc and Zinc Alloys by Spark Atomic Emission Spectrometry, 03.05 E635 Not Assigned
- E636-14 Guide for Conducting Supplemental Surveillance Tests for Nuclear Power Reactor Vessels, E 706 (IH), 12.02
- E637-05(2011) Test Method for Calculation of Stagnation Enthalpy from Heat Transfer Theory and Experimental Measurements of Stagnation-Point Heat Transfer and Pressure, 15.03
- Withdrawn 2001; Test Method for Calibration of Heat Transfer Rate
- Calorimeters Using a Narrow-Angle Blackbody Radiation Facility Withdrawn 2011; Test Method for Measuring Total-Radiance Temperature of Heated Surfaces Using a Radiation Pyrometer
- E640-06(2012) Test Method for Preservatives in Water-Containing Cosmetics, 11.05
- E641-01(2012)^{€1} Methods for Testing Hydraulic Spray Nozzles Used in Agriculture, 11.05
- E642-91(2008) Practice for Determining Application Rates and Distribution Patterns from Aerial Application Equipment, 11.05
- E643-09 Test Method for Ball Punch Deformation of Metallic Sheet Material, 03.01
- E644-11 Test Methods for Testing Industrial Resistance Thermometers, 14.03 E645-13 Practice for Evaluation of Microbicides Used in Cooling Water Systems, 11.05
- E646-07⁶¹ Test Method for Tensile Strain-Hardening Exponents (n -Values) of Metallic Sheet Materials, 03.01
- E647-13a Test Method for Measurement of Fatigue Crack Growth Rates,
- E648-14c Test Method for Critical Radiant Flux of Floor-Covering Systems
- Using a Radiant Heat Energy Source, 04.07 E649-00(2011) Test Method for Bromine in Chlorine, 15.05
- E650/E650M-12 Guide for Mounting Piezoelectric Acoustic Emission Sensors, 03.03
- E651/E651M-01(2008) Practice for Evaluating Capabilities of Agencies Involved in System Analysis and Compliance Assurance for Manufactured Building, 14.02
- E652-91(2009) Test Method for Nonresidual Liquid Household Insecticides Against Flying Insects, 11.05
 E653-91(2009) Test Method for Effectiveness of Aerosol and Pressurized
- Space Spray Insecticides Against Flying Insects, 11.05
 E654-96(2009) Test Method for Effectiveness of Aerosol and Pressurized
- Spray Insecticides Against Cockroaches, 11.05
- Withdrawn 1997; Guide for Evaluation of Nematicides Against Root-Knot Nematode—Population Eradication Test
- F656 Withdrawn 1997; Guide for Evaluation of Hatching Heterodera Schachtii Juveniles
- Withdrawn 2000; Test Method for Comparative Acute and Long-Term Oral or Gustatory Avian Repellency E657
- Withdrawn 2000; Test Method for Efficacy of Dog Repellents Designed E658 for Direct Application to Garbage Bags
- E659-14 Test Method for Autoignition Temperature of Liquid Chemicals, 14.02 E660-90(2011) Practice for Accelerated Polishing of Aggregates or Pavement
- Surfaces Using a Small-Wheel, Circular Track Polishing Machine, **04.03 E661-03(2009)** Test Method for Performance of Wood and Wood-Based Floor and Roof Sheathing Under Concentrated Static and Impact Loads, **04.11 E662-14** Test Method for Specific Optical Density of Smoke Generated by
- Solid Materials, 04.07
- Withdrawn 1997; Practice for Flame Atomic Absorption Analysis
- E664/E664M-10 Practice for the Measurement of the Apparent Attenuation of Longitudinal Ultrasonic Waves by Immersion Method, 03.03
- E665 Withdrawn 2000; Practice for Determining Absorbed Dose Versus Depth in Materials to Exposed to the X-Ray Output of Flash X-Ray Machines E666-14 Practice for Calculating Absorbed Dose From Gamma or X Radiation,
- 12.02 E667-98(2009) Specification for Mercury-in-Glass, Maximum Self-Registering Clinical Thermometers, 13.01
- E668-13 Practice for Application of Thermoluminescence-Dosimetry (TLD) Systems for Determining Absorbed Dose in Radiation-Hardness Testing of
- Electronic Devices, 12.02

 E669 Withdrawn 2000; Master Matrix for Nuclear Fuel Cycle Standards

 E670-09 Test Method for Testing Side Force Friction on Paved Surfaces Using
- the Mu-Meter, 04.03 E671-98(2010) Specification for Maximum Permissible Thermal Residual Stress in Annealed Glass Laboratory Apparatus, 14.04
- E672-87(2011) Specification for Disposable Glass Micropipets, 14.04
- E673 Withdrawn 2011; Terminology Relating to Surface Analysis
 E674-12 Specification for Industrial Perforated Plate and Screens (Round Opening Series), 14.02
- E675-02(2012) Specification for Interchangeable Taper-Ground Stopcocks And Stoppers, 14.04
- E676-02(2012) Specification for Interchangeable Taper-Ground Joints, 14.04

E677 E767

- E677-94(2010) Specification for Interchangeable Spherical Ground Joints, 14.04
- E678-07(2013) Practice for Evaluation of Scientific or Technical Data, 14.02 E679-04(2011) Practice for Determination of Odor and Taste Thresholds By a Forced-Choice Ascending Concentration Series Method of Limits, 15.08
- E680-79(2011)^{€1} Test Method for Drop Weight Impact Sensitivity of Solid-Phase Hazardous Materials, 14.02
- E681-09 Test Method for Concentration Limits of Flammability of Chemicals (Vapors and Gases), 14.02
- E682-92(2011) Practice for Liquid Chromatography Terms and Relationships, 03.06
- E683-91(2013) Practice for Installation and Service of Solar Space Heating Systems for One- and Two-Family Dwellings, 12.02
- Withdrawn 2012; Practice for Approximate Determination of Current Density of Large-Diameter Ion Beams for Sputter Depth Profiling of Solid Surfaces; Replaced by E1577
- E685-93(2013) Practice for Testing Fixed-Wavelength Photometric Detectors Used in Liquid Chromatography, 03.06
- E686 Withdrawn 2004; Method for Evaluation of Antimicrobial Agents in
- Aqueous Metal Working Fluids; Replaced by E2275
 E687 Withdrawn 1989; Practice for Sensory Evaluation Procedure to Establish
 Guidelines for Open Dating Food and Beverage Products
 E688-94(2011) Test Methods for Waste Glass as a Raw Material for Glass
- Manufacturing, 11.04
- E689-10 Reference Radiographs for Ductile Iron Castings, 03.03
- E690-10 Practice for In Situ Electromagnetic (Eddy-Current) Examination of Nonmagnetic Heat Exchanger Tubes, 03.03
- E691-14 Practice for Conducting an Interlaboratory Study to Determine the Precision of a Test Method, 14.02
- E692 Withdrawn 2013; Test Method for Determining the Content of Cesium-137 in Irradiated Nuclear Fuels by High-Resolution Gamma-Ray Spectral Analysis
- E693-12 Practice for Characterizing Neutron Exposures in Iron and Low Alloy Steels in Terms of Displacements Per Atom (DPA), E 706(ID), 12.02
- **E694-99(2010)** Specification for Laboratory Glass Volumetric Apparatus, **14.04** Test Method of Measuring Relative Resistance of Wall, Floor, E695-03(2009) and Roof Construction to Impact Loading, 04.11
- E696-07(2013) Specification for Tungsten-Rhenium Alloy Thermocouple Wire, 14.03
- E697-96(2011) Practice for Use of Electron-Capture Detectors in Gas Chromatography, 03.06
- E698-11 Test Method for Arrhenius Kinetic Constants for Thermally Unstable Materials Using Differential Scanning Calorimetry and the Flynn/Wall/ Ozawa Method. 14.02
- E699-09 Practice for Evaluation of Agencies Involved in Testing, Quality Assurance, and Evaluating of Building Components, 14.02
- E700 Withdrawn 1995; Test Method for Water in Gases Using Karl Fischer Reagent
- E701-80(2010) Test Methods for Municipal Ferrous Scrap, 11.04
- E702-85(2010) Specification for Municipal Ferrous Scrap, 11.04
- E703-14 Practice for Electromagnetic (Eddy Current) Sorting of Nonferrous Metals, 03.03
- E704-13 Test Method for Measuring Reaction Rates by Radioactivation of Uranium-238, 12.02
- E705-13a Test Method for Measuring Reaction Rates by Radioactivation of Neptunium-2011; Master Matrix for Light-Water Reactor Pressure Vessel
- Surveillance Standards, E 706(0)
- E707 Withdrawn 2006; Test Method for Skid Resistance Measurements Using the North Carolina State University Variable-Speed Friction Tester E708-79(2011) Specification for Waste Glass as a Raw Material for the

- Manufacture of Glass Containers, 11.04

 E709-14 Guide for Magnetic Particle Testing, 03.03

 E710 Withdrawn 2006; Test Method for Comparing EMF Stabilities of Base-Metal Thermoelements in Air Using Dual, Simultaneous, Thermal-EMF Indicators
- Withdrawn 2011; Test Method for Gross Calorific Value of Refuse-Derived Fuel by the Bomb Calorimeter
- E712-80(2009) Practice for Laboratory Screening of Metallic Containment Materials for Use With Liquids in Solar Heating and Cooling Systems, 12.02
- E713 Withdrawn 2010; Guide for Selection of Scales for Metric Building Drawings
- E714-94(2009) Specification for Disposable Glass Serological Pipets, 14.04 Specification for Gravity-Convection and Forced-Circulation E715-80(2011) Water Baths, 14.04
- E716-10 Practices for Sampling and Sample Preparation of Aluminum and Aluminum Alloys for Determination of Chemical Composition by Spectrochemical Analysis, 03.05

 Withdrawn 2008; Guide for Preparation of the Accreditation Annex of
- Acoustical Test Standards
- E718 Withdrawn 1991; Method for Spectrographic Analysis of Cartridge Brass E719 Withdrawn 1987; Test Method for Indentation of Building Materials Surfaces Under Concentrated Loads as a Measure of Serviceability
- E720-11 Guide for Selection and Use of Neutron Sensors for Determining Neutron Spectra Employed in Radiation-Hardness Testing of Electronics, 12.02
- E721-11 Guide for Determining Neutron Energy Spectra from Neutron Sensors for Radiation-Hardness Testing of Electronics, 12.02
- Practice for Characterizing Neutron Fluence Spectra in Terms of an

- Equivalent Monoenergetic Neutron Fluence for Radiation-Hardness Testing of Electronics, 12.02
- E723-13 Practice for Evaluation of Antimicrobials as Preservatives for Aqueous-Based Products Used in the Paper Industry (Bacterial Spoilage), 11.05
- E724-98(2012) Guide for Conducting Static Acute Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs, 11.06
- E725-96(2012) Test Method for Sampling Granular Carriers and Granular Pesticides, 11.05
 E726-01(2011)^{c1} Test Method for Particle Size Distribution of Granular Carriers
- and Granular Pesticides, 11.05

 E727/E727M-08(2013) Test Methods for Determining Bulk Density of Granular Carriers and Granular Pesticides, 11.05
- E728-91(2009) Test Method for Resistance to Attrition of Granular Carriers and Granular Pesticides, 11.05
- E729-96(2007) Guide for Conducting Acute Toxicity Tests on Test Materials with Fishes, Macroinvertebrates, and Amphibians, 11.06
- E730 Withdrawn 1994; Guide for Developing Functional Designs for Computerized Systems; Replaced by E622
- E731 Withdrawn 2000; Guide for Selection and Acquisition of Commercially
- Available Computerized Systems

 E732-80(2011) Specification for Disposable Pasteur-Type Pipet, 14.04
- E733 Withdrawn 2005; Specification for 44.7-µL Disposable Glass Micropipets E734-80(2010) Specification for Disposable Glass Blood Sample Capillary Tube (Microhematocrit), 14.04
- Withdrawn 1987; Specification for Minimum Performance Standards for Hand-Held Pipettors with Pipet Tips
- E736-00(2011) Test Method for Cohesion/Adhesion of Sprayed Fire-Resistive Materials Applied to Structural Members, 04.11
- Withdrawn 1993; Practice for Installation of Storm Windows Replacement Windows, Multi-Glazing, Storm Doors, and Replacement Doors
- E738-11 Test Method for Determination of Aluminum in Iron Ores and Related Materials by EDTA Complexometric Titrimetry, 03.05
- **E739-10** Practice for Statistical Analysis of Linear or Linearized Stress-Life (S-N) and Strain-Life (E) Fatigue Data, 03.01
- E740/E740M-03(2010)^{c2} Practice for Fracture Testing with Surface-Crack Tension Specimens, 03.01
- E741-11 Test Method for Determining Air Change in a Single Zone by Means of a Tracer Gas Dilution, 04.11
- E742 Withdrawn 1988; Definitions of Terms Relating to Fluid Aqueous and Chemical Environmentally Affected Fatigue Testing; Replaced by E1150 E743 Withdrawn 1998; Guide for Spectrochemical Laboratory Quality
- Assurance E744-07 Practice for Evaluating Solar Absorptive Materials for Thermal Applications, 12.02
- E745-80(2009) Practices for Simulated Service Testing for Corrosion of Metallic Containment Materials for Use With Heat-Transfer Fluids in Solar Heating and Cooling Systems, 12.02
- E746-07(2014) Practice for Determining Relative Image Quality Response of Industrial Radiographic Imaging Systems, 03.03
- E747-04(2010) Practice for Design, Manufacture and Material Grouping Classification of Wire Image Quality Indicators (IQI) Used for Radiology, 03.03
- E748-02(2008) Practices for Thermal Neutron Radiography of Materials, 03.03 E749/E749M-12 Practice for Acoustic Emission Monitoring During Continuous Welding, 03.03
- E750-10 Practice for Characterizing Acoustic Emission Instrumentation, 03.03 E751/E751M-12 Practice for Acoustic Emission Monitoring During Resistance Spot-Welding, 03.03
- Withdrawn 1995; Practice for Safety and Health Requirements Relating to Occupational Exposure to Carbon Disulfide
- E753 Withdrawn 2001; Specification for Municipal Aluminum Scrap (MAS)
 E754-80(2006) Test Method for Pullout Resistance of Ties and Anchors
 Embedded in Masonry Mortar Joints, 04.11
 E755-08 Test Method for Dicumyl Peroxide, Assay (Liquid Chromatography),
- 15.05 E756-05(2010) Test Method for Measuring Vibration-Damping Properties of
- Materials, 04.06 E757 Withdrawn 2000; Test Method for Efficacy of Canine Reproduction
- Inhibitors E758 Withdrawn 2010; Test Method for Mammalian Acute Percutaneous
- Toxicity E759-92(2011) Test Method for Effect of Deflection on Sprayed Fire-Resistive
- Material Applied to Structural Members, 04.11

 E760-92(2011) Test Method for Effect of Impact on Bonding of Sprayed Fire-Resistive Material Applied to Structural Members, 04.11

 E761 0(0011) Test Method for Effect of Impact on Bonding of Sprayed Fire-Resistive Material Applied to Structural Members, 04.11
- E761-92(2011) Test Method for Compressive Strength of Sprayed Fire-Resistive Material Applied to Structural Members, 04.11
- E762 Not Assigned
- Withdrawn 1997; Practice for Calculation of Absorbed Dose From E763 Neutron Irradiation by Application of Threshold-Foil Measurement Data Withdrawn 1998; Practice for Identifying Test Methods for Breeder
- Reactor Core Materials E765 Withdrawn 1991; Practice for Evaluation of Cover Materials for Flat Plate
- Solar Collectors

 E766-14 Practice for Calibrating the Magnification of a Scanning Electron Microscope. 03.01
- E767 Withdrawn 2005; Test Method for Shear Strength Properties of Metal Connector Plates

E768 E867

- E768-99(2010) Guide for Preparing and Evaluating Specimens for Automatic Inclusion Assessment of Steel, 03.01
- Withdrawn 2011; Test Methods for Odor of Methanol, Ethanol, n-Propanol, and Isopropanol
- E770 Withdrawn 1992; Method for Classifying Pavement Surface Textures E771 Withdrawn 2001; Test Method for Spontaneous Heating Tendency of Materials
- E772-13 Terminology of Solar Energy Conversion, 12.02
- E773 Withdrawn 2010; Test Method for Accelerated Weathering of Sealed Insulating Glass Units
- E774 Withdrawn 2006; Specification for Classification of the Durability of Sealed Insulating Glass Units

 E775-87(2008)^{c1} Test Methods for Total Sulfur in the Analysis Sample of
- Refuse-Derived Fuel, 11.04
- E776-87(2009) Test Method for Forms of Chlorine in Refuse-Derived Fuel,
- E777-08 Test Method for Carbon and Hydrogen in the Analysis Sample of Refuse-Derived Fuel, 11.04
- E778-08 Test Methods for Nitrogen in the Analysis Sample of Refuse-Derived Fuel, 11.04 E779-10 Test Method for Determining Air Leakage Rate by Fan Pressurization,
- 04.11
- E780-06(2011) Test Method for Measuring the Insulation Resistance of Mineral-Insulated, Metal-Sheathed Thermocouples and Thermocouple Cable at Room Temperature, 14.03
- E781-86(2009) Practice for Evaluating Absorptive Solar Receiver Materials When, 12.02
- E782-95(2007) Practice for Exposure of Cover Materials for Solar Collectors to Natural Weathering Under Conditions Simulating Operational Mode, 12.02
- E783-02(2010) Test Method for Field Measurement of Air Leakage Through Installed Exterior Windows and Doors, 04.11
- E784-89(2011) Specification for Clamps, Utility, Laboratory, and Holders, Buret
- and Clamp, 14.04
 -81(2011) Specification for Crucibles, Ignition, Laboratory, Metal, 14.04 E785-81(2011)
- E786-81(2011) Specification for Dishes, Evaporating, Platinum, 14.04
- Specification for Disposable Glass Micro Blood Collection E787-81(2011) Pipets, 14.04
- E788-97(2013) Specification for Pipet, Blood Diluting, 14.04
- E789 Withdrawn 2007; Test Method for Dust Explosions in a 1.2-Litre Closed Cylindrical Vessel
- E790-08 Test Method for Residual Moisture in a Refuse-Derived Fuel Analysis Sample, 11.04
- E791-08 Test Method for Calculating Refuse-Derived Fuel Analysis Data from As-Determined to Different Bases, 11.04
- E792 Withdrawn 2003; Guide for Selection of a Clinical Laboratory Information Management System
- E793-06(2012) Test Method for Enthalpies of Fusion and Crystallization by Differential Scanning Calorimetry, 14.02
- E794-06(2012) Test Method for Melting And Crystallization Temperatures By Thermal Analysis, 14.02
- E795-05(2012) Practices for Mounting Test Specimens During Sound Absorption Tests, 04.06
- E796 Withdrawn 2009; Test Method for Ductility Testing of Metallic Foil E797/E797M-10 Practice for Measuring Thickness by Manual Ultrasonic Pulse-Echo Contact Method, 03.03
- E798-96(2009) Practice for Conducting Irradiations at Accelerator-Based Neutron Sources, 12.02
- E799-03(2009) Practice for Determining Data Criteria and Processing for Liquid Drop Size Analysis, 14.02
- E800-07 Guide for Measurement of Gases Present or Generated During Fires, 04.07
- E801-06(2011) Practice for Controlling Quality of Radiological Examination of Electronic Devices, 03.03
- E802-95(2010) Reference Radiographs for Gray Iron Castings Up to 4, 03.03
 E803-91(2013) Test Method for Determining the, 03.03
 E804 Withdrawn 1994; Practice for Calibration of the Ultrasonic Test System
- by Extrapolation Between Flat Bottom Hole Sizes
- E805-12a Practice for Identification of Instrumental Methods of Color or Color-Difference Measurement of Materials, 06.01
- E806-08 Test Method for Carbon Tetrachloride and Chloroform in Liquid Chlorine by Direct Injection (Gas Chromatographic Procedure), **15.05**E807 Withdrawn 2001; Practice for Metallographic Laboratory Evaluation

 E808-01(2009) Practice for Describing Retroreflection, **06.01**E809-08(2013) Practice for Measuring Photometric Characteristics of
- Retroreflectors, 06.01 E810-03(2013) Test Method for Coefficient of Retrore Sheeting Utilizing the Coplanar Geometry, 06.01 Test Method for Coefficient of Retroreflection of Retroreflective
- E811-09 Practice for Measuring Colorimetric Characteristics of Retroreflectors Under Nighttime Conditions, 06.01

 E812 Withdrawn 2005; Test Method for Crack Strength of Slow-Bend
- Precracked Charpy Specimens of High-Strength Metallic Materials

 E813 Withdrawn 1997; Test Method for J_{IC}, a Measure of Fracture Toughness; Replaced by E1737
- E814-13a Test Method for Fire Tests of Penetration Firestop Systems, 04.07 E815-11 Test Method for Determination of Calcium Fluoride in Fluorspar by Complexometric Titrimetry, **03.05**
- E816-05(2010) Test Method for Calibration of Pyrheliometers by Comparison to Reference Pyrheliometers, 14.04
- E817 Not Assigned
- E818 Not Assigned

- E819 Withdrawn 2003; Test Method for Trace Amounts of Arsenic in Organic Industrial Chemicals
- Withdrawn 1988; Practice for Determining Absolute Absorbed Dose Rates for Electron Beams
- E821-96(2009) Practice for Measurement of Mechanical Properties During Charged-Particle Irradiation, 12.02
- E822-92(2009) Practice for Determining Resistance of Solar Collector Covers to Hail by Impact With Propelled Ice Balls, 12.02
- E823 Withdrawn 2010; Practice for Nonoperational Exposure and Inspection of a Solar Collector
- E824-10 Test Method for Transfer of Calibration From Reference to Field Radiometers, 14.04
- E825-98(2009) Specification for Phase Change-Type Disposable Fever Thermometer for Intermittent Determination of Human Temperature, 13.01
- E826-14 Practice for Testing Homogeneity of a Metal Lot or Batch in Solid Form by Spark Atomic Emission Spectrometry, 03.05
 E827-08 Practice for Identifying Elements by the Peaks in Auger Electron
- Spectroscopy, 03.06
- Withdrawn 2009; Test Method for Designating the Size of RDF-3 From its Sieve Analysis
- E829 Withdrawn 2003; Practice for Preparing Refuse-Derived Fuel (RDF) Laboratory Samples for Analysis E830 Withdrawn 2011; Test Method for Ash in the Analysis Sample of
- Refuse-Derived Fuel
- E831-13 Test Method for Linear Thermal Expansion of Solid Materials by Thermomechanical Analysis, 14.02
- E832-81(2013) Specification for Laboratory Filter Papers, 14.04
- E833-14 Terminology of Building Economics, 04.11
- E834-09 Practice for Determining Vacuum Chamber Gaseous Environment Using a Cold Finger, 15.03

 E835M Withdrawn 1990; Replaced by E835/E835M
- E835/E835M Withdrawn 2011; Guide for Modular Coordination of Clay and Concrete Masonry Units
- E836 Not Assigned
- **E837-13a** Test Method for Determining Residual Stresses by the Hole-Drilling Strain-Gage Method, 03.01
- Withdrawn 1992; Practice for Performing Accelerated Outdoor Weathering Using Concentrated Natural Sunlight
- E839-11 Test Methods for Sheathed Thermocouples and Sheathed Thermocouple Cable, 14.03
- E840-95(2013) Practice for Using Flame Photometric Detectors in Gas Chromatography, 03.06
- E841-12a Test Method for Determination of Copper in Iron Ores and Related Materials by Flame Atomic Absorption Spectrometry, 03.05

 Withdrawn 1991; Specification for Lawn Buildings
- E843 Withdrawn 1991; Specification for Patio Covers, Carports, and Canopies
- E844-09 Guide for Sensor Set Design and Irradiation for Reactor Surveillance, E706 (IIC), 12.02
- Withdrawn 1988; Method for Calibration of Dosimeters Against an Adiabatic Calorimeter for Use in Flash X-Ray Fields
- E846 Withdrawn 1991; Matrix for Light-Water Reactor Spent-Fuel Transportation E847 Not Assigned
- E848-94(2012) Guide for Safety and Health Requirements Relating to Occupational Exposure to Water-Insoluble Chromates, 06.01
- E849 Withdrawn 1995; Practice for Safety and Health Requirements Relating to Occupational Exposure to Asbestos
- E850-10 Guide for Characterization of Inorganic Process Wastes for Use as Structural Fill, 11.04
- Withdrawn 1998; Practice for Evaluation of Spectrochemical Laboratories
- E852 Withdrawn 2000; Test Methods for C₄-C₁₃ Plasticizer Grade Alcohols
- E853-13 Practice for Analysis and Interpretation of Light-Water Reactor Surveillance Results, 12.02 E854-03(2009) Test Method for Application and Analysis of Solid State Track
- Recorder (SSTR) Monitors for Reactor Surveillance, E706(IIIB), **12.02** Test Methods for Bend Testing of Metallic Flat Materials for E855-08(2013)
- Spring Applications Involving Static Loading, 03.01
- Withdrawn 2011; Definitions of Terms and Abbreviations Relating to Physical and Chemical Characteristics of Refuse Derived Fuel E857-05(2012) Practice for Conducting Subacute Dietary Toxicity Tests with
- Avian Species, 11.06

 E858 Withdrawn 1991; Test Method for Birefringence in Fibers of Circular

 Cross Section by a Variable Compensator

 E859-93(2011) Test Method for Air Erosion of Sprayed Fire-Resistive Materials
- (SFRMs) Applied to Structural Members, **04.11 E860-07(2013)**^{c1} Practice for Examining And Preparing Items That Are Or May
- Become Involved In Criminal or Civil Litigation, 14.02 E861-13 Practice for Evaluating Thermal Insulation Materials for Use in Solar Collectors. 12.02
- F862 Not Assigned
- E863 Withdrawn 2004; Practice for Describing Atomic Absorption Spectrometric Equipment
- E864-12 Practice for Surface Preparation of Aluminum Alloys to Be Adhesively Bonded in Honeycomb Shelter Panels, 04.11
- E865-12 Specification for Structural Film Adhesives for Honeycomb Sandwich Panels, **04.11**
- E866-11 Specification for Corrosion-Inhibiting Adhesive Primer for Aluminum Alloys to Be Adhesively Bonded in Honeycomb Shelter Panels, 04.11
- E867-06(2012) Terminology Relating to Vehicle-Pavement Systems, 04.03

E868 E963

- E868 Withdrawn 2013; Test Methods for Conducting Performance Tests on Mechanical Conveying Equipment Used in Resource Recovery Systems
- Withdrawn 2009; Test Method for Performance Evaluation of Fuel Ethanol Manufacturing Facilities
- E870-82(2013) Test Methods for Analysis of Wood Fuels, 05.06
- E871-82(2013) Test Method for Moisture Analysis of Particulate Wood Fuels, 05.06
- E872-82(2013) Test Method for Volatile Matter in the Analysis of Particulate Wood Fuels, 05.06
- E873-82(2013) Test Method for Bulk Density of Densified Particulate Biomass Fuels, **05.06**
- E874-11 Practice for Adhesive Bonding of Aluminum Facings to Nonmetallic Honeycomb Core for Shelter Panels, 04.11
- E875-10 Test Method for Efficacy of Fungal Control Agents as Preservatives for Aqueous-Based Products Used in the Paper Industry, 11.05
- E876 Withdrawn 2003; Practice for Use of Statistics in the Evaluation of Spectrometric Data
- E877-13 Practice for Sampling and Sample Preparation of Iron Ores and Related Materials for Determination of Chemical Composition and Physical Properties, 03.05
- E878-12 Test Method for Determination of Titanium in Iron Ores and Related Materials by DiantipyryImethane Ultraviolet Spectrophotometry, 03.05

 E879-12 Specification for Thermistor Sensors for General Purpose and
- Laboratory Temperature Measurements, 14.03
- E880 Withdrawn 1997; Guide for Evaluating the Usefulness of Herbicides on Corn (All Types)

 E881-92(2009) Practice for Exposure of Solar Collector Cover Materials to
- Natural Weathering Under Conditions Simulating Stagnation Mode, 12.02
- E882-10 Guide for Accountability and Quality Control in the Chemical Analysis Laboratory, 03.05
- E883-11 Guide for Reflected-Light Photomicrography, 03.01
 E884-82(2012) Practice for Sampling Airborne Microorganisms at Municipal
- Solid-Waste Processing Facilities, 11.04

 Withdrawn 2009; Test Methods for Analyses of Metals in Refuse-Derived Fuel by Atomic Absorption Spectroscopy
- E886 Withdrawn 2003; Practices for Dissolution of Refuse-Derived Fuel (RDF) Ash Samples for Analyses of Metals
- E887-88(2009) Test Method for Silica in Refuse-Derived Fuel (RDF) and RDF Ash, 11.04
- E888 Not Assigned
- E889-82(2014) Test Method for Composition or Purity of a Solid Waste Materials Stream, 11.04
- E890-94(2009) Specification for Disposable Glass Culture Tubes, 14.04
 E891 Withdrawn 1999; Tables for Terrestrial Direct Normal Solar Spectral Irradiance for Air Mass 1.5; Replaced by G159
- E892 Withdrawn 1999; Tables for Terrestrial Solar Spectral Irradiance at Air Mass 1.5 for a 37° Tilted Surface; Replaced by G159
- E893 Redesignated C989
- E894-88(2010) Test Method for Anchorage of Permanent Metal Railing Systems and Rails for Buildings, 04.11
- E895 Withdrawn 2013; Practice for Determination of Hydrolysis Rate Constants of Organic Chemicals in Aqueous Solutions
- E896 Withdrawn 2013; Test Method for Conducting Aqueous Direct Photolysis
 Tests
- E897 Withdrawn 2011; Test Method for Volatile Matter in the Analysis Sample of Refuse-Derived Fuel
- E898-88(2013) Test Method of Testing Top-Loading, Direct-Reading Laboratory Scales and Balances, 14.04
- Withdrawn 1992; Guide for Records Management in Mass Spectrometry Laboratories Performing Analysis in Support of Nonclinical Laboratory Studies
- E900-02(2007) Guide for Predicting Radiation-Induced Transition Temperature Shift in Reactor Vessel Materials, E706 (IIF), **12.02**Withdrawn 2001; Classification System for Uranium Resources
 Withdrawn 2011; Practice for Checking the Operating Characteristics of
- X-Ray Photoelectron Spectrometers E903-12 Test Method for Solar Absorptance, Reflectance, and Transmittance
- of Materials Using Integrating Spheres, 12.02 E904 Withdrawn 2013; Practice for Generating All-Day Thermal Performance
- Data for Solar Collectors
- E905-87(2013) Test Method for Determining Thermal Performance of Tracking Concentrating Solar Collectors, 12.02
 E906/E906M-14 Test Method for Heat and Visible Smoke Release Rates for
- Materials and Products Using a Thermopile Method, 04.07

 E907 Withdrawn 2013; Test Method for Field Testing Uplift Resistance of
- Adhered Membrane Roofing Systems

 E908-98(2012) Practice for Calibrating Gaseous Reference Leaks, 03.03

 E909 Withdrawn 1990; Master Matrix for Development of Standards to Assist in Safeguarding of Nuclear Materials

 E910-07(2013) Test Method for Application and Analysis of Helium
- Accumulation Fluence Monitors for Reactor Vessel Surveillance, E706 (IIIC), 12.02
- E911-98(2009) Specification for Glass Stopcocks with Polytetrafluoroethylene (PTFE) Plugs, 14.04
 E912 Withdrawn 1988; Definitions of Terms Relating to Fatigue Loading;
- Replaced by E1150
- E913 Withdrawn 2005; Method for Calibration of Reference Pyranometers with Axis Vertical by the Shading Method; Replaced by G167 E914 Withdrawn 1994; Practice for Evaluating Temperature Scale for
- Thermogravimetry; Replaced by E1582

- E915-10 Test Method for Verifying the Alignment of X-Ray Diffraction Instrumentation for Residual Stress Measurement, 03.01
- Withdrawn 2000; Guide for Reporting Employee Health History Information and Core Physical Examination Results
- E917-13 Practice for Measuring Life-Cycle Costs of Buildings and Building
- Systems, **04.11 E918-83(2011)** Practice for Determining Limits of Flammability of Chemicals at Elevated Temperature and Pressure, **14.02**
- E919 Withdrawn 2000; Specification for Software Documentation for a Computerized System

 E920-97(2013) Specification for Commercially Packaged Laboratory Apparatus, 14.04

 E921-97(2010) Specification for Export Packaged Laboratory Apparatus, 14.04
- Not Assigned
- E923-97(2013) Specification for Glass Westergren Tube, Reusable, 14.04 E924 Withdrawn 2003; Guide for Quality Assurance of Laboratories Using
- Molecular Spectroscopy

 E925-09(2014) Practice for Monitoring the Calibration of Ultraviolet-Visible Spectrophotometers whose Spectral Bandwidth does not Exceed 2 nm, 03.06
- Withdrawn 2003; Practice for Preparing Refuse-Derived Fuel (RDF) E926 Samples for Analyses of Metals

 -10 Specification for Solar Simulation for Photovoltaic Testing, 12.02
- E927-10
- E928-08 Test Method for Purity by Differential Scanning Calorimetry, 14.02 Withdrawn 2014; Test Method for Measuring Electrical Energy Requirements of Processing Equipment
- E930-99(2007) Test Methods for Estimating the Largest Grain Observed in a Metallographic Section (ALA Grain Size), 03.01
- E931 Withdrawn 1996; Practice for Classification of Occupancies for Their
- Relative Fire Hazard

 E932-89(2013) Practice for Describing and Measuring Performance of Dispersive Infrared Spectrometers, 03.06
- E933 Not Assigned
- E934-94(2009) Specification for Serological Pipet, Disposable Plastic, 14.04 E935-13^{c1} Test Methods for Performance of Permanent Metal Railing Systems and Rails for Buildings, 04.11
- E936 Withdrawn 2012; Practice for Roof System Assemblies Employing Steel Deck, Preformed Roof Insulation, and Bituminous Built-Up Roofing
- E937-93(2011) Test Method for Corrosion of Steel by Sprayed Fire-Resistive Material (SFRM) Applied to Structural Members, 04.11
- E938/E938M-12 Test Method for Effectiveness of Liquid, Gel, Cream, or
- Shampoo Insecticides Against Adult Human Lice, 11.05

 E939-94(2012) Test Method of Field Testing Topical Applications of
 Compounds as Repellents for Medically Important and Pest Arthropods
 (Including Insects, Ticks, and Mites):I Mosquitoes, 11.05
- Withdrawn 1997; Guide for Evaluating the Usefulness of Herbicides on Soybeans
- E941 Withdrawn 2005; Test Method for Calibration of Reference Pyranometers With Axis Tilted by the Shading Method; Replaced by G167
- E942-96(2011) Guide for Simulation of Helium Effects in Irradiated Metals, 12.02
- E943-08 Terminology Relating to Biological Effects and Environmental Fate, 11.06
- E944-13 Guide for Application of Neutron Spectrum Adjustment Methods in Reactor Surveillance, E706 (IIA), 12.02

 E945-12 Test Method for Determination of Zinc in Zinc Ores and Concentrates
- by EDTA Complexometric Titrimetry, 03.05

 Withdrawn 1996; Test Method for Water Absorption of Bentonite by the
- E946 Porous Plate Method
- E947-83(2007) Specification for Sampling Single-Phase Geothermal Liquid or Steam for Purposes of Chemical Analysis, 12.02
- E948-09 Test Method for Electrical Performance of Photovoltaic Cells Using
- Reference Cells Under Simulated Sunlight, 12.02
 E949 Withdrawn 2011; Test Method for Total Moisture in a Refuse-Derived
- Fuel Laboratory Sample

 E950/E950M-09 Test Method for Measuring the Longitudinal Profile of
- Traveled Surfaces with an Accelerometer Established Inertial Profiling Reference, 04.03
- E951-94(2006) Test Methods for Laboratory Testing of No Mosquito Repellent Formulations On the Skin, 11.05 Test Methods for Laboratory Testing of Non-Commercial
- E952 Withdrawn 1997; Guide for Evaluating the Usefulness of Herbicides on Cotton
- E953/E953M-08 Test Method for Fusibility of Refuse-Derived Fuel (RDF) Ash, 11.04
- E954 Withdrawn 2003; Practice for Packaging and Shipping of Laboratory Samples of Refuse-Derived Fuel

 E955-88(2009)^{c1} Test Method for Thermal Characteristics of Refuse-Derived
- Fuel Macrosamples, 11.04
- E956-83(2010) Classification for Municipal-Mixed Nonferrous Metals (MNM), 11.04
- E957-03(2011) 1 Terminology Relating to Geothermal Energy, 12.02 E958-13 Practice for Estimation of the Spectral Bandwidth of Ultraviolet-Visible Spectrophotometers, 03.06
- E959-83(2010) Test Method for Characterizing the Performance of Refuse Size-Reduction Equipment, 11.04
- E960-93(2013) Specification for Laboratory Glass Beakers, 14.04
- E961-97(2013) Specification for Blood Sedimentation Tube, Wintrobe, Glass, Reusable, 14.04
- E962 Not Assigned
- E963-95(2010) Practice for Electrolytic Extraction of Phases from Ni and Ni-Fe

E963 E1056

- Base Superalloys Using a Hydrochloric-Methanol Electrolyte, 03.01 E964-06(2010) Practice for Measuring Benefit-to-Cost and Savings-to-Investment Ratios for Buildings and Building Systems, 04.11
- E965-96(2006) Test Method for Measuring Pavement Macrotexture Depth Using a Volumetric Technique, **04.03 E966-10**^{c1} Guide for Field Measurements of Airborne Sound Attenuation of
- Building Facades and Facade Elements, 04.06
- E967-08(2014) Test Method for Temperature Calibration of Differential Scanning Calorimeters and Differential Thermal Analyzers, 14.02
- E968-02(2014) Practice for Heat Flow Calibration of Differential Scanning Calorimeters, 14.02
- E969-02(2012) Specification for Glass Volumetric (Transfer) Pipets, 14.04
 E970-14 Test Method for Critical Radiant Flux of Exposed Attic Floor Insulation
- Using a Radiant Heat Energy Source, 04.07

 E971-11 Practice for Calculation of Photometric Transmittance and Reflectance of Materials to Solar Radiation, 12.02
- E972-96(2013) Test Method for Solar Photometric Transmittance of Sheet Materials Using Sunlight, 12.02
- E973-10 Test Method for Determination of the Spectral Mismatch Parameter Between a Photovoltaic Device and a Photovoltaic Reference Cell, 12.02
- E974-00(2006) Guide for Specifying Thermal Performance of Geothermal Power Systems, 12.02
 E975-13 Practice for X-Ray Determination of Retained Austenite in Steel with
- Near Random Crystallographic Orientation, 03.01
- E976-10 Guide for Determining the Reproducibility of Acoustic Emission Sensor Response, 03.03
- E977-05(2014) Practice for Thermoelectric Sorting of Electrically Conductive Materials, 03.03
- E978 Withdrawn 2003; Practice for Evaluating Mathematical Models for the Environmental Fate of Chemicals
- E979-09 Practice for Evaluation of Antimicrobial Agents as Preservatives for Invert Emulsion and Other Water Containing Hydraulic Fluids, 11.05 E980 Not Assigned
- E981-04(2012) Test Method for Estimating Sensory Irritancy of Airborne Chemicals, 11.06
 E982-94(2009) Specification for Laboratory Glass Test Tubes, 14.04
- E983-10 Guide for Minimizing Unwanted Electron Beam Effects in Auger Electron Spectroscopy, 03.06
- E984-12 Guide for Identifying Chemical Effects and Matrix Effects in Auger Electron Spectroscopy, 03.06
- E985-00(2006) Specification for Permanent Metal Railing Systems and Rails
- for Buildings, **04.11 E986-04(2010)** Practice for Scanning Electron Microscope Beam Size Characterization, **03.01**
- E987-88(2009) Test Methods for Deglazing Force of Fenestration Products, 04.11
- E988 Withdrawn 2011; Temperature-Electromotive Force (EMF) Tables for Tungsten-Rhenium Thermocouples
- E989-06(2012) Classification for Determination of Impact Insulation Class (IIC), **04.06**
- E990-13 Specification for Core-Splice Adhesive for Honeycomb Sandwich Structural Panels, 04.11
- E991-11 Practice for Color Measurement of Fluorescent Specimens Using the One-Monochromator Method, 06.01
- E992 Withdrawn 1997; Practice for Determination of Fracture Toughness of Steels Using Equivalent Energy Methodology E993 Withdrawn 2010; Test Method for Evaluation of Delayed Contact
- Hypersensitivity
- Withdrawn 2004; Guide for Calibration and Testing Laboratory Accreditation Systems General Requirements for Operation and
- E995-11 Guide for Background Subtraction Techniques in Auger Electron Spectroscopy and X-Ray Photoelectron Spectroscopy, 03.06
 E996-10 Practice for Reporting Data in Auger Electron Spectroscopy and X-ray Photoelectron Spectroscopy, 03.06
 E997-14 Test Method for Evaluating Glass Breakage Probability Under the
- Influence of Uniform Static Loads by Proof Load Testing, 04.11
- E998-12 Test Method for Structural Performance of Glass in Windows, Curtain Walls, and Doors Under the Influence of Uniform Static Loads by Nondestructive Method, 04.11
- E999-10 Guide for Controlling the Quality of Industrial Radiographic Film
- Processing, 03.03
 E1000-98(2009) Guide for Radioscopy, 03.03
 E1001-11 Practice for Detection and Evaluation of Discontinuities by the Immersed Pulse-Echo Ultrasonic Method Using Longitudinal Waves, 03.03
- Practice for Leaks Using Ultrasonics, 03.03
 Practice for Hydrostatic Leak Testing, 03.03
- E1003-13
- E1004-09 Test Method for Determining Electrical Conductivity Using the Electromagnetic (Eddy-Current) Method, 03.03
 E1005-10 Test Method for Application and Analysis of Radiometric Monitors for Reactor Vessel Surveillance, E706 (IIIA), 12.02
- E1006-13 Practice for Analysis and Interpretation of Physics Dosimetry Results from Test Reactor Experiments, 12.02
- E1007-13b Test Method for Field Measurement of Tapping Machine Impact Sound Transmission Through Floor-Ceiling Assemblies and Associated Support Structures, 04.06
- E1008-03(2009) Practice for Installation, Inspection, and Maintenance of Valve-body Pressure-relief Methods for Geothermal and Other High-Temperature Liquid Applications, **12.02**
- E1009-95(2006) Practice for Evaluating an Optical Emission Vacuum

Spectrometer to Analyze Carbon and Low-Alloy Steel, 03.05

- E1010-09 Practice for Preparation of Disk Specimens of Steel and Iron for Spectrochemical Analysis by Remelting, 03.05
- Withdrawn 2001; Specification for Sulfuric Acid
- E1012-12⁻¹ Practice for Verification of Testing Frame and Specimen Alignment Under Tensile and Compressive Axial Force Application, **03.01**
- E1013 Withdrawn 2000; Terminology Relating to Computerized Systems E1014-12 Guide for Measurement of Outdoor A-Weighted Sound Levels, 04.06
- E1015 Withdrawn 1994; Practice for Reporting Spectra in X-Ray Photoelec-
- tron Spectroscopy
 E1016-07(2012)^{c1} Guide for Literature Describing Properties of Electrostatic Electron Spectrometers, 03.06
- Withdrawn 2003; Specification for Generic Performance Requirements
- for Exterior Residential Window Assemblies
 E1018-09(2013) Guide for Application of ASTM Evaluated Cross Section Data
 File, Matrix E706 (IIB), 12.02
- E1019-11 Test Methods for Determination of Carbon, Sulfur, Nitrogen, and Oxygen in Steel, Iron, Nickel, and Cobalt Alloys by Various Combustion and Fusion Techniques, 03.05 E1020-13^{c1} Practice for Reporting Incidents that May Involve Criminal or Civil
- Litigation, 14.02
- E1021-12 Test Method for Spectral Responsivity Measurements of Photovoltaic Devices, 12.02
- E1022-94(2013) Guide for Conducting Bioconcentration Tests with Fishes and Saltwater Bivalve Mollusks, 11.06
- E1023-84(2007) Guide for Assessing the Hazard of a Material to Aquatic Organisms and Their Uses, 11.06
- E1024 Withdrawn 2004; Guide for Chemical Analysis of Metals and Metal
- Bearing Ores by Flame Atomic Absorption Spectrophotometry

 E1025-11 Practice for Design, Manufacture, and Material Grouping
 Classification of Hole-Type Image Quality Indicators (IQI) Used for Radiology, 03.03
- E1026-13 Practice for Using the Fricke Dosimetry System, 12.02
 E1027 Withdrawn 1996; Practice for Exposure of Polymeric Materials to Ionizing Radiation
- E1028 Withdrawn 2003; Test Method for Total Iron in Iron Ores and Related Materials by Dichromate Titrimetry
- E1029 Withdrawn 2003; Guide for Documentation of Clinical Laboratory Computer Systems
 E1030-05(2011) Test Method for Radiographic Examination of Metallic
- Castings, 03.03
- E1031 Withdrawn 2002; Test Method for X-Ray Emission Spectrometric Analysis of Slag
- E1032-12 Test Method for Radiographic Examination of Weldments, 03.03 E1033-13 Practice for Electromagnetic (Eddy Current) Examination of Type, 03.03
- E1034-95(2013) Specification for Nuclear Facility Transient Worker Records, 12.02
- E1035-13 Practice for Determining Neutron Exposures for Nuclear Reactor, 12.02
- E1036-12 Test Methods for Electrical Performance of Nonconcentrator Terrestrial Photovoltaic Modules and Arrays Using Reference Cells, 12.02
- E1037-84(2009) Test Method for Measuring Particle Size Distribution of
- RDF-5, 11.04
 E1038-10 Test Method for Determining Resistance of Photovoltaic Modules to Hail by Impact with Propelled Ice Balls, 12.02 E1039 Withdrawn 2004; Test Method for Calibration of Silicon Non-
- Concentrator Photovoltaic Primary Reference Cells Under Global
- E1040-10 Specification for Physical Characteristics of Nonconcentrator Terrestrial Photovoltaic Reference Cells, 12.02
- E1041 Withdrawn 2002; Guide for Measurement of Masking Sound in Open Offices
- E1042-02(2014) Classification for Acoustically Absorptive Materials Applied by Trowel or Spray, 04.06
- E1043-00(2010) Specification for Pipets, Milk and Cream Examination, 14.04 E1044-96(2011) Specification for Glass Serological Pipets (General Purpose and Kahn), 14.04
- E1045-00(2010) Specification for Pipet, Sahli Hemoglobin, 14.04 E1046-85(2010)
- Specification for Glass Westergren Tube, Disposable, 14.04 E1047-85(2010) Specification for Blood Sedimentation Tube, Wintrobe, Glass, Disposable, 14.04
- E1048-88(2010) Specification for Color-Coding Pipets or Containers Coated With Anticoagulants, 14.04
 9-85(2011)^{c1} Practices for Cycle Counting in Fatigue Analysis, 03.01
- E1049-85(2011)⁶¹ E1050-12 Test Method for Impedance and Absorption of Acoustical Materials Using a Tube, Two Microphones and a Digital Frequency Analysis
- System, 04.06
 E1051 Withdrawn 1997; Guidelines for Evaluating the Usefulness of Herbicides on Potato
- E1052-11 Test Method to Assess the Activity of Microbicides against Viruses in Suspension, 11.05
- E1053-11 Test Method to Assess Virucidal Activity of Chemicals Intended for Disinfection of Inanimate, Nonporous Environmental Surfaces, 11.05
- E1054-08(2013) Test Methods for Evaluation of Inactivators of Antimicrobial Agents, 11.05 E1055 Withdrawn 2010; Test Method for Evaluation of Eye Irritation in Albino
 - Rabbits
- E1056-13 Practice for Installation and Service of Solar Domestic Water

E1056 E1151

- Heating Systems for One- and Two-Family Dwellings, 12.02
- E1057-06(2010) Practice for Measuring Internal Rate of Return and Adjusted Internal Rate of Return for Investments in Buildings and Building Systems, 04.11
- E1058 Withdrawn 2010; Practice for Toxic Contamination of the Environment in the Operator Enclosure of Self-Propelled Agriculture Vehicles
- E1059 Withdrawn 2013; Practice for Designating Shapes and Sizes of
- Nongraphite Counter Electrodes
 E1060 Withdrawn 1997; Practice for Interlaboratory Testing of Spectrochemical Methods of Analysis; Replaced by E1601
- E1061-01(2007) Specification for Direct-Reading Liquid Crystal Forehead Thermometers, 13.01
 E1062 Withdrawn 2000; Practice for Conducting Reproductive Studies with
- Avian Species
- E1063 Withdrawn 1998; Test Method for X-Ray Emission Spectrometric Determination of Cerium and Lanthanum in Carbon and Low-Alloy Steels
- E1064-12 Test Method for Water in Organic Liquids by Coulometric Karl Fischer Titration, 15.05
- E1065/E1065M-14 Practice for Evaluating Characteristics of Ultrasonic Search Units, 03.03 E1066/E1066M-12
- Practice for Ammonia Colorimetric Leak Testing, 03.03 7/E1067M-11 Practice for Acoustic Emission Examination of Fiberglass Reinforced Plastic Resin (FRP) Tanks/Vessels, 03.03 E1067/E1067M-11
- E1068-85(2009) Test Method for Testing Nonmetallic Seal Materials by
- Immersion in a Simulated Geothermal Test Fluid, 12.02
- E1069-85(2009) Test Method for Testing Polymeric Seal Materials for Geothermal or High Temperature Service, or both, Under Sealing Stress, 12.02
- E1070-11 Test Method for Determination of Phosphorus in Iron Ores by Phospho-Molybdenum-Blue Spectrophotometry, 03.05
- E1071 Withdrawn 1996; Test Method for Determination of Reducibility of Iron Ores
- E1072 Withdrawn 1996; Test Method for Low Temperature Breakdown of Iron Ores
- E1073 Withdrawn 2010; Test Method for Obtaining a Pharmacological Profile with Mice
- E1074-09 Practice for Measuring Net Benefits and Net Savings for Investments in Buildings and Building Systems, 04.11
- E1075 Withdrawn 2011; Test Methods for Odor of Ethylene Glycol, Diethylene Glycol, Triethylene Glycol, Propylene Glycol, and Dipropylene Glycol and Taste of Propylene Glycol
- E1076 Withdrawn 2010; Practice for Maintaining Health and Safety Records at Solid Waste Processing Facilities
- E1077-14 Test Methods for Estimating the Depth of Decarburization of Steel Specimens, 03.01
- E1078-09 Guide for Specimen Preparation and Mounting in Surface Analysis, 03.06
- E1079-10 Practice for Calibration of Transmission Densitometers, 03.03 E1080 Withdrawn 1995; Practice for Static Load Testing of Wood-Framed Truss Assemblies
- E1081 Withdrawn 2002; Test Method for Determination of Total Iron in Iron Ores and Related Materials by Silver Reduction-Dichromate Titration; Replaced by E246
- E1082-90(2012) Test Method for Measurement of Vehicular Response to Traveled Surface Roughness, **04.03 E1083-00(2011)** Test Method for Sensory Evaluation of Red Pepper Heat,
- 15.08
- E1084-86(2009) Test Method for Solar Transmittance (Terrestrial) of Sheet Materials Using Sunlight, 12.02
- E1085-09 Test Method for Analysis of Low-Alloy Steels by X-Ray Fluorescence Spectrometry, 03.05
 E1086-14 Test Method for Analysis of Austenitic Stainless Steel by Spark
- Atomic Emission Spectrometry, **03.05**E1087 Withdrawn 1996; Practice for Sampling Molten Steel from a Ladle Using an Immersion Sampler to Produce a Specimen for Emission Spectrochemical analysis; Replaced by E59
- Withdrawn 1997; Definitions of Terms Relating to Atomizing Devices; E1088 Replaced by E1620
- E1089 Withdrawn 2013; Test Method for Water Penetration of Flat Plate Solar
- Collectors by Uniform Static Air Pressure Difference

 E1090-08 Test Method for Dicumyl Peroxide and Dicumyl Peroxide
 Decomposition Products in Resins, 15.05

 E1091-13 Specification for Nonmetallic Honeycomb Core for Use in Shelter
 Panels, 04.11
- E1092-91(2010) Specification for Glass Micro Folin Pipet, Disposable, 14.04 E1093-91(2012) Specification for Glass Prothrombin Pipet, Disposable, 14.04
- Specification for Pharmaceutical Glass Graduates, 14.04 E1094-04(2009)
- E1095-99(2010) Specification for Common Laboratory Glass Funnels, 14.04
 E1096-86(2011) Specification for Laboratory Glass Separatory Funnels, 14.04
 E1097-12 Guide for Determination of Various Elements by Direct Current
- Plasma Atomic Emission Spectrometry, 03.05
 E1098 Withdrawn 2001; Specification for Liquid Caustic Soda (Sodium Hydroxide Solution)
- E1099 Withdrawn 2001; Specification for Soda Ash, Anhydrous (Sodium Carbonate, Anhydrous)
- Specially Denatured Ethanol, Formula SD-3A E1101 Not Assigned E1100 Withdrawn 1998; Test Method for Gas Chromatographic Analysis of
- Not Ássigned
- E1102-91(2009) Terminology Relating to Agricultural Chemical Application, 11.05

- E1103 Withdrawn 2010; Test Method for Determining Subchronic Dermal **Toxicity**
- E1104-98(2009) Specification for Clinical Thermometer Probe Covers and Sheaths, 13.01
- E1105-00(2008) Test Method for Field Determination of Water Penetration of Installed Exterior Windows, Skylights, Doors, and Curtain Walls, by Uniform or Cyclic Static Air Pressure Difference, 04.11
- E1106-12 Test Method for Primary Calibration of Acoustic Emission Sensors, 03.03
- E1107-10 Test Method for Measuring the Throughput of Resource-Recovery Unit Operations, 11.04
- E1108-86(2009) Test Method for Determination of the Recovery of a Product in a Materials Separation Device, 11.04
- E1109-86(2009) Test Method for Determining the Bulk Density of Solid Waste Fractions, 11.04
- E1110-06(2011) Classification for Determination of Articulation Class, 04.06 E1111-07 Test Method for Measuring the Interzone Attenuation of Open Office Components, 04.06
- E1112-00(2011) Specification for Electronic Thermometer for Intermittent Determination of Patient Temperature, 13.01
- E1113 Withdrawn 1994; Guide for Project Definition for Computerized Systems: Replaced by E622
- E1114-09⁻¹ Test Method for Determining the Size of Iridium-192 Industrial Radiographic Sources, 03.03
- E1115-11 Test Method for Evaluation of Surgical Hand Scrub Formulations, 11.05
- E1116-98(2008) Test Method for Emulsification Characteristics of Pesticide Emulsifiable Concentrates, 11.05 E1117 Withdrawn 2009; Practice for Design of Fuel-Alcohol Manufacturing
- Facilities E1118/E1118M-11 Practice for Acoustic Emission Examination of Reinforced
- Thermosetting Resin Pipe (RTRP), 03.03 E1119-09 Specification for Industrial Grade Ethylene Glycol, 15.05
- E1120-08
- 0-08 Specification for Liquid Chlorine, 15.05
 1-12 Practice for Measuring Payback for Investments in Buildings and Building Systems, 04.11 E1121-12
- E1122 Withdrawn 2006; Practice for Obtaining JK Inclusion Ratings Using Automatic Image Analysis; Replaced by E45
- E1123-86(2009) Practices for Mounting Test Specimens for Sound Transmission Loss Testing of Naval and Marine Ship Bulkhead Treatment Materials, 04.06
- E1124-10 Test Method for Field Measurement of Sound Power Level by the Two-Surface Method, 04.06
- E1125-10 Test Method for Calibration of Primary Non-Concentrator Terrestrial Photovoltaic Reference Cells Using a Tabular Spectrum, 12.02
- E1126 Withdrawn 2003; Terminology Relating to Biomass Fuels E1127-08 Guide for Depth Profiling in Auger Electron Spectroscopy, 03.06 E1128 Withdrawn 1993; Practice for Establishing Parameters for Testing
- Dynamic Seals for Geothermal Use
 E1129/E1129M-08^{c1} Specification for Thermocouple Connectors, 14.03 E1130-08 Test Method for Objective Measurement of Speech Privacy in Open
- Plan Spaces Using Articulation Index, 04.06
 E1131-08(2014) Test Method for Compositional Analysis by Thermogravimetry, 14.02 E1132-13^{€1}
- Practice for Health Requirements Relating to Occupational Exposure to Respirable Crystalline Silica, 11.03
- E1133-86(2010) Practice for Performance Testing of Packaged Laboratory Apparatus for United States Government Procurements, 14.04
- E1134 Withdrawn 2001; Specification for Source-Separated Steel Can E1135-12 Test Method for Comparing the Brightness of Fluorescent Penetrants. 03.03
- E1136-10 Specification for P195/75R14 Radial Standard Reference Test Tire, 09.02
- E1137/E1137M-08 Specification for Industrial Platinum Resistance Thermometers, 14.03
- E1138 Withdrawn 1995; Terminology of Technical Aspects of Products Liability Litigation
- E1139/E1139M-12 Practice for Continuous Monitoring of Acoustic Emission from Metal Pressure Boundaries, 03.03
 E1140-95(2010)^{c1} Practice for Testing Nitrogen/Phosphorus Thermionic
- Ionization Detectors for Use In Gas Chromatography, 03.06 E1141 Not Assigned
- E1142-14a Terminology Relating to Thermophysical Properties, 14.02
 E1143-05(2010) Test Method for Determining the Linearity of a Photovoltaic Device Parameter with Respect To a Test Parameter, 12.02
 E1144 Withdrawn 1993; Test Method for Calibration of Non-Concentrator
- Terrestrial Photovoltaic Primary Reference Cells Under Direct Irradiance E1145 Withdrawn 1993; Specification for Denatured Ethyl Alcohol, Formula 3a
- E1146-08 Specification for Muriatic Acid (Technical Grade Hydrochloric Acid),
- E1147 Withdrawn 2013; Test Method for Partition Coefficient (N-Octanol/ Water) Estimation by Liquid Chromatography
- E1148 Withdrawn 2013; Test Method for Measurements of Aqueous Solubility E1149 Withdrawn 1991; Terminology Relating to NDT by Infrared Thermography; Replaced by E1316 E1150 Withdrawn 1996; Definitions of Terms Relating to Fatigue; Replaced by
- E1823
- E1151-93(2011) Practice for Ion Chromatography Terms and Relationships, 03.06

E1152 E1248

- E1152 Withdrawn 1996; Test Method for Determining J-R Curves; Replaced by E1737
- E1153-14 Test Method for Efficacy of Sanitizers Recommended for Inanimate, Hard, Nonporous Non-Food Contact Surfaces, 11.05
- E1154-90(2008) Specification for Piston or Plunger Operated Volumetric Apparatus, 14.04
- E1155-14 Test Method for Determining FF Floor Flatness and FL Floor Levelness Numbers, 04.11
- E1155M-14 Test Method for Determining FF Floor Flatness and FL Floor
- Levelness Numbers (Metric), **04.11**E1156 Withdrawn 1999; Practice for Health Requirements for Occupational Exposure to Synthetic Amorphous Silica
- E1157-87(2011) Specification for Sampling and Testing of Reusable
- Laboratory Glassware, 14.04
 E1158-14 Guide for Material Selection and Fabrication of Reference Blocks for the Pulsed Longitudinal Wave Ultrasonic Testing of Metal and Metal Alloy Production Material, 03.03
- E1159-98(2009) Specification for Thermocouple Materials, Platinum-Rhodium Alloys, and Platinum, 14.03
- **E1160-13** Guide for On-Site Inspection and Verification of Operation of Solar Domestic Hot Water Systems, 12.02
- E1161-09(2014) Practice for Radiologic Examination of Semiconductors and Electronic Components, 03.03
- E1162-11 Practice for Reporting Sputter Depth Profile Data in Secondary Ion Mass Spectrometry (SIMS), 03.06
- E1163-10 Test Method for Estimating Acute Oral Toxicity in Rats, 11.06 E1164-12 Practice for Obtaining Spectrometric Data for Object-Color
- Evaluation, 06.01
- E1165-12 Test Method for Measurement of Focal Spots of Industrial X-Ray Tubes by Pinhole Imaging, 03.03
- E1166-00(2009) Guide for Network Level Pavement Management, 04.03 E1167-87(2008) Guide for Radiation Protection Program for Decommissioning Operations, 12.02
- E1168-95(2013) Guide for Radiological Protection Training for Nuclear Facility Workers, 12.02
 E1169-14 Practice for Conducting Ruggedness Tests, 14.02
- E1170-97(2012) Practices for Simulating Vehicular Response to Longitudinal Profiles of Traveled Surfaces, 04.03
- E1171-09 Test Methods for Photovoltaic Modules in Cyclic Temperature and Humidity Environments, 12.02
- E1172-87(2011) Practice for Describing and Specifying a Wavelength-Dispersive X-Ray Spectrometer, 03.05
- E1173-01(2009) Test Method for Evaluation of Preoperative, Precatheterization, or Preinjection Skin Preparations, 11.05
- E1174-13 Test Method for Evaluation of the Effectiveness of Health Care Personnel Handwash Formulations, 11.05
- E1175-87(2009) Test Method for Determining Solar or Photopic Reflectance, Transmittance, and Absorptance of Materials Using a Large Diameter
- Integrating Sphere, 12.02
 E1176 Withdrawn 1994; Specification for Polyester Grade Ethylene Glycol
- E1177-09(2014) Specification for Engine Coolant Grade Glycol, 15.05
 E1178-08 Test Methods for Analysis of Acrylonitrile, 15.05
 E1179-13 Specification for Sound Sources Used for Testing Open Office Components and Systems, 04.06
- E1180-08 Practice for Preparing Sulfur Prints for Macrostructural Evaluation, 03.01
- E1181-02(2008) Test Methods for Characterizing Duplex Grain Sizes, 03.01 E1182 Withdrawn 2002; Test Method for Measurement of Surface Layer Thickness by Radial Sectioning
- E1183 Withdrawn 2009; Test Method for Air Drying RDF-5 for Further Analysis E1184-10 Practice for Determination of Elements by Graphite Furnace Atomic Absorption Spectrometry, 03.05
- E1185-12 Guide for Selecting Economic Methods for Evaluating Investments in Buildings and Building Systems, 04.11
- E1186-03(2009) Practices for Air Leakage Site Detection in Building Envelopes and Air Barrier Systems, 04.11
- E1187 Withdrawn 2006; Terminology Relating to Conformity Assessment
 E1188-11 Practice for Collection and Preservation of Information and Physical
- Items by a Technical Investigator, 14.02
- E1189-00(2010) Specification for Micro-Burets (Koch Style), 14.04
- E1190-11 Test Methods for Strength of Power-Actuated Fasteners Installed in Structural Members, 04.11
- E1191-03a(2008) Guide for Conducting Life-Cycle Toxicity Tests with Saltwater Mysids, 11.06
 E1192-97(2008) Guide for Conducting Acute Toxicity Tests on Aqueous
- Ambient Samples and Effluents with Fishes, Macroinvertebrates, and Amphibians, 11.06
- E1193-97(2012) Guide for Conducting Daphnia magna Life-Cycle Toxicity Tests, 11.06
- E1194 Withdrawn 2013; Test Method for Vapor Pressure E1195 Withdrawn 2013; Test Method for Determining a Sorption Constant (K_{oc}) for an Organic Chemical in Soil and Sediments E1196 Withdrawn 1998; Test Method for Determining the Anaerobic

- Biodegradation Potential of Organic Chemicals

 E1197-12 Guide for Conducting a Terrestrial Soil-Core Microcosm Test, 11.06

 E1198-87(2012) Practice for Sampling Zooplankton with Pumps, 11.02

 E1199-87(2012) Practice for Sampling Zooplankton with a Clarke-Bumpus Plankton Sampler, 11.02
- E1200-87(2012) Practice for Preserving Zooplankton Samples, 11.02

- E1201-87(2012) Practice for Sampling Zooplankton with Conical Tow Nets, 11.02
- Withdrawn 2013; Guide for Development of Micronucleus Assay Standards
- E1203 Withdrawn 2013; Practice for Using Brine Shrimp Nauplii as Food for Test Animals in Aquatic Toxicology
- E1206 Withdrawn 2000; Guide for Computerization of Existing Equipment
- E1207-14 Guide for Sensory Evaluation of Axillary Deodorancy, 15.08
 E1208-10 Practice for Fluorescent Liquid Penetrant Testing Using the Lipophilic Post-Emulsification Process, 03.03
- E1209-10 Practice for Fluorescent Liquid Penetrant Testing Using the Water-Washable Process, 03.03
- E1210-10 Practice for Fluorescent Liquid Penetrant Testing Using the Hydrophilic Post-Emulsification Process, 03.03
- E1211/E1211M-12 Practice for Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors, 03.03
- E1212-12 Practice for Quality Management Systems for Nondestructive Testing Agencies, 03.03
- E1213-97(2009) Test Method for Minimum Resolvable Temperature Difference
- for Thermal Imaging Systems, 03.03
 E1214-11 Guide for Use of Melt Wire Temperature Monitors for Reactor Vessel Surveillance, E 706 (IIIE), 12.02
- E1215-93(2012) Specification for Trailers Used for Measuring Vehicular Response to Road Roughness, 04.03
- E1216-11 Practice for Sampling for Particulate Contamination by Tape Lift, 15.03
- E1217-11 Practice for Determination of the Specimen Area Contributing to the Detected Signal in Auger Electron Spectrometers and Some X-Ray Photoelectron Spectrometers, 03.06
- E1218-04(2012) Guide for Conducting Static Toxicity Tests with Microalgae, 11.06
- E1219-10 Practice for Fluorescent Liquid Penetrant Testing Using the Solvent-Removable Process, 03.03
- E1220-10 Practice for Visible Penetrant Testing Using Solvent-Removable Process, 03.03
- E1221-12a Test Method for Determining Plane-Strain Crack-Arrest Fracture Toughness, Kla, of Ferritic Steels, 03.01
- E1222-90(2009) Test Method for Laboratory Measurement of the Insertion
- Loss of Pipe Lagging Systems, **04.06**E1223 Withdrawn 2000; Specification for Type N Thermocouple Wire
 E1224 Withdrawn 2003; Guide for Categorizing Fields of Capability for Laboratory Accreditation Purposes
- E1225-13 Test Method for Thermal Conductivity of Solids Using the Guarded-Comparative-Longitudinal Heat Flow Technique, 14.02
- E1226-12a Test Method for Explosibility of Dust Clouds, 14.02
 E1227 Withdrawn 1991; Terminology Relating to Chemical Analysis of Metals;
- Combined with E 135 E1228-09 Test Method for Assay of Peroxy Esters--Catalyzed Iodometric
- Procedure, 15.05
- E1229-08 Specification for Calcium Hypochlorite, 15.05
- E1230 Withdrawn 2001; Test Method for Approximate Determination of Low Molecular Weight Hydrocarbons in Anhydrous Hydrogen Fluoride
- E1231-10 Practice for Calculation of Hazard Potential Figures-of-Merit for Thermally Unstable Materials, 14.02
- E1232-07(2013) Test Method for Temperature Limit of Flammability of Chemicals, 14.02
 E1233/E1233M-14 Test Method for Structural Performance of Exterior
- Windows, Doors, Skylights, and Curtain Walls by Cyclic Air Pressure Differential, 04.11
- E1234-12 Practice for Handling, Transporting, and Installing Nonvolatile Residue (NVR) Sample Plates Used in Environmentally Controlled Areas
- for Spacecraft, 15.03

 E1235-12 Test Method for Gravimetric Determination of Nonvolatile Residue (NVR) in Environmentally Controlled Areas for Spacecraft, 15.03

 Charty Impact Machines as
- E1236 Withdrawn 2006; Practice for Qualifying Charpy Impact Machines as Reference Machines
- E1237-93(2009) Guide for Installing Bonded Resistance Strain Gages, 03.01 E1238 Withdrawn 2003; Specification for Transferring Clinical Observations
- Between Independent Computer Systems E1239-04(2010) Practice for Description of Reservation/Registration-Admission, Discharge, Transfer (R-ADT) Systems for Electronic Health
- Record (EHR) Systems, **14.01**E1240 Withdrawn 2001; Test Method for Performance Testing of Wind Energy
- Conversion Systems E1241-05(2013) Guide for Conducting Early Life-Stage Toxicity Tests with
- Fishes, 11.06
 E1242-97(2008) Practice for Using Octanol-Water Partition Coefficient to
- Estimate Median Lethal Concentrations for Fish Due to Narcosis, 11.06 E1243 Withdrawn 1993; Test Method for Columbium and Tantalum in Ores and Concentrates Involving Ion Exchange
 E1244 Withdrawn 1993; Test Method for X-Ray Fluorescence Analysis of
- Tantalite and Columbite Ores and Slags by a Lithium Tetraborate Fusion Technique Utilizing Internal Standards
- E1245-03(2008) Practice for Determining the Inclusion or Second-Phase Constituent Content of Metals by Automatic Image Analysis, 03.01
- E1246 Withdrawn 2003; Practice for Reporting Reliability of Clinical Laboratory Computer Systems
- E1247-12 Practice for Detecting Fluorescence in Object-Color Specimens by Spectrophotometry, **06.01**
- E1248-90(2009) Practice for Shredder Explosion Protection, 11.04

E1249 E1346

- E1249-10 Practice for Minimizing Dosimetry Errors in Radiation Hardness Testing of Silicon Electronic Devices Using Co-60 Sources, 12.02
 E1250-10 Test Method for Application of Ionization Chambers to Assess the
- Low Energy Gamma Component of Cobalt-60 Irradiators Used in Radiation-Hardness Testing of Silicon Electronic Devices, 12.02
- E1251-11 Test Method for Analysis of Aluminum and Aluminum Alloys by
- Spark Atomic Emission Spectrometry, 03.05
 E1252-98(2013)^{c1} Practice for General Techniques for Obtaining Infrared Spectra for Qualitative Analysis, **03.06**
- E1253-13 Guide for Reconstitution of Irradiated Charpy-Sized Specimens, 12.02
- E1254-13 Guide for Storage of Radiographs and Unexposed Industrial Radiographic Films, 03.03
 E1255-09 Practice for Radioscopy, 03.03
- E1256-11a Test Methods for Radiation Thermometers (Single Waveband Type), 14.03
- E1257-93(2008) Guide for Evaluating Grinding Materials Used for Surface Preparation in Spectrochemical Analysis, 03.05
 E1258-88(2012) Test Method for Airflow Calibration of Fan Pressurization
- Devices, **04.11**
- E1259-10 Practice for Evaluation of Antimicrobials in Liquid Fuels Boiling
 Below 390°C, 11.05
 E1260-03(2009) Test Method for Determining Liquid Drop Size Characteristics
- in a Spray Using Optical Nonimaging Light-Scattering Instruments, 14.02
 E1262-88(2013) Guide for Performance of Chinese Hamster Ovary
- Cell/Hypoxanthine Guanine Phosphoribosyl Transferase Gene Mutation
- E1263-97(2008) Guide for Conduct of Micronucleus Assays in Mammalian Bone Marrow Erythrocytes, 13.01 E1264-08^{c1} Classification for Acoustical Ceiling Products, 04.06

- E1265-04(2013) Test Method for Measuring Insertion Loss of Pneumatic Exhaust Silencers, 04.06
 E1266-12 Practice for Processing Mixtures of Lime, Fly Ash, and Heavy Metal Wastes in Structural Fills and Other Construction Applications, 11.04
 E1267 Withdrawn 1996; Guide for ASTM Standard Specification Quality
- Statements E1268-01(2007) Practice for Assessing the Degree of Banding or Orientation
- of Microstructures, 03.01 E1269-11 Test Method for Determining Specific Heat Capacity by Differential Scanning Calorimetry, 14.02
- E1270-88(2008) Test Method for Equal Arm Balances, 14.04
- E1271 Withdrawn 2004; Practice for Qualifying Charpy Verification Specimens of Heat-Treated Steel
- E1272-02(2012) Specification for Laboratory Glass Graduated Cylinders, 14.04
- E1273-88(2013) Specification for Color Coding of Reusable Laboratory Pipets, 14.04
- E1274-03(2012) Test Method for Measuring Pavement Roughness Using a Profilograph, 04.03
- E1277-08 Test Method for Chemical Analysis of Zinc-5 % Aluminum-Mischmetal Alloys by ICP Emission Spectrometry, 03.05
- E1278 Withdrawn 2005; Guide for Radioactive Pathway Methodology for
- Release of Sites Following Decommissioning E1279 Withdrawn 2013; Test Method for Biodegradation By a Shake-Flask Die-Away Method
- E1280-97(2008) Guide for Performing the Mouse Lymphoma Assay for Mammalian Cell Mutagenicity, 13.01
 E1281-10 Guide for Nuclear Facility_Decommissioning Plans, 12.02
- E1282-11 Guide for Specifying the Chemical Compositions and Selecting Sampling Practices and Quantitative Analysis Methods for Metals, Ores, and Related Materials, 03.05
- E1283 Withdrawn 2000; Guide for Procurement of Computer-Integrated
- Manufacturing Systems
 E1284 Withdrawn 2007; Practices for Dissolution of Refuse-Derived Fuel (RDF) Ash Samples for Analyses of Metals
 E1285-06 Guide for Identification of Bacteriophage Lambda (λ) or Its DNA,
- 14.02
- E1286-00(2006) Guide for Identification of Herpes Simplex Virus or Its DNA 14.02
- E1287 Withdrawn 2008; Practice for Aseptic Sampling of Biological Materials E1288 Withdrawn 2003; Test Method for Durability of Biomass Pellets
- E1289-08 Specification for Reference Specimen for Sound Transmission Loss, 04.06
 E1290 Withdrawn 2013; Test Method for Crack-Tip Opening Displacement
- (CTOD) Fracture Toughness Measurement
 E1291 Withdrawn 2009; Test Method for Conducting a Saturated Vapor
- Inhalation Study with Rats
- E1292-94(2011) Specification for Gravity Convection and Forced Ventilation Incubators, 14.04
 E1293-02(2012) Specification for Glass Measuring Pipets, 14.04
 E1294 Withdrawn 2008; Test Method for Pore Size Characteristics of
- Membrane Filters Using Automated Liquid Porosimeter E1295-01(2013) Guide for Conducting Three-Brood, Renewal Toxicity Tests
- with, 11.06
- E1296 Withdrawn 1997; Terminology Relating to Liquid Particle Statistics;
- Replaced by E1620

 E1297-08(2013) Test Method for Measuring Fast-Neutron Reaction Rates by Radioactivation of Niobium, 12.02

 E1298-06 Guide for Determination of Purity, Impurities, and Contaminants in
- Biological Drug Products, 14.02

- E1299-96(2010) Specification for Reusable Phase-Change-Type Fever Thermometer for Intermittent Determination of Human Temperature, 13.01 E1300-12a^{€1} Practice for Determining Load Resistance of Glass in Buildings,
- 04.11 E1301 Withdrawn 2012; Guide for Proficiency Testing by Interlaboratory Comparisons
- E1302-13 Guide for Acute Animal Toxicity Testing of Water-Miscible
- Metalworking Fluids, 11.03
 E1303-95(2010) Practice for Refractive Index Detectors Used in Liquid Chromatography, 03.06
 E1304-97(2008)^{<1} Test Method for Plane-Strain (Chevron-Notch) Fracture
- Toughness of Metallic Materials, 03.01

 E1305 Withdrawn 1993; Practice for Preparation of Single Element Reference
- Solutions for Analytical Atomic Spectroscopy; Replaced by E1452
- E1306-11 Practice for Preparation of Metal and Alloy Samples for Chemical Analysis by Electric Arc Remelting, 03.05
- E1307-10 Practice for Surface Preparation and Structural Adhesive Bonding of Precured, Nonmetallic Composite Facings to Structural Core for Flat Shelter Panels, 04.11
- E1308 Withdrawn 2000; Guide for Identification of Polymers (Excludes Thermoset Elastomers) in Computerized Material Property Databases E1309-00(2011) Guide for Identification of Fiber-Reinforced Polymer-Matrix
- Composite Materials in Databases, 15.03
- E1311-89(2010) Test Method for Minimum Detectable Temperature Difference for Thermal Imaging Systems, 03.03
- E1312-09(2013)⁶¹ Practice for Electromagnetic (Eddy Current) Examination of Ferromagnetic Cylindrical Bar Product Above the Curie Temperature, 03.03
- E1313 Withdrawn 2000; Guide for Recommended Formats for Data Records Used in Computerization of Mechanical Test Data for Metals
- E1314 Withdrawn 2000; Practice for Structuring Terminological Records Relating to Computerized Test Reporting and Materials Designation Formats
- E1315 Withdrawn 2006; Practice for Ultrasonic Examination of Steel with Convex Cylindrically Curved Entry Surfaces
- E1316-14 Terminology for Nondestructive Examinations, 03.03
- E1317-12 Test Method for Flammability of Marine Surface Finishes, 04.07 Specification for Highway Weigh-In-Motion (WIM) Systems with User Requirements and Test Methods, 04.03
- 19-98(2009) Guide for High-Temperature Static Strain Measurement, 03.01
- E1320-10 Reference Radiographs for Titanium Castings, 03.03
- E1321-13 Test Method for Determining Material Ignition and Flame Spread Properties. 04.07
- E1322 Withdrawn 1999; Guide for Selection, Training and Evaluation of Assessors for Laboratory Accreditation Systems
- E1323-09 Guide for Evaluating Laboratory Measurement Practices and the Statistical Analysis of the Resulting Data, 14.02
- E1324-11 Guide for Measuring Some Electronic Characteristics of Ultrasonic Testing Instruments, 03.03
- E1325-02(2008) Terminology Relating to Design of Experiments, 14.02 E1326-13 Guide for Evaluating Nonconventional Microbiological Tests Used for Enumerating Bacteria, 11.05
 E1327-07(2012)^{c1} Test Method for Evaluation of Antimicrobial Handwash
- Formulations by Utilizing Fingernail Regions, 11.05
 E1328 Withdrawn 2012; Terminology Relating to Photovoltaic Solar Energy
- Conversion
- E1329-10 Practice for Verification and Use of Control Charts in Spectrochemical Analysis, 03.05
- E1330 Withdrawn 1993; Practice for Preparation of Calibration Solutions for Spectrophotometric and for Spectroscopic Atomic Analyses; Replaced by
- E1331-09 Test Method for Reflectance Factor and Color by Spectrophotometry
 Using Hemispherical Geometry, 06.01
 E1332-10a Classification for Rating Outdoor-Indoor Sound Attenuation, 04.06
 E1333-10 Test Method for Determining Formaldehyde Concentrations in Air
 and Emission Rates from Wood Products Using a Large Chamber, 04.10
- E1334 Withdrawn 2013; Practice for Rating the Serviceability of a Building or Building-Related Facility; Replaced by E1679
- E1335-08 Test Methods for Determination of Gold in Bullion by Fire Assay
- Cupellation Analysis, 03.05

 E1336-11 Test Method for Obtaining Colorimetric Data From a Visual Display
 Unit by Spectroradiometry, 06.01

 E1337-90(2012) Test Method for Determining Longitudinal Peak Braking
 Coefficient of Paved Surfaces Using Standard Reference Test Tire, 04.03 E1338-09 Guide for Identification of Metals and Alloys in Computerized
- Material Property Databases, **02.05**E1339 Withdrawn 1997; Guide for Identification of Aluminum Alloys and Parts in Computerized Material Property Databases; Replaced by E1338

 E1340-05(2010) Guide for Rapid Prototyping of Information Systems, **14.01**E1341-06(2011) Practice for Obtaining Spectroradiometric Data from Radiant Sources for Colorimetry, 06.01
- E1343 Withdrawn 2010; Test Method for Molecular Weight Cutoff Evaluation of Flat Sheet Ultrafiltration Membranes
- E1344 Withdrawn 2009; Guide for Evaluation of Fuel Ethanol Manufacturing Facilities
- E1345-98(2008)^{c1} Practice for Reducing the Effect of Variability of Color Measurement by Use of Multiple Measurements, **06.01**E1346-90(2010) Practice for Bulk Sampling, Handling, and Preparing Edible Vegetable Oils for Sensory Evaluation, **15.08**

E1347 E1442

- E1347-06(2011) Test Method for Color and Color-Difference Measurement by Tristimulus Colorimetry, 06.01
 8-11 Test Method for Transmittance and Color by Spectrophotometry
- Using Hemispherical Geometry, 06.01
- E1349-06(2013) Test Method for Reflectance Factor and Color by Spectrophotometry Using Bidirectional (45°:0° or 0°:45°) Geometry, 06.01
- E1350-13 Guide for Testing Sheathed Thermocouples, Thermocouples Assemblies, and Connecting Wires Prior to, and After Installation or Service, 14.03
- E1351-01(2012) Practice for Production and Evaluation of Field Metallographic Replicas, 03.01
- E1352-08a Test Method for Cigarette Ignition Resistance of Mock-Up Upholstered Furniture Assemblies, 04.07
- E1353-08a^{c1} Test Methods for Cigarette Ignition Resistance of Components of Upholstered Furniture, 04.07
- E1354-14 Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter, 04.07
- E1355-12 Guide for Evaluating the Predictive Capability of Deterministic Fire Models, 04.07
- E1356-08(2014) Test Method for Assignment of the Glass Transition
 Temperatures by Differential Scanning Calorimetry, 14.02
 E1357 Withdrawn 2010; Test Method for Determining the Rate of Bioleaching
- of Iron From Pyrite by Thiobacillus Ferrooxidans
- E1358-97(2013) Test Method for Determination of Moisture Content of Particulate Wood Fuels Using a Microwave Oven, 05.06
- E1359-12 Guide for Evaluating Capabilities of Nondestructive Testing Agencies, 03.03
- E1360-05(2010) Practice for Specifying Color by Using the Optical Society of America Uniform Color Scales System, 06.01
- E1361-02(2007) Guide for Correction of Interelement Effects in X-Ray
- Spectrometric Analysis, **03.05 E1362-10** Test Method for Calibration of Non-Concentrator Photovoltaic Secondary Reference Cells, 12.02
- E1363-13 Test Method for Temperature Calibration of Thermomechanical Analyzers, 14.02
- E1364-95(2012) Test Method for Measuring Road Roughness by Static Level Method, **04.03**
- E1365 Withdrawn 1994; Practice for Conducting Static Acute Aquatic Toxicity Screening Tests with the Mosquito, Wyeomyia Smithii (Coquillett)
- E1366-11 Practice for Standardized Aquatic Microcosms: Fresh Water, 11.06 E1367-03(2008) Test Method for Measuring the Toxicity of Sediment-
- Associated Contaminants with Estuarine and Marine Invertebrates, 11.06 E1368-14 Practice for Visual Inspection of Asbestos Abatement Projects, 11.07
- E1369-11 Guide for Selecting Techniques for Treating Uncertainty and Risk in the Economic Evaluation of Buildings and Building Systems, 04.11
- E1370-14 Guide for Air Sampling Strategies for Worker and Workplace Protection, 11.07
- E1371 Withdrawn 2006; Test Method for Gravimetric Determination of Phosphorus in Phosphorus-Copper Alloys or Phosphorus-Copper-Silver Alloys
- E1372 Withdrawn 2010; Test Method for Conducting a 90-Day Oral Toxicity Study in Rats
- E1373 Withdrawn 2009; Test Method for Conducting a Subchronic Inhalation Toxicity Study in Rats
- E1374-06(2011) Guide for Open Office Acoustics and Applicable ASTM Standards, 04.06
- E1375 Withdrawn 2005; Measuring the Interzone Attenuation of Furniture Panels Used as Acoustical Barriers; Replaced by E1111
- E1376 Withdrawn 2005; Test Method for Measuring the Interzone Attenuation of Sound Reflected by Wall Finishes and Furniture Panels; Replaced by E1111
- F1377-99(2010) Specification for Laboratory Glass Kjeldahl Flasks, 14.04 E1378-99(2010) Specification for Laboratory Glass Multiple Neck Distilling/ Boiling Flasks, 14.04
- E1379-90(2010) Specification for Laboratory Glass Dewar Flask, 14.04 Specification for Color Coding of Laboratory Pipets with E1380-90(2010) Multiple Graduations, 0.1 mL and Larger, But Excluding Disposable Prothrombin and Disposable Micropipets, 14.04
- Withdrawn 2003; Specification for Low-Level Protocol to Transfer Messages Between Clinical Laboratory Instruments and Computer Systems
- E1382-97(2010) Test Methods for Determining Average Grain Size Using Semiautomatic and Automatic Image Analysis, 03.01
- E1383 Withdrawn 1995; Guide for Conducting Sediment Toxicity Tests with
- Freshwater Invertebrates; Replaced by £1706

 E1384-07(2013) Practice for Content and Structure of the Electronic Health
- Record (EHR), 14.01 E1385 Withdrawn 2009; Practice for Separation and Concentration of Ignitable Liquid Residues from Fire Debris Samples by Steam Distillation
- E1386-10 Practice for Separation of Ignitable Liquid Residues from Fire Debris Samples by Solvent Extraction, 14.02
- E1387 Withdrawn 2010; Test Method for Ignitable Liquid Residues in Extracts from Fire Debris Samples by Gas Chromatography
- E1388-12 Practice for Sampling of Headspace Vapors from Fire Debris Samples, 14.02
- E1389 Withdrawn 2003; Practice for Cleanup of Fire Debris Sample Extracts
- by Acid Stripping

 E1390-12 Specification for Illuminators Used for Viewing Industrial Radiographs, 03.03

E1391-03(2008) Guide for Collection, Storage, Characterization, and Manipulation of Sediments for Toxicological Testing and for Selection of Samplers Used to Collect Benthic Invertebrates, 11.06

- E1392 Withdrawn 2003; Practoce for Angle Resolved Optical Scatter Measurements on Specular or Diffuse Surfaces
- E1394 Withdrawn 2003; Specification for Transferring Information Between Clinical Instruments and Computer Systems
- E1395-90(2011) Test Method for Sensory Evaluation of Low Heat Chilies, 15.08
- E1396-90(2011) Test Method for Sensory Evaluation of Oleoresin Capsicum, 15.08
- E1397 Withdrawn 2013; Practice for In Vitro Rat Hepatocyte DNA Repair Assay
- E1398 Withdrawn 2013; Practice for In Vivo Rat Hepatocyte DNA Repair Assav
- E1399/E1399M-97(2013)^{c1} Test Method for Cyclic Movement and Measuring the Minimum and Maximum Joint Widths of Architectural Joint Systems, 04.11
- E1402-13 Guide for Sampling Design, 14.02
- E1403-97(2013) Specification for Laboratory Glass Boiling Flasks, 14.04 E1404-94(2013) Specification for Laboratory Glass Conical Flasks, 14.04
- E1405-98(2010) Specification for Laboratory Glass Distillation Flasks, 14.04 Specification for Laboratory Glass Filter Flasks, 14.04 E1406-95(2010)
- E1407 Withdrawn 2000; Guide for Materials Database Management E1408 Withdrawn 2009; Test Method for Laboratory Measurement of the Sound Transmission Loss of Door Panels and Door Systems
- E1409-13 Test Method for Determination of Oxygen and Nitrogen in Titanium
- and Titanium Alloys by Inert Gas Fusion, 03.05
 E1410 Withdrawn 2014; Practice for Specifying Data for Evaluation of Energy Used in Residential Buildings
- E1411-09 Practice for Qualification of Radioscopic Systems, 03.03
- E1412-12 Practice for Separation of Ignitable Liquid Residues from Fire Debris Samples by Passive Headspace Concentration With Activated Charcoal, 14.02
- 14.02
 E1413-13 Practice for Separation of Ignitable Liquid Residues from Fire Debris Samples by Dynamic Headspace Concentration, 14.02
 E1414/E1414M-11a Test Method for Airborne Sound Attenuation Between Rooms Sharing a Common Ceiling Plenum, 04.06
 E1415-91(2012) Guide for Conducting Static Toxicity Tests With, 11.06
 E1416-09 Test Method for Radioscopic Examination of Weldments, 03.03

- E1417/E1417M-13 Practice for Liquid Penetrant Testing, 03.03 E1418-10 Practice for Visible Penetrant Testing Using the Water-Washable
- Process, **03.03** E1419-09 Practice for Examination of Seamless, Gas-Filled, Pressure Vessels
- Using Acoustic Emission, 03.03 E1420 Withdrawn 1996; Practice for Specifying Polymeric Materials for
- Service in Ionizing Radiation Environments E1421-99(2009) Practice for Describing and Measuring Performance of Fourier Transform Mid-Infrared (FT-MIR) Spectrometers: Level Zero and
- Level One Tests, 03.06 E1422 Withdrawn 2014; Guide for Test Methods for Forensic Writing Ink
- Comparison E1423-14 Practice for Determining Steady State Thermal Transmittance of Fenestration Systems, 04.11
- E1424-91(2008) Test Method for Determining the Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure and Temperature Differences Across the Specimen, 04.11
- E1425-14 Practice for Determining the Acoustical Performance of Windows, Doors, Skylight, and Glazed Wall Systems, 04.11
 E1426-98(2009) Test Method for Determining the Effective Elastic Parameter
- for X-Ray Diffraction Measurements of Residual Stress, **03.01**E1427 Withdrawn 2009; Guide for Selecting Test Methods to Determine the
- Effectiveness of Antimicrobial Agents and Other Chemicals for the Prevention, Inactivation and Removal of Biofilm
- E1428-99(2009) Test Method for Evaluating the Performance of Antimicrobials in or on Polymeric Solids Against Staining by, 11.05
 E1429 Withdrawn 2010; Guide for Assessing the Health Hazard of Pesticides
- to Applicators and Others with Potential Exposure
- E1430 Withdrawn 2000; Guide for Using Release Detection Devices with Underground Storage Tanks
- E1432-04(2011) Practice for Defining and Calculating Individual and Group Sensory Thresholds from Forced-Choice Data Sets of, 15.08
- E1433 Withdrawn 2010; Guide for Selection of Standards on Environmental Acoustics
- E1434-00(2013) Guide for Recording Mechanical Test Data of Fiber-Reinforced Composite Materials in Databases, 15.03
- E1435 Withdrawn 2007; Practice for Handling Densified Articles of Aluminum Oxide Reinforced with Silicon Carbide Whiskers
- E1436 Withdrawn 1997; Practice for Handling Densified Articles of Silicon Nitride Reinforced with Silicon Carbide Whiskers
- E1437 Withdrawn 2007; Practice for Handling Silicon Carbide Whiskers E1438-11 Guide for Measuring Widths of Interfaces in Sputter Depth Profiling
- Using SIMS, 03.06
 E1439-12 Guide for Conducting the Frog Embryo Teratogenesis Assay-Xenopus (FETAX), 11.06
- E1440-91(2012) Guide for Acute Toxicity Test with the Rotifer Brachionus,
- E1441-11 Guide for Computed Tomography (CT) Imaging, 03.03 E1442 Withdrawn 2001; Practice for Highway-Traffic Monitoring

E1443 E1533

- E1443 Withdrawn 2000; Terminology Relating to Building and Accessing Material and Chemical Databases
- E1444/E1444M-12 Practice for Magnetic Particle Testing, 03.03
- E1445-08 Terminology Relating to Hazard Potential of Chemicals, 14.02 Test Method for Chemical Analysis of Refined Gold by Direct Current Plasma Atomic Emission Spectrometry, 03.05
- E1447-09 Test Method for Determination of Hydrogen in Titanium and Titanium Alloys by Inert Gas Fusion Thermal Conductivity/Infrared Detection Method, 03.05
- E1448/E1448M-09 Practice for Calibration of Systems Used for Measuring Vehicular Response to Pavement Roughness, 04.03
- E1449-92(2011) Guide for Supercritical Fluid Chromatography Terms and Relationships, 03.06
- E1450-09 Test Method for Tension Testing of Structural Alloys in Liquid Helium, 03.01
- E1451 Withdrawn 2007; Guide for Disposal of Wastes Containing Silicon Carbide Whiskers and Fibers
- E1452 Withdrawn 2005; Practice for Preparation of Calibration Solutions for Spectrophotometric and for Spectroscopic Atomic Analysis E1453-09 Guide for Storage of Magnetic Tape Media that Contains Analog or
- Digital Radioscopic Data, 03.03
- Withdrawn 2013; Guide for Data Fields for Computerized Transfer of Digital Ultrasonic Testing Data
- E1455-03(2010) Practice for Obtaining Colorimetric Data from a Visual Display Unit Using Tristimulus Colorimeters, 06.01
- E1456-08 Specification for Caustic Potash; Solid (Potassium Hydroxide; Solid), 15.05
- E1457-13 Test Method for Measurement of Creep Crack Growth Times and Rates in Metals, 03.01
- E1458-12 Test Method for Calibration Verification of Laser Diffraction Particle Sizing Instruments Using Photomask Reticles, 14.02
- E1459-13 Guide for Physical Evidence Labeling and Related Documentation, 14.02
- E1460 Withdrawn 1999; Specification for Defining and Sharing Modular Health Knowledge Bases (Arden Syntax for Medical Logic Modules)

 E1461-13 Test Method for Thermal Diffusivity by the Flash Method, 14.02
- E1462-12 Test Methods for Insulation Integrity and Ground Path Continuity of Photovoltaic Modules, 12.02
- E1463-92(2012) Guide for Conducting Static and Flow-Through Acute Toxicity
 Tests With Mysids From the West Coast of the United States, 11.06
- E1464 Withdrawn 2014; Guide for Developing Energy Monitoring Protocols for Commercial and Institutional Buildings or Facilities
- E1465-08a Practice for Radon Control Options for the Design and Construction of New Low-Rise Residential Buildings, 04.11
- Withdrawn 2003; Specification for Use of Bar Codes on Specimen Tubes in the Clinical Laboratory
- E1467 Withdrawn 2004; Specification for Transferring Digital Neurophysiological Data Between Independent Computer Systems
- E1468 Withdrawn 2003; Practice for Collecting Benthic Macroinvertebrates
- with the Basket Sampler E1469 Withdrawn 2003; Practice for Collecting Benthic Macroinvertebrates with Multiple-Plate Samplers
- E1470-92(2006) Test Method for Characterization of Proteins by Electropho-
- retic Mobility, 14.02
 E1471-92(2014) Guide for Identification of Fibers, Fillers, and Core Materials in Computerized Material Property Databases, 15.03
- E1472 Withdrawn 2011; Guide for Documenting Computer Software for Fire Models
- E1473-09 Test Methods for Chemical Analysis of Nickel, Cobalt, and High-Temperature Alloys, 03.05
- E1474-14 Test Method for Determining the Heat Release Rate of Upholstered Furniture and Mattress Components or Composites Using a Bench Scale Oxygen Consumption Calorimeter, **04.07 E1475-13** Guide for Data Fields for Computerized Transfer of Digital
- Radiological Examination Data, 03.03
- E1476-04(2014) Guide for Metals Identification, Grade Verification, and Sorting, **03.03**
- E1477-98a(2013) Test Method for Luminous Reflectance Factor of Acoustical Materials by Use of Integrating-Sphere Reflectometers, 06.01
- E1478-97(2009) Practice for Visual Color Evaluation of Transparent Sheet Materials, 06.01
- E1479-99(2011) Practice for Describing and Specifying Inductively-Coupled
- Plasma Atomic Emission Spectrometers, **03.05 E1480-92(2013)** Terminology of Facility Management (Building-Related), **04.11 E1481-00a(2014)^{c1}** Terminology of Railing Systems and Rails for Buildings, 04.11
- E1482-12 Practice for Use of Gel Filtration Columns for Cytotoxicity Reduction and Neutralization, 11.05
- E1483 Withdrawn 2010; Test Method for Assessing Developmental Toxicity in
- E1484 Withdrawn 2000; Guide for Formatting and Use of Material and Chemical Property Data and Database Quality Indicators
- E1485 Withdrawn 2000; Guide for Development of Material and Chemical
- Property Database Descriptions

 E1486-14 Test Method for Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria, 04.11

 E1486M-14 Test Method for Determining Floor Tolerances Using Waviness, Wheel Path and Levelness Criteria (Metric), 04.11
- E1487 Not Assigned

- E1488-12^{€1} Guide for Statistical Procedures to Use in Developing and Applying Test Methods, 14.02
- E1489-08(2013) Practice for Computing Ride Number of Roads from Longitudinal Profile Measurements Made by an Inertial Profile Measuring Device, **04.03**
- E1490-11 Guide for Two Sensory Descriptive Analysis Approaches for Skin Creams and Lotions, 15.08
- E1491-06(2012) Test Method for Minimum Autoignition Temperature of Dust Clouds, 14.02
- E1492-11 Practice for Receiving, Documenting, Storing, and Retrieving Evidence in a Forensic Science Laboratory, 14.02
- E1493-06 Guide for Identification of Bacteriophage M13 or Its DNA, 14.02
 E1494-12 Practice for Encapsulation Testing of Friable Asbestos-Containing Surfacing Materials, 11.07
- E1495/E1495M-12 Guide for Acousto-Ultrasonic Assessment of Composites, Laminates, and Bonded Joints, 03.03
- E1496 Withdrawn 2012; Test Method for Neutron Radiographic Dimensional Measurements
- E1497-05(2011) Practice for Selection and Safe Use of Water-Miscible and Straight Oil Metal Removal Fluids, 11.03
- E1498-92(2012) Guide for Conducting Sexual Reproduction Tests with Seaweeds, 11.06
- E1499-97(2009) Guide for Selection, Evaluation, and Training of Observers, 06.01
- E1500 Withdrawn 1998; Practice for Computing Mean Square Numerics from Road Surface Elevation Profile Records
- E1501 Withdrawn 2013, Specification for Nighttime Photometric Performance of Retroreflective Pedestrian Markings for Visibility Enhancement
- E1502-10 Guide for Use of Fixed-Point Cells for Reference Temperatures, 14.03
- E1503-14 Test Method for Conducting Outdoor Sound Measurements Using a Digital Statistical Sound Analysis System, 04.06
- E1504-11 Practice for Reporting Mass Spectral Data in Secondary Ion Mass Spectrometry (SIMS), 03.06
 E1505 Withdrawn 2010; Guide for Determining SIMS Relative Sensitivity
- Factors from Ion Implanted External Standards
- E1506-08 Test Methods for Analysis of Acid-Grade Calcium Fluoride (Fluorspar), 15.05
- E1507 Withdrawn 2012; Guide for Describing and Specifying the Spectrometer of an Optical Emission Direct-Reading Instrument
- E1508-12a Guide for Quantitative Analysis by Energy-Dispersive Spectroscopy, **03.01**
- E1509-12 Specification for Room Heaters, Pellet Fuel-Burning Type, **04.11** E1510-95(2013)^{c1} Practice for Installing Fused Silica Open Tubular Capillary Columns in Gas Chromatographs, 03.06
- E1511-93(2010) Practice for Testing Conductivity Detectors Used in Liquid and Ion Chromatography, 03.06
- E1512-01(2007) Test Methods for Testing Bond Performance of Bonded Anchors, **04.11**
- E1513-93(2011) Practice for Application of Sprayed Fire-Resistive Materials (SFRMs), **04.11**
- E1514-98(2011) Specification for Structural Standing Seam Steel Roof Panel Systems, **04.11** E1515-07 Test Method for Minimum Explosible Concentration of Combustible
- Dusts, 14.02 E1516 Withdrawn 2007; Guide for Packaging of Silicon Carbide Whiskers and
- Fibers E1517-13 Test Method for Determining the Effectiveness of Liquid, Gel,
- Cream, or Shampoo Insecticides Against Human Louse Ova, 11.05 E1518-05(2012) Practice for Evaluation of Physical Compatibility of Pesticides
- in Aqueous Tank Mixtures by the Dynamic Shaker Method, 11.05
- E1519-13 Terminology Relating to Agricultural Tank Mix Adjuvants, 11.05
 E1520-99(2009) Test Method for Particle Counts Per Pound of Granular Carriers and Dry-Applied Granular Formulations, 11.05
- E1521-01(2006) Test Method for Liquid Holding Capacity of Granular Carriers, 11.05
- E1522-93(2013) Specification for Autoclavable Protective Coatings on Laboratory Glassware, 14.04
- E1523-09 Guide to Charge Control and Charge Referencing Techniques in
- X-Ray Photoelectron Spectroscopy, 03.06

 E1524 Withdrawn 2004; Test Method for Saltwater Immersion and Corrosion
 Testing of Photovoltaic Modules for Marine Environments; Replaced by
 E1597
- E1525-02(2008) Guide for Designing Biological Tests with Sediments, 11.06
 E1526 Withdrawn 2002; Practice for Evaluating the Performance of Release Detection Systems for Underground Storage Tank Systems
- E1527-13 Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process, 11.05
- **E1528-14** Practice for Limited Environmental Due Diligence: Transaction Screen Process. 11.05
- E1529-13 Test Methods for Determining Effects of Large Hydrocarbon Pool Fires on Structural Members and Assemblies, 04.07
- E1530-11 Test Method for Evaluating the Resistance to Thermal Transmission of Materials by the Guarded Heat Flow Meter Technique, 14.02
- E1531-00(2006) Practice for Detection of Mycoplasma Contamination of Cell
- Cultures by Growth on Agarose Medium, 14.02

 E1532-00(2006) Practice for Detection of Mycoplasma Contamination of Cell
 Cultures by Use of Bisbenzamide DNA-Binding Fluorochrome, 14.02

 E1533-00(2006) Practice for Indirect Detection of Mycoplasma in Cell Culture
- by 4'-6-Diamidino-2-2 Phenylindole (DAPI) Staining, 14.02

E1534 E1636

- E1534-93(2013) Test Method for Determination of Ash Content of Particulate Wood Fuels, 05.06
- E1535 Withdrawn 2011; Test Method for Performance Evaluation of Anaerobic Digestion Systems
- E1536-00(2006) Practice for Detection of Mycoplasma Contamination of Bovine Serum by Large Volume Method, 14.02
- E1537-13 Test Method for Fire Testing of Upholstered Furniture, 04.07 E1541 Withdrawn 2007; Practice for Specifying and Matching Color Using the Colorcurve System
- E1542-10 Terminology Relating to Occupational Health and Safety, 11.03
 E1543-00(2011) Test Method for Noise Equivalent Temperature Difference of Thermal Imaging Systems, 03.03
 E1544 Withdrawn 2012; Practice for Construction of a Stepped Block and Its
- Use to Estimate Errors Produced by Speed-of-Sound Measurement Systems for Use on Solids
- E1545-11 Test Method for Assignment of the Glass Transition Temperature by Thermomechanical Analysis, 14.02
- E1546-09a Guide for Development of Fire-Hazard-Assessment Standards 04.07
- E1547-09 Terminology Relating to Industrial and Specialty Chemicals, 15.05 E1548-09 Practice for Preparation of Aerospace Contamination Control Plans, 15.03
- E1549/E1549M-13 Specification for ESD Controlled Garments Required in Cleanrooms and Controlled Environments for Spacecraft for Non-Hazardous and Hazardous Operations, 15.03
- E1550 Withdrawn 1998; Test Method for A Reproduction and Fertility Study in
- E1551-08 Specification for Special Purpose, Smooth-Tread Tire, Operated on Fixed Braking Slip Continuous Friction Measuring Equipment, 04.03
- E1552-08 Test Method for Determining Hafnium in Zirconium and Zirconium Alloys By Direct Current Plasma-Atomic Emission Spectrometry, 03.05
 E1553 Withdrawn 2002; Practice for Collection of Airborne Particulate Lead
- During Abatement and Construction Activities; Replaced by D 6785
- E1554/E1554M-13 Test Methods for Determining Air Leakage of Air Distribution Systems by Fan Pressurization, 04.11
- E1555-12 Specification for Structural Paste Adhesive for Sandwich Panel Repair, 04.11
- E1556-12 Specification for Epoxy Resin System for Composite Skin, Honeycomb Sandwich Panel Repair, 04.11
- E1557-09 Classification for Building Elements and Related Sitework-UNIFORMAT II, 04.11
- E1558-09 Guide for Electrolytic Polishing of Metallographic Specimens, 03.01 E1559-09 Test Method for Contamination Outgassing Characteristics of
- Spacecraft Materials, **15.03 :0-11** Test Method for Gravimetric Determination of Nonvolatile Residue E1560-11⁶¹ From Cleanroom Wipers, 15.03
- E1561-93(2009) Practice for Analysis of Strain Gage Rosette Data, 03.01 E1562-00(2013) Guide for Conducting Acute, Chronic, and Life-Cycle Aquatic Toxicity Tests with Polychaetous Annelids, 11.06
- E1563-98(2012) Guide for Conducting Static Acute Toxicity Tests with Echinoid Embryos, **11.06**
- E1564-00(2006) Guide for Design and Maintenance of Low-Temperature Storage Facilities for Maintaining Cryopreserved Biological Materials, 14.02
- E1565-00(2006) Guide for Inventory Control and Handling of Biological
- Material Maintained at Low Temperatures, 14.02
 E1566-00(2006) Guide for Handling Hazardous Biological Materials in Liquid Nitrogen, 14.02
- E1567 Withdrawn 2010; Guide for Biopharmaceutical Facilities Architectural Design Considerations
- E1568-13 Test Method for Determination of Gold in Activated Carbon by Fire

- Assay Gravimetry, 03.05

 E1569-09 Test Method for Determination of Oxygen in Tantalum Powder by Inert Gas Fusion Technique, 03.05

 E1570-11 Practice for Computed Tomographic (CT) Examination, 03.03

 E1571-11 Practice for Electromagnetic Examination of Ferromagnetic Steel Wire Rope, 03.03
- E1572 Withdrawn 2002; Practice for Classifying Highway Vehicles from Known Axle Count and Spacing
- E1573-09 Test Method for Evaluating Masking Sound in Open Offices Using A-Weighted and One-Third Octave Band Sound Pressure Levels, 04.06
 E1574-98(2014) Test Method for Measurement of Sound in Residential
- Spaces, **04.06** E1575-12 Practice for Pressure Water Cleaning and Cutting, 11.03 E1576 Withdrawn 2007; Guide for Medical Surveillance Program for Workers
- with Occupational Exposure to Airborne Silicon Carbide Whiskers and Fibers
- E1577-11 Guide for Reporting of Ion Beam Parameters Used in Surface Analysis, 03.06 E1578-13 Guide for Laboratory Informatics, 03.06
- E1579 Withdrawn 2002; Guide for Ensuring Data Integrity in Highly Computerized Laboratory Operations
- E1580 Withdrawn 2008; Guide for Surveillance of Accredited Laboratories E1581 Withdrawn 1998; Practice for Using Pre-Control in the Instrumental Analytical Laboratory
- E1582-10 Practice for Calibration of Temperature Scale for Thermogravimetry, 14.02
- E1583 Withdrawn 1998; Practice for Evaluating Laboratories Engaged in the Determination of Lead in Paint, Dust, Airborne Particulates, and Soil in and Around Buildings and Related Structures

- E1584-11 Test Method for Assay of Nitric Acid, 15.05
- E1585 Withdrawn 2003; Test Method for Measuring and Calculating Emittance of Architectural Flat Glass Products Using Spectrometric Measurements E1586 Withdrawn 1999; Specification for Content of Computerized Chemical
 - Structural Information Files or Data Sets
- E1587-10 Test Methods for Chemical Analysis of Refined Nickel, 03.05 E1588-10^{€1} Guide for Gunshot Residue Analysis by Scanning Electron Microscopy/Energy Dispersive X-Ray Spectrometry, 14.02
- E1589-05(2010) Test Method for Evaluation of First Aid Antiseptic Drug Products, **11.05**
- E1590-13 Test Method for Fire Testing of Mattresses, 04.07
- E1591-13 Guide for Obtaining Data for Fire Growth Models, 04.07 E1592-05(2012) Test Method for Structural Performance of Sheet Metal Roof and Siding Systems by Uniform Static Air Pressure Difference, 04.11
- E1593-13 Guide for Assessing the Efficacy of Air Care Products in Reducing the Perception of Indoor Malodor, 15.08
- E1594-11 Guide for Expression of Temperature, 14.03
- E1595 Withdrawn 2002; Practice for Evaluating the Performance of Mechanical Testing Laboratories
- E1596 Withdrawn 2008; Test Methods for Solar Radiation Weathering of Photovoltaic Modules
- E1597-10 Test Method for Saltwater Pressure Immersion and Temperature Testing of Photovoltaic Modules for Marine Environments, 12.02
- E1598 Withdrawn 2003; Practice for Conducting Early Seedling Growth Tests E1599 Withdrawn 2003; Guide for Corrective Action for Petroleum Releases
- E1600-13 Test Method for Determination of Gold in Cyanide Solutions by Flame Atomic Absorption Spectrometry, 03.05
- E1601-12 Practice for Conducting an Interlaboratory Study to Evaluate the
- Performance of an Analytical Method, 03.05
 E1602-03(2010)^{c1} Guide for Construction of Solid Fuel Burning Masonry Heaters, **04.11**
- E1603/E1603M-11 Practice for Leakage Measurement Using the Mass Spectrometer Leak Detector or Residual Gas Analyzer in the Hood Mode, 03.03

- E1604-12 Guide for Behavioral Testing in Aquatic Toxicology, 11.06
 E1605-04(2012) Terminology Relating to Lead in Buildings, 04.11
 E1606-09 Practice for Electromagnetic (Eddy-Current) Examination of Copper Redraw Rod for Electrical Purposes, 03.03
- E1609 Withdrawn 2010; Guide for Development and Implementation of a Pollution Prevention Program
- E1610-14 Guide for Forensic Paint Analysis and Comparison, 14.02 E1611-00(2013) Guide for Conducting Sediment Toxicity Tests with Polychaetous Annelids, 11.06
- E1612/E1612M-94(2013)^{c1} Specification for Preformed Architectural Compression Seals for Buildings and Parking Structures, 04.11
- E1613-12 Test Method for Determination of Lead by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Flame Atomic Absorption Spectrometry (FAAS), or Graphite Furnace Atomic Absorption Spectrometry (GFAAS) Techniques, **04.11 E1614-94(2013)** Guide for Procedure for Measuring Ionizing Radiation-
- Induced Attenuation in Silica-Based Optical Fibers and Cables for Use in Remote Fiber-Optic Spectroscopy and Broadband Systems, 03.06
- E1615-08 Test Method for Iron in Trace Quantities Using the FerroZine Method, 15.05
- E1616-08 Test Method for Analysis of Acetic Anhydride Using Gas Chromatography, 15.05
- E1617-09(2014)^{c1} Practice for Reporting Particle Size Characterization Data, 14.02
- E1618-11 Test Method for Ignitable Liquid Residues in Extracts from Fire Debris Samples by Gas Chromatography-Mass Spectrometry, 14.02
- E1619-11 Test Method for Chronic Oral Toxicity Study in Rats, 11.06
 E1620-97(2012) Terminology Relating to Liquid Particles and Atomization, 14.02
- E1621-13 Guide for Elemental Analysis by Wavelength Dispersive X-Ray Fluorescence Spectrometry, 03.05
- E1622 Withdrawn 2006; Practice for Correction of Spectral Line Overlap in Wavelength-Dispersive X-Ray Spectrometry
- E1623-11 Test Method for Determination of Fire and Thermal Parameters of Materials, Products, and Systems Using an Intermediate Scale
- Calorimeter (ICAL), 04.07 E1624 Withdrawn 2013; Guide for Chemical Fate in Site-Specific Sediment/
- Water Microcosms E1625 Withdrawn 2013; Test Method for Determining Biodegradability of
- Organic Chemicals in Semi-Continuous Activated Sludge (SCAS) E1626 Withdrawn 2007; Guide for Including Government Procurement Requirements in ASTM Documents
- E1627-11 Practice for Sensory Evaluation of Edible Oils and Fats, 15.08 E1628-94(2008) Practice for Preparing Material Safety Data Sheets to Include Transportation and Disposal Data for the General Services Administration,
- E1629-12 Practice for Determining the Impedance of Absolute Eddy-Current Probes, **03.03**
- E1633-08a(2013) Specification for Coded Values Used in the Electronic Health Record, 14.01
- E1634-11 Guide for Performing Sputter Crater Depth Measurements, 03.06 E1635-06(2011) Practice for Reporting Imaging Data in Secondary Ion Mass
- Spectrometry (SIMS), 03.06
 E1636-10 Practice for Analytically Describing Depth-Profile and Linescan-Profile Data by an Extended Logistic Function, 03.06

E1637 E1729

- E1637-98(2011) Specification for Structural Standing Seam Aluminum Roof Panel Systems, 04.11
- E1638-13 Terminology Relating to Sieves, Sieving Methods, and Screening Media, 14.02
- E1639 Withdrawn 2003; Guide for Functional Requirements of Clinical Laboratory Information Management Systems
- E1640-13 Test Method for Assignment of the Glass Transition Temperature By Dynamic Mechanical Analysis, 14.02
- E1641-13 Test Method for Decomposition Kinetics by Thermogravimetry Using the Ozawa/Flynn/Wall Method, 14.02
 E1642-00(2010) Practice for General Techniques of Gas Chromatography
- Infrared (GC/IR) Analysis, 03.06
- E1643-11 Practice for Selection, Design, Installation, and Inspection of Water Vapor Retarders Used in Contact with Earth or Granular Fill Under Concrete Slabs, 04.11
- E1644-04(2012)^{c1} Practice for Hot Plate Digestion of Dust Wipe Samples for the Determination of Lead, 04.11
- E1645-01(2007) Practice for Preparation of Dried Paint Samples by Hotplate
- or Microwave Digestion for Subsequent Lead Analysis, **04.11 E1646-95(2011)** Test Method for Water Penetration of Exterior Metal Roof Panel Systems by Uniform Static Air Pressure Difference, **04.11 E1647-09** Practice for Determining Contrast Sensitivity in Radiology, **03.03**
- E1648-95(2011) Reference Radiographs for Examination of Aluminum Fusion Welds, 03.03
- E1651 Withdrawn 2004; Test Method for Total Luminous Reflectance Factor by Use of 30/t Integrating-Sphere Geometry
- E1652-14a Specification for Magnesium Oxide and Aluminum Oxide Powder and Crushable Insulators Used in the Manufacture of Base Metal Thermocouples, Metal-Sheathed Platinum Resistance Thermometers, and
- Noble Metal Thermocouples, 14.03

 E1653-94(2013) Guide for Specifying Dynamic Characteristics of Optical Radiation Transmitting Fiber Waveguides, 03.06

 E1654-94(2013) Guide for Measuring Ionizing Radiation-Induced Spectral
- Changes in Optical Fibers and Cables for Use in Remote Raman FiberOptic Spectroscopy, 03.06
- E1655-05(2012) Practices for Infrared Multivariate Quantitative Analysis, 03.06 E1656/E1656M-11 Guide for Classification of Automated Pavement Condition Survey Equipment, 04.03
- E1657-98(2011) Practice for Testing Variable-Wavelength Photometric Detectors Used in Liquid Chromatography, 03.06
- E1658-08 Terminology for Expressing Conclusions of Forensic Document Examiners, 14.02
- E1659-12 Test Methods for Coating Mass and Chemical Analysis of Zinc-Nickel Alloy Electrolytically Coated on Steel Sheet, 03.05
 E1660-95a(2012) Classification for Serviceability of an Office Facility for Support for Office Work, 04.11
- E1661-95a(2012) Classification for Serviceability of an Office Facility for Meetings and Group Effectiveness, 04.11
- E1662-95a(2012) Classification for Serviceability of an Office Facility for Sound and Visual Environment, 04.11
- E1663-03(2010) Classification for Serviceability of an Office Facility for Typical Office Information Technology, 04.11
- E1664-95a(2012) Classification for Serviceability of an Office Facility for Layout and Building Factors, 04.11
- E1665-95a(2012) Classification for Serviceability of an Office Facility for Facility Protection, 04.11
- E1666-95a(2012) Classification for Serviceability of an Office Facility for Work Outside Normal Hours or Conditions, 04.11
- E1667-95a(2012) Classification for Serviceability of an Office Facility for Image to the Public and Occupants, 04.11
- E1668-95a(2012) Classification for Serviceability of an Office Facility for Amenities to Attract and Retain Staff, 04.11
- E1669-95a(2012) Classification for Serviceability of an Office Facility for Location, Access and Wayfinding, 04.11
 E1670-95a(2012) Classification for Serviceability of an Office Facility for
- Management of Operations and Maintenance, 04.11
- E1671-95a(2012) Classification for Serviceability of an Office Facility for Cleanliness, 04.11
- E1672-12 Guide for Computed Tomography (CT) System Selection, 03.03
- E1672-12 Guide for Computed Tomography (C1) System Selection, 03.03
 E1673-96(2012) Test Method for Percent Suspensibility, 11.05
 E1674 Withdrawn 2010; Test Method for Cardiac Sensitization Study on Dogs
 E1675-04(2012) Practice for Sampling Two-Phase Geothermal Fluid for Purposes of Chemical Analysis, 12.02
 E1676-12 Guide for Conducting Laboratory Soil Toxicity or Bioaccumulation Tests with the Lumbricid Earthworm, 11.06
 E1677-11 Specification for Air Parriar (AP) Metarial or System for Law Rice
- E1677-11 Specification for Air Barrier (AB) Material or System for Low-Rise Framed Building Walls, 04.11
- E1678-10 Test Method for Measuring Smoke Toxicity for Use in Fire Hazard
- Analysis, 04.07
 E1679-13 Practice for Setting the Requirements for the Serviceability of a Building or Building-Related Facility, and for Determining What Serviceability is Provided or Proposed, **04.11**
- E1680-11 Test Method for Rate of Air Leakage Through Exterior Metal Roof Panel Systems, 04.11
- E1681-03(2013) Test Method for Determining Threshold Stress Intensity
 Factor for Environment-Assisted Cracking of Metallic Materials, 03.01
 E1682-08(2013) Guide for Modeling the Colorimetric Properties of a CRT-Type
 Visual Display Unit, 06.01
 E1683-02(2014)^{c1} Practice for Testing the Performance of Scanning Raman
- Spectrometers, 03.06

E1684-10 Specification for Miniature Thermocouple Connectors, 14.03

- E1685-13 Practice for Measuring the Change in Length of Fasteners Using the Ultrasonic Pulse-Echo Technique, 03.01
- E1686-10 Guide for Applying Environmental Noise Measurement Methods and Criteria, 04.06
- E1687-10 Test Method for Determining Carcinogenic Potential of Virgin Base Oils in Metalworking Fluids, 11.03
- E1688-10 Guide for Determination of the Bioaccumulation of Sediment-Associated Contaminants by Benthic Invertebrates, 11.06
- E1689-95(2014) Guide for Developing Conceptual Site Models for Contaminated Sites, 11.05
- E1690-08 Test Method for Determination of Ethanol Extractives in Biomass, 05.06
- Withdrawn 2007; Guide for Evaluation and Assessment of Analytical Chemistry Laboratories

- E1692-95a(2012) Classification for Serviceability of an Office Facility for Change and Churn by Occupants, 04.11
 E1693-95(2012) Classification for Serviceability of an Office Facility for Protection of Occupant Assets, 04.11
 E1694-95a(2012) Classification for Serviceability of an Office Facility for Special Facilities and Technologies, 04.11
- E1695-95(2013) Test Method for Measurement of Computed Tomography (CT) System Performance, 03.03
- E1696 Withdrawn 2013; Test Method for Field Measurement of Raised Retroreflective Pavement Markers Using a Portable Retroreflectometer
- E1697-05(2012)^{c1} Test Method for Unipolar Magnitude Estimation of Sensory Attributes, 15.08
- E1698-95(2010) Practice for Testing Electrolytic Conductivity Detectors (ELCD) Used in Gas Chromatography, 03.06
- E1699-14 Practice for Performing Value Engineering (VE)/Value Analysis (VA) of Projects, Products and Processes, 04.11
- E1700-13 Classification for Serviceability of an Office Facility for Structure and Building Envelope, 04.11
- E1701-95(2012) Classification for Serviceability of an Office Facility for Manageability, 04.11
 E1703/E1703M-10 Test Method for Measuring Rut-Depth of Pavement
- Surfaces Using a Straightedge, 04.03
 E1704-95(2010) Guide for Specifying Acoustical Performance of Sound-
- Isolating Enclosures, **04.06 E1705-13** Terminology Relating to Biotechnology, **05.06 E1706-05(2010)** Test Method for Measuring the Toxicity of Sediment-
- Associated Contaminants with Freshwater Invertebrates, 11.06
- E1708-95(2007) Practice for Electronic Interchange of Color and Appearance Data, **06.01**
- Test Method for Measurement of Retroreflective Signs Using a Portable Retroreflectometer at a 0.2 Degree Observation Angle, 06.01
- E1710-11 Test Method for Measurement of Retroreflective Pavement Marking Materials with CEN-Prescribed Geometry Using a Portable Retroreflectometer, 06.01
- E1711-12 Guide for Measurement of Behavior During Fish Toxicity Tests, 11.06
- E1712 Withdrawn 2003; Specification for Representing Clinical Laboratory Procedure and Analyte Names
 E1713 Withdrawn 2004; Specification for Transferring Digital Waveform Data
- Between Independent Computer Systems
- E1714-07(2013) Guide for Properties of a Universal Healthcare Identifier (UHÌD), 14.01
- E1715-01(2013) Practice for An Object-Oriented Model for Registration, Admitting, Discharge, and Transfer (RADT) Functions in Computer-Based Patient Record Systems, 14.01
- E1716 Withdrawn 2003; Guide for Selection and Use of Personal Protective
- Equipment for Humans Working With Respirable Silicon Carbide Whiskers 7 Withdrawn 2003; Guide for Personnel Training for Health and Safety Aspects of Working in Environments Containing Respirable Silicon Carbide Whiskers
- E1718 Withdrawn 2010; Guide for Administrative and Engineering Controls for Silicon Carbide Whisker Work Areas
- E1719-12 Test Method for Vapor Pressure of Liquids by Ebulliometry, 14.02 E1720 Withdrawn 2013; Test Method for Determining Ready, Ultimate, Biodegradability of Organic Chemicals in a Sealed Vessel CO2 Production Test
- E1721-01(2009) Test Method for Determination of Acid-Insoluble Residue in Biomass, **05.06**
- E1722 Withdrawn 2000; Practice for Registering and Maintaining Materials and Chemical Property Data Code Lists E1723 Withdrawn 2000; Guide for Recommended Formats for Data Records
- Used in the Computerization of Test Data for Plastics
- E1724 Withdrawn 2010; Guide for Testing and Certification of Metal, Ore, and Metal-Related Reference Materials E1725-14 Test Methods for Fire Tests of Fire-Resistive Barrier Systems for
- Electrical System Components, 04.07 E1726-01(2009) Practice for Preparation of Soil Samples by Hotplate
- Digestion for Subsequent Lead Analysis, **04.11**E1727 Withdrawn 2014; Practice for Field Collection of Soil Samples for Subsequent Lead Determination

 E1728-10 Practice for Collection of Settled Dust Samples Using Wipe
- Sampling Methods for Subsequent Lead Determination, 04.11 E1729 Withdrawn 2014; Practice for Field Collection of Dried Paint Samples for Subsequent Lead Determination

E1730 E1828

- E1730-09 Specification for Rigid Foam for Use in Structural Sandwich Panel Cores, 04.11
- E1731-11 Test Method for Gravimetric Determination of Nonvolatile Residue from Cleanroom Gloves, 15.03
- E1732-12 Terminology Relating to Forensic Science, 14.02
- E1733-95(2008) Guide for Use of Lighting in Laboratory Testing, 11.06 E1734-09 Practice for Radioscopic Examination of Castings, 03.03
- E1735-07(2014) Test Method for Determining Relative Image Quality of Industrial Radiographic Film Exposed to X-Radiation from 4 to 25 MeV, 03.03
- E1736-10 Practice for Acousto-Ultrasonic Assessment of Filament-Wound Pressure Vessels, 03.03
- E1737 Withdrawn 1998; Test Method for J-Integral Characterization of Fracture Toughness
- E1738 Withdrawn 2004; Guide for Development of a Directory of Accredited Laboratories by an Accrediting Body
 E1739-95(2010)^{c1} Guide for Risk-Based Corrective Action Applied at
- Petroleum Release Sites, 11.05
- E1740-10 Test Method for Determining the Heat Release Rate and Other, 04.07
- E1741 Withdrawn 2009; Practice for Preparation of Airborne Particulate Lead Samples Collected During Abatement and Construction Activities for Subsequent Analysis by Atomic Spectrometry
- E1742/E1742M-12 Practice for Radiographic Examination, 03.03 E1743 Withdrawn 2003; Practice for Selection and Use of Portable
- Retroreflectometers for the Measurement of Pavement Marking Materials
- E1744-04(2010) Practice for View of Emergency Medical Care in the Electronic Health Record, 14.01
- E1745-11 Specification for Plastic Water Vapor Retarders Used in Contact with Soil or Granular Fill under Concrete Slabs, 04.11
- E1746-08 Test Method for Sampling and Analysis of Liquid Chlorine for Gaseous Impurities, 15.05
- E1747-95(2011) Guide for Purity of Carbon Dioxide Used in Supercritical Fluid Applications, 03.06
 E1748-95(2009) Test Method for Evaluating the Engagement Between
- Windows and Insect Screens as an Integral System, 04.11
- E1749-10 Terminology Relating to Rigid Wall Relocatable Shelters, 04.11
- E1750-10 Guide for Use of Water Triple Point Cells, 14.03
- E1751 Withdrawn 2009; Guide for Temperature Electromotive Force (EMF)
- Tables for Non-Letter Designated Thermocouple Combinations
 E1751/E1751M-09^{c1} Guide for Temperature Electromotive Force (emf) Tables
- for Non-Letter Designated Thermocouple Combinations, 14.03
 E1752 Withdrawn 2009; Guide for Collection of Multi-Media Field Emission and Discharge Data Associated with Glycol Dehydration Units
- E1753-13 Practice for Use of Qualitative Chemical Spot Test Kits for Detection of Lead in Dry Paint Films, 04.11
- E1754-08 Test Method for Determination of Low Levels of Water in Liquid Chlorine By Infrared Spectrophotometry, 15.05
- Test Method for Ash in Biomass, 05.06 E1755-01(2007)
- E1756-08 Test Method for Determination of Total Solids in Biomass, 05.06 E1757-01(2007) Practice for Preparation of Biomass for Compositional Analysis, 05.06
- E1758-01(2007) Test Method for Determination of Carbohydrates in Biomass by High Performance Liquid Chromatography, 05.06
 E1759 Withdrawn 2012; Test Method for Isoaspartic Acid in Proteins: Method for the Determination of Asparagine Deamidation Products
 E1760-09 Guide for Unrestricted Disposition of Bulk Materials Containing
- Residual Amounts of Radioactivity, 12.02
- Withdrawn 2008; Guide for Recommended Formats for Data Records Used in the Computerization of Fatigue and Fracture Data of Metals
- E1762-95(2013) Guide for Electronic Authentication of Health Care Information, 14.01
- E1763-06 Guide for Interpretation and Use of Results from Interlaboratory
 Testing of Chemical Analysis Methods, 03.05
 E1765-11 Practice for Applying Analytical Hierarchy Process (AHP) to
 Multiattribute Decision Analysis of Investments Related to Buildings and Building Systems, 04.11
- E1766-95(2007) Test Method for Determination of Effectiveness of Sterilization Processes for Reusable Medical Devices, 11.05
- E1767-11 Practice for Specifying the Geometries of Observation and Measurement to Characterize the Appearance of Materials, 06.01
 E1768-95(2013) Guide for Ventilatory Behavioral Toxicology Testing of Freshwater Fish, 11.06
- E1769 Withdrawn 2004; Guide for Properties of Electronic Health Records and Record Systems
- E1770-95(2006) Practice for Optimization of Electrothermal Atomic Absorption Spectrometric Equipment, 03.05
- E1771-07 Test Method for Determination of Copper in Anode and Blister Copper, **03.05**
- E1772 Withdrawn 2010: Test Method for Particle Size Distribution of Chromatography Media by Electric Sensing Zone Technique
- E1773-10 Practice for Sealing Rigid Wall Tactical Shelters with Polysulfide Based Sealants, 04.11
- E1774-12 Guide for Electromagnetic Acoustic Transducers (EMATs), 03.03 E1775-07 Guide for Evaluating Performance of On-Site Extraction and Field-Portable Electrochemical or Spectrophotometric Analysis for Lead, 04.11
- E1776-13 Guide for Development of Fire-Risk-Assessment Standards. 04.07 **E1777-09** Guide for Prioritization of Data Needs for Pavement Management, 04.03

- E1778-98a(2008) Terminology Relating to Pavement Distress, 04.03 E1779 Withdrawn 2012; Guide for Preparing a Measurement Plan for Conducting Outdoor Sound Measurements
- E1780-12 Guide for Measuring Outdoor Sound Received from a Nearby Fixed Source, **04.06**
- E1781/E1781M-13 Practice for Secondary Calibration of Acoustic Emission Sensors, 03.03
- E1782-14 Test Method for Determining Vapor Pressure by Thermal Analysis, 14.02
- E1783/E1783M-96(2013)^{c1} Specification for Preformed Architectural Strip
- Seals for Buildings and Parking Structures, **04.11 E1784-08** Test Method for Total Peroxides in Acrylonitrile, **15.05**
- E1785 Withdrawn 2001; Specification for Acrylonitrile
- E1786-08 Test Method for Determination of Low Levels of Water in Liquid Chlorine by On-Line Infrared Spectrophotometry, 15.05
- E1787-08 Test Method for Anions in Caustic Soda and Caustic Potash (Sodium Hydroxide and Potassium Hydroxide) by Ion Chromatography, 15.05
 E1788-08 Test Method for Acidity in Acrylonitrile, 15.05

- E1789 Withdrawn 2012; Guide for Writing Ink Identification, 14.02
 E1790-04(2010) Practice for Near Infrared Qualitative Analysis, 03.06
 E1791-96(2014) Practice for Transfer Standards for Reflectance Factor for Near-Infrared Instruments Using Hemispherical Geometry, 03.06
- E1792-03(2011) Specification for Wipe Sampling Materials for Lead in Surface Dust, **04.11**
- E1793-11 Practice for Preparation of Aluminum Alloy for Bonding in Foam and Beam Type Transportable Shelters, 04.11
- E1794-13 Specification for Adhesive for Bonding Foam Cored Sandwich Panels (200°F Elevated Humidity Service), Type II Panels, 04.11
- E1795-12 Specification for Non-Reinforced Liquid Coating Encapsulation Products for Leaded Paint in Buildings, 04.11
 E1796-03(2011)^{€1} Guide for Selection and Use of Liquid Coating Encapsula-
- tion Products for Leaded Paint in Buildings, **04.11**
- E1797-12 Specification for Reinforced Liquid Coating Encapsulation Products for Leaded Paint in Buildings, **04.11**
- Withdrawn 2013; Test Method for Assessing Treatability or Biodegradability, or Both, of Organic Chemicals in Porous Pots
- E1799-12 Practice for Visual Inspections of Photovoltaic Modules, 12.02
- E1800-13 Specification for Adhesive for Bonding Foam Cored Sandwich Panels (160°F Elevated Humidity Service), Type I Panels, 04.11
- E1801-09 Practice for Adhesive Bonding of Aluminum Facings in Foam and Beam Type Shelters, 04.11
- E1802-12 Test Methods for Wet Insulation Integrity Testing of Photovoltaic Modules, 12.02
- E1803-14 Test Methods for Determining Strength Capacities of Structural Insulated Panels, 04.11
- E1804-12 Practice for Performing and Reporting Cost Analysis During the
- Design Phase of a Project, **04.11 E1805-13** Test Method for Determination of Gold in Copper Concentrates by Fire Assay Gravimetry, 03.05
- E1806-09 Practice for Sampling Steel and Iron for Determination of Chemical Composition, 03.05 E1807 Withdrawn 2005; Terminology Pertaining to Metal Connector Plates
- E1808-96(2009) Guide for Designing and Conducting Visual Experiments, 06.01
- E1809 Withdrawn 2010: Test Method for Measurement of High-Visibility Retroreflective-Clothing Marking Material Using a Portable Retroreflectometer
- E1810-12 Practice for Evaluating Effects of Contaminants on Odor and Taste of Exposed Fish, 15.08
- E1811 Withdrawn 2010; Test Method for Oncogenicity Study in Rats and Mice E1812 Withdrawn 2004; Practice for Optimization of Flame Atomic Absorption Spectrometric Equipment
 E1813-96(2007) Practice for Measuring and Reporting Probe Tip Shape in
- Scanning Probe Microscopy, 03.06

 E1814-14 Practice for Computed Tomographic (CT) Examination of Castings,
- 03.03
- E1815-08(2013)^{€1} Test Method for Classification of Film Systems for Industrial Radiography, 03.03
- E1816-12 Practice for Ultrasonic Testing Using Electromagnetic Acoustic Transducer (EMAT) Techniques, 03.03
 E1817-08(2014) Practice for Controlling Quality of Radiological Examination by Using Representative Quality Indicators (RQIs), 03.03
- E1819-10 Guide for Environmental Monitoring Plans for Decommissioning of Nuclear Facilities, 12.02
- Test Method for Measurement of Fracture Toughness, 03.01 E1820-13
- E1821-08 Test Method for Determination of Carbohydrates in Biomass by Gas
- Chromatography, **05.06**E1822-13 Test Method for Fire Testing of Stacked Chairs, **04.07**E1823-13 Terminology Relating to Fatigue and Fracture Testing, **03.01**E1824-13 Test Method for Assignment of a Glass Transition Temperature
- Using Thermomechanical Analysis: Tension Method, 14.02 E1825-06(2012) Guide for Evaluation of Exterior Building Wall Materials, Products, and Systems, 04.11
- E1826-12 Specification for Low Volatile Organic Compound (VOC) Corrosion-Inhibiting Adhesive Primer for Aluminum Alloys to Be Adhesively Bonded. **04.11**
- E1827-11 Test Methods for Determining Airtightness of Buildings Using an Orifice Blower Door, 04.11
- Withdrawn 2010; Practice for Evaluating the Performance Characteris-

E1828 E1916

tics of Qualitative Chemical Spot Test Kits for Lead in Paint

E1829-09 Guide for Handling Specimens Prior to Surface Analysis, 03.06 Test Methods for Determining Mechanical Integrity of Photovoltaic E1830-09 Modules, 12.02

E1830M Not Assigned

E1831 Withdrawn 2005; Guide for Preparing Certificates for Reference Materials Relating to Chemical Composition of Metals, Ores, and Related

E1832-08(2012) Practice for Describing and Specifying a Direct Current

Plasma Atomic Emission Spectrometer, 03.05

E1833-07a(2013) 1 Practice for Sampling of Blister Copper in Cast Form for Determination of Chemical Composition, 03.05

E1834-11 Test Method for Analysis of Nickel Alloys by Graphite Furnace Atomic Absorption Spectrometry, 03.05

E1835-09 Test Method for Analysis of Nickel Alloys by Flame Atomic

Absorption Spectrometry, **03.05 E1836/E1836M-09** Practice for Building Floor Area Measurements for Facility Management, 04.11

E1837-96(2007) Test Method to Determine Efficacy of Disinfection Processes for Reusable Medical Devices (Simulated Use Test), 11.05

E1838-10 Test Method for Determining the Virus-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using the Fingerpads of Adults,

E1839-13 Test Method for Efficacy of Slimicides for the Paper Industry— Bacterial and Fungal Slime, 11.05

E1840-96(2014) Guide for Raman Shift Standards for Spectrometer Calibration, 03.06

E1841-04(2012) Guide for Conducting Renewal Phytotoxicity Tests With Freshwater Emergent Macrophytes, 11.06

E1842 Withdrawn 2002; Test Method for Macro-Rockwell Hardness Testing of Metallic Materials

04 03

E1845-09 Practice for Calculating Pavement Macrotexture Mean Profile Depth, 04.03

E1846 Withdrawn; Standard for Use of The International System of Units (SI): The Modern Metric System

E1847-96(2013) Practice for Statistical Analysis of Toxicity Tests Conducted Under ASTM Guidelines, 11.06

E1848-96(2014) Guide for Selecting and Using Ecological Endpoints for Contaminated Sites, 11.05

E1849-96(2013) Guide for Fish and Wildlife Incident Monitoring and Reporting, 11.06

E1850-04(2012) Guide for Selection of Resident Species as Test Organisms for Aquatic and Sediment Toxicity Tests, 11.06

Test Method for Electromagnetic Shielding Effectiveness of Durable Rigid Wall Relocatable Structures, 04.11

E1852-13 Test Method for Determination of Low Levels of Antimony in Carbon and Low-Alloy Steel by Graphite Furnace Atomic Absorption Spectrometry, 03.05

E1853M Withdrawn 2012; Guide for Measuring the Presence of Planar Organic Compounds Which Induce CYP1A, Using Reporter Gene Test Systems (Metric)

E1854-13 Practice for Ensuring Test Consistency in Neutron-Induced Displacement Damage of Electronic Parts, 12.02

E1855-10 Test Method for Use of 2N2222A Silicon Bipolar Transistors as Neutron Spectrum Sensors and Displacement Damage Monitors, 12.02

E1856-13 Guide for Evaluating Computerized Data Acquisition Systems Used

to Acquire Data from Universal Testing Machines, 03.01

E1857-97(2013)^{c1} Guide for Selection of Cleaning Techniques for Masonry,
Concrete, and Stucco Surfaces, 04.11

E1858-08 Test Method for Determining Oxidation Induction Time of

Hydrocarbons by Differential Scanning Calorimetry, **14.02**E1859/E1859M-11^{c1} Test Method for Friction Coefficient Measurements

Between Tire and Pavement Using a Variable Slip Technique, 04.03 E1860-13 Test Method for Elapsed Time Calibration of Thermal Analyzers, 14.02

E1861 Withdrawn 2003; Guide for Use of Coal Combustion By-Products in Structural Fills

E1862-97(2010) Test Methods for Measuring and Compensating for Reflected

3-07 Test Method for Analysis of Acrylonitrile by Gas Chromatography, 15.05 E1863-07

E1864 Withdrawn 2011; Practice for Evaluating Quality Systems of Organizations Conducting Facility and Hazard Assessments for Lead in Paint, Dust, Airborne Particulate, and Soil in and around Buildings and Related Structures

E1865-97(2013) Guide for Open-Path Fourier Transform Infrared (OP/FT-IR) Monitoring of Gases and Vapors in Air, 03.06

E1866-97(2013) Guide for Establishing Spectrophotometer Performance Tests, 03.06

 U3.06
 E1867-13 Test Method for Temperature Calibration of Dynamic Mechanical Analyzers, 14.02
 E1868-10 Test Method for Loss-On-Drying by Thermogravimetry, 14.02
 E1869-04(2010) Guide for Confidentiality, Privacy, Access, and Data Security Principles for Health Information Including Electronic Health Records, 14.01

E1870-11 Test Method for Odor and Taste Transfer from Polymeric Packaging Film, 15.08

E1871-10 Guide for Serving Protocol for Sensory Evaluation of Foods and Beverages, 15.08

E1873-06 Guide for Detection of Nucleic Acid Sequences by the Polymerase Chain Reaction Technique, 14.02

E1874-14 Test Method for Recovery of Microorganisms From Skin using the Cup Scrub Technique, 11.05

E1875-13 Test Method for Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio by Sonic Resonance, 03.01
 E1876-09 Test Method for Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio by Impulse Excitation of Vibration, 03.01

E1877-13 Practice for Calculating Thermal Endurance of Materials from Thermogravimetric Decomposition Data, 14.02

E1878-97(2013) Specification for Laboratory Glass Volumetric Flasks, Special Use, 14.04

E1879-00(2010) Guide for Sensory Evaluation of Beverages Containing Alcohol, **15.08**

E1880-12 Practice for Tissue Cryosection Analysis with SIMS, 03.06 F1881-12

Guide for Cell Culture Analysis with SIMS, **03.06**Test Method for Evaluation of Antimicrobial Formulations by the E1882-10 Agar Patch Technique, 11.05

E1883-02(2007) Test Method for Assessment of an Antibacterial Handwash Product by Multiple Basin Wash Technique, 11.05

E1884 Withdrawn 2004; Guide for General Requirements for Bodies Operating Assessment and Certification/Registration of Quality Systems

E1885-04(2011) Test Method for Sensory Analysis—Triangle Test, 15.08 E1886-13a Test Method for Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Missile(s) and

Exposed to Cyclic Pressure Differentials, 04.11

E1887 Withdrawn 2006; Test Method for Fog Determination

E1888/E1888M-12 Practice for Acoustic Emission Examination of Pressurized Containers Made of Fiberglass Reinforced Plastic with Balsa Wood Cores, 03.03

E1889-97(2009) Guide for Pavement Management Implementation, 04.03 E1890-11 Guide for Validating New Area Reference Skid Measurement Systems and Equipment, 04.03

E1891-10a Guide for Determination of a Survival Curve for Antimicrobial Agents Against Selected Microorganisms and Calculation of a D-Value and Concentration Coefficient, 11.05

E1892-09 Guide for Preparing Characterization Plans for Decommissioning Nuclear Facilities, 12.02

E1893-08a Guide for Selection and Use of Portable Radiological Survey Instruments for Performing In Situ Radiological Assessments to Support Unrestricted Release from Further Regulatory Controls, 12.02
 E1894-13a Guide for Selecting Dosimetry Systems for Application in Pulsed

X-Ray Sources, 12.02

E1895 Withdrawn 2011; Guide for Determining Uses and Limitations of Deterministic Fire Models

E1896 Withdrawn 2002; Specification for Daytime Pedestrian Visibility Enhancement

E1897-97(2010) Test Methods for Measuring and Compensating for Transmittance of an Attenuating Medium Using Infrared Imaging Radiometers, 03.03

E1898-13 Test Method for Determination of Silver in Copper Concentrates by Flame Atomic Absorption Spectrometry, 03.05
E1899-08 Test Method for Hydroxyl Groups Using Reaction with, 15.05
E1901-13 Guide for Detection and Evaluation of Discontinuities by Contact

Pulse-Echo Straight-Beam Ultrasonic Methods, 03.03

E1902 Withdrawn 2011; Specification for Management of the Confidentiality

and Security of Dictation, Transcription, and Transcribed Health Records
E1903-11 Practice for Environmental Site Assessments: Phase II Environmental Site Assessment Process, 11.05

E1904 Withdrawn 2004; Guide for General Criteria for Supplier's Declaration of Conformity

E1905 Withdrawn 2004; Guide for General Requirements for Assessment and Accreditation of Certification/Registration Bodies

E1906 Withdrawn 2004; Guide for General Requirements for Bodies Operating Product Certification Systems

E1907 Withdrawn 2008; Guide to Methods of Evaluating Moisture Conditions of Concrete Floors to Receive Resilient Floor Coverings; Replaced by F710

E1908-10 Guide for Sample Selection of Debris Waste from a Building Renovation or Lead Abatement Project for Toxicity Characteristic Leaching Procedure (TCLP) Testing for Leachable Lead (Pb), 04.11

Guide for Time-Intensity Evaluation of Sensory Attributes, 15.08 E1910/E1910M-04(2009) Test Method for Agricultural pH Control Agents, 11.05 E1911-09a^{€1}

11-09a^{c1} Test Method for Measuring Paved Surface Frictional Properties Using the Dynamic Friction Tester, **04.03** E1912 Withdrawn 2013; Guide for Accelerated Site Characterization for

Confirmed or Suspected Petroleum Releases

E1913 Withdrawn 2012; Guide for Conducting Static, Axenic, 14-Day Phytotoxicity Tests in Test Tubes with the Submersed Aquatic Macrophyte, Myriophyllum sibiricum Komarov

E1914-07 Practice for Use of Terms Relating to the Development and Evaluation of Methods for Chemical Analysis, 03.05
E1915-13 Test Methods for Analysis of Metal Bearing Ores and Related

Materials for Carbon, Sulfur, and Acid-Base Characteristics, 03.05 E1916-11 Guide for Identification of Mixed Lots of Metals, 03.05

E1917 E2018

- E1917-13 Test Method for Determination of Phosphorus in Nickel, Ferronickel, and Nickel Alloys by Phosphovanadomolybdate Spectrophotometry, 03.05
- Test Method for Measuring Solar Reflectance of Horizontal and Low-Sloped Surfaces in the Field, 04.04
- E1919-09 Guide for Worldwide Published Standards Relating to Particle and Spray Characterization, 14.02
- E1920-03(2008) Guide for Metallographic Preparation of Thermal Sprayed Coatings, 03.01
- E1921-13a Test Method for Determination of Reference Temperature, To, for
- Ferritic Steels in the Transition Range, **03.01 E1922-04(2010)**^{c1} Test Method for Translaminar Fracture Toughness of Laminated and Pultruded Polymer Matrix Composite Materials, 03.01 E1923 Withdrawn 2013; Guide for Sampling Terrestrial and Wetlands
- Vegetation
 E1924 Withdrawn 2013; Guide for Conducting Toxicity Tests with Biolumines-
- cent Dinoflagellates
 E1925-10 Specification for Engineering and Design Criteria for Rigid Wall Relocatable Structures, 04.11
- E1926-08 Practice for Computing International Roughness Index of Roads from Longitudinal Profile Measurements, 04.03
- E1927-98(2012) Guide for Conducting Subjective Pavement Ride Quality Ratings, **04.03**
- E1928-13 Practice for Estimating the Approximate Residual Circumferential Stress in Straight Thin-walled Tubing, 03.01
- E1929 Withdrawn 2007; Practice for Assessment of Certification Programs for Environmental Professionals: Accreditation Criteria
- E1930/E1930M-12 Practice for Examination of Liquid-Filled Atmospheric and
- Low-Pressure Metal Storage Tanks Using Acoustic Emission, 03.03 E1931-09 Guide for X-Ray Compton Scatter Tomography, 03.03
- E1932-12 Guide for Acoustic Emission Examination of Small Parts, 03.03
- E1933-99a(2010) Test Methods for Measuring and Compensating for Emissivity Using Infrared Imaging Radiometers, 03.03
- E1934-99a(2014) Guide for Examining Electrical and Mechanical Equipment with Infrared Thermography, 03.03
- E1935-97(2013) Test Method for Calibrating and Measuring CT Density, 03.03 E1936-03(2011) Reference Radiograph for Evaluating the Performance of Radiographic Digitization Systems, 03.03
- E1937 Withdrawn 2005; Test Method for Determination of Nitrogen in Titanium and Titanium Alloys by the Inert Gas Fusion Technique; Replaced by E1409
- E1938-13 Test Method for Determination of Titanium in Nickel Alloys by Diantipyrylmethane Spectrophotometry, 03.05
- E1941-10 Test Method for Determination of Carbon in Refractory and Reactive Metals and Their Alloys by Combustion Analysis, 03.05
- E1942-98(2010)^{c1} Guide for Evaluating Data Acquisition Systems Used in Cyclic Fatigue and Fracture Mechanics Testing, 03.01
- E1943-98(2010) Guide for Remediation of Ground Water by Natural Attenuation at Petroleum Release Sites, 11.05
- E1944-98(2013) Practice for Describing and Measuring Performance of Laboratory Fourier Transform Near-Infrared (FT-NIR) Spectrometers:
- Level Zero and Level One Tests, 03.06

 E1945-02(2008) Test Method for Percent Dispersibility, 11.05

 E1946-12 Practice for Measuring Cost Risk of Buildings and Building Systems and Other Constructed Projects, 04.11
- E1947-98(2014) Specification for Analytical Data Interchange Protocol for Chromatographic Data, 03.06
- E1948-98(2014) Guide for Analytical Data Interchange Protocol for Chromatographic Data, 03.06
- E1949-03(2009) Test Method for Ambient Temperature Fatigue Life of Metallic Bonded Resistance Strain Gages, 03.01
- E1950-10 Practice for Reporting Results from Methods of Chemical Analysis, 03.05
- E1951-02(2007) Guide for Calibrating Reticles and Light Microscope Magnifications, 03.01
- E1952-11 Test Method for Thermal Conductivity and Thermal Diffusivity by Modulated Temperature Differential Scanning Calorimetry, 14.02
- E1953-14 Practice for Description of Thermal Analysis and Rheology Apparatus, 14.02
- E1954-05(2011) Practice for Conduct of Research in Psychophysiological Detection of Deception (Polygraph), 14.02
- E1955-04(2009) Radiographic Examination for Soundness of Welds in Steel by Comparison to Graded ASTM, 03.03
- E1957-04(2010) Practice for Installing and Using Pneumatic Tubes with Roadway Traffic Counters and Classifiers, 04.03
 E1958-12 Guide for Sensory Claim Substantiation, 15.08

Determination of Patient Temperature, 13.01

- E1959-05(2011) Guide for Requests for Proposals Regarding Medical Transcription Services for Healthcare Institutions, 14.01
- E1960-07(2011) Practice for Calculating International Friction Index of a Pavement Surface, 04.03
- E1961-11 Practice for Mechanized Ultrasonic Testing of Girth Welds Using Zonal Discrimination with Focused Search Units, 03.03
- E1962-09 Practice for Ultrasonic Surface Testing Using Electromagnetic Acoustic Transducer (EMAT) Techniques, 03.03
 E1963-09 Guide for Conducting Terrestrial Plant Toxicity Tests, 11.06
 E1964 Withdrawn 2007; Practice for Compiling and Writing & Terminology
 E1965-98(2009) Specification for Infrared Thermometers for Intermittent
- E1966-07(2011) Test Method for Fire-Resistive Joint Systems, 04.07 E1967-11a Test Method for the Automated Determination of Refractive Index

- of Glass Samples Using the Oil Immersion Method and a Phase Contrast Microscope, 14.02
- E1968-11 Guide for Microcrystal Testing in Forensic Analysis of Cocaine, 14.02
- E1969-11 Guide for Microcrystal Testing in Forensic Analysis of Methamphetamine and Amphetamine, 14.02
- E1970-11 Practice for Statistical Treatment of Thermoanalytical Data, 14.02 E1971-05(2011) Guide for Stewardship for the Cleaning of Commercial and Institutional Buildings, **04.12**
- E1972-04(2011) Practice for Minimizing Effects of Aerosols in the Wet Metal Removal Environment, 11.03
- E1973 Withdrawn 2004; Practice for Collection of Surface Dust by Air Sampling Pump Vacuum Technique for Subsequent Lead Determination
- E1974-11 Specification for Shelter, Electrical Equipment S-250/G, 04.11 E1975-09 Specification for Shelter, Electrical, Equipment S-280/G, 04.11
- E1976-11 Specification for Shelter, Tactical, Nonexpandable, 04.11
- E1977-11 Specification for Shelter, Tactical, Expandable, One-Side, 04.11
- E1978-11 Specification for Shelter, Tactical, Expandable, Two-Side, 04.11
- E1979-12 Practice for Ultrasonic Extraction of Paint, Dust, Soil, and Air Samples for Subsequent Determination of Lead, 04.11
- E1980-11 Practice for Calculating Solar Reflectance Index of Horizontal and
- Low-Sloped Opaque Surfaces, 04.04

 E1981-98(2012)¹² Guide for Assessing Thermal Stability of Materials by Methods of Accelerating Rate Calorimetry, 14.02

 E1982-98(2013) Practice for Open-Path Fourier Transform Infrared (OP/FT-IR)
- Monitoring of Gases and Vapors in Air, 03.06
- E1983 Withdrawn 2007; Guide for Assessment of Wetland Functions E1984 Withdrawn 2012; Guide for Brownfields Redevelopment
- E1985-98(2013) Guide for User Authentication and Authorization, 14.01 E1986-09(2013) Guide for Information Access Privileges to Health Information,
- 14.01 E1987 Withdrawn 2007; Guide for Individual Rights Regarding Health Information
- E1988 Withdrawn 2007: Guide for Training of Persons who have Access to Health Information
- E1989 Withdrawn 2009; Specification for Laboratory Equipment Control Interface (LECIS)
- E1990-14 Guide for Performing Evaluations of Underground Storage Tank Systems for Operational Conformance with 40 CFR, Part 280 Regulations, 11.05
- E1991 Withdrawn 2014; Guide for Environmental Life Cycle Assessment
- (LCA) of Building Materials/Products
 E1992 Withdrawn 2007; Terminology Relating to Terminology Management
 E1993/E1993M-98(2013)^{c1} Specification for Bituminous Water Vapor Retarders Used in Contact with Soil or Granular Fill Under Concrete Slabs, **04.11**
- E1994-09(2013) Practice for Use of Process Oriented AOQL and LTPD Sampling Plans, 14.02
- E1995-12 Test Method for Measurement of Smoke Obscuration Using a Conical Radiant Source in a Single Closed Chamber, With the Test Specimen Oriented Horizontally, 04.07
- E1996-14 Specification for Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Windborne Debris in Hurricanes, 04.11
- E1997-12 Practice for the Selection of Spacecraft Materials, 15.03
 E1998-11 Guide for Assessing Depressurization-Induced Backdrafting and Spillage from Vented Combustion Appliances, 04.11
 E1999-11 Test Method for Analysis of Cast Iron by Spark Atomic Emission
- Spectrometry, 03.05
- E2000 Withdrawn 2014; Guide for Minimum Basic Education and Training of Individuals Involved in the Detection of Deception (PDD)
- E2001-13 Guide for Resonant Ultrasound Spectroscopy for Defect Detection in Both Metallic and Non-metallic Parts, 03.03
- E2002-98(2009) Practice for Determining Total Image Unsharpness in Radiology, 03.03
- **E2003-10** Practice for Fabrication of the Neutron Radiographic Beam Purity Indicators, 03.03
- E2004-10 Test Method for Facing Cleavage of Sandwich Panels, 04.11
 E2005-10 Guide for Benchmark Testing of Reactor Dosimetry in Standard and
- Reference Neutron Fields, 12.02
- **E2006-10** Guide for Benchmark Testing of Light Water Reactor Calculations, 12.02
- E2007-10 Guide for Computed Radiography, 03.03
 E2008-08(2014)^{c1} Test Methods for Volatility Rate by Thermogravimetry, 14.02
 E2009-08(2014)^{c1} Test Methods for Oxidation Onset Temperature of
- Hydrocarbons by Differential Scanning Calorimetry, 14.02
 E2010 Withdrawn 2007; Test Method for Positive Pressure Fire Tests of Window Assemblies
- E2011-13 Test Method for Evaluation of Hygienic Handwash and Handrub Formulations for Virus-Eliminating Activity Using the Entire Hand, 11.05
- **E2012-06(2012)** Guide for the Preparation of a Binary Chemical Compatibility Chart, 14.02
- E2013-12 Practice for Constructing FAST Diagrams and Performing Function
- Analysis During Value Analysis Study, 04.11 E2014-11 Guide on Metallographic Laboratory Safety, 03.01
- E2015-04(2009) Guide for Preparation of Plastics and Polymeric Specimens for Microstructural Examination, 03.01
 E2016-11 Specification for Industrial Woven Wire Cloth, 14.02
- **E2017-99(2010)** Guide for Amendments to Health Information, **14.01**
- E2018-08 Guide for Property Condition Assessments: Baseline Property

E2018 E2106

- Condition Assessment Process, 11.05
- E2019-03(2013) Test Method for Minimum Ignition Energy of a Dust Cloud in Air, 14.02
- E2020-99a(2010) Guide for Data and Information Options for Conducting an Ecological Risk Assessment at Contaminated Sites, 11.05
- E2021-09(2013) Test Method for Hot-Surface Ignition Temperature of Dust Layers, 14.02
- E2022-11 Practice for Calculation of Weighting Factors for Tristimulus Integration, 06.01
- E2023-10 Practice for Fabrication of Neutron Radiographic Sensitivity Indicators, 03.03
- E2024/E2024M-11 Practice for Atmospheric Leaks Using a Thermal Conductivity Leak Detector, 03.03
- E2025-99(2006) Test Method for Evaluating Fenestration Components and Assemblies for Resistance to Impact Energies, 04.11
 E2026-07 Guide for Seismic Risk Assessment of Buildings, 04.11
- E2027-09 Practice for Conducting Proficiency Tests in the Chemical Analysis of Metals, Ores, and Related Materials, 03.05
- E2028 Withdrawn 2014; Practice for Receiving, Testing and Reporting Results of Investigation of Metal, Ore, or Metal Related Samples that Are or May Be Involved in Litigation
- E2029-11 Test Method for Volumetric and Mass Flow Rate Measurement in a Duct Using Tracer Gas Dilution, 04.11
- E2030-09a Guide for Recommended Uses of Photoluminescent (Phosphorescent) Safety Markings, 06.01
- E2031-99(2010) Practice for Quality Control of Psychophysiological Detection of Deception (Polygraph) Examinations, 14.02
- E2032-09(2013) Guide for Extension of Data From Fire Resistance Tests Conducted in Accordance with ASTM E119, 04.07
- E2033-99(2013) Practice for Computed Radiology (Photostimulable Luminescence Method), 03.03

- E2034-99(2012) Practices for Simulating Truck Response to Longitudinal Profiles of Vehicular Traveled Surfaces, 04.03
 E2035-12 Terminology Relating to Forensic Psychophysiology, 14.02
 E2036-07 Test Method for Nitrogen Trichloride in Liquid Chlorine by High Performance Liquid Chromatography (HPLC), 15.05
 E2037-07 Test Method for Bromine Chloride in Liquid Chlorine by High Performance Liquid Chromatography (HPLC), 15.05
- E2038 Withdrawn 2009; Test Method for Temperature Calibration of Dielectric Analyzers
- E2039 Withdrawn 2009; Test Method for Determining and Reporting Dynamic Dielectric Properties
- E2040-08(2014) Test Method for Mass Scale Calibration of Thermogravimetric Analyzers, 14.02
- E2041-13⁻¹ Test Method for Estimating Kinetic Parameters by Differential Scanning Calorimeter Using the Borchardt and Daniels Method, 14.02
- E2042/E2042M-09 Practice for Cleaning and Maintaining Controlled Areas and Clean Rooms, 15.03
- E2043-99(2012) Test Method for Nonvolatile Matter of Agricultural Adjuvant
- Solutions by Thermogravimetry, 11.05

 E2044-99(2012) Test Method for Spreading of Liquid Agricultural Spray
 Mixtures, 11.05

 E2045-99(2009) Practice for Detailed Clinical Observations of Test Animals,
- 11.06
- E2046-14 Test Method for Reaction Induction Time by Thermal Analysis, 14.02 E2047-10 Test Method for Wet Insulation Integrity Testing of Photovoltaic Arrays, 12.02
- E2048-99(2006) Guide for Detection of Nucleic Acids of the Mycobacterium Tuberculosis Complex and Other Pathogenic Mycobacteria by the Polymerase Chain Reaction Technique, 14.02
- E2049-12 Guide for Quantitative Attribute Evaluation of Fragrance/Odors for Shampoos and Hair Conditioners by Trained Assessors, 15.08
- E2050-12a Test Method for Determination of Total Carbon in Mold Powders by Combustion, 03.05
- E2051 Withdrawn 2010; Practice for the Determination of Lead in Paint, Settled Dust, Soil and Air Particulate by Field-Portable Electroanalysis Withdrawn 2008; Guide for Evaluation, Management, and Control of
- Lead Hazards in Facilities
- E2053 Withdrawn 2006; Guide for Planning, Carrying Out, and Reporting Traceable Chemical Analyses of Metals, Ores, and Related Materials E2054 Withdrawn 2005; Practice for Performance-Based Description of
- Instruments in Chemical Analysis Methods E2055 Withdrawn 2006; Practice for Referencing Test Methods for Chemical Analysis of Metals and Related Materials
- E2056-04(2010) Practice for Qualifying Spectrometers and Spectrophotometers for Use in Multivariate Analyses, Calibrated Using Surrogate Mixtures, 03.06
- E2057-10 Specifications for Preparation of Laboratory Analysis Requests in Sexual Assault Investigations, 14.02
- E2058-13a Test Methods for Measurement of Material Flammability Using a Fire Propagation Apparatus (FPA), 04.07
- E2059-06(2010) Practice for Application and Analysis of Nuclear Research Emulsions for Fast Neutron Dosimetry, 12.02
- E2060-06 Guide for Use of Coal Combustion Products for Solidification/ Stabilization of Inorganic Wastes, 11.05
 E2061-12 Guide for Fire Hazard Assessment of Rail Transportation Vehicles,
- 04.07
- E2062-11 Guide for PDD Examination Standards of Practice, 14.02
- E2063-12 Practice for Calibration and Functionality Checks Used in Forensic

- Psychophysiological Detection of Deception (Polygraph) Examinations, 14.02
- E2064-00(2014) Guide for Minimum Continuing Education of Individuals Involved in Psychophysiological Detection of Deception (PDD), 14.02
- E2065-11 Guide for Requirements for Psychophysiological Detection of Deception (PDD) Examiners, 14.02
- E2066-00(2007) Guide for Validation of Laboratory Information Management Systems, **03.06**
- E2067-12 Practice for Full-Scale Oxygen Consumption Calorimetry Fire Tests, 04.07
- E2068-00(2008) Test Method for Determination of Operating Force of Sliding Windows and Doors, 04.11
- E2069-06(2012) Test Method for Temperature Calibration on Cooling of Differential Scanning Calorimeters, 14.02
 E2070-13 Test Method for Kinetic Parameters by Differential Scanning
- Calorimetry Using Isothermal Methods, 14.02
 E2071-00(2010) Practice for Calculating Heat of Vaporization or Sublimation
- from Vapor Pressure Data, 14.02
- E2072-10 Specification for Photoluminescent (Phosphorescent) Safety Markings, 06.01
 E2073-10 Test Method for Photopic Luminance of Photoluminescent
- (Phosphorescent) Markings, 06.01
- E2074 Withdrawn 2007; Test Method for Fire Tests of Door Assemblies, Including Positive Pressure Testing of Side-Hinged and Pivoted Swinging Door Assemblies
- E2075/E2075M-10 Practice for Verifying the Consistency of AE-Sensor Response Using an Acrylic Rod, 03.03
- E2076/E2076M-10 Practice for Examination of Fiberglass Reinforced Plastic Fan Blades Using Acoustic Emission, 03.03
- E2077-00(2010) Specification for Analytical Data Interchange Protocol for Mass Spectrometric Data, 03.06
- E2078-00(2010) Guide for Analytical Data Interchange Protocol for Mass Spectrometric Data, 03.06
 E2079-07(2013) Test Methods for Limiting Oxygen (Oxidant) Concentration in
- Gases and Vapors, 14.02

 E2080-06 Guide for Clinical Psychophysiological Detection of Deception (PDD) Examinations for Sex Offenders, 14.02

 E2081-00(2010)^{c1} Guide for Risk-Based Corrective Action, 11.05
- E2082-12 Guide for Descriptive Analysis of Shampoo Performance, 15.08
- E2083-05(2010) Classification for Building Construction Field Requirements, and Office Overhead & Profit, 04.11
- E2084 Withdrawn 2009; Specification for Authentication of Healthcare Information Using Digital Signatures
- E2085 Withdrawn 2009; Guide on Security Framework for Healthcare Information
- E2086 Withdrawn 2009; Guide for Internet and Intranet Healthcare Security Withdrawn 2009; Specification for Quality Indicators for Controlled Health Vocabularies
- E2088-06(2011) Practice for Selecting, Preparing, Exposing, and Analyzing Witness Surfaces for Measuring Particle Deposition in Cleanrooms and Associated Controlled Environments, 15.03
- E2089-00(2014) Practices for Ground Laboratory Atomic Oxygen Interaction Evaluation of Materials for Space Applications, 15.03
- **E2090-12** Test Method for Size-Differentiated Counting of Particles and Fibers Released from Cleanroom Wipers Using Optical and Scanning Electron Microscopy, 15.03
- E2091-11 Guide for Use of Activity and Use Limitations, Including Institutional and Engineering Controls, 11.05
- E2092-13 Test Method for Distortion Temperature in Three-Point Bending by Thermomechanical Analysis, 14.02
- E2093-12 Guide for Optimizing, Controlling and Assessing Test Method Uncertainties from Multiple Workstations in the Same Laboratory Organization, 03.05
 E2094 Withdrawn 2011; Practice for Evaluating the Service Life of
- Chromogenic Glazings
- E2095 Not Assigned
- E2096/E2096M-10 Practice for In Situ Examination of Ferromagnetic Heat-Exchanger Tubes Using Remote Field Testing, 03.03
- E2097-00(2006) Guide for Determining the Impact of Extractables from Non-Metallic Materials on the Safety of Biotechnology Products, 14.02
- E2098/E2098M-13 Test Method for Determining Tensile Breaking Strength of Glass Fiber Reinforcing Mesh for Use in Class PB Exterior Insulation and Finish Systems (EIFS), after Exposure to a Sodium Hydroxide Solution, 04 11
- E2099-00(2014)^{€1} Practice for the Specification and Evaluation of Pre-Construction Laboratory Mockups of Exterior Wall Systems, 04.11
 E2100-04(2010) Practice for Calculating the International Runway Friction
- Index, **04.03**
- E2101 Withdrawn 2014; Test Method for Measuring the Frictional Properties of Winter Contaminated Pavement Surfaces Using an Averaging-Type Spot Measuring Decelerometer
- E2102-14 Test Method for Measurement of Mass Loss and Ignitability for
- Screening Purposes Using a Conical Radiant Heater, 04.07

 E2103/E2103M-13 Classification for Bridge Elements—UNIFORMAT II, 04.11

 E2104-09 Practice for Radiographic Examination of Advanced Aero and Turbine Materials and Components, 03.03

 E2105-00(2010) Practice for General Techniques of Thermogravimetric Analysis (TGA) Coupled With Infrared Analysis (TGA/IR), 03.06
- E2106-00(2011) Practice for General Techniques of Liquid Chromatography-

E2106 E2197

- Infrared (LC/IR) and Size Exclusion Chromatography-Infrared (SEC/IR) Analyses, 03.06
- E2107-06(2014) Practice for Environmental Regulatory Compliance Audits, 11.05
- E2108-10 Practice for Calibration of the Electron Binding-Energy Scale of an X-Ray Photoelectron Spectrometer, 03.06
- E2109-01(2007) Test Methods for Determining Area Percentage Porosity in
- Thermal Śprayed Coatings, 03.01

 E2110-11 Terminology for Exterior Insulation and Finish Systems (EIFS), 04.11

 E2111-12 Quantitative Carrier Test Method to Evaluate the Bactericidal,
- Fungicidal, Mycobactericidal, and Sporicidal Potencies of Liquid Chemicals, 11.05
- E2112-07 Practice for Installation of Exterior Windows, Doors and Skylights, 04.12
- E2113-13 Test Method for Length Change Calibration of Thermomechanical Analyzers, 14.02
- E2114-08 Terminology for Sustainability Relative to the Performance of Buildings, 04.12
- E2115-06 Guide for Conducting Lead Hazard Assessments of Dwellings and of Other Child-Occupied Facilities, 04.12
 E2117-06(2011) Guide for Identification and Establishment of a Quality Assurance Program for Medical Transcription, 14.01
- E2118 Withdrawn 2003; Guide for Coordination of Clinical Laboratory Services Within the Electronic Health Record Environment and Networked Architectures
- E2119 Withdrawn 2009; Practice for Quality Systems for Conducting In Situ Measurements of Lead Content in Paint or Other Coatings Using Field-Portable X-Ray Fluorescence (XRF) Devices
- E2120-10 Practice for Performance Evaluation of the Portable X-Ray Fluorescence Spectrometer for the Measurement of Lead in Paint Films, 04.12
- E2121-13 Practice for Installing Radon Mitigation Systems in Existing Low-Rise Residential Buildings, **04.12**
- E2122-02(2013) Guide for Conducting In-situ Field Bioassays With Caged Bivalves, 11.06
- E2123-10 Practice for Transmittal of Evidence in Sexual Assault Investigation, 14.02
- E2124-10 Practice for Specification for Equipment and Supplies in Sexual Assault Investigations, 14.02
- E2125-11 Guide for Microcrystal Testing in Forensic Analysis of Phencyclidine and Its Analogues, 14.02
- E2126-11 Test Methods for Cyclic (Reversed) Load Test for Shear Resistance of Vertical Elements of the Lateral Force Resisting Systems for Buildings, 04.12
- E2127-01a(2007) Methods of Static Load Test for Combined Tensile and Transverse Load Resistance of Paneled Wall Systems in Building Construction, 04.12
- E2128-12 Guide for Evaluating Water Leakage of Building Walls, 04.12 E2129-10 Practice for Data Collection for Sustainability Assessment of Building Products, 04.12
- E2130 Not Assigned
- E2131-09 Practice for Addressing and Reporting Loss, Damage, or Destruction of Tangible Property, 04.12
- E2132-11 Practice for Inventory Verification: Electronic and Physical Inventory
- of Assets, **04.12 E2133-03(2013)** Test Method for Using a Rolling Inclinometer to Measure Longitudinal and Transverse Profiles of a Traveled Surface, **04.03**
- E2134/E2134M-14 Test Method for Evaluating the Tensile-Adhesion Performance of an Exterior Insulation and Finish System (EIFS), 04.12
- Terminology for Property and Asset Management, 04.12 E2136-04(2013) Guide for Specifying and Evaluating Performance of Single
- Family Attached and Detached Dwellings—Durability, **04.12 E2137-06(2011)** Guide for Estimating Monetary Costs and Liabilities for Environmental Matters, 11.05

- E2138 Not Assigned
 E2139-05(2011) Test Method for Same-Different Test, 15.08
 E2140-01(2009) Test Method for Water Penetration of Metal Test Method for Water Penetration of Metal Roof Panel Systems by Static Water Pressure Head, 04.12
- E2141-12 Test Methods for Assessing the Durability of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, 04.12
- E2142-08 Test Methods for Rating and Classifying Inclusions in Steel Using the Scanning Electron Microscope, 03.01
 E2143-01(2013) Test Method for Using Field-Portable Fiber Optics
- Synchronous Fluorescence Spectrometer for Quantification of Field Samples for Aromatic and Polycyclic Aromatic Hydrocarbons, 03.06
- Samples for Aromatic and Polycyclic Aromatic Inglicolations, editors E2144-11 Practice for Personal Sampling and Analysis of Endotoxin in Metalworking Fluid Aerosols in Workplace Atmospheres, 11.03 E2145-07(2013) Practice for Information Modeling, 14.01 E2146 Withdrawn 2010; Guide for Detection of Nucleic Acid Sequences of the
- Human Immunodeficiency Virus HIV-1 by the Polymerase Chain Reaction Technique
- E2147-01(2013) Specification for Audit and Disclosure Logs for Use in Health Information Systems, 14.01
- E2148-11b Guide for Using Documents Related to Metalworking or Metal Removal Fluid Health and Safety, 11.03
- E2149-13a Test Method for Determining the Antimicrobial Activity of Antimicrobial Agents Under Dynamic Contact Conditions, 11.05
- E2150-13 Classification for Life-Cycle Environmental Work Elements-Environmental Cost Element Structure, 04.12
- E2151-02(2010) Terminology of Guides for Specifying and Evaluating

- Performance of Single Family Attached and Detached Dwellings, 04.12
- E2152-12 Practice for Computing the Colors of Fluorescent Objects from Bispectral Photometric Data, 06.01 E2153-01(2011) Practice for Obtaining Bispectral Photometric Data for
- Evaluation of Fluorescent Color, 06.01 E2154-01(2008) Practice for Separation and Concentration of Ignitable Liquid
- Residues from Fire Debris Samples by Passive Headspace Concentration with Solid Phase Microextraction (SPME), 14.02
- E2156-04(2013) Guide for Evaluating Economic Performance of Alternative Designs, Systems, and Materials in Compliance with Performance Standard Guides for Single-Family Attached and Detached Dwellings, 04.12
- E2157-09 Test Method for Measuring Pavement Macrotexture Properties Using the Circular Track Meter, 04.03
 E2158 Withdrawn 2010; Specification for Dedicated Short Range Communica-
- tion (DSRC) Physical Layer Using Microwave in the 902 to 928 MHz Band E2159-01(2008) Guide for Selection, Assignment, and Monitoring of Persons
- To Be Utilized as Assessors/Auditors or Technical Experts, 14.02
- **E2160-04(2012)** Test Method for Heat of Reaction of Thermally Reactive Materials by Differential Scanning Calorimetry, 14.02
- **E2161-13** Terminology Relating to Performance Validation in Thermal Analysis, 14.02
- E2162-07 Guide for Minimum Continuing Education of Individuals Involved in Psychophysiological Detection of Deception (PDD) Testing of Sex Offenders, 14.02
- E2163-06(2014) Guide for Minimum Training Requirements for Examiners Conducting Psychophysiological Detection of Deception (PDD) Testing of Sex Offenders in Treatment, Probation or Other Similar Programs, 14.02
- E2164-08 Test Method for Directional Difference Test, 15.08 E2165 Withdrawn 2007; Practice for Establishing an Uncertainty Budget for
- the Chemical Analysis of Metals, Ores, and Related Materials
- E2166-12 Practice for Organizing and Managing Building Data, 04.12 E2167-01(2008) Guide for Selection and Use of Stone Consolidants, 04.12
- E2168-10 Classification for Allowance, Contingency, and Reserve Sums in Building Construction Estimating, 04.12
 E2169-12 Practice for Selecting Antimicrobial Pesticides for Use in
- Water-Miscible Metalworking Fluids, 11.03

 E2170 Withdrawn 2013; Test Method for Determining Anaerobic Biodegradation Potential of Organic Chemicals Under Methanogenic Conditions
- E2171-02(2013) Practice for Rating-Scale Measures Relevant to the Electronic Health Record, 14.01
- E2172-01(2008) Guide for Conducting Laboratory Soil Toxicity Tests with the Nematodé, 11.06
- E2173-07(2011) Guide for Disclosure of Environmental Liabilities, 11.05
- E2174-14 Practice for On-Site Inspection of Installed Firestops, 04.12 E2175-01(2013) Practice for Specifying the Geometry of Multiangle
- Spectrophotometers, 06.01 E2176 Withdrawn 2013; Test Method for Measuring the Coefficient of Retroreflected Luminance of Pavement Markings in a Standard Condition of Continuous Wetting (R_{L-Rain}); Replaced by E2832
- E2177-11 Test Method for Measuring the Coefficient of Retroreflected Luminance (RL) of Pavement Markings in a Standard Condition of Wetness. 06.01
- E2178-13 Test Method for Air Permeance of Building Materials, 04.12 E2179-03(2009) Test Method for Laboratory Measurement of the Effectiveness of Floor Coverings in Reducing Impact Sound Transmission Through
- Concrete Floors, 04.06 E2180-07(2012) Test Method for Determining the Activity of Incorporated
- Antimicrobial Agent(s) In Polymeric or Hydrophobic Materials, 11.05 E2181/E2181M-11 Specification for Compacted Mineral-Insulated, Metal-Sheathed, Noble Metal Thermocouples and Thermocouple Cable,
- 14.03 E2182 Withdrawn 2011; Specification for Clinical XML DTDs in Healthcare E2183 Withdrawn 2011; Guide for XML DTD Design, Architecture and
- Implementation E2184 Withdrawn 2011; Specification for Healthcare Document Formats
- E2185 Withdrawn 2010; Specification for Transferring Digital Voice Data Between Independent Digital Dictation Systems and Workstations
- E2186-02a(2010) Guide for Determining DNA Single-Strand Damage in Eukaryotic Cells Using the Comet Assay, 11.06
- E2187-09 Test Method for Measuring the Ignition Strength of Cigarettes, **04.07**E2188-10 Test Method for Insulating Glass Unit Performance, **04.12**E2189-10^{c1} Test Method for Testing Resistance to Fogging in Insulating Glass
- Units, 04.12 E2190-10 Specification for Insulating Glass Unit Performance and Evaluation,
- 04.12 E2191/E2191M-10 Practice for Examination of Gas-Filled Filament-Wound
- Composite Pressure Vessels Using Acoustic Emission, 03.03
- E2192-13 Guide for Planar Flaw Height Sizing by Ultrasonics, 03.03
 E2193-08 Test Method for Ultraviolet Transmittance of Monoethylene Glycol (Ultraviolet Spectrophotometric Method), 15.05
- E2194-12 Practice for Multiangle Color Measurement of Metal Flake Pigmented Materials, 06.01
- E2195-09 Terminology Relating to Examination of Questioned Documents, 14.02
- E2196-12 Test Method for Quantification of a Pseudomonas aeruginosa Biofilm Grown with Shear and Continuous Flow Using a Rotating Disk Reactor, 11.05
- E2197-11 Quantitative Disk Carrier Test Method for Determining Bactericidal,

E2197 E2292

- Virucidal, Fungicidal, Mycobactericidal, and Sporicidal Activities of Chemicals, 11.05
- E2198-10 Specification for Phytoseiulus persimilis Athias-Henriot (Acarina:Phytoseiidae), 11.05
- E2199-08⁻¹ Specification for Encarsia formosa Gahan (Hymenoptera:Aphelinidae), 11.05
- E2200 Withdrawn 2010; Specification for Information Included with Packaging
- of Multi-Cellular Biological Control Organisms

 E2201-13 Terminology for Coal Combustion Products, 11.05

 E2202-02(2009) Practice for Measurement of Equipment-Generated
- Continuous Noise for Assessment of Health Hazards, **04.06** E2203-14 Specification for Dense Thermoplastic Elastomers Used for
- Compression Seals, Gaskets, Setting Blocks, Spacers and Accessories,
- E2204-11a Guide for Summarizing the Economic Impacts of Building-Related Projects, 04.12
- E2205/E2205M-02(2009)^{€1} Guide for Risk-Based Corrective Action for Protection of Ecological Resources, 11.05
- E2206-11 Test Method for Force Calibration of Thermomechanical Analyzers, 14 02
- **E2207-08(2013)** $^{\epsilon 1}$ Practice for Strain-Controlled Axial-Torsional Fatigue Testing with Thin-Walled Tubular Specimens, 03.01

 E2208-02(2010)^{c1} Guide for Evaluating Non-Contacting Optical Strain
- Measurement Systems, 03.01
- E2209-13 Test Method for Analysis of High Manganese Steel by Spark Atomic Emission Spectrometry, 03.05
- E2210-12 Specification for Guideline Elements Model version 3 (GEM III)—Document Model for Clinical Practice Guidelines, 14.01
- E2211-02(2010) Specification for Relationship Between a Person (Consumer) and a Supplier of an Electronic Personal (Consumer) Health Record, 14 01
- E2212-02a(2010) Practice for Healthcare Certificate Policy, 14.01
- E2213-03(2010) Specification for Telecommunications and Information Exchange Between Roadside and Vehicle Systems 5 GHz Band Dedicated Short Range Communications (DSRC) Medium Access Control (MAC) and Physical Layer (PHY) Specifications, **04.03 E2214-12**^{c1} Practice for Specifying and Verifying the Performance of
- Color-Measuring Instruments, 06.01
- E2215-10 Practice for Evaluation of Surveillance Capsules from Light-Water Moderated Nuclear Power Reactor Vessels, 12.02
- E2216-02(2013) Guide for Evaluating Disposal Options for Concrete from Nuclear Facility Decommissioning, 12.02
- E2217-12 Practice for Design and Construction of Aerospace Cleanrooms and Contamination Controlled Areas, 15.03
- E2218-02(2008) Test Method for Determining Forming Limit Curves, 03.01 E2219 Withdrawn 2009; Practice for Valuation and Management of Moveable, Durable Property
- E2220 Withdrawn 2009; Practice for Establishing the Full Valuation of the Loss/Overage Population Identified During the Inventory of Moveable, Durable Property
- E2221 Withdrawn 2011; Practice for Administrative Control of Property E2222 Withdrawn 2012; Practice for Host Computer Communication with Spectrometers for Color Measurements
- E2223-13 Practice for Examination of Seamless, Gas-Filled, Steel Pressure Vessels Using Angle Beam Ultrasonics, 03.03
- E2224-10 Guide for Forensic Analysis of Fibers by Infrared Spectroscopy, 14.02
- E2225-10 Guide for Forensic Examination of Fabrics and Cordage, 14.02
- E2226-12 Practice for Application of Hose Stream, 04.07
- Guide for Forensic Examination of Non-Reactive Dyes in Textile Fibers by Thin-Layer Chromatography, 14.02
- E2228-10 Guide for Microscopical Examination of Textile Fibers, 14.02
 E2229-09 Practices for Interpretation of Psychophysiological Detection of Deception (Polygraph) Data, 14.02
 E2230-13 Practice for Thermal Qualification of Type B Packages for
- Radioactive Material, 04.07
- **E2231-14** Practice for Specimen Preparation and Mounting of Pipe and Duct Insulation Materials to Assess Surface Burning Characteristics, 04.07
- E2232-10 Guide for Selection and Use of Mathematical Methods for Calculating Absorbed Dose in Radiation Processing Applications, 12.02
- E2234-09(2013) Practice for Sampling a Stream of Product by Attributes
 Indexed by AQL, 14.02
 E2235-04(2012) Test Method for Determination of Decay Rates for Use in
- Sound Insulation Test Methods, 04.06
- E2236-10 Test Methods for Measurement of Electrical Performance and Spectral Response of Nonconcentrator Multijunction Photovoltaic Cells and Modules, 12.02
- E2238-12 Guide for Evacuation Route Diagrams, 11.03
- E2239-12 Practice for Record Keeping and Record Preservation for Lead Hazard Activities. 04.12
- E2240-06 Test Method for Assessing the Current-Voltage Cycling Stability at 90°C (194°F) of Absorptive Electrochromic Coatings on Sealed Insulating Glass Units, 04.12
- E2241-06 Test Method for Assessing the Current-Voltage Cycling Stability at Room Temperature of Absorptive Electrochromic Coatings on Sealed
- Insulating Glass Units, 04.12

 E2242-13 Test Method for Column Percolation Extraction of Mine Rock by the Meteoric Water Mobility Procedure, 03.05

 E2243-13 Guide for Use of Coal Combustion Products (CCPs) for Surface
- Mine Reclamation: Re-contouring and Highwall Reclamation, 11.05

- E2244-11^{c1} Test Method for In-Plane Length Measurements of Thin, Reflecting Films Using an Optical Interferometer, 03.01

 E2245-11^{c1} Test Method for Residual Strain Measurements of Thin, Reflecting
- Films Using an Optical Interferometer, 03.01

 E2246-11^{c1} Test Method for Strain Gradient Measurements of Thin, Reflecting
- Films Using an Optical Interferometer, 03.01
- E2247-08 Practice for Environmental Site Assessments: Phase I Environ mental Site Assessment Process for Forestland or Rural Property, 11.05
- E2248-13 Test Method for Impact Testing of Miniaturized Charpy V-Notch Specimens, 03.01
 E2249-02(2008) Test Method for Laboratory Measurement of Airborne
- Transmission Loss of Building Partitions and Elements Using Sound Intensity, 04.06
- Withdrawn 2008; Method for Determination of Endotoxin Concentration in Water Miscible Metal Working Fluids
- E2251-11 Specification for Liquid-in-Glass ASTM Thermometers with Low-Hazard Precision Liquids, 14.03
- E2252-12 Practice for Selection of Lead Hazard Reduction Methods for Identified Risks in Residential Housing or Child Occupied Facilities, 04.12
- E2253-11 Test Method for Temperature and Enthalpy Measurement Validation
- of Differential Scanning Calorimeters, 14.02
 E2254-13 Test Method for Storage Modulus Calibration of Dynamic Mechanical Analyzers, 14.02
- E2255/E2255M-13 Practice for Conducting Visual Assessments for Lead Hazards in Buildings, 04.12
- E2256-13 Guide for Hydraulic Integrity of New, Repaired, or Reconstructed Aboveground Storage Tank Bottoms for Petroleum Service, 11.05
- E2257-13a Test Method for Room Fire Test of Wall and Ceiling Materials and Assemblies, 04.07
- E2259-03a(2011) Guide for Archiving and Retrieving Intelligent Transportation
- Systems-Generated Data, 04.03

 E2260-03(2012)^{c1} Guide for Repointing (Tuckpointing) Historic Masonry, 04.12

 E2261/E2261M-12 Practice for Examination of Welds Using the Alternating

 Current Field Measurement Technique, 03.03
- E2262-03(2014) Practice for Estimating Thurstonian Discriminal Distances, 15.08
- E2263-12 Test Method for Paired Preference Test, 15.08
- E2264-05(2013) Practice for Determining the Effects of Temperature Cycling on Fenestration Products, 04.12
- E2265-09 Terminology for Anchors and Fasteners in Concrete and Masonry, 04.12
- E2266-11 Guide for Design and Construction of Low-Rise Frame Building Wall
- Systems to Resist Water Intrusion, 04.12
 E2267-04(2013) Guide for Specifying and Evaluating Performance of Single Family Attached and Detached Dwellings—Indoor Air Quality, 04.12
- E2268-04(2011) Test Method for Water Penetration of Exterior Windows,
- Skylights, and Doors by Rapid Pulsed Air Pressure Difference, **04.12 E2269-14** Test Method for Determining Argon Concentration in Sealed Insulating Glass Units using Gas Chromatography, **04.12**
- E2270-13 Practice for Periodic Inspection of Building Facades for Unsafe Conditions, 04.12
- E2271-05a(2012)^{€1} Practice for Clearance Examinations Following Lead Hazard Reduction Activities in Dwellings, and in Other Child-Occupied Facilities, 04.12
- E2273-03(2011) Test Method for Determining the Drainage Efficiency of Exterior Insulation and Finish Systems (EIFS) Clad Wall Assemblies, 04.12
- E2274-09 Test Method for Evaluation of Laundry Sanitizers and Disinfectants, 11.05
- E2275-13 Practice for Evaluating Water-Miscible Metalworking Fluid Bioresistance and Antimicrobial Pesticide Performance, 11.05
- E2276-10 Test Method for Determining the Bacteria-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using the Fingerpads of Adults, 11.05
- **E2277-14** Guide for Design and Construction of Coal Ash Structural Fills, 11.05
- E2278-13 Guide for Use of Coal Combustion Products (CCPs) for Surface Mine Reclamation: Revegetation and Mitigation of Acid Mine Drainage, 11.05
- E2279-09 Practice for Establishing the Guiding Principles of Property Management, 04.12
- E2280-13 Guide for Fire Hazard Assessment of the Effect of Upholstered Seating Furniture Within Patient Rooms of Health Care Facilities, 04.07 E2281-08a(2012)61 Practice for Process and Measurement Capability Indices,
- 14.02 E2282-13 Guide for Defining the Test Result of a Test Method, 14.02
- E2283-08 Practice for Extreme Value Analysis of Nonmetallic Inclusions in Steel and Other Microstructural Features, 03.01
- **E2285-08** Guide for Examination of Mechanical Checkwriter Impressions. 14.02
- E2286-08a Guide for Examination of Dry Seal Impressions, 14.02 E2287-09 Guide for Examination of Fracture Patterns and Paper Fiber
- Impressions on Single-Strike Film Ribbons and Typed Text, 14.02 E2288-09 Guide for Physical Match of Paper Cuts, Tears, and Perforations in
- Forensic Document Examinations, 14.02
- E2289-08 Guide for Examination of Rubber Stamp Impressions, 14.02
- E2290-07a Guide for Examination of Handwritten Items, 14.02 E2291 Withdrawn 2012: Guide for Indentation Examinations
- E2292-04(2012) Practice for Investigation of Investigating Carbon Monoxide Poisoning Incidents, 14.02

E2293 E2394

- E2293-03(2013) Practice for Drying of Metal Bearing Ores, Concentrates, and Related Metallurgical Materials for the Determination of Mercury, 03.05
- **E2294-03(2013)** Practice for Proof Silver Corrections in Metal Bearing Ores, Concentrates, and Related Materials by Fire Assay Gravimetry, 03.05
- E2295-13 Practice for Fire Assay Silver Corrections in Analysis of Metal Bearing Ores, Concentrates, and Related Metallurgical Materials by Silver Determination in Slags and Cupels, 03.05
- E2296-03(2013) Practice for Silver Corrections in Metal Bearing Ores, Concentrates, and Related Metallurgical Materials by Fire Assay Slag Recycling and Cupel Proof Gravimetry, **03.05**
- E2297-04(2010) Guide for Use of UV-A and Visible Light Sources and Meters used in the Liquid Penetrant and Magnetic Particle Methods, 03.03
- Test Method for Instrumented Impact Testing of Metallic Materials, 03.01
- E2299-13 Guide for Sensory Evaluation of Products by Children and Minors, 15.08
- E2300-09 Specification for Highway Traffic Monitoring Devices, 04.03 Test Method for Daytime Colorimetric Properties of Fluorescent E2301-12 Retroreflective Sheeting and Marking Materials for High Visibility Traffic Control and Personal Safety Applications Using 45°:Normal Geometry, 06.01
- E2302-03a(2009) Test Method for Measurement of the Luminance Coefficient Under Diffuse Illumination of Pavement Marking Materials Using a Portable Reflectometer, 06.01
- E2303-11^{c1} Guide for Absorbed-Dose Mapping in Radiation Processing Facilities, 12.02
- E2304-03(2011) Practice for Use of a LiF Photo-Fluorescent Film Dosimetry System, 12.02
- E2306-13 Practice for Disposal of Personal Property, 04.12
- E2307-10 Test Method for Determining Fire Resistance of Perimeter Fire Barriers Using Intermediate-Scale, Multi-story Test Apparatus, 04.07
- E2308 Withdrawn 2014: Guide for Limited Asbestos Screens of Buildings
 E2309/E2309M-05(2011)^{c1} Practices for Verification of Displacement Measuring Systems and Devices Used in Material Testing Machines, 03.01
- E2310-04(2009) Guide for Use of Spectral Searching by Curve Matching Algorithms with Data Recorded Using Mid-Infrared Spectroscopy, 03.06
- E2311-04(2009) Practice for QCM Measurement of Spacecraft Molecular Contamination in Space, 15.03
- E2312-11 Practice for Tests of Cleanroom Materials, 15.03
- E2313-08 Test Method for Aldehydes in Mono-, Di-, and Triethylene Glycol
- (Spectrophotometric Method), 15.05

 E2314-03(2008) Test Method for Determination of Effectiveness of Cleaning Processes for Reusable Medical Instruments Using a Microbiologic Method (Simulated Use Test), 11.05
- E2315-03(2008) Guide for Assessment of Antimicrobial Activity Using a Time-Kill Procedure, 11.05
- E2316-03(2009) Test Method for Determination of Particles Resulting from the Attrition of Granular Pesticides, 11.05
- E2317-04(2012) Guide for Conducting Renewal Microplate-Based Life-Cycle Toxicity Tests with a Marine Meiobenthic Copepod, 11.06
- E2318 Withdrawn 2012; Guide for Environmental Health Site Assessment
- Process for Military Deployments

 E2319-04(2011) Test Method for Determining Air Flow Through the Face and Sides of Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen, 04.12

 E2320-04(2012) Classification for Serviceability of an Office Facility for
- Thermal Environment and Indoor Air Conditions, 04.12
- E2321-03(2011) Practice for Use of Test Methods, 04.12
 E2322-03(2009) Test Method for Conducting Transverse and Concentrated Load Tests on Panels used in Floor and Roof Construction, 04.12
- E2323 Withdrawn 2012; Test Method for Calculating the Concentration of Fill Gas in a Sealed Insulating Glass Unit Using Measurements From an Oxygen Analyzer
- E2324-04(2011) Guide for PDD Paired Testing, 14.02
 E2325 Withdrawn 2014; Guide for Non-destructive Examination of Paper E2326-14 Practice for Education and Training of Seized-Drug Analysts, 14.02
- E2327-10 Practice for Quality Assurance of Laboratories Performing Seized-Drug Analysis, 14.02
- E2328 Withdrawn 2005; Terminology Relating to Seized-Drug Analysis
 E2329-10 Practice for Identification of Seized Drugs, 14.02
 E2330-12 Test Method for Determination of Concentrations of Elements in
 Glass Samples Using Inductively Coupled Plasma Mass Spectrometry
 (ICP-MS) for Forensic Comparisons, 14.02
- E2331 Withdrawn 2013; Guide for Examination of Altered Documents
 E2332 Withdrawn 2013; Practice for Investigation and Analysis of Physical
- Component Failures, 14.02
 E2334-09(2013)^{c1} Practice for Setting an Upper Confidence Bound For a Fraction or Number of Non-Conforming Items, or a Rate of Occurrence for Non-conformities, Using Attribute Data, When There is a Zero Response in the Sample, 14.02
- E2335-12 Guide for Laboratory Monitors, 04.07
- Test Methods for Fire Resistive Grease Duct Enclosure Systems, E2336-14 04.07
- E2337/E2337M-10 Guide for Mutual Inductance Bridge Applications for Wall Thickness Determinations in Boiler Tubing, 03.03
- E2338-11 Practice for Characterization of Coatings Using Conformable
 Eddy-Current Sensors without Coating Reference Standards, 03.03
 E2339-11 Practice for Digital Imaging and Communication in Nondestructive
- Evaluation (DICONDE), 03.03

- E2340/E2340M-11^{c1} Test Method for Measuring the Skid Resistance of Pavements and Other Trafficked Surfaces Using a Continuous Reading, Fixed-Slip Technique, 04.03
- E2341/E2341M-05(2009) Test Method for Determining the Stopping Distance Number by Initial Speed and Stopping Distance at Traffic Incident Sites, 04.03
- E2342-10 Test Method for Durability Testing of Duct Sealants, 04.12
- E2344-04(2011) Guide for Data Capture through the Dictation Process, 14.01
 E2345 Withdrawn 2012; Practice for Investigating Electrical Incidents
 E2346/E2346M-14 Guide for Sensory Evaluation of Household Hard
- Surface-Cleaning Products with Emphasis on Spray Triggers, 15.08
- E2347-11 Test Method for Indentation Softening Temperature by Thermomechanical Analysis, 14.02
- E2348-06(2010) Guide for Framework for a Consensus-based Environmental Decision-making Process, 11.05
- E2349-12 Practice for Safety Requirements in Metal Casting Operations: Sand Preparation, Molding, and Core Making; Melting and Pouring; and Cleaning and Finishing, 11.03
- E2350-07(2013) Guide for Integration of Ergonomics/Human Factors into New
- Occupational Systems, 11.03

 E2351-04a(2013) Guide for Specifying and Evaluating Performance of Single Family Attached and Detached Dwellings—Functionality, 04.12

 E2352-04(2010) Practice for Aerospace Cleanrooms and Associated Controlled Environments—Cleanroom Operations, 15.03
- E2353-14 Test Methods for Performance of Glazing in Permanent Railing Systems, Guards, and Balustrades, 04.12
- E2354-10 Guide for Assessing the Durability of Absorptive Electrochromic Coatings within Sealed Insulating Glass Units, 04.12
- E2355-10 Test Method for Measuring the Visible Light Transmission Uniformity of an Absorptive Electrochromic Coating on a Glazing Surface, 04.12
- E2356-14 Practice for Comprehensive Building Asbestos Surveys, 11.07
 E2357-11 Test Method for Determining Air Leakage of Air Barrier Assemblies,
- 04.12 E2358-04(2010) Specification for the Performance of Glass in Permanent
- Glass Railing Systems, Guards, and Balustrades, 04.12
 E2359/E2359M-13 Test Method for Field Pull Testing of an In-Place Exterior
- Insulation and Finish System Clad Wall Assembly, 04.12 E2360-04(2010) Specification for Cryptolaemus montrouzieri Mulsant
- (Coleoptera: Coccinellidae), 11.05 E2361-13 Guide for Testing Leave-On Products Using In-Situ Methods, 11.05
- E2362-09 Practice for Evaluation of Pre-saturated or Impregnated Towelettes for Hard Surface Disinfection, 11.05
- E2363-06a Terminology Relating to Process Analytical Technology in the Pharmaceutical Industry, 14.02
- E2364-04(2010) Guide to Speech Recognition Technology Products in Health Care, 14.01
- E2365-14 Guide for Environmental Compliance Performance Assessment, 11.05
- E2366-05 Test Method for Measurement of Daytime Chromaticity of Pavement Marking Materials Using a Portable Reflection Colorimeter, 06.01
- E2367-05 Test Method for Measurement of Nighttime Chromaticity of Pavement Marking Materials Using a Portable Retroreflection Colorimeter, 06.01
- E2368-10 Practice for Strain Controlled Thermomechanical Fatigue Testing, 03 01
- E2369-12
- Specification for Continuity of Care Record (CCR), 14.01
 Test Method for Analysis of Titanium and Titanium Alloys by Direct E2371-13 Current Plasma and Inductively Coupled Plasma Atomic Emission Spectrometry (Performance-Based Test Methodology), 03.05
 E2373/E2373M-14 Practice for Use of the Ultrasonic Time of Flight Diffraction
- (TOFD) Technique, 03.03
- E2374-10 Guide for Acoustic Emission System Performance Verification, 03.03 E2375-08(2013) Practice for Ultrasonic Testing of Wrought Products, 03.03 E2377-10 Specification for Shelter, Electrical Equipment, Lightweight, 04.12
- E2378-13 Practice for the Recognition of Impaired or Retired Personal Property, 04.12
- E2379 Withdrawn 2012; Practice for Property Management for Career
- Development and Training

 E2380/E2380M-09 Test Method for Measuring Pavement Texture Drainage
 Using an Outflow Meter, 04.03
- E2381-04(2010) Guide for Dosimetry In Radiation Processing of Fluidized Beds and Fluid Streams, 12.02
- E2382-04(2012) Guide to Scanner and Tip Related Artifacts in Scanning Tunneling Microscopy and Atomic Force Microscopy, 03.06

 E2385-11 Guide for Estimating Wildlife Exposure Using Measures of Habitat
- Quality, 11.06

 E2386-04(2011) Guide for Conduct of PDD Screening Examinations, 14.02

 E2387-05(2011) Practice for Goniometric Optical Scatter Measurements, 06.01 E2388-11 Guide for Minimum Training Requirements for Forensic Document Examiners, 14.02
- E2389 Withdrawn 2014; Guide for Examination of Documents Produced with Liquid Ink Jet Technology
- E2390-06 Guide for Examination of Documents Produced with Toner Technology, 14.02
- E2392/E2392M-10^{€1} Guide for Design of Earthen Wall Building Systems, 04.12
- E2393-10a Practice for On-Site Inspection of Installed Fire Resistive Joint Systems and Perimeter Fire Barriers, 04.12
- **E2394-11** Practice for Maintenance, Renovation, and Repair of Installed Asbestos Cement Products, 11.07

E2395 E2506

- E2395-06(2013) Specification for Voluntary Security Performance of Window and Door Assemblies with and without Glazing Impact, 04.12
- E2396-11 Test Method for Saturated Water Permeability of Granular Drainage Media Falling-Head Method for Vegetative (Green) Roof Systems, 04.04
- E2397-11 Practice for Determination of Dead Loads and Live Loads Associated with Vegetative (Green) Roof Systems, 04.04
- E2398-11 Test Method for Water Capture and Media Retention of Geocom-
- posite Drain Layers for Vegetative (Green) Roof Systems, **04.04 E2399-11** Test Method for Maximum Media Density for Dead Load Analysis of Vegetative (Green) Roof Systems, **04.04 E2400-06** Guide for Selection, Installation, and Maintenance of Plants for
- Green Roof Systems, **04.04**E2402-11 Test Method for Mass Loss and Residue Measurement Validation of Thermogravimetric Analyzers, 14.02
- E2403-06(2012) Test Method for Sulfated Ash of Organic Materials by Thermogravimetry, 14.02
- E2404-13^{c1} Practice for Specimen Preparation and Mounting of Textile, Paper or Polymeric (Including Vinyl) Wall or Ceiling Coverings, and of Facings and Wood Veneers Intended to be Applied on Site Over a Wood Substrate, to Assess Surface Burning Characteristics, **04.07** E2405 Withdrawn 2011; Test Method for Determination of Fire and Thermal Parameters of Materials Using an Intermediate Scale Test with Vertically
- Oriented Specimen
- E2406-09 Test Method for Evaluation of Laundry Sanitizers and Disinfectants for Use in High Efficiency Washing Operations, 11.05

 E2407-04(2009) Test Method for Effectiveness of Defoaming Agents, 11.05
- E2408-04(2009) Test Method for Relative Extensional Viscosity of Agricultural Spray Tank Mixes, 11.05
- E2409-13 Test Method for Glycol Impurities in Mono-, Di-, Tri- and
- Tetraethylene Glycol and in Mono- and Dipropylene Glycol, **15.05** *E2410 Withdrawn 2006; Practice for Designing and Validating Performance Based Test Methods for the Analysis of Metals, Ores, and Related* Materials
- E2411 Withdrawn 2014; Replaced by Specification E2885
 E2412-10 Practice for Condition Monitoring of In-Service Lubricants by Trend Analysis Using Fourier Transform Infrared (FT-IR) Spectrometry, 05.04
- E2413-04(2009) Guide for Hospital Preparedness and Response, 15.08 E2414 Withdrawn 2014; Test Method for Quantitative Sporicidal Three-Step Method (TSM) to Determine Sporicidal Efficacy of Liquids, Liquid Sprays, and Vapor or Gases on Contaminated Carrier Surface
- E2415-05(2012) Practice for Installing Piezoelectric Highway Traffic Sensors, 04.03
- E2418-06 Guide for Readily Observable Mold and Conditions Conducive to Mold in Commercial Buildings: Baseline Survey Process, 11.05
 E2420-10 Guide for Post-Deactivation Surveillance and Maintenance of
- Radiologically Contaminated Facilities, 12.02
- E2421-10 Guide for Preparing Waste Management Plans for Decommissioning Nuclear Facilities, 12.02
- E2422-11 Digital Reference Images for Inspection of Aluminum Castings, 03.03
- E2425-11 Test Method for Loss Modulus Conformance of Dynamic Mechanical Analyzers, 14.02
- E2426-10 Practice for Pulse Counting System Dead Time Determination by Measuring Isotopic Ratios with SIMS, 03.06
- E2427-13 Test Method for Acceptance by Performance Testing for Sieves, 14.02
- E2428-08 Practice for Calibration of Torque-Measuring Instruments for Verifying the Torque Indication of Torque Testing Machines, 03.01
- E2430/E2430M-13 Specification For Expanded Polystyrene ("EPS") Thermal Insulation Boards for Use in Exterior Insulation and Finish Systems ("EIFS"), 04.12
- E2431-12 Practice for Determining the Resistance of Single Glazed Annealed
- Architectural Flat Glass to Thermal Loadings, **04.12 E2432-11** Guide for General Principles of Sustainability Relative to Buildings, 04.12
- E2435-05(2010)^{c1} Guide for Application of Engineering Controls to Facilitate Use or Redevelopment of Chemical-Affected Properties, 11.05
- E2436-05(2010) Specification for the Representation of Human Characteristics Data in Healthcare Information Systems, 14.01
- E2437 Withdrawn 2014; Practice for Designing and Validating Performance-Based Test Methods for the Analysis of Metals, Ores, and Related Materials
- E2438 Withdrawn 2014; Practice for Implementing Standard Performance Based Test Methods for the Analysis of Metals, Ores, and Related Materials
- **E2439-09** Guide for Instrumentation, Sensors and Operating Software Used in Forensic Psychophysiological Detection of Deception (Polygraph) Examinations, 14.02
- E2443-05(2010)¹¹ Guide for Verifying Computer-Generated Test Results
 Through The Use Of Standard Data Sets, 03.01
 E2444-11¹¹ Terminology Relating to Measurements Taken on Thin, Reflecting
- Films, 03.01
- E2445-05(2010) Practice for Qualification and Long-Term Stability of Computed Radiology Systems, 03.03
- E2446-05(2010) Practice for Classification of Computed Radiology Systems, 03.03
- E2448-11 Test Method for Determining the Superplastic Properties of Metallic Sheet Materials, 03.01

 E2449-05(2013) Guide for Irradiation of Pre-packaged Processed Meat and
- Poultry Products to Control Pathogens and Other Microorganisms, 12.02

- E2450-11 Practice for Application of CaF, 12.02
- E2451-13 Practice for Preserving Ignitable Liquids and Ignitable Liquid Residue Extracts from Fire Debris Samples, 14.02
- E2452-12 Practice for Equipment Management Process Maturity (EMPM) Model, 04.12
- E2453-13 Practice for Determining the Life-Cycle Cost of Ownership of Personal Property, 04.12
- E2454-05(2011) Guide for Sensory Evaluation Methods to Determine the Sensory Shelf Life of Consumer Products, 15.08
 E2455-06(2013) Guide for Conducting Laboratory Toxicity Tests with Freshwater Mussels, 11.06

- E2456-06(2012) Terminology Relating to Nanotechnology,
 E2457-07(2013) Terminology for Healthcare Informatics, 14.01
 E2458-10 Practices for Bulk Sample Collection and Swab Sample Collection of Visible Powders Suspected of Being Biothreat Agents from Nonporous Surfaces, 15.08
- E2459-05(2011) Guide for Measurement of In-Duct Sound Pressure Levels from Large Industrial Gas Turbines and Fans, 04.06
- **E2461-12** Practice for Determining the Thickness of Glass in Airport Traffic Control Tower Cabs, **04.12 E2462-10** Performance Specification for Cargo Bed Cover (CBC) HMMWV,
- Type I, **04.12**
- E2463-11 Performance Specification for Cargo Bed Cover (CBC) M105A2 Trailer, Type II, 04.12
- E2465-13 Test Method for Analysis of Ni-Base Alloys by Wavelength Dispersive X-Ray Fluorescence Spectrometry, 03.05
- E2466-13 Test Method for Colorimetry of Teeth Using Digital Still Camera Technology, 06.01
- E2467-05(2012) Practice for Developing Axle Count Adjustment Factors, 04.03 E2468-05(2012) Practice for Metadata to Support Archived Data Management Systems, **04.03**
- E2469-08a Test Method for Chloride in Mono-, Di- and Tri-ethylene Glycol by lon Chromatography, **15.05 E2470-09** Specification for Polyester Grade Ethylene Glycol, **15.05**
- E2471-05(2011)^{c1} Test Method for Using Seeded-Agar for the Screening Assessment of Antimicrobial Activity In Carpets, 11.05
- E2472-12^{c1} Test Method for Determination of Resistance to Stable Crack Extension under Low-Constraint Conditions, 03.01
- E2473-05(2011) Practice for the Occupational/Environmental Health View of the Electronic Health Record, 14.01
- E2474-14 Practice for Pharmaceutical Process Design Utilizing Process Analytical Technology, 14.02
- E2475-10 Guide for Process Understanding Related to Pharmaceutical Manufacture and Control, **14.02 E2476-09** Guide for Risk Assessment and Risk Control as it Impacts the
- Design, Development, and Operation of PAT Processes for Pharmaceutical Manufacture, 14.02
- E2478-11 Practice for Determining Damage-Based Design Stress for Glass Fiber Reinforced Plastic (GFRP) Materials Using Acoustic Emission, 03.03
- E2479-11 Practice for Measuring the Ultrasonic Velocity in Polyethylene Tank Walls Using Lateral Longitudinal (LCR) Waves, 03.03
- E2480-12 Practice for Conducting an Interlaboratory Study to Determine the Precision of a Test Method with Multi-Valued Measurands, 06.01
- **E2481-12** Test Method for Hot Spot Protection Testing of Photovoltaic Modules, 12.02
- E2484-08 Specification for Multi-Story Building External Evacuation Controlled Descent Devices, 04.12
- E2485/E2485M-13 Test Method for Freeze/Thaw Resistance of Exterior Insulation and Finish Systems (EIFS) and Water Resistive Barrier Coatings, 04.12
- E2486/E2486M-13 Test Method for Impact Resistance of Class PB and PI
- E2486/E2486M-13 Test Method for Impact Hesistance of Class PB and PI Exterior Insulation and Finish Systems (EIFS), 04.12
 E2488-09 Guide for the Preparation and Evaluation of Liquid Baths Used for Temperature Calibration by Comparison, 14.03
 E2489-11 Practice for Statistical Analysis of One-Sample and Two-Sample Interlaboratory Proficiency Testing Programs, 14.02
 E2490-09 Guide for Measurement of Particle Size Distribution of Nanomaterials in Supergiate by Better Caracterias Spectroscopy (PCS), 14.03
- rials in Suspension by Photon Correlation Spectroscopy (PCS), 14.02
- E2491-13 Guide for Evaluating Performance Characteristics of Phased-Array Ultrasonic Testing Instruments and Systems, 03.03
- E2492-07(2012) Test Method for Evaluating Springback of Sheet Metal Using the Demeri Split Ring Test, 03.01
 E2493-07 Guide for the Collection of Non-Volatile Memory Data in Evidentiary Vehicle Electronic Control Units, 14.02
 E2494-08 Guide for Examination of Typewritten Items, 14.02
 E2495-13 Practice for Prioritizing Asset Resources in Acquisition, Utilization, and Disposition 04.12

- and Disposition, 04.12
- E2497-11 Practice for Calculation of Asset Movement Velocity (AMV), 04.12 **E2499-11** Practice for Classification of Asset Physical Location Information,
- 04.12 E2500-13 Guide for Specification, Design, and Verification of Pharmaceutical and Biopharmaceutical Manufacturing Systems and Equipment, 14.02
- E2501-11 Specification for Light Source Products for Inspection of Fluorescent Coatings, 06.01
- E2502-06(2011) Guide for Medical Transcription Workstations, 14.01 E2503-13 Practice for Qualification of Basket and Paddle Dissolution Apparatus, 14.02
- E2505-07(2014) Practice for Industrial Rope Access, 04.12
 E2506-11 Guide for Developing a Cost-Effective Risk Mitigation Plan for New and Existing Constructed Facilities, 04.12

E2509 E2614

- E2509-08 Test Method for Temperature Calibration of Rheometers in Isothermal Mode, 14.02
- E2510-07(2013) Test Method for Torque Calibration or Conformance of Rheometers, 14.02
- E2511-09 Guide for Detailing of EIFS-Clad Wall Assemblies, 04.12 E2513-07(2012) Specification for Multi-Story Building External Evacuation Platform Rescue Systems, 04.12
- E2514-08 Practice for Presentation Format of Elemental Cost Estimates, Summaries, and Analyses, 04.12
- E2515-11 Test Method for Determination of Particulate Matter Emissions Collected by a Dilution Tunnel, 04.12
- E2516-11 Classification for Cost Estimate Classification System, 04.12
- E2517-13 Specification for Cargo Bed Cover, Type III (M35A2, 2, 04.12 E2518-11 Specification for Cargo Bed Cover, Type IV (M923, 5 Ton Cargo Truck/M1083, 5 Ton Medium Tactical Vehicle (MTV)/ M1082, 5 Ton MTV Trailer), 04.12
- E2520-07 Practice for Verifying Minimum Acceptable Performance of Trace Explosive Detectors, 15.08
- E2521-07a Terminology for Urban Search and Rescue Robotic Operations, 15 08
- E2522-07(2013) Guide for Quality Indicators for Health Classifications, 14.01 E2523-13 Terminology for Metalworking Fluids and Operations, 11.03
- E2524-08(2013) Test Method for Analysis of Hemolytic Properties of Nanoparticles, 14.02 E2525-08(2013) Test Method for Evaluation of the Effect of Nanoparticulate
- Materials on the Formation of Mouse Granulocyte-Macrophage Colonies, E2526-08(2013) Test Method for Evaluation of Cytotoxicity of Nanoparticulate
- Materials in Porcine Kidney Cells and Human Hepatocarcinoma Cells, 14.02 E2527-09 Test Method for Electrical Performance of Concentrator Terrestrial
- Photovoltaic Modules and Systems Under Natural Sunlight, 12.02 E2529-06(2014) Guide for Testing the Resolution of a Raman Spectrometer, 03.06
- E2530-06 Practice for Calibrating the, 03.06
 E2531-06^{c1} Guide for Development of Conceptual Site Models and Remediation Strategies for Light Nonaqueous-Phase Liquids Released to the Subsurface, 11.05
- E2532-09 Test Methods for Evaluating Performance of Highway Traffic Monitoring Devices, 04.03
- E2533-09 Guide for Nondestructive Testing of Polymer Matrix Composites
- Used in Aerospace Applications, 03.03

 E2534-10 Practice for Process Compensated Resonance Testing Via Swept Sine Input for Metallic and Non-Metallic Parts, 03.03
- E2535-07(2013) Guide for Handling Unbound Engineered Nanoscale Particles in Occupational Settings, 14.02
- E2536-14 Guide for Assessment of Measurement Uncertainty in Fire Tests, 04.07
- E2537-08 Guide for Application of Continuous Quality Verification to Pharmaceutical and Biopharmaceutical Manufacturing, 14.02
- E2538-06(2011) Practice for Defining and Implementing Pharmacotherapy Information Services within the Electronic Health Record (EHR) Environment and Networked Architectures, 14.01
- E2539-12 Practice for Multiangle Color Measurement of Interference Pigments, 06.01
- E2540-08 Test Method for Measurement of Retroreflective Signs Using a Portable Retroreflectometer at a 0.5 Degree Observation Angle, 06.01 E2541-10 Guide for Stakeholder-Focused, Consensus-Based Disaster
- Restoration Process for Contaminated Assets, 15.08
- E2542-08(2014) Specification for Portable Water Heaters Used at Personnel Decontamination Stations, 15.08
- E2543-08(2014) Specification for Portable Air Heaters Used at Personnel
- Decontamination Stations and Shelters, **15.08 E2544-11a** Terminology for Three-Dimensional (3D) Imaging Systems, **10.04 E2545-07(2012)** Test Method for Objective Measurement of Gingival Color Using Digital Still Cameras, 06.01
- E2546-07 Practice for Instrumented Indentation Testing, 03.01
 E2548-11^{c1} Guide for Sampling Seized Drugs for Qualitative and Quantitative Analysis, 14.02
- E2549-14 Practice for Validation of Seized-Drug Analytical Methods, 14.02
 E2550-11 Test Method for Thermal Stability by Thermogravimetry, 14.02
 E2551-13 Test Method for Humidity Calibration (or Conformation) of Humidity Generators for Use with Thermogravimetric Analyzers, 14.02
 E2552-08 Guide for Assessing the Environmental and Human Health Impacts
- of New Energetic Compounds, 11.06 E2553-07(2013) Guide for Implementation of a Voluntary Universal Healthcare
- Identification System, 14.01
- E2554-13 Practice for Estimating and Monitoring the Uncertainty of Test
 Results of a Test Method Using Control Chart Techniques, 14.02
 E2555-07(2012) Practice for Factors and Procedures for Applying the
- MIL-STD-105 Plans in Life and Reliability Inspection, 14.02
- E2556/E2556M-10 Specification for Vapor Permeable Flexible Sheet Water-Resistive Barriers Intended for Mechanical Attachment, 04.12 E2557-07 Practice for Probable Maximum Loss (PML) Evaluations for
- Earthquake Due-Diligence Assessments, 04.12 E2558-13 Test Method for Determining Particulate Matter Emissions from Fires in Wood-Burning Fireplaces, 04.12
- E2559-08(2014) Standard for Portable Document Format in Healthcare, a Best Practice Guide, 14.01
- E2560-13 Specification for Data Format for Pavement Profile, 04.03

E2561-07a(2012) Practice for the Installation of Inductive Loop Detectors, 04.03

- E2562-12 Test Method for Quantification of Pseudomonas aeruginosa Biofilm Grown with High Shear and Continuous Flow using CDC Biofilm Reactor,
- E2563-13 Practice for Enumeration of Non-Tuberculosis, 11.03
- E2564-13 Practice for Enumeration of, 11.03
- E2565-09 Guide for Consensus-based Process for an Occupational Safety and Health Standard that Includes an Occupational Exposure Guideline, 11.03
- E2566-08 Test Method for Determining Visual Acuity and Field of View of On-Board Video Systems for Teleoperation of Robots for Urban Search and Rescue Applications, 15.08
- E2567-13a Test Method for Determining Nodularity And Nodule Count In
- Ductile Iron Using Image Analysis, 03.01

 E2568-09^{c1} Specification for PB Exterior Insulation and Finish Systems, 04.12

 E2570/E2570M-07(2014)^{c1} Test Methods for Evaluating Water-Resistive Barrier (WRB) Coatings Used under Exterior Insulation and Finish Systems (EIFS) or EIFS with Drainage, **04.12**
- **E2573-12** Practice for Specimen Preparation and Mounting of Site-Fabricated Stretch Systems to Assess Surface Burning Characteristics, 04.07
- E2574/E2574M-12a Test Method for Fire Testing of School Bus Seat Assemblies, 04.07
- E2575-08 Test Method for Determination of Oxygen in Copper and Copper Allovs. 03.05
- E2578-07(2012) Practice for Calculation of Mean Sizes/Diameters and Standard Deviations of Particle Size Distributions, 14.02
- E2579-13 Practice for Specimen Preparation and Mounting of Wood Products to Assess Surface Burning Characteristics, 04.07
- E2580-12 Practice for Ultrasonic Testing of Flat Panel Composites and Sandwich Core Materials Used in Aerospace Applications, 03.03
- E2581-07 Practice for Shearography of Polymer Matrix Composites, Sandwich Core Materials and Filament-Wound Pressure Vessels in Aerospace Applications, 03.03
- E2582-07 Practice for Infrared Flash Thermography of Composite Panels and Repair Patches Used in Aerospace Applications, 03.03
- E2583-07(2011) Test Method for Measuring Deflections with a Light Weight Deflectometer (LWD), 04.03
- E2584-14 Practice for Thermal Conductivity of Materials Using a Thermal Capacitance (Slug) Calorimeter, 14.02 5-09 Practice for Thermal Diffusivity by the Flash Method, 14.02
- E2585-09
- E2586-13 Practice for Calculating and Using Basic Statistics, 14.02
- E2587-12 Practice for Use of Control Charts in Statistical Process Control, 14.02
- E2589-11 Terminology Relating to Nonsieving Methods of Powder Characterization, 14.02
- E2590-09 Guide for Conducting Hazard Analysis-Critical Control Point (HACCP) Evaluations, 11.06
- E2591-07(2013) Guide for Conducting Whole Sediment Toxicity Tests with Amphibians, 11.06
- E2592-07 Practice for Evaluating Cache Packaged Weight and Volume of Robots for Urban Search and Rescue, 15.08
- E2593-12 Guide for Accuracy Verification of Industrial Platinum Resistance Thermometers, 14.03
- E2594-09(2014) Test Method for Analysis of Nickel Alloys by Inductively Coupled Plasma Atomic Emission Spectrometry (Performance-Based Method), 03.05
- E2595-07(2013) Guide for Privilege Management Infrastructure, 14.01 E2597/E2597M-14 Practice for Manufacturing Characterization of Digital Detector Arrays, 03.03
- E2598/E2598M-13 Practice for Acoustic Emission Examination of Cast Iron Yankee and Steam Heated Paper Dryers, 03.03
 E2599-11 Practice for Specimen Preparation and Mounting of Reflective Insulation, Radiant Barrier and Vinyl Stretch Ceiling Materials for Building
- Applications to Assess Surface Burning Characteristics, **04.07 E2600-10** Guide for Vapor Encroachment Screening on Property Involved in Real Estate Transactions, 11.05
- E2601-08 Practice for Radiological Emergency Response, 15.08
- Test Method for the Assignment of the Glass Transition Temperature by Modulated Temperature Differential Scanning Calorimetry, 14.02
 E2603-08 Practice for Calibration of Fixed-Cell Differential Scanning
- Calorimeters, 14.02
- E2604-09 Practice for Data Characteristics of Equipment Records, 04.12
- E2605-13 Practice for Receiving Assets, 04.12
 E2606-13 Practice for Receipt Notification as a Result of Tangible Asset Movement, 04.12
- E2607-08(2013) Practice for Cannibalization/Reclamation of Serviceable Equipment Components to Support Demand Requirements, 04.12
- E2608-08(2014) Practice for Equipment Control Matrix (ECM), 04.12 E2609-08 Test Method for Odor or Flavor Transfer or Both from Rigid Polymeric Packaging, 15.08
- E2610-08(2011) Test Method for Sensory Analysis—Duo-Trio Test, 15.08 E2611-09 Test Method for Measurement of Normal Incidence Sound Transmission of Acoustical Materials Based on the Transfer Matrix Method, 04.06
- E2613-14 Test Method for Determining Fungus-Eliminating Effectiveness of Hygienic Handwash and Handrub Agents Using Fingerpads of Adults, 11.05
- E2614-08 Guide for Evaluation of Cleanroom Disinfectants, 11.05

E2615 E2730

- E2615-08 Specification for Aphidoletes aphidimyza (Rondani) (Diptera: Cecidomyiidae), 11.05
- E2616-09 Guide for Remedy Selection Integrating Risk-Based Corrective Action and Non-Risk Considerations, 11.05
- E2617-10 Practice for Validation of Empirically Derived Multivariate Calibrations, 03.06
- E2618-13 Test Method for Measurement of Particulate Emissions and Heating
- Efficiency of Solid Fuel-Fired Hydronic Heating Appliances, **04.12 E2619/E2619M-09^{c1}** Practice for Measuring and Calculating Building Loss Features That Take Up Floor Area in Buildings, **04.12 E2620-08** Classification for Program and Project Estimate Summaries, **04.12 E2623-08** Practice for Reporting Thermometer Calibrations, **14.03 E2624-09** Practice for Torque Calibration of Testing Machines and Devices,

- 03.01
- E2625-09 Practice for Controlling Occupational Exposure to Respirable Crystalline Silica for Construction and Demolition Activities, 11.03
- E2626-08⁶¹ Guide for Spectrometric Analysis of Reactive and Refractory Metals, 03.05
 E2627-13 Practice for Determining Average Grain Size Using Electron
- Backscatter Diffraction (EBSD) in Fully Recrystallized Polycrystalline Materials, 03.01
- **E2629-11** Guide for Verification of Process Analytical Technology (PAT) Enabled Control Systems, 14.02
- E2630-08(2013) Test Method for Luminance Ratio of a Fluorescent Specimen using a Narrow Band Source, 06.01
- E2631-09 Practice for Physical Placement of an Entity-Controlled Supplemental Identification Label, 04.12
- E2632/E2632M-13^{c1} Test Method for Evaluating the Under-Deck Fire Test Response of Deck Materials, 04.07
- E2634-11 Specification for Flat Wall Insulating Concrete Form (ICF) Systems, 04.12
- E2635-14 Practice for Water Conservation in Buildings Through In-Situ Water Reclamation, 04.12
- E2637-13 Guide for Utilizing the Environmental Cost Element Structure Presented by Classification E2150, 04.12
- E2638-10 Test Method for Objective Measurement of the Speech Privacy Provided by a Closed Room, 04.06
- E2639-12 Test Method for Blast Resistance of Trash Receptacles, 15.08
- E2640-10 Guide for Resource Management in Emergency Management and Homeland Security, 15.08
- E2641-09 Practice for Best Practices for Safe Application of 3D Imaging Technology, 10.04
- E2642-09 Terminology for Scientific Charge-Coupled Device (CCD) Detectors, 03.06
- E2643-09 Terminology Relating to Natural Multi-Cellular Biological Control Organisms, 11.05
- E2644-08 Specification for *Podisus maculiventris* (Say) (Hemiptera: Pentatomidae), 11.05
- E2645-08 Specification for Feltiella acarisuga (Vallot) (Diptera: Cecidomyiidae), 11.05
- E2646-08 Specification for Amblyseius cucumeris (=Neoseiulus) Oudemans (Acarina: Phytoseiidae), 11.05
- E2647-13 Test Method for Quantification of Pseudomonas aeruginosa Biofilm Grown Using Drip Flow Biofilm Reactor with Low Shear and Continuous Flow, 11.05
- E2649-12 Test Method for Determining Argon Concentration in Sealed Insulating Glass Units Using Spark Emission Spectroscopy, 04.12
- Guide for Powder Particle Size Analysis, 14.02 E2651-13
- E2652-12 Test Method for Behavior of Materials in a Tube Furnace with a Cone-shaped Airflow Stabilizer, at 750°C, 04.07
- E2653-09 Practice for Conducting an Interlaboratory Study to Determine Precision Estimates for a Fire Test Method with Fewer Than Six
- Participating Laboratories, **04.07 E2655-08** Guide for Reporting Uncertainty of Test Results and Use of the Term Measurement Uncertainty in ASTM Test Methods, **14.02 E2656-10** Practice for Real-time Release Testing of Pharmaceutical Water for
- the Total Organic Carbon Attribute, 14.02
- E2657-11 Test Method for Determination of Endotoxin Concentrations in Water-Miscible Metalworking Fluids, 11.03
- E2658-11 Practices for Verification of Speed for Material Testing Machines,
- 03.01 E2659-09^{€1}
- E2659-09^{c1} Practice for Certificate Programs, 14.02 E2660-11 Digital Reference Images for Investment Steel Castings for Aerospace Applications, 03.03
- E2661/E2661M-10 Practice for Acoustic Emission Examination of Plate-like and Flat Panel Composite Structures Used in Aerospace Applications, 03.03
- E2662-09 Practice for Radiologic Examination of Flat Panel Composites and Sandwich Core Materials Used in Aerospace Applications, 03.03
 E2663-11 Practice for Digital Imaging and Communication in Nondestructive Evaluation (DICONDE) for Ultrasonic Test Methods, 03.03
- E2664-09a Test Method for Methanol Wall Wash of Marine Vessels Handling Polyester Grade Monoethylene Glycol, 15.05 E2665-08 Specification for Archiving ITS-Generated Traffic Monitoring Data,
- 04.03 E2666-09 Practice for Correlations of Mu Values of Continuous Friction Measurement Equipment to Determine Maintenance Levels for Use at
- Airports 04.03 E2667-09 Practice for Acquiring Intersection Turning Movement Traffic Data, 04.03

E2668-10 Guide for Emergency Operations Center (EOC) Development, 15.08

- E2669-11 Digital Reference Images for Titanium Castings, 03.03
- Test Method for Objective Quantification of Dental Plaque Using E2670-09 Digital Still Cameras, 06.01
- E2671-10 Practice for Defining Movements, Shipments, and Transfers of Tangible Property, 04.12
- E2672-09 Practice for Identification and Categorization of Tooling, 04.12
- E2674-09 Practice for Assessment of Impact of Mobile Data Storage Device (MDSD) Loss, **04.12**
- E2675-09(2014) Practice for Property Management System Outcomes, 04.12 E2676-09(2014) Practice for Tangible Property Mobility Index (MI), 04.12
- E2677-14 Test Method for Determining Limits of Detection in Explosive Trace Detectors, 15.08
- Guide for Education and Training in Computer Forensics, 14.02 E2679-09 Test Method for Acidity in Mono-, Di-, Tri- and Tetraethylene Glycol byNon-Aqueous Potentiometric Titration, 15.05
- E2680-09^{c1} Test Method for Appearance of Clear, Transparent Liquids (Visual Inspection Procedure), 15.05
- E2681-13 Guide for Environmental Management of Underground Storage Tank
- Systems Storing Hazardous Substances or Petroleum, 11.05

 E2682-09 Guide for Developing a Disaster Recovery Plan for Medical
 Transcription Departments and Businesses, 14.01

 E2683-09 Test Method for Measuring Heat Flux Using Flush-Mounted Insert
- Temperature-Gradient Gages, 15.03
- Test Method for Measuring Heat Flux Using Surface-Mounted One-Dimensional Flat Gages, 15.03
- E2685-09 Specification for Steel Blades Used with the Photovoltaic Module Surface Cut Test, 12.02
- E2686-09 Test Method for Volatile Organic Compound (VOC) Solvents Absorbed/Adsorbed By Simulated Soil Impacted by Pesticide Emulsifiable
- Concentrate (EC) Applications, 11.05

 E2688-10 Practice for Specimen Preparation and Mounting of Tapes to Assess Surface Burning Characteristics, **04.07**
- E2690-10⁶² Practice for Specimen Preparation and Mounting of Caulks and
- Sealants to Assess Surface Burning Characteristics, 04.07
 E2691-11 Practice for Job Productivity Measurement, 04.12
- E2692-10 Test Method for Structural Performance of Thermal Barriers in Fenestration Products, 04.12
- E2693-09 Practice for Prevention of Dermatitis in the Wet Metal Removal Fluid Environment, 11.03
- E2694-11 Test Method for Measurement of Adenosine Triphosphate in Water-Miscible Metalworking Fluids, 11.03
- E2695-09 Guide for Interpretation of Mass Spectral Data Acquired with Time-of-Flight Secondary Ion Mass Spectroscopy, 03.06
 E2696-09(2013) Practice for Life and Reliability Testing Based on the Exponential Distribution, 14.02
- **E2698-10** Practice for Radiological Examination Using Digital Detector Arrays. 03.03
- E2699-13 Practice for Digital Imaging and Communication in Nondestructive Evaluation (DICONDE) for Digital Radiographic (DR) Test Methods, 03.03 E2700-09 Practice for Contact Ultrasonic Testing of Welds Using Phased
- Arrays, 03.03 E2707-14 Test Method for Determining Fire Penetration of Exterior Wall Assemblies Using a Direct Flame Impingement Exposure, 04.07 E2708-10 Terminology for Personnel Credentialing, 14.02
- E2709-12 Practice for Demonstrating Capability to Comply with an Acceptance Procedure, 14.02
- E2710-11⁶¹ Guide for Preservation of Charred Documents, 14.02
- E2711-11 E2712-09^{c1} Guide for Preservation of Liquid Soaked Documents, 14.02 Test Methods for Bulge-Forming Superplastic Metallic Sheet, 03.01

- E2713-11 Guide to Forensic Engineering, 14.02
 E2714-13 Test Method for Creep-Fatigue Testing, 03.01
 E2715-09 Practice for Moveable Property Storage, 04.12
- E2716-09(2014) Test Method for Determining Specific Heat Capacity by Sinusoidal Modulated Temperature Differential Scanning Calorimetry,
- E2717-11 Practice for Estimating the Environmental Load of Residential Wastewater, 04.12
- E2718-10 Guide for Financial Disclosures Attributed to Climate Change, 11.05 E2719-09(2014) Guide for Fluorescence—Instrument Calibration and Qualification, 03.06
 E2720-10 Test Method for Evaluation of Effectiveness of Decontamination
- Procedures for Air-Permeable Materials when Challenged with Biological Aerosols Containing Human Pathogenic Viruses, 11.05
- Test Method for Evaluation of Effectiveness of Decontamination Procedures for Surfaces When Challenged with Droplets Containing Human Pathogenic Viruses, 11.05
- E2722-09 Test Method for Using Seeded-Agar for the Screening Assessment of Antimicrobial Activity in Fabric and Air Filter Media, 11.05
- E2725-10 Guide for Basic Assessment and Management of Greenhouse Gases, 11.05
- E2726/E2726M-12a Test Method for Evaluating the Fire-Test-Response of Deck Structures to Burning Brands, 04.07
- E2727-10 Practice for Assessment of Rainwater Quality, **04.12**E2728-11 Guide for Water Stewardship in the Design, Construction, and Operation of Buildings, 04.12
- E2729-09 Practice for Rectification of Spectrophotometric Bandpass Differences, 06.01
- E2730-10 Practice for Calibration and Use of Thermocouple Reference

E2730 E2833

- Junction Probes in Evaluation of Electronic Reference Junction Compensation Circuits, 14.03
- **E2731-09** Specification for Materials to Mitigate the Spread of Radioactive Contamination after a Radiological Dispersion Event, **15.08 E2732-11** Practice for Responder Family Support Service, **15.08**
- E2733-10 Guide for Investigation of Equipment Problems and Releases for
- Petroleum Underground Storage Tank Systems, 11.05
 E2734/E2734M-10 Specification for Dimensions of Knife-Edge Flanges, 03.06
 E2735-14 Guide for Selection of Calibrations Needed for X-ray Photoelectron Spectroscopy (XPS) Experiments, 03.06
- E2736-10 Guide for Digital Detector Array Radiology, 03.03
- E2737-10 Practice for Digital Detector Array Performance Evaluation and Long-Term Stability, **03.03**E2738-13^{c1} Practice for Digital Imaging and Communication Nondestructive
- Evaluation (DICONDE) for Computed Radiography (CR) Test Methods,
- E2739-10 Specification for Personnel Decontamination System to be Used During a Chemical Event, **15.08 E2740-12** Specification for Trash Receptacles Subjected to Blast Resistance
- Testing, **15.08 E2741-11** Specification for Evaluation and Selection of Destinations for
- Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, 04.12
- E2742-11 Specification for Evaluation and Selection of Exhibits for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, 04.12
- E2743-11 Specification for Evaluation and Selection of Transportation for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, 04.12
- E2744-10 Test Method for Pressure Calibration of Thermal Analyzers, 14.02
 E2745-11 Specification for Evaluation and Selection of Audio Visual (AV) and Production for Environmentally Sustainable Meetings, Events, Trade
- Shows, and Conferences, **04.12 E2746-11** Specification for Evaluation and Selection of Communication and Marketing Materials for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, 04.12
- E2747-11 Specification for Evaluation and Selection of Onsite Offices for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, 04.12
- E2748-12a Guide for Fire-Resistance Experiments, 04.07
- E2749-10(2014) Practice for Measuring the Uniformity of Furnace Exposure on Test Specimens, **04.07 E2750-13**^{c1} Guide for Extern
- 0-13⁻¹ Guide for Extension of Data from Penetration Firestop System Tests Conducted in Accordance with ASTM, 04.07
- E2751/E2751M-13 Practice for Design and Performance of Supported Laminated Glass Walkways, 04.12
- E2752-10 Guide for Evaluation of Residual Effectiveness of Antibacterial Personal Cleansing Products, 11.05
 E2753-10 Specification for *Eretmocerus eremicus* Rose and Zolnerowich
- (Hymenoptera: Aphelinidae), 11.05
- E2754-10 Specification for Delphastus catalinae (Horn) (Coleoptera:Coccinel-
- lidae), 11.05 5-10 Test Method for Determining the Bacteria-Eliminating Effectiveness of Hand Sanitizer Formulations Using Hands of Adults, 11.05 E2755-10
- E2756-10 Terminology Relating to Antimicrobial and Antiviral Agents, 11.05
 E2758-10 Guide for Selection and Use of Wideband, Low Temperature Infrared Thermometers, 14.03
- E2759-10 Practice for Highway Traffic Monitoring Truth-in-Data, 04.03 E2760-10¹² Test Method for Creep-Fatigue Crack Growth Testing, 03.01 E2762-10(2014) Practice for Sampling a Stream of Product by Variables
- Indexed by AQL, 14.02 E2763-10 Practice for Computer Forensics, 14.02
- E2764-11 Practice for Uncertainty Assessment in the Context of Seized-Drug Analysis, 14.02
- E2765-11 Practice for Use of Image Capture and Storage Technology in Forensic Document Examination, 14.02
- E2766-13 Practice for Installation of Roof Mounted Photovoltaic Arrays on Steep-Slope Roofs, 12.02
- E2767-13 Practice for Digital Imaging and Communication in Nondestructive Evaluation (DICONDE) for X-ray Computed Tomography (CT) Test Methods, **03.03**
- E2768-11 Test Method for Extended Duration Surface Burning Characteristics of Building Materials (30 min Tunnel Test), **04.07 E2769-13** Test Method for Elastic Modulus by Thermomechanical Analysis
- Using Three-Point Bending and Controlled Rate of Loading, 14.02 E2770-10 Guide for Operational Guidelines for Initial Response to a
- Suspected Biothreat Agent, **15.08 E2771-11**^{ε1} Terminology for Homeland
- Terminology for Homeland Security Applications, 15.08
- E2772-13^{c1} Specification for Evaluation and Selection of Accommodations for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, 04.12
- E2773-11 Specification for Evaluation and Selection of Food and Beverage for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, 04.12
- E2774-11 Specification for Evaluation and Selection of Venues for Environmentally Sustainable Meetings, Events, Trade Shows, and Conferences, 04.12
- E2775-11 Practice for Guided Wave Testing of Above Ground Steel Pipework Using Piezoelectric Effect Transduction, 03.03
 E2777-14 Guide for Vegetative (Green) Roof Systems, 04.04

- E2779-10 Test Method for Determining Particulate Matter Emissions from Pellet Heaters, 04.12
- E2780-10 Test Method for Determining Particulate Matter Emissions from Wood Heaters, 04.12
- E2781-11 Practice for Evaluation of Methods for Determination of Kinetic Parameters by Thermal Analysis, **14.02 E2782-11** Guide for Measurement System:
- Guide for Measurement Systems Analysis (MSA), 14.02
- E2783-11 Test Method for Assessment of Antimicrobial Activity for Water Miscible Compounds Using a Time-Kill Procedure, 11.05
 E2784-10 Test Method for Evaluation of the Effectiveness of Handwash
- Formulations Using the Paper Towel (Palmar) Method of Hand Contamination, 11.05
- E2785-14 Test Method for Exposure of Firestop Materials to Severe Environmental Conditions, 04.12
- E2786-10 Test Methods for Measuring Expansion of Intumescent Materials Used in Firestop and Joint Systems, 04.12
- E2787-11 Test Method for Determination of Thiodiglycol in Soil Using Pressurized Fluid Extraction Followed by Single Reaction Monitoring Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), 15.08
- E2788-11 Specification for Use of Expanded Shale, Clay and Slate (ESCS) as a Mineral Component in the Growing Media and the Drainage Layer for Vegetative (Green) Roof Systems, **04.04 9-10** Guide for Fretting Fatigue Testing, **03.01**
- E2789-10
- Guide for Identifying and Complying With Continuing Obligations, E2790-11 11.05
- E2792-13 Test Method for Determination of Hydrogen in Aluminum and Aluminum Alloys by Inert Gas Fusion, 03.05
- E2793-10^{c1} Guide for the Evaluation, Calibration, and Correlation of E274 Friction Measurement Systems and Equipment, 04.03
- E2797-11 Practice for Building Energy Performance Assessment for a Building Involved in a Real Estate Transaction, 11.05
 E2798-11 Test Method for Characterization of Performance of Pesticide Spray
- Drift Reduction Adjuvants for Ground Application, 11.05
 E2799-12 Test Method for Testing Disinfectant Efficacy against, 11.05
 E2800-11 Practice for Characterization of, 15.08

- Test Method for Evaluating Emergency Response Robot E2801-11 Capabilities: Mobility: Confined Area Obstacles: Gaps, 15.08
- E2802-11 Test Method for Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Obstacles: Hurdles, 15.08
- E2803-11 Test Method for Evaluating Emergency Response Robot
- Capabilities: Mobility: Confined Area Obstacles: Inclined Planes, 15.08 E2804-11 Test Method for Evaluating Emergency Response Robot
- Capabilities: Mobility: Confined Area Obstacles: Stairs/Landings, 15.08
 E2805-11 Practice for Measurement of the Biological Activity of Ricin, 15.08
- E2807-11 Specification for 3D Imaging Data Exchange, Version 1.0, 10.04
- E2808-11 Guide for Microspectrophotometry and Color Measurement in Forensic Paint Analysis, 14.02
- E2809-13 Guide for Using Scanning Electron Microscopy/X-Ray Spectrometry in Forensic Paint Examinations, 14.02
- E2810-11^{c2} Practice for Demonstrating Capability to Comply with the Test for Uniformity of Dosage Units, 14.02
- E2811-11 Practice for Management of Low Risk Property (LRP), 04.12
 E2812-11 Practice for Uniform Data Management in Asset Management Records Systems, 04.12
- E2813-12 Practice for Building Enclosure Commissioning, 04.12
 E2814-11 Guide for Industrial Woven Wire Filter Cloth, 14.02
- Test Methods for Fire Resistive Metallic HVAC Duct Systems, E2816-13a 04.07
- E2817-11 Test Method for Test Fueling Masonry Heaters, 04.12
- E2818-11 Practice for Determination of Quasistatic Fracture Toughness of Welds, 03.01
- E2819-11 Practice for Single- and Multi-Level Continuous Sampling of a
- Stream of Product by Attributes Indexed by AQL, 14.02

 E2820-13 Test Method for Evaluating Thermal EMF Properties of Base-Metal Thermocouple Connectors, 14.03

 E2821-13 Specification for Compacted Mineral-Insulated, Metal-Sheathed
- Cable Used in Industrial Resistance Thermometers, 14.03
- E2823-11 Test Method for Analysis of Nickel Alloys by Inductively Coupled Plasma Mass Spectrometry (Performance-Based Method), 03.05
- E2824-11 Test Method for Determination of Beryllium in Copper-Beryllium Alloys by Phosphate Gravimetric Method, 03.05
- E2825-12 Guide for Forensic Digital Image Processing, 14.02
 E2826-11 Test Method for Evaluating Emergency Response Robot
 Capabilities: Mobility: Confined Area Terrains: Continuous Pitch/Roll Ramps, 15.08
- 7-11 Test Method for Evaluating Emergency Response Robot Capabilities: Mobility: Confined Area Terrains: Crossing Pitch/Roll Ramps, E2827-11 15.08
- E2828-11 Test Method for Evaluating Emergency Response Robot
 Capabilities: Mobility: Confined Area Terrains: Symmetric Stepfields, 15.08
 E2829-11 Test Method for Evaluating Emergency Response Robot
- Capabilities: Mobility: Maneuvering Tasks: Sustained Speed, 15.08
- E2830-11 Test Method for Evaluating the Mobility Capabilities of Emergency Response Robots Using Towing Tasks: Grasped Sleds, 15.08
- E2831/E2831M-11 Guide for Deployment of Blast Resistant Trash Receptacles in Crowded Places, 15.08
- E2832-12 Test Method for Measuring the Coefficient of Retroreflected Luminance of Pavement Markings in a Standard Condition of Continuous Wetting (RL-2), 06.01
- **E2833-12** Practice for Certification Bodies that Certify Personnel Engaged in

E2833 E2943

- Inspection and Testing of Construction Activities and Materials Used in Construction, Including Special Inspection, 14.02
- E2834-12 Guide for Measurement of Particle Size Distribution of Nanomaterials in Suspension by Nanoparticle Tracking Analysis (NTA), 14.02
- E2835-11 Test Method for Measuring Deflections using a Portable Impulse Plate Load Test Device, 04.03
- E2837-13 Test Method for Determining the Fire Resistance of Continuity Head-of-Wall Joint Systems Installed Between Rated Wall Assemblies and Nonrated Horizontal Assemblies, 04.07
- E2838-11 Test Method for Determination of Thiodiglycol on Wipes by Solvent Extraction Followed by Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS), 15.08 E2839-11 Test Method (* 7
- Test Method for Production of, 11.05
- E2840-11 Practice for Pavement Condition Index Surveys for Interlocking Concrete Roads and Parking Lots, 04.03
- E2841-11 Guide for Conducting Inspections of Building Facades for Unsafe Conditions, 04.12
- E2842-14 Guide for Credentialing for Access to an Incident or Event Site, 15.08
- E2846-11 Guide for Thermocouple Verification, 14.03
- E2847-14 Test Method for Calibration and Accuracy Verification of Wideband Infrared Thermometers, 14.03
- E2848-13 Test Method for Reporting Photovoltaic Non-Concentrator System Performance, 12.02
- E2849-13 Practice for Professional Certification Performance Testing, 14.02 E2851/E2851M-13 Specification for Ruggedness Requirements for HAZMAT Instrumentation, 15.08
- E2852-13 Guide for Acquisition, Maintenance, Storage, and Use of Hazardous Material Detection Instrumentation, 15.08
- E2853-12 Test Method for Evaluating Emergency Response Robot Capabilities: Human-System Interaction (HSI): Search Tasks: Random Mazes with Complex Terrain, 15.08
- E2854-12 Test Method for Evaluating Emergency Response Robot Capabilities: Radio Communication: Line-of-Sight Range, 15.08
- E2855-12 Test Method for Evaluating Emergency Response Robot Capabilities: Radio Communication: Non-Line-of-Sight Range, 15.08
- E2856-13 Guide for Estimation of LNAPL Transmissivity, 11.05
- Guide for Validating Analytical Methods, 03.05 E2857-11
- E2858-12 Practice for Sales of Personal Property, 04.12
- E2859-11 Guide for Size Measurement of Nanoparticles Using Atomic Force Microscopy, 14.02
- E2860-12 Test Method for Residual Stress Measurement by X-Ray Diffraction for Bearing Steels, 03.01
- E2861-11 Test Method for Measurement of Beam Divergence and Alignment in Neutron Radiologic Beams, 03.03
- E2862-12 Practice for Probability of Detection Analysis for Hit/Miss Data, 03.03
- E2863-12 Practice for Acoustic Emission Examination of Welded Steel Sphere
- Pressure Vessels Using Thermal Pressurization, 03.03

 E2864-13 Test Method for Measurement of Airborne Metal and Metal Oxide Nanoparticle Surface Area Concentration in Inhalation Exposure Chambers using Krypton Gas Adsorption, 14.02
- E2865-12 Guide for Measurement of Electrophoretic Mobility and Zeta Potential of Nanosized Biological Materials, 14.02
- E2866-12 Test Method for Determination of Diisopropyl Methylphosphonate, Ethyl Methylphosphonic Acid, Isopropyl Methylphosphonic Acid, Methylphosphonic Acid and Pinacolyl Methylphosphonic Acid in Soil by Pressurized Fluid Extraction and Analyzed by Liquid Chromatography/ Tandem Mass Spectrometry, 15.08
- E2867-13 Practice for Estimating Uncertainty of Test Results Derived from Spectrophotometry, 06.01
- E2868-13 Digital Reference Images for Steel Castings up to 2 in. (50.8 mm) in Thickness, 03.03
- E2869-13 Digital Reference Images for Magnesium Castings, 03.03
 E2870-13 Test Method for Evaluating Relative Effectiveness of Antimicrobial Handwashing Formulations using the Palmar Surface and Mechanical Hand Sampling, 11.05
- E2871-13 Test Method for Evaluating Disinfectant Efficacy Against, 11.05 E2872-14 Guide for Determining Cross-Section Averaged Characteristics of a
- Spray Using Laser-Diffraction Instruments in a Wind Tunnel Apparatus, 14.02
- E2875/E2875M-12 Guide for Personal Protective Equipment for the Handling of Flat Glass, 11.03
- E2876-13 Guide for Integrating Sustainable Objectives into Cleanup, 11.05 E2877-12^{c1} Guide for Digital Contact Thermometers, 14.03
- E2880-14 Terminology Related to Biorationals, 11.05
- E2881-13 Test Method for Extraction and Derivatization of Vegetable Oils and Fats from Fire Debris and Liquid Samples with Analysis by Gas Chromatography-Mass Spectrometry, 14.02

 E2882-12 Guide for Analysis of Clandestine Drug Laboratory Evidence, 14.02
- E2883-13 Guide for Standard Guide for the Evaluation, and Calibration, Continuous Friction Measurement Equipment (CFME), 04.03

 E2884-13⁻¹ Guide for Eddy Current Testing of Electrically Conducting
- Materials Using Conformable Sensor Arrays, 03.03
- E2885-13 Specification for Handheld Point Chemical Vapor Detectors (HPCVD) for Homeland Security Applications, 15.08

 E2886/E2886M-14 Test Method for Evaluating the Ability of Exterior Vents to
- Resist the Entry of Embers and Direct Flame Impingement, 04.07
- E2888-12 Practice for Process for Inactivation of Rodent Retrovirus by pH, 14.02

- E2889-12 Practice for Control of Respiratory Hazards in the Metal Removal Fluid Environment, 11.03
- E2890-12 Test Method for Kinetic Parameters for Thermally Unstable Materials by Differential Scanning Calorimetry Using the Kissinger Method, 14.02
- E2891-13 Guide for Multivariate Data Analysis in Pharmaceutical Development and Manufacturing Applications, 14.02
- E2893-13^{c1} Guide for Greener Cleanups, 11.05
- E2894-13 Test Method for Applying Aerosolized, 11.05
 E2895-13 Test Method for Producing High Titers of Viable and Semi-Purified Spores of Clostridium difficile using a Liquid Medium, 11.05
 E2896-12 Test Method for Quantitative Petri Plate Method (QPM) for
- Determining the Effectiveness of Antimicrobial Towelettes, 11.05
- E2897-12 Guide for Evaluation of the Effectiveness of Hand Hygiene Topical Antimicrobial Products using, 11.05
- E2898-13 Guide for Risk-Based Validation of Analytical Methods for PAT Applications, 14.02
- E2899-13 Test Method for Measurement of Initiation Toughness in Surface Cracks Under Tension and Bending, 03.01
- E2900-12 Practice for Spacecraft Hardware Thermal Vacuum Bakeout, 15.03
- E2902-12
- Practice for Measurement of Body Armor Wearers, 15.08
 Test Method for Measurement of the Effective Focal Spot Size of E2903-13 Mini and Micro Focus X-ray Tubes, 03.03
- E2904-12 Practice for Characterization and Verification of Phased Array Probes, 03.03
- E2905/E2905M-13 Practice for Examination of Mill and Kiln Girth Gear Teeth—Electromagnetic Methods, 03.03
- E2906/E2906M-13 Practice for Acoustic Pulse Reflectometry Examination of Tube Bundles, 03.03
- E2907/E2907M-13 Practice for Examination of Paper Machine Rolls Using Acoustic Emission from Crack Face Rubbing, 03.03
- E2908-12 Guide for Fire Prevention for Photovoltaic Panels, Modules, and Systems, 12.02
- E2909-13 Guide for Investigation/Study/Assay Tab-Delimited Format for Nanotechnologies (ISA-TAB-Nano): Standard File Format for the Submission and Exchange of Data on Nanomaterials and Characterizations, 14.02
- E2910-12 Guide for Preferred Methods for Acceptance of Product, 14.02
- E2911-13 Guide for the Relative Intensity Correction of Raman Spectrometers, 03.06
- E2912-13 Test Method for Fire Test of Non-Mechanical Fire Dampers Used in Vented Construction, 04.07
- E2913-14 Practice for Hotplate Digestion of Lead from Composited Wipe Samples, **04.12**
- E2914-14 Practice for Ultrasonic Extraction of Lead from Composited Wipe Samples, 04.12
- E2915-13 Specification for Additive Manufacturing File Format (AMF) Version 1.1, 15.08
- E2916-13 Terminology for Digital and Multimedia Evidence Examination, 14.02 E2918-13 Test Method for Performance Validation of Thermomechanical
- Analyzers, 14.02
- E2919-13 Test Method for Evaluating the Performance of Systems that Measure Static, Six Degrees of Freedom (6DOF), Pose, 10.04
- E2920-14 Guide for Recording Occupational Injuries and Illnesses, 11.03
 E2921-13 Terminology for Additive Manufacturing—Coordinate Systems and
- Test Methodologies, 04.12
 E2923-14 Practice for Longevity Assessment of Firestop Materials Using Differential Scanning Calorimetry, 04.12
- E2924-14 Practice for Intumescent Coatings, 04.12
- E2925-14 Specification for Manufactured Polymeric Drainage and Ventilation Materials Used to Provide a Rainscreen Function, 04.12
- E2926-13 Test Method for Forensic Comparison of Glass Using Micro X-ray Fluorescence (μ-XRF) Spectrometry, 14.02
 E2927-13 Test Method for Determination of Trace Elements in Soda-Lime
- Glass Samples Using Laser Ablation Inductively Coupled Plasma Mass Spectrometry for Forensic Comparisons, 14.02
- E2928/E2928M-13 Practice for Examination of Drillstring Threads Using the Alternating Current Field Measurement Technique, 03.03
- E2929-13 Practice for Guided Wave Testing of Above Ground Steel Piping
- with Magnetostrictive Transduction, 03.03

 E2930-13 Practice for Pressure Decay Leak Test Method, 03.03

 E2931-13 Test Method for Limiting Oxygen (Oxidant) Concentration of Combustible Dust Clouds, 14.02
- **E2933-13** Specification for Stationary Point Chemical Vapor Detectors
- (SPCVD) for Homeland Security Applications, 15.08
- E2934-13 Practice for Digital Imaging and Communication in Nondestructive Evaluation (DICONDE) for Eddy Current (EC) Test Methods, 03.03 E2935-13 Practice for Conducting Equivalence Testing in Laboratory
- Applications, 14.02
 E2936-13 Guide for Contractor Self Assessment for U.S. Government Property Management Systems, 04.12
- E2937-13 Guide for Using Infrared Spectroscopy in Forensic Paint Examinations, 14.02
- E2939-13 Practice for Determining Reporting Conditions and Expected Capacity for Photovoltaic Non-Concentrator Systems, 12.02
- E2941-13 Practice for Nitric Acid-Extraction of Elements from Ores and Related Metallurgical Materials by Closed Vessel Microwave Heating, 03.05
- E2943-14 Guide for Two-Sample Acceptance and Preference Testing with Consumers, 15.08

E2945 E2977

- E2945-14 Test Method for Film Permeability Determination Using Static Permeability Cells, 11.05
- E2946-13 Test Method for Determining the Bacteria-Reducing Effectiveness of Food-Handler Handwash Formulations Using Hands of Adults, 11.05
- E2948-14 Test Method for Conducting Rotating Bending Fatigue Tests of Solid Round Fine Wire, 03.01
- E2950-14 Specification for Metal Canopy Systems, 15.08
 E2951-13 Guide for Community Emergency Preparedness for Persons with Disabilities, 15.08
- E2952-14 Specification for Air-Purifying Respiratory Protective Smoke Escape Devices (RPED), 15.08
- E2955-13 Practice for Simulating Profilograph Response to Longitudinal Profiles of Traveled Surfaces, 04.03
- E2956-14 Guide for Monitoring the Neutron Exposure of LWR Reactor Pressure Vessels, 12.02

- E2958-14 Test Methods for Kinetic Parameters by Factor Jump/Modulated Thermogravimetry, 14.02
- E2962-14 Guide for Fleet Management, 04.12
- E2964-14 Test Method for Measurement of the Normalized Insertion Loss of Doors, **04.06**
- E2966-14 Test Method for Quantitative Assessment of Sanitizing Solutions for Carpet, 11.05
- E2971-14 Test Method for Determination of Effective Boron-10 Areal Density in Aluminum Neutron Absorbers using Neutron Attenuation Measurements, 03.03
- E2977-14 Practice for Measuring and Reporting Performance of Fourier-Transform Nuclear Magnetic Resonance (FT-NMR) Spectrometers for Liquid Samples, 03.06

ES. EMERGENCY STANDARDS

- Withdrawn 1977; Emergency Standard Specification for Automotive ES1
- Withdrawn 1977; Emergency Standard Specification for Aviation Turbine FS2
- Fuels; Replaced by D1655 Withdrawn 1977; Emergency Standard Specification for Roof and Rock Bolts and Accessories; Replaced by F432 ES3
- Withdrawn 1979; Emergency Standard Specification for Steel Castings, Ferritic and Martensitic, for Pressure-Containing and Other Applications for Low-Temperature Service; Replaced by A757/A757M
- ES5 Withdrawn 1982; Emergency Standard Specification for Automotive
- Withdrawn 1988; Emergency Standard Practice for Labeling Ceramic Art Materials for Chronic Adverse Health Hazards; Replaced by C1023 ES6
- Withdrawn 1988; Emergency Standard Test Method for Electromagnetic ES7 Shielding Effectiveness of Planar Materials; Replaced by D4935
- Withdrawn 1988; Emergency Standard Specification for Portable Kerosine Containers for Consumer Use; Replaced by F976
- Withdrawn 1988; Emergency Standard Practice for Cautionary Labeling of Portable Kerosine Containers for Consumer Use; Replaced by F926
- ES10 Withdrawn 1988: Emergency Standard Method for 24-h Batch-Type Distribution Ration (RD) for Contaminant Sorption by Soils and Sediments: Replaced by D4646
- Withdrawn 1987; Emergency Standard Specification Expanded or Exfoliated Vermiculite Thermal Insulating Cement; Replaced by C196 ES12 Withdrawn 1990; Emergency Standard Practice for Production and
- Evaluation of Field Metallographic Replicas
- ES13 Withdrawn 1990; Emergency Standard Performance Specification for Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas, and Hot Tubs; Replaced by F1346
- ES14 Withdrawn 1992; Emergency Standard Test Method for Vapor Pressure of Petroleum Products (Automatic Method); Replaced by D5190
- ES15 Withdrawn 1992; Emergency Standard Test Method for Vapor Pressure of Petroleum Products (Mini Method); Replaced by D5191
- ES16 Withdrawn 1992; Emergency Standard Practice for Generation of Environmental Data Related to Waste Management Activities
- ES17 Withdrawn 1993; Emergency Standard Specification for Special Purpose, Smooth-Tread Tire; Replaced by E1551
- ES18 Withdrawn 1992; Emergency Standard Guide for Radon Control Options for the Design and Construction of New Low Rise Residential Buildings;
- ES19 Withdrawn 1994; Emergency Standard Test Method for Particulate Contamination in Aviation Fuels by Laboratory Filtration; Replaced by

- ES20 Withdrawn 1994; Emergency Standard Test Method for Evaluating the Mechanical Properties of Fire-Retardant Treated Softwood Plywood Exposed to Elevated Temperatures; Replaced by D5516
- Withdrawn 1995; Emergency Standard Test Method for Resistance of Protective Clothing Materials to Synthetic Blood; Replaced by F1670
- Withdrawn 1995; Emergency Standard Test Method for Resistance of Protective Clothing Materials to Penetration by Blood-Borne Pathogens
- Using Viral Penetration as a Test System; Replaced by F1671 Withdrawn 1995; Emergency Standard Specification for Halon 1301 Bromotrifluoromethane (Cf3Br); Replaced by D5632 ES26 Withdrawn 1996; Emergency Standard Specification for Cautionary
- Labeling for Five Gallon Open-Head Containers (Buckets)
- Withdrawn 1996; Emergency Standard Practice for Rubber Establishing Replacement Immersion Reference Oils for ASTM No.2 and No.3 Immersion Oils as Used in Test Method D471; Replaced by D5964
- ES28 Withdrawn 1995; Emergency Standard Practice for Field Collection of Dried Paint Samples for Lead Determination by Atomic Spectrometry Techniques; Replaced by E1729
- Withdrawn 1995; Emergency Standard Practice for Field Collection of Soil Samples for Lead Determination by Atomic Spectrometry Techniques; Replaced by E1727
- Withdrawn 1995; Emergency Standard Practice for Field Collection of Settled Dust Samples Using Wipe Sampling Methods for Lead Determination by Atomic Spectrometry Techniques; Replaced by E1728
- Withdrawn 1995; Practice for Preparation of Airborne Particulate Lead Samples Collected During Abatement and Construction Activities for Subsequent Analysis by Atomic Spectrometry; Replaced by E1741
- Withdrawn 1994; Emergency Test Methods for Analysis of Digested Samples for Lead by Inductively Coupled Plasma (ICP-AES) Flame Atomic Absorption (FAAS), or Graphite Furnace Atomic Absorption (GFAAS) Techniques; Replaced by E1613
- Withdrawn 1995; Emergency Standard Practice for Hot Plate Digestion of Dust Wipe Samples for the Determination of Lead by Atomic Spectrometry; Replaced by E1644
- Withdrawn 1995; Emergency Standard Practice for Practice for Preparation of Dried Paint Samples for Subsequent Lead Analysis by Atomic Spectrometry; Replaced by E1645
- Withdrawn 1995; Guide for Risk-Based Corrective Action Applied at Petroleum Release Sites; Replaced by E1739
- ES40 Withdrawn 1997; Emergency Standard Practice for Alternative Procedures for the Assessment of Buried Steel Tanks Prior to the Addition of Cathodic Protection

F. MATERIALS FOR SPECIFIC APPLICATIONS

- Withdrawn 2009; Specification for Nickel-Clad and Nickel-Plated Steel Strip for Electron Tubes
- Withdrawn 1992; Specification for Aluminum-Clad Steel Strip and Nickel-Steel-Aluminum Composite Strip for Electron Tubes Withdrawn 2008; Specification for Nickel Strip for Electron Tubes
- F3
- F4 Withdrawn 2010: Specification for Carbonized Nickel Strip and Carbonized Nickel-Plated and Nickel-Clad Steel Strip for Electron Tubes
- Withdrawn 1994; Test Method for Volatile Content of Germanium Dioxide
- Withdrawn 1994; Test Method for Bulk Density of Germanium Dioxide F6
- F7-95(2011) Specification for Aluminum Oxide Powder, 10.04
- Withdrawn 1973; Recommended Practice for Testing Electron Tube Materials Using Reference Triodes
- Withdrawn 1992; Specification for Round Wire for Use as Grid Siderods in F9 Electron Tubes
- F10
- Withdrawn 1992; Specification for Miniature Electron Tube Leads Withdrawn 1973; Recommended Practice for Testing Electron Tube Parts F11 by Means of a Reference Planar Diode
- Withdrawn 1984; Specification for Mica Bridges for Electron Tubes Withdrawn 1979; Specification for Disk Cathode Assemblies
- F14-80(2010) Practice for Making and Testing Reference Glass-Metal Bead-Seal, 15.02
- F15-04(2013) Specification for Iron-Nickel-Cobalt Sealing Alloy, 10.04 F16-12 Test Methods for Measuring Diameter or Thickness of Wire and Ribbon for Electronic Devices and Lamps, 10.04
- F17-13a Terminology Relating to Flexible Barrier Packaging, 15.10
- F18-12 Specification and Test Method for Evaluation of Glass-to-Metal Headers Used in Electron Devices, 10.04
- F19-11 Test Method for Tension and Vacuum Testing Metallized Ceramic Seals, 10.04
- Withdrawn 1992; Specification for High-Conductivity Composite Aluminum-Steel-Copper Strip for Electron Tubes
- F21-65(2007) Test Method for Hydrophobic Surface Films by the Atomizer Test, 15.03
- F22-13 Test Method for Hydrophobic Surface Films by the Water-Break Test, 15.03
- Withdrawn 2000; Guide for Selecting Methods of Temperature Measurement of Thermionic Emitters
- F24-09 Test Method for Measuring and Counting Particulate Contamination on Surfaces, 15.03
- F25/F25M-09 Test Method for Sizing and Counting Airborne Particulate Contamination in Cleanrooms and Other Dust-Controlled Areas, 15.03
- Withdrawn 2003; Test Methods for Determining the Orientation of a Semiconductive Single Crystal
- Withdrawn 1995; Practice for Preparing a Test Ingot of Germanium by
- Hydrogen Reduction of Germanium Dioxide
 F28 Withdrawn 20032; Test Methods for Minority-Carrier Lifetime in Bulk
 Germanium and Silicon by Measurement of Photoconductivity Decay
 F29-97(2012) Specification for Dumet Wire for Glass-to-Metal Seal
- Applications, 10.04
- F30-96(2012) Specification for Iron-Nickel Sealing Alloys, 10.04
- Specification for Nickel-Chromium-Iron Sealing Alloys, 10.04
- Withdrawn 1973; Recommended Practice for Scratch-Adhesion Testing of Cathode Coatings
- Withdrawn 1971; Recommended Practice for Determination of Gas Content of Strip Materials
- F34-13 Practice for Construction of Test Cell for Liquid Extraction of Flexible Barrier Materials, 15.10
- Withdrawn 1994; Practice for Identification of Minute Crystalline Particle Contaminants by X-Ray Diffraction
- F36-99(2009) Test Method for Compressibility and Recovery of Gasket Materials, 09.02
- F37-06(2013) Test Methods for Sealability of Gasket Materials, 09.02
 F38-00(2014) Test Methods for Creep Relaxation of a Gasket Material, 09.02
- Withdrawn 1978; Methods of Testing Compressed Asbestos Sheet F39
- Withdrawn 1989; Method for Preparing Monocrystalline Test Ingots of Silicon by the Vertical-Pulling (Czochralski) Technique
- Withdrawn 1995; Practice for Preparing Silicon Single Crystals by the Floating-Zone Technique for Evaluation of Polysilicon Ingot; Replaced by F1723
- Withdrawn 2003; Test Methods for Conductivity Type of Extrinsic Semiconducting Materials
- Withdrawn 2003; Test Methods for Resistivity of Semiconductor Materials
- F44-95(2011) Specification for Metallized Surfaces on Ceramic, 10.04
- Withdrawn 1971; Method of Test for Oxygen Content of Silicon
- Withdrawn 1993; Practice for Room Temperature Resistivity Measure-ments on Thermoelectric Materials Withdrawn 1998; Test Method for Crystallographic Perfection of Silicon by F46
- Preferential Etch Techniques; Replaced by F1725
- Withdrawn 1984; Recommended Practices for Dimensioning Mica Bridges Withdrawn 1978; Specification for Molybdenum Strip for Electron Tubes
- F50-12 Practice for Continuous Sizing and Counting of Airborne Particles in Dust-Controlled Areas and Clean Rooms Using Instruments Capable of Detecting Single Sub-Micrometre and Larger Particles, **15.03 F51/F51M-00(2014)** 1 Test Method for Sizing and Counting Particulate
- Contaminant In and On Clean Room Garments, 15.03
- Withdrawn 1979; Method of Test for Silting Index of Fluids for Processing Electron and Microelectronic Devices

- Withdrawn 1984; Recommended Practice for Measurement of Sublimation from Thermionic Emitters
- Withdrawn 1981; Recommended Practice for Determining Multiple Photomask Registration
- F55 Withdrawn 1991; Specification for Stainless Steel Bar and Wire for Surgical Implants
- F56 Withdrawn 1991; Specification for Stainless Steel Sheet and Strip for Surgical Implants
- Withdrawn 1990; Test Method for Concentrating and Measuring Trace
- Quantities of Copper in High-Purity Water Used in the Electronics Industry Withdrawn 1998; Test Method of Measuring Specific Resistivity of Electronic Grade Solvents
- Withdrawn 1994; Practice for Identification of Metal Particulate
 Contamination Found in Electronic and Microelectronic Components and
 Systems Using the Ring Oven Technique, with Spot Tests
 Withdrawn 1993; Test Methods for Detection and Estimation of
- F60 Microbiological Contaminants in Water Used for Processing Electron and Microelectronic Devices
- Withdrawn 1993; Test Method for Phosphate in Electronic Grade Hydrogen Peroxide Solutions
- F62 Withdrawn 1990; Test Method for Tin in Electronic Grade Hydrogen Peroxide Solutions
- F63 Withdrawn 1984; Specification for Electronic Grade Soluble Cellulose Nitrate
- Withdrawn 1981; Method of Test for Corrosive and Adhesive Effects of Gasket Materials on Metal Surfaces; Replaced by F607
- F65 Withdrawn 1990; Specification for Primary Amyl Acetate (Mixed Isomers) for Use in Fabricating Electron Devices
- Withdrawn 1996; Test Methods for Testing Photoresists Used in F66 Microelectronic Fabrication
- Specification for Unalloyed Titanium, for Surgical Implant Applications (UNS R50250, UNS R50400, UNS R50550, UNS R50700), 13.01
- F68-10 Specification for Oxygen-Free Copper in Wrought Forms for Electron Devices, **02.01**
- F69 Withdrawn 1984; Specification for Diethyl Oxalate for Use in Fabricating Electron Devices
- F70 Withdrawn 1990; Specification for Cathode Carbonates
- Withdrawn 2005; Prectice for Using the Morphological Key for the Rapid Identification of Fibers for Contamination Control in Electron Devices and Microelectronics; Replaced by D276
- F72-06 Specification for Gold Wire for Semiconductor Lead Bonding, 10.04 F73-96(2013) Specification for Tungsten-Rhenium Alloy Wire for Electron Devices and Lamps, 10.04
- Devices and Lamps, 10.04

 Withdrawn 1994; Practice for Determining Hydrolytic Stability of Plastic Encapsulants for Electronic Devices

 F75-12 Specification for Cobalt-28 Chromium-6 Molybdenum Alloy Castings and Casting Alloy for Surgical Implants (UNS R30075), 13.01

 F76-08 Test Methods for Measuring Resistivity and Hall Coefficient and Determining Hall Mobility in Single-Crystal Semiconductors, 10.04

 Withdrawn 2001; Test Method for Apparent Density of Ceramics for Electron Power and Semiconductor Applies for Semiconductor Application
- Electron Device and Semiconductor Application
- Withdrawn 2008; Test Method for Calibration of Helium Leak Detectors by Use of Secondary Standards
- F79-69(2010) Specification for Type 101 Sealing Glass, 15.02
- Withdrawn 1998; Test Method for Crystallographic Perfection of Epitaxial Deposits of Silicon by Etching Techniques; Replaced by F1726
- Withdrawn 2003; Test Method for Measuring Radial Resistivity Variation on Silicon Wafers
- Withdrawn 1976; Recommended Practice for Fast Quality Check on Immersion for Nonmetallic Gasket Materials
- F83-71(2013) Practice for Definition and Determination of Thermionic Constants of Electron Emitters, 10.04
- Withdrawn 2003: Test Method for Measuring Resistivity of Silicon Wafers With an In-Line Four-Point Probe
- F85-76(2013) Practice for Nomenclature for Wire Leads Used as Conductors in Electron Tubes, 10.04
- F86-13 Practice for Surface Preparation and Marking of Metallic Surgical Implants, 13.01
- Withdrawn 1980; Method of Test for Rate of Grease Penetration of Flexible Barrier Materials
- F88/F88M-09 Test Method for Seal Strength of Flexible Barrier Materials, 15.10
- Withdrawn 1980; Method for Determination of the Modulus of a Flexible Barrier Material by Sonic Method
- F90-09 Specification for Wrought Cobalt-20Chromium-15Tungsten-10Nickel Alloy for Surgical Implant Applications (UNS R30605), 13.01
 F91-06(2011) Practice for Testing for Leaks in the Filters Associated With Laminar Flow Clean Rooms and Clean Work Stations by Use of a Condensation Nuclei Detector, 15.03
- F92-93(2008) Practice for Determination of Character Yield of Inked Fabric Typewriter and Printer Ribbons, 15.09
- Withdrawn 1979; Recommended Practice for Preparation of Specifications for the Procurement of Photomasks
- F94 Withdrawn 1992: Test Method for Aluminum in Electronic Grade Hydrogen Peroxide
- Withdrawn 2003: Test Method for Thickness of Lightly Doped Silicon Epitaxial Layers on Heavily Doped Silicon Substrates Using an Infrared Dispersive Spectrophotometer

F96 F217

- F96-77(2010) Specification for Electronic Grade Alloys of Copper and Nickel in Wrought Forms, 10.04
- Withdrawn 2008; Practices for Determining Hermeticity of Electron Devices by Dye Penetration
- Withdrawn 1992; Practices for Determining Hermeticity of Electron Devices by a Bubble Test
- F99-07(2011) Guide for Writing a Specification for Flexible Barrier Rollstock Materials. 15.10
- F100 Withdrawn 1996; Test Method for Shrinkage Stresses in Plastic Embedment Materials Using a Photoelastic Technique for Electronic and Similar Applications
- Withdrawn 1973; Specification for Composite Strip of Iron-Nickel-Cobalt Alloy and Copper for Use in Electron Devices
- Withdrawn 1990; Method for Spectrochemical Analysis of Emissive Carbonates by the Powder D-C Arc Technique
- Withdrawn 1972; Specification for Alumina; Replaced by D2442 Classification System for Nonmetallic Gasket Materials, 09.02
- F105-72(2010) Specification for Type 58 Borosilicate Sealing Glass, 15.02 F106-12 Specification for Brazing Filler Metals for Electron Devices, 10.04
 F107 Withdrawn 1976; Recommended Practice for Boron-Deoxidized Copper
- in Wrought Forms for Electron Devices F108 Withdrawn 1993; Test Method for Resistivity of Silicon Epitaxial Layers
- by the Three-Probe Voltage Breakdown Method
- F109-12 Terminology Relating to Surface Imperfections on Ceramics, 15.02 F110 Withdrawn 2003; Test Method for Thickness of Epitaxial or Diffused Layers in Silicon by the Angle Lapping and Staining Technique
- Withdrawn 2008; Practice for Determining Barium Yield, Getter Gas Content, and Getter Sorption Capacity for Barium Flash Getters
- F112-00(2013) Test Method for Sealability of Enveloped Gaskets, 09.02 F113 Withdrawn 1995; Method for Stiffness Testing of Wire for Electron Devices and Lamps
- F114 Withdrawn 1980; Specification for Bone Screw Threads; Replaced by F543
- F115 Withdrawn 1980: Specification for Bone Screw Heads: Replaced by F543
- F116-12 Specification for Medical Screwdriver Bits, 13.01
- F117 Withdrawn 2001; Test Method for Driving Torque of Medical Bone Screws; Replaced by F543, F1622
- F118-13 Definitions of Terms Relating to Gaskets, 09.02
- F119-82(2008) Test Method for Rate of Grease Penetration of Flexible Barrier Materials (Rapid Method), 15.10
- F120 Withdrawn 1993; Practices for Determination of the Concentration of Impurities in Single Crystal Semiconductor Materials by Infrared
- Absorption Spectroscopy Withdrawn 1990; Test Method for Interstitial Atomic Oxygen Content of Silicon by Infrared Absorption
- Withdrawn 1990; Test Method for Interstitial Atomic Oxygen Content of F122 Germanium by Infrared Absorption
- F123 Withdrawn 1992; Test Method for Substitutional Atomic Carbon Content of Silicon by Infrared Absorption; Replaced by F1391
- F124 Withdrawn 1976; Method of Test for Coincident Current Memory Core
- Withdrawn 1976; Method of Test for Non-Metallic Magnetic Cores to be F125 Used in a Linear Select Memory With a Non-Symmetrical Ratio Operation
- Under Full Switching Conditions Withdrawn 1976; Terms and Definitions Which Relate to the Use and Testing of Ferrite Memory Cores and Memory Core Arrays
- Withdrawn 1993; Definitions of Terms Relating to Photomasking Technology for Microelectronics
- F128 Withdrawn 1992; Methods of Testing Sleeves and Tubing for Electron Tube Cathodes
- F129-97(2008) Practice for Amount of Ink Deposit on Carbon Paper and Inked Ribbons, Other Than Fabric Type, 15.09
 F130 Redesignated A883
- Redesignated A893 F131
- Withdrawn 1987; Methods of Testing Nonmetallic Magnetic Cores to be F132 Used in a Coincident Current Memory With a Two-to-One Selection Ratio Operating Under Full Switching Conditions
- F133 Redesignated A894
- F134 Withdrawn 1996; Test Methods for Determining Hermeticity of Electron
- Devices with a Helium Mass Spectrometer Detector Withdrawn 1998: Test Method for Embedment Stress Caused by Casting Compounds on Glass-Encased Electronic Components
- Specification for Wrought Titanium-6Aluminum-4Vanadium ELI (Extra F136-13 Low Interstitial) Alloy for Surgical Implant Applications (UNS R56401), 13.01
- F137-08(2013) Test Method for Flexibility of Resilient Flooring Materials with Cylindrical Mandrel Apparatus, 15.04
- F138-13a Specification for Wrought 18Chromium-14Nickel-2.5Molybdenum Stainless Steel Bar and Wire for Surgical Implants (UNS S31673), 13.01

 F139-12 Specification for Wrought 18Chromium-14Nickel-2.5Molybdenum
- Stainless Steel Sheet and Strip for Surgical Implants (UNS \$31673), 13.01
- F140-98(2013) Practice for Making Reference Glass-Metal Butt Seals and
- Testing for Expansion Characteristics by Polarimetric Methods, 15.02

 F141-12 Terminology Relating to Resilient Floor Coverings, 15.04

 F142 Withdrawn 2007; Test Method for Indentation of Resilient Floor Tiles
 (McBurney Test); Replaced by F1914

 F143 Withdrawn 1985; Method of Test for Thickness of Epitaxial Layers of
- Silicon by Measurement of Stacking Fault Dimension

- F144-80(2010) Practice for Making Reference Glass-Metal Sandwich Seal and Testing for Expansion Characteristics by Polarimetric Methods, 15.02 F145-72(2009) Practice for Evaluating Flat-Faced Gasketed Joint Assemblies,
- 09.02 F146-12 Test Methods for Fluid Resistance of Gasket Materials, 09.02
- F147-87(2009) Test Method for Flexibility of Non-Metallic Gasket Materials, 09.02
- F148-13 Test Method for Binder Durability of Cork Composition Gasket Materials. 09.02
- F149-92b(2009) Terminology Relating to Optical Character Recognition, 15.09 F150-06(2013) Test Method for Electrical Resistance of Conductive and Static Dissipative Resilient Flooring, 15.04
- F151 Withdrawn 2004; Test Method for Residual Solvents in Flexible Barrier Materials
- F152-95(2009) Test Methods for Tension Testing of Nonmetallic Gasket Materials, 09.02
- F153-95(2008) Test Method for Determining the Yield of Wide Inked Computer Ribbons, 15.09
- Withdrawn 2003; Guide for Identification of Structures and Contaminants Seen on Specular Silicon Surfaces Withdrawn 1983; Method of Test for Temper of Strip and Sheet Metals
- F155 for Electronic Devices (Spring-Back Method)
- F156 Not Assigned
- Withdrawn 1959; Methods of Testing Wire for Supports Used in F157 Electronic Devices and Lamps
- Not Assigned F159 Not Assigned
- F160 Not Assigned
- F161 Not Assigned
- F162 Not Assigned
- F163 Not Assigned
- F164 Not Assigned F165
- Not Assigned F166 Not Assianed
- F167 Not Assigned
- F168 Not Assigned
- F169 Not Assigned
- F170 Not Assigned
- F171 Not Assigned
- F172 Not Assigned
- F173 Not Assigned F174 Not Assigned
- F175 Withdrawn 1963; Specification for Round Nickel Wire for Lamps and Flectronic Devices
- F176 Not Assianed
- F177 Not Assigned
- F178 Not Assigned
- F179 Not Assigned F180-94(2010)^{c1} Te Test Method for Density of Fine Wire and Ribbon Wire for Electronic Devices, 10.04
- F181 Not Assigned
- F182 Not Assigned
- F183 Not Assigned
- Not Assigned F184 F185
- Not Assigned F186 Not Assigned
- F187 Not Assigned
- F188 Not Assigned F189 Not Assigned
- Not Assigned F190
- F191 Not Assigned
- F192 Not Assigned
- F193 Not Assigned
- F194 Not Assigned
- F195 Not Assigned
- F196 Not Assigned
- F197 Not Assigned
- F198 Not Assigned F199 Not Assigned
- F200 Not Assigned
- F201 Not Assigned
- Not Assigned F202
- Withdrawn 1965; Method of Test for Strength of Welded Joints of Lead F203 Wires for Electronic Devices and Lamps
- F204-76(2013) Test Method for Surface Flaws in Tungsten Seal Rod and Wire, 10.04
- F205-94(2010)^{c1} Test Method for Measuring Diameter of Fine Wire by Weighing, 10.04
- F206 Not Assigned
- Not Assigned F207
- F208 Not Assigned
- Not Assigned F209
- F210 Not Assigned
- F211 Not Assigned
- F212 Not Assigned
- F213 Not Assigned
- F214 Not Assigned F215 Not Assigned
- F216 Not Assigned
- F217 Not Assigned

F218 F346

F218-13 Test Method for Measuring Optical Retardation and Analyzing Stress in Glass, 15.02 F219-96(2013) Test Methods of Testing Fine Round and Flat Wire for Electron Devices and Lamps, 10.04 F220 Not Assigned F221-98(2009) Terminology Relating to Carbon Paper and Inked Ribbon Products and Images Made Therefrom, 15.09 F222 Not Assigned Not Assigned F223 Not Assigned F224 Not Assigned F225 F226 Not Assigned Not Assigned F227 F228 Not Assigned Not Assigned F229 F230 Not Assigned F231 Not Assigned F232 Withdrawn 1984; Method of Test for Curl Resistance of Carbon Paper F233 Not Assianed F234 Not Assigned F235 Not Assigned Not Assigned F236 F237 Not Assigned F238 Withdrawn 1978; Recommended Practice for Cathode Melt Prove-in F239 Withdrawn 1992; Specification for Nickel-Alloy Cathode Sleeves for Electron Devices F240 Not Assigned F241 Not Assigned F242 Not Assigned F243 F244 Not Assigned Not Assigned Not Assigned F245 F246 Not Assigned F247 Not Assigned F248 Not Assigned F249 Not Assigned F250 Not Assigned Not Assigned F251 F252 Not Assigned F253 Not Assigned F254 Withdrawn 1998; Test Method for Slip Resistance of Carbon Paper F255 Not Assigned F256-05(2010) Specification for Chromium-Iron Sealing Alloys with 18 or 28 Percent Chromium, 10.04

Withdrawn 1973; Specification for 28% Chromium-Iron Alloy for Sealing F257 to Glass: Combined with F 256 Not Assigned Not Assigned F259 F260 Not Assigned F261 Not Assigned F262 Not Assigned F263 Not Assigned F264 Not Assigned F265 Not Assigned F266 Not Assigned Not Assigned F267 Withdrawn 1959; Specification for Round Chromium-Copper Wire for F268 Electronic Devices F269-60(2009) Test Method for Sag of Tungsten Wire, 10.04 Withdrawn 1972; Recommended Practice for Testing Relative Thermionic Emissive Properties of Electron Tube Materials Using a Reference Cylindrical Diode Not Assigned F271 Not Assigned F272 Not Assigned F273 Not Assigned F274 Not Assigned F275 F276 Not Assigned F277 Not Assigned Withdrawn 1972; Method of Test for Sublimination Characteristics of F278 Metallic Materials in Cathode Sleeve Form by Electrical Resistance F279 Not Assigned F280 Not Assigned Not Assigned F281 F282 Not Assigned F283 Not Assigned F284 Not Assigned F285 Not Assigned Not Assianed F286 F287 Not Assigned F288-96(2009) Specification for Tungsten Wire for Electron Devices and Lamps, 10.04 F289-96(2009) Specification for Molybdenum Wire and Rod for Electronic Applications, 10.04 F290-94(2010) Specification for Round Wire for Winding Electron Tube Grid

Laterals, 10.04

Not Assigned

Not Assigned

Not Assigned

F291

F292 F293

F294 Not Assigned Not Assigned F295 F296 Not Assigned Not Assigned F297 F298 Not Assigned F299 Not Assigned F300 Withdrawn 1992; Test Methods for Measuring Interface Impedance Characteristics of Electron Tube Cathodes F301 Withdrawn 2000; Practice for Open Bottle Tap Sampling of Liquid Streams F302-09 Practice for Field Sampling of Aerospace Fluids in Containers, 15.03 F303-08 Practices for Sampling for Particles in Aerospace Fluids and Components, 15.03 Withdrawn 1988; Method of Sampling for Particulates from Aerospace Components With Convolutes Withdrawn 1988; Method of Sampling Particulates from Reservoir-Type Pressure-Sensing Instruments by Fluid Flushing F306 Withdrawn 2000; Practice for Sampling Particulates from Man-Accessible Storage Vessels for Aerospace Fluids by Vacuum Entrainment Technique (General Method) F307-13 Practice for Sampling Pressurized Gas for Gas Analysis, 15.03
F308 Withdrawn 1988; Method of Sampling Gas Blow-Down Systems and
Components for Particulate Contamination by Manual Method F309-04(2010) Practice for Liquid Sampling of Noncryogenic Aerospace Propellants, 15.03 F310-07(2012) Practice for Sampling Cryogenic Aerospace Fluids, 15.03 F311-08(2013) Practice for Processing Aerospace Liquid Samples for Particulate Contamination Analysis Using Membrane Filters, 15.03 F312-08 Test Methods for Microscopical Sizing and Counting Particles from Aerospace Fluids on Membrane Filters, 15.03 F313 Redesignated D4898 Withdrawn 1991; Test Methods for Identification of Metallic and Fibrous Contaminants in Aerospace Fluids F314 Withdrawn 1998: Test Methods of Identification of Solder and Solder Flux Contaminants in Aerospace Fluids F316-03(2011) Test Methods for Pore Size Characteristics of Membrane Filters by Bubble Point and Mean Flow Pore Test, 11.02 F317 Withdrawn 1995; Test Method for Liquid Flow Rate of Membrane Filters F318 Withdrawn 2013; Practice for Sampling Airborne Particulate Contamination in Cleanrooms for Handling Aerospace Fluids; Replaced by F25/F25M F319-09 Practice for Polarized Light Detection of Flaws in Aerospace Transparency Heating Elements, 15.03 F320-10 Test Method for Hail Impact Resistance of Aerospace Transparent Enclosures, 15.03 F321 Withdrawn 1983; Automatic Particle Counter Size Setting Method Withdrawn 1992; Method for Determining the Quality of Calibration F322 Particles for Automatic Particle Counters F323 Withdrawn 1989; Practice for Precision Classification of Particles F324 Withdrawn 1987; Test Method for Nonvolatile Residue of Volatile Cleaning Solvents Using the Solvent Purity Meter F325 Not Assigned F326-96(2012) Test Method for Electronic Measurement for Hydrogen Embrittlement From Cadmium-Electroplating Processes, 15.03 F327-08 Practice for Sampling Gas Blow Down Systems and Components for Particulate Contamination by Automatic Particle Monitor Method, 15.03 Withdrawn 2007; Practice for Calibration of an Airborne Particle Counter Using Monodisperse Spherical Particles Withdrawn 1993; Practice for Sampling and Measurement of Particulate Contamination in Liquids Using an In-Line Automatic Monitor Test Method for Bird Impact Testing of Aerospace Transparent F330-10 Enclosures, 15.03 F331-13 Test Method for Nonvolatile Residue of Solvent Extract from Aerospace Components (Using Flash Evaporator), 15.03

Withdrawn 1982; Method of Test for Amount of Nonvolatile Residue (NVR) in Trichlorotrifluouroethane (Meseran Procedure) F333 Withdrawn 1982; Method of Test for Amount of Lubricant on the Surface of Aluminum Foils (Meseran Procedure) F334 Withdrawn 1990; Method for Measuring Lithium-Ion Drift Mobility in Germanium Single Crystals F335-03(2009) Terminology Relating to Electrostatic Imaging, 15.09
F336-02(2009) Practice for Design and Construction of Nonmetallic Enveloped
Gaskets for Corrosive Service, 09.02
F337 Withdrawn 1982; Recommended Practice for Dimensions and Tolerances for Bone Plates; Replaced by F786 Withdrawn 1982; Specification for Tipial-Type Bone Plate; Replaced by F338 F339 Withdrawn 1998; Specification for Cloverleaf Intramedullary Pins Withdrawn 1997; Specification for Pilot-Type Medical Countersinks F340 Withdrawn 1982; Specification for Slotted Bone Plates; Replaced by F341 F786 F342 Withdrawn 1993; Specification for Counterlocking Screws (Thornton Type) Withdrawn 1993; Specification for Counterlocking Screws (Mclaughlin F343 Withdrawn 1993; Specification for Counterbored Hex-Head Bolts

(Thornton Type) Made from Stainless Steel

Type) Made from Cobalt-Chromium Alloy

F345 Withdrawn 1993: Specification for Counterbored Hex-Head Bolts

(Mclaughlin Type) Made from Stainless Steel F346 Withdrawn 1993; Specification for Cannulated Hex-Head Bolts (Thornton F347 F440

- F347 Withdrawn 1993; Specification for Cannulated Hex-Head Bolts (Mclaughlin Type) Made from Cobalt-Chromium Alloy
- Withdrawn 1993; Specification for Hex-Head Bolts (Thornton Type) F348 Made from Cobalt-Chromium Alloy
- F349 Withdrawn 1993; Specification for Hex-Head Bolts (Mclaughlin Type) Made from Cobalt-Chromium Alloy
- F350 Withdrawn 1993; Specification for Hex-Head Bolts (Thornton Type) and
- Lock Washers Made from Stainless Steel F351 Withdrawn 1993; Specification for Hex-Head Bolts (Mclaughlin Type) and Lock Washers Made from Stainless Steel
- F352 Withdrawn 1993; Specification for Lock Washers Made from Stainless Steel
- F353 Withdrawn 1991; Specification for Tri-Fin Nails Made from Cobalt-Chromium Alloy; Replaced by F1028
- Withdrawn 1991; Specification for Tri-Fin Nails Made from Stainless Steel; Replaced by F1028
- F355-10a Test Method for Impact Attenuation of Playing Surface Systems and Materials, 15.07
- Withdrawn 2001; Specification for Beryllia Ceramics for Electronic and F356 Electrical Applications
- Withdrawn 2008: Practice for Determining Solderability of Thick Film F357 Conductors
- F358 Withdrawn 2008; Test Method for Wavelength of Peak Photoluminescence and the Corresponding Composition of Gallium Arsenide Phosphide Wafers
- Withdrawn 2003; Practice for Static Immersion Testing of Unstressed Materials in Nitrogen Tetroxide (N2O4)
- F360-82(2011) Practice for Image Evaluation of Electrostatic Business Copies, 15.09
- Withdrawn 1987; Practice for Assessment of Compatibility of Metallic Materials for Surgical Implants With Respect to Effect of Materials on Tissue; Replaced by F981
- F362/F362M-91(2010)⁶¹ Test Method for Determining the Erasability of Inked Ribbons, 15.09

 F363-99(2011) Test Method for Corrosion Testing of Gaskets, 09.02
- Specification for Molybdenum Flattened Wire for Electron F364-96(2009) Tubes, 10.04
- F365 Withdrawn 1977; Recommended Practice for Electrostatic Charge Mobility on Flexible Barrier Materials
- F366-10 Specification for Fixation Pins and Wires, 13.01
- F367 Withdrawn 1997; Specification for Holes and Slots for Inch Cortical Bone Screws
- F367M Withdrawn 1997; Specification for Holes and Slots with Spherical Contour for Metgric Cortical Bone Screws [Metric] F368 Withdrawn 1982; Specification for Fixation Pins-Knowles and Hagie
- Types; Replaced by F366
- F369 Withdrawn 1982; Specification for Hip Nail-Jewett Type; Replaced by F787
- F370 Withdrawn 2005; Specification for Proximal Femoral Endoprosthesis F371 Withdrawn 2003; Test Methods for Compatibility of Materials with Liquid
- Oxygen (Reaction Intensity Method) Withdrawn 2009; Test Method for Water Vapor Transmission Rate of Flexible Barrier Materials Using an Infrared Detection Technique
- F373-13 Test Method for Embossed Depth of Resilient Floor Coverings, 15.04
 F374 Withdrawn 2003; Test Method for Sheet Resistance of Silicon Epitaxial, William 2005, lest intelligent to Taleet nesistative of Silicoln Diffused, Polysilicon, and Ion-implanted Layers Using an In-Line Four-Point Probe with the Single-Configuration Procedure
- F375-89(2010) Specification for Integrated Circuit Lead Frame Material, 10.04 F376/F376M Withdrawn 1994; Test Methods for Tires for Wet Traction Performance in Cornering
- F377-03(2009) Practice for Calibration of Braking/Tractive Measuring Devices
- for Testing Tires, **09.02**F378 Withdrawn 1978; Method of Test for Electrical Ignition Characteristics of Gas-Filled Flash Lamps
- F379 Withdrawn 1994; Test Method for Measuring Slope Efficiency and Lasing Threshold of Ruby Laser Rods
- F380 Withdrawn 1994; Test Method for Effective Fluorescent Lifetime of Neodymium-Doped Laser Materials
- F381-14 Safety Specification for Components, Assembly, Use, and Labeling of
- Consumer Trampolines, **15.07 F382-99(2008)**^{c1} Specification and Test Method for Metallic Bone Plates, **13.01** *F383 Withdrawn 1996; Practice for Static Bend and Torsion Testing of* Intramedullary Rods
- F384-12 Specifications and Test Methods for Metallic Angled Orthopedic Fracture Fixation Devices, 13.01
- F385 Not Assigned
 F386-11 Test Method for Thickness of Resilient Flooring Materials Having Flat Surfaces, 15.04
- F387-11 Test Method for Measuring Thickness of Resilient Floor Covering With Foam Layer, 15.04

 Withdrawn 1993; Method for Measurement of Oxide Thickness on
- Silicon Wafers and Metallization Thickness by Multiple-Beam Interference (Tolanksy Method)
- Withdrawn 1993; Test Method for Crystallographic Perfection of Germanium by Preferential Etch Techniques
- F390-11 Test Method for Sheet Resistance of Thin Metallic Films With a Collinear Four-Probe Array, 10.04
- Withdrawn 2003; Test Methods for Minority Carrier Diffusion Length in Extrinsic Semiconductors by Measurement of Steady-State Surface Photovoltage

- F392/F392M-11 Practice for Conditioning Flexible Barrier Materials for Flex Durability, 15.10
- Withdrawn 1982; Recommended Practice for Inspection of Pneumatic Tires Prior to Retreading
- Withdrawn 2001; Test Method for Biaxial Flexure Strength (Modulus of Rupture) of Ceramic Substrates
- F395-10 Terminology Relating to Vacuum Cleaners, 15.08
- F396-00(2009) Practice for Comparing One-Time Noncorrectable Typewriter Ribbons, 15.09
- Withdrawn 2003: Test Method for Resistivity of Silicon Bars Using a Two-Point Probe
- Withdrawn 2003; Test Method for Majority Carrier Concentration in Semiconductors by Measurement of Wavenumber or Wavelength of the Plasma Resonance Minimum
- Withdrawn 2003; Test Method for Thickness of Heteroepitaxial or Polysilicon Layers
- F400-10 Consumer Safety Specification for Lighters, 15.11
- F401 Withdrawn 1980; Method of Test for Yield and Maintainence Factors for Gaskets
- F402-05(2012) Practice for Safe Handling of Solvent Cements, Primers, and Cleaners Used for Joining Thermoplastic Pipe and Fittings, 08.04
 F403 Withdrawn 2007; Test Method for Tires for Wet Traction in Straight-
- Ahead Braking, Using Highway Vehicles
 F404-14 Consumer Safety Specification for High Chairs, 15.11
- F405-13 Specification for Corrugated Polyethylene (PE) Pipe and Fittings, 08.04
- F406-13 Consumer Safety Specification for Non-Full-Size Baby Cribs/Play Yards, 15.11
- F407 Not Assigned
- F408-99(2008) Test Method for Tires for Wet Traction in Straight-Ahead Braking, Using a Towed Trailer, 09.02
 F409-12 Specification for Thermoplastic Accessible and Replaceable Plastic
- Tube and Tubular Fittings, **08.04 F410-08(2013)** Test Method for Wear Layer Thickness of Resilient Floor Coverings by Optical Measurement, **15.04** *Withdrawn 1988; Method for Service-Free Life Evaluation of Air Handling*
- System of Household Canister, Stick, Hand-Held, and Utility Vacuum Cleaners; Replaced by F1038
- F412-13 Terminology Relating to Plastic Piping Systems, 08.04
- F413 Withdrawn 2002; Practice for Preparation of an Offset Duplicator for Use in Functional Testing of Lithographic Copy Products
- F414-09 Test Method for Energy Absorbed by a Tire When Deformed by Slow-Moving Plunger, 09.02 F415-87(2010) Test Method for Curl in Carbon Paper, 15.09
- F416 Withdrawn 1998; Test Method for Detection of Oxidation Induced Defects in Polished Silicon Wafers; Replaced by F1727
- Withdrawn 2001; Test Method for Flexural Strength (Modulus of Rupture) of Electronic-Grade Ceramics
- Withdrawn 2008; Practice for Preparation of Samples of the Constant Composition Region of Epitaxial Gallium Arsenide Phosphide for Hall Effect Measurements
- F419 Withdrawn 2001; Test Method for Determining Carrier Density in Silicon Epitaxial Layers by Capacitance-Voltage Measurements on Fabricated
- F420-04(2009) Test Method for Access Depth Under Furniture of Vacuum Cleaners, 15.08
 F421-07(2013)^{c1} Test Method for Measuring Groove and Void Depth in
- Passenger Car Tires, 09.02
- F422 Not Assigned
- Withdrawn 2002; Specification forPolytetrafluoroethylene (PTFE) Plastic-Lined Ferrous Metal Pipe, Fittings, and Flanges
- F424 Withdrawn 2006; Test Method for Tires for Wet Driving Traction in Straight-Ahead Motion Using Highway Vehicles
 Withdrawn 2003; Terminology Relating to Lithographic Copy Products
 Withdrawn 1995; Practice for Evaluating and Classifying Methods for the
- Analysis of Fat in Meat and Meat Products
- Withdrawn 1995; Practice for Sampling Meat to Determine Percent Composition in a Lot
- F428-09 Test Method for Intensity of Scratches on Aerospace Glass Enclosures, 15.03
- F429-10 Test Method for Shock-Attenuation Characteristics of Protective Headgear for Football, 15.07
 F430-13 Specification for Paper Used for Vacuum Cleaner Filter Bags, 15.08
 F431-04(2013) Specification for Air Performance Measurement Plenum Chamber for Vacuum Cleaners, 15.08
- 432-13 Specification for Roof and Rock Bolts and Accessories, 01.08 F433-02(2009) Practice for Evaluating Thermal Conductivity of Gasket Materials, 09.02
- F434-93(2009) Test Method for Blow-Out Testing of Preformed Gaskets, 09.02 F435 Withdrawn 1988; Method of Test for Peak Wet Traction of Tires in Cornering With Driving Torque Application, Using Highway Vehicles

 F436-11 Specification for Hardened Steel Washers, 01.08
- F436M-11 Specification for Hardened Steel Washers (Metric), 01.08 F437-09 Specification for Threaded Chlorinated Poly(Vinyl Chloride) (CPVC)
- Plastic Pipe Fittings, Schedule 80, 08.04 F438-09 Specification for Socket-Type Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 40, 08.04
- F439-13 Specification for Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80, 08.04
- F440 Not Assigned

F441/F441M F533

- F441/F441M-13^{€1} Specification for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe, Schedules 40 and 80, **08.04 F442/F442M-13**⁶¹ Specification for Chlorinated
- Specification for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe (SDR-PR), 08.04
- F443 Withdrawn 1987; Specification for Bell-End Chlorinated Poly(Vinyl Chloride)(CPVC) Pipe, Schedule 40
- F444-88(2009) Consumer Safety Specification for Scald-Preventing Devices
- and Systems in Bathing Areas, 15.11

 F445-88(2009) Consumer Safety Specification for Thermal-Shock-Preventing Devices and Systems in Showering Areas, 15.11

 F446-85(2009) Consumer Safety Specification for Grab Bars and Accessories
- Installed in the Bathing Area, 15.11
- F447 Withdrawn 1982; Specification for V-Style Blade Plate; Replaced by F787
- F448-11 Test Method for Measuring Steady-State Primary Photocurrent, 10.04 F449-02(2008) Practice for Subsurface Installation of Corrugated Polyethylene Pipe for Agricultural Drainage or Water Table Control, 08.04
- F450-13 Test Methods for Vacuum Cleaner Hose—Durability and Reliability (Plastic), 15.08

- F451-08 Specification for Acrylic Bone Cement, 13.01
 F452-76(2008) Specification for Preformed Cranioplasty Plates, 13.01
 F453 Withdrawn 1994; Specification for Hooked Intramedullary Pins; Replaced by F1264
- F454 Withdrawn 1994; Specification for Intramedullary Pins; Replaced by F1264
- F455 Withdrawn 1994; Specification for Solid Cross-Section Intramedullary Nails; Replaced by F1264 F456 Withdrawn 1988; Test Method for Pinhole Flex Life of Films by Axial
- Vibration of a Tubular Sample
- F457-04(2010) Test Method for Speed and Distance Calibration of Fifth Wheel
- Equipped With Either Analog or Digital Instrumentation, **09.02 F458-13** Practice for Nondestructive Pull Testing of Wire Bonds, **10.04 F459-13** Test Methods for Measuring Pull Strength of Microelectronic Wire
- Bonds. 10.04
- F460 Withdrawn 1985; Method for Laboratory Test for Relative Cornering and Aligning Stiffnesses of Passenger Car Tires
- F461 Not Assigned
- F462-79(2007) Consumer Safety Specification for Slip-Resistant Bathing Facilities, 15.11
- F463 Withdrawn 1995; Test Method for Fat in Meat and Meat Products by Ether Extraction
- F464 Withdrawn 1995; Test Methods for Fat in Meat and Meat Products by the Foss-Let Fat Analyzer Techniques
- F465 Withdrawn 1993; Practice for Developing Precision and Accuracy Data on ASTM Method for the Analysis of Meat And Meat Products; Replaced by F691
- F466 Withdrawn 1997; Test Method for Small-Signal Scattering Parameters of Low-Power Transistors in the 0.2 to 2.0-GHz Frequency Range
- F467-13 Specification for Nonferrous Nuts for General Use, 01.08
- F467M-06a(2012) Specification for Nonferrous Nuts for General Use (Metric), 01.08
- F468-12 Specification for Nonferrous Bolts, Hex Cap Screws, Socket Head Cap Screws, and Studs for General Use, 01.08
- F468M-06(2012) Specification for Nonferrous Bolts, Hex Cap Screws, and Studs for General Use (Metric), 01.08
- Withdrawn 1987; Practice for Assessment of Compatibility of Nonporous Polymeric Materials for Surgical Implants with Regard to Effect of Materials on Tissue
- F470-89(2009) Practice for Caking Temperature of Dry Electrostatic Toner,
- F471 Withdrawn 2011; Terminology Relating to Combination Locks
- F472-11 Terminology for Geometry of Alpine Skis, 15.07
 F473-09 Specification for Binding Mounting Area Dimensions on Alpine Skis and Bindings, 15.07
- F474 Withdrawn 2004 Specification for Static Screw-Retention Strength of Binding Mounting Area on Alpine Skis
- F475 Withdrawn 2004; Specifications for Test Screw Used in Screw-Retention
- Test of Binding Mounting Area on Alpine Skis F476-14 Test Methods for Security of Swinging Door Assemblies, 15.08
- F477-10 Specification for Elastomeric Seals (Gaskets) for Joining Plastic Pipe, 08.04
- F478-09 Specification for In-Service Care of Insulating Line Hose and Covers, 10.03 F479-06(2011) Specification for In-Service Care of Insulating Blankets, 10.03
- F480-12 Specification for Thermoplastic Well Casing Pipe and Couplings
 Made in Standard Dimension Ratios (SDR), SCH 40 and SCH 80, 08.04
- F481-97(2008) Practice for Installation of Thermoplastic Pipe and Corrugated Pipe in Septic Tank Leach Fields, 08.04
- F482-09 Practice for Corrosion of Aircraft Metals by Total Immersion in Maintenance Chemicals. 15.03
- F483-09 Practice for Total Immersion Corrosion Test for Aircraft Maintenance Chemicals, 15.03
- F484-08(2013) Test Method for Stress Crazing of Acrylic Plastics in Contact with Liquid or Semi-Liquid Compounds, 15.03
- F485-08(2013) Practice for Effects of Cleaners on Unpainted Aircraft Surfaces, 15.03
- F486-01(2011) Practice for Preparation of Use and Care Booklets for Vacuum Cleaners, 15.08
 F487-13 Specification for Fine Aluminum-1 % Silicon Wire for Semiconductor
- Lead-Bonding, 10.04

- F488 Withdrawn 2004; Test Method for On-Site Screening of Heterotrophic Bacteria in Water
- Withdrawn 2005; Test Method for Using a James Machine
- F490 Withdrawn 1992; Method for Microscopical Sizing and Counting Particles on Membrane Filters Using Image Shear
- F491 Withdrawn 2002; Specification for Poly(Vinylidene Fluoride) (PVDF) Plastic-Lined Ferrous Metal Pipe and Fittings
- F492 Withdrawn 2004: Specification for Propylene and Polypropylene (PP)
 Plastic-Lined Ferrous Metal Pipe and Fittings
 F493-10 Specification for Solvent Cements for Chlorinated Poly(Vinyl Chloride)
- (CPVC) Plastic Pipe and Fittings, 08.04
- F494-05(2011) Test Methods for Evaluating Primary Disposable Bag Integrity for Vacuum Cleaners, 15.08
- F495-99a(2011) Test Method for Weight Loss of Gasket Materials Upon Exposure to Elevated Temperatures, 09.02
- F496-08 Specification for In-Service Care of Insulating Gloves and Sleeves, 10.03
- F497-00(2009) Practice for Use of the Electric and Electronic Typewriter as a Test Instrument, 15.09
- F498-12 Test Method for Center Spring Constant and Spring Constant
- Balance of Alpine Skis, **15.07**F499 Withdrawn 1992; Practice for Installation of Wood Underlayment and Preparation of the Surface to Receive Resilient Flooring
- F500 Withdrawn 1993; Specification for Self-Curing Acrylic Resins Used in Neurosurgery
- F501 Withdrawn 1998; Test Method for Aerospace Materials Response to Flame, With Vertical Test Specimen (for Aerospace Vehicles Standard Conditions)
- F502-08(2013) Test Method for Effects of Cleaning and Chemical Maintenance
- Materials on Painted Aircraft Surfaces, 15.03
 F503 Withdrawn 1988; Recommended Practice for Preparing Aircraft Cleaning Compounds, Liquid-Pipe, for Storage Stability Testing; Replaced by F1104, F1105
- F504-05(2012) Test Method for Measuring the Quasi-Static Release Moments of Alpine Ski Bindings, 15.07
- F505-87(2011) Practice for Comparative Evaluation of Imaging Properties of Liquid Electrostatic Toners, 15.09
- F506 Withdrawn 2002; Practice for Assessing the Quality of Direct-Image Paper Offset Masters
- F507 Withdrawn 1994; Practice for Mounting Wedged Beamsplitters to Maintain a Laser Beam Parallel to a Reference Surface
- F508 Withdrawn 2008; Practice for Specifying Thick-Film Pastes
- F509-86(2009) Practice for Testing One-Time Carbonizing Tissue for Pinholes, 15.09
- F510/F510M-14 Test Method for Resistance to Abrasion of Resilient Floor Coverings Using an Abrader with a Grit Feed Method, 15.04
- F511-11 Test Method for Quality of Cut (Joint Tightness) of Resilient Floor Tile, 15.04
- F512-12 Specification for Smooth-Wall Poly(Vinyl Chloride) (PVC) Conduit and Fittings for Underground Installation, 08.04
- F513-12 Specification for Eye and Face Protective Equipment for Hockey Players, 15.07
- F514 Not Assigned
- F515 Withdrawn 1984; Specification for Polished Monocrystalline Silicon Slices
- Withdrawn 1988; Method for Laboratory Test for Force and Moment Properties of Passenger Car Tires Withdrawn 1994; Practice for Aligning a Visible Beam from a Continuous-Wave Laser at a Desired Distance from a Reference Surface
- Withdrawn 1996; Practice for Determining Effective Adhesion of Photoresist to Hard-Surface Photomask Blanks and Semiconductor
- Wafers During Etching

 F519-13 Test Method for Mechanical Hydrogen Embrittlement Evaluation of Plating/Coating Processes and Service Environments, 15.03

 F520-10 Test Method for Environmental Resistance of Aerospace Transparen-
- cies to Artificially Induced Exposures, 15.03
- F521-83(2010) Test Methods for Bond Integrity of Transparent Laminates, 15.03
- Withdrawn 1998; Test Method for Stacking Fault Density of Epitaxial Layers of Silicon by Interference-Contrast Microscopy; Replaced by F1810 F523 Withdrawn 2003; Practice for Unaided Visual Inspection of Polished
- Silicon Wafer Surfaces
 F524 Withdrawn 2001; Tentative Test Methods for Measuring Beam
- Divergence of Pulsed Lasers by the Apertured-Detector Technique
- F525 Withdrawn 2003; Test Method for Measuring Resistivity of Silicon Wafers Using a Spreading Resistance Probe

 11 Test Method for Using Calorimeters for Total Dose Measurements in
- F526-11
- Pulsed Linear Accelerator or Flash X-ray Machines, **12.02**F527 Withdrawn 1996; Practice for Adjusting Photoresist Exposure Time
 F528 Withdrawn 2011; Test Method of Measurement of Common-Emitter DC Current Gain of Junction Transistors
- Withdrawn 1994; Test Method for Interpretation of Interferograms of Nominally Plane Wavefronts
- F530 Withdrawn 1994; Test Method for Wavefront Distortion of Laser Rods Withdrawn 1994; Test Methods for Wavefront Distortion and Face Parallelism of Laser Disks
- F532 Withdrawn 1994; Test Methods for Measuring Width of Defects in Optical Surfaces, Using Nomarski Differential Microscopy
- F533 Withdrawn 2003; Test Method for Thickness and Thickness Variation of Silicon Wafers

F534 F627

- Withdrawn 2003; Test Method for Bow of Silicon Slices
- Withdrawn 1985; Specification for Electrical Performance Characteristics F535 of Vacuum Cleaners
- F536 Withdrawn 2004; Test Method for Size of Resilient Floor Tile by Dial Gage Method
- F537-01(2007) Specification for Design, Fabrication, and Installation of Fences Constructed of Wood and Related Materials, 01.06
- F538-13 Terminology Relating to the Characteristics and Performance of Tires, 09.02
- F539-01(2011) Practice for Fitting Athletic Footwear, 15.07
- F540 Withdrawn 2004; Test Method for Squareness of Resilient Floor Tile by Gage Method
- F541-12 Specification for Alloy Steel Eyebolts, 01.08
- F542 Withdrawn 2013; Test Method for Exothermic Temperature of Encapsulating Compounds for Electronic and Microelectronic Encapsula-
- F543-13^{€1} Specification and Test Methods for Metallic Medical Bone Screws, 13.01
- F544 Withdrawn 1998; Reference Chart for Pictorial Cortical Bone Screw Classification
- F545 Withdrawn 2001; Specification for PVC and ABS Injected Solvent Cemented Plastic Pipe Joints
- F546 Withdrawn 2002; Specification for Perfluoro (Ethylene-Propylene) Copolymer (FEP) Plastic-Lined Ferrous Metal Pipe and Fittings
- F547-06(2012) Terminology of Nails for Use with Wood and Wood-Base Materials, 01.08
- F548-09 Test Method for Intensity of Scratches on Aerospace Transparent Plastics, 15.03
- F549-85(2011) Terminology Relating to Carbonless Copy Products, 15.09 F550 Withdrawn 2002; Test Method for Lithographic Properties of Imaging Materials
- F551 Withdrawn 2009; Practice for Using a 67.23-in. (1.707-m) Diameter
- Laboratory Test Roadwheel in Testing Tires
 F551/F551M-09a Practice for Using a 1.707-m 67.23-in. Diameter Laboratory
- Test Roadwheel in Testing Tires, 09.02 F552-02(2013) Terminology Relating to Chain Link Fencing, 01.06
- F553 Withdrawn 1998; Test Method for Carbon Paper and Carbon Film Durability
- F554 Withdrawn 1988; Test Method for Wet Cornering Traction of Tires Using Over-the-Road Tire Tester
- F555-01(2011) Test Method for Motor Life Evaluation of an Upright Vacuum Cleaner, 15.08
- F556-88(2011) Test Method for Curl of Carbonless Copy Papers, 15.09 F557 Withdrawn 1986; Test Method for Relative Work for Straight-Line Movement of Cleaners While Cleaning Carpets
- F558-13 Test Method for Measuring Air Performance Characteristics of Vacuum Cleaners, 15.08
- F559-05(2010) Test Method for Measuring Length of Road Test Courses Using
- a Fifth Wheel, 09.02

 F560-13^{c1} Specification for Unalloyed Tantalum for Surgical Implant Applications (UNS R05200, UNS R05400), 13.01

 F561-13 Practice for Retrieval and Analysis of Medical Devices, and Associated Tissues and Fluids, 13.01
- F562-13 Specification for Wrought 35Cobalt-35Nickel-20Chromium-10Molybdenum Alloy for Surgical Implant Applications (UNS R30035), 13.01
- Withdrawn 2005; Specification for Wrought Cobalt -20Nickel-3.5 Molybdenum-3.5Tungsten-5Iron Alloy for Surgical Implant Applications (UNS R30563)
- F564-10 Specification and Test Methods for Metallic Bone Staples, 13.01 F565-04(2013) Practice for Care and Handling of Orthopedic Implants and Instruments, 13.01
- F566 Not Assigned
 F567-11a Practice for Installation of Chain-Link Fence, 01.06
- F568M Withdrawn 2012; Specification for Carbon and Alloy Steel Externally Threaded Metric Fasteners
- Withdrawn 1989; Test Method for Filterability Index of Reagent-Grade Water and High-Purity Waters for Microelectronic Device Processing
- F570 Withdrawn 1995; Test Methods for Transistor Collector-Emitter Saturation Voltage
- F571-87(2008) Practice for Installation of Exit Devices in Security Areas, 15.08 F572 Withdrawn 2001; Practice for Application of Film Security Cameras in Financial Institutions
- F573 Withdrawn 1993; Specification for Residential Zinc-Coated Steel Chain-Link Fence Fabric
- F574 Withdrawn 1996; Test Method for Evaluation of Polysilicon; Replaced by F1723
- Withdrawn 1982; Classification for Particle Concentration in Liquids
- F576 Withdrawn 2003; Test Method for Measurement of Insulator Thickness and Refractive Index on Silicon Substrates by Ellipsometry
- F577-03(2009) Test Method for Particle Size Measurement of Dry Toners, 15.09
- F578 Withdrawn 1994; Test Method for Lasing Threshold and Slope Efficiency of Neodymium-Doped Laser Rods
- F579 Withdrawn 1994; Test Method for Face Flatness By Optical Non-Contact Technique
- F580 Withdrawn 1996; Test Method for Adhesion Strength of Bondable Films to Substrates in Ribbon-Wire Bonds
- F581 Withdrawn 1996; Practice for Accelerated Agiing of Photoresist

- F582 Withdrawn 1996; Practice for Preparation of Photoresist for Analysis of Inorganic Contaminants
- F583 Withdrawn 1996; Test Method for Photoresist Cleanness—Filterability **F584-06**^{€1} Practice for Visual Inspection of Semiconductor Lead-Bonding Wire, 10.04
- F585-13 Guide for Insertion of Flexible Polyethylene Pipe Into Existing Sewers, 08.04
- Withdrawn 1998; Test Method for Leak Rates Versus y Stresses and m F586 Factors for Gaskets
- Withdrawn 1995; Practice for Sampling Ground Meat in Blenders F587
- F588-14 Test Methods for Measuring the Forced Entry Resistance of Window Assemblies, Excluding Glazing Impact, 04.12
 F589-12 Consumer Safety Specification for Non-Powder Guns, 15.11
- F590-12 Consumer Safety Specification for Non-Powder Gun Projectiles and Propellants, 15.11
- F591 Withdrawn 1989; Practice for Using the Computer Impact Print-Out Unit as a Test Instrument
- F592-84(2012) Terminology of Collated and Cohered Fasteners and Their Application Tools, 01.08
- F593-13 Specification for Stainless Steel Bolts, Hex Cap Screws, and Studs, 01.08
- **F594-09**^{€1} Specification for Stainless Steel Nuts, **01.08**
- F595 Withdrawn 2011; Test Methods for Vacuum Cleaner Hose—Durability and Reliability (All-Plastic Hose)
- F596-09 Practice for Comparative Evaluation of the Imaging Properties of Dry Electrostatic Toners, 15.09
- F597-83(2008) Practice for Evaluation of One-Time Carbon Paper in Carbon-Interleaved Business Forms by Use of an Electric Typewriter, 15.09
- F598-00(2009) Practice for Determining the Resistance of Carbonless Papers
- to Capsular Damage, **15.09**Specification for Withdrawn 2004: Specification for Poly(Vinylidene Chloride) (PVDC) Plastic-Lined Ferrous Metal Pipe and Fittings Withdrawn 1991; Practice for Nondestructive Testing Ultrasonic F599
- Evaluation of Socket and Butt Joints of Thermoplastic Piping
- F601-13 Practice for Fluorescent Penetrant Inspection of Metallic Surgical Implants, 13.01
- F602-09 Criteria for Implantable Thermoset Epoxy Plastics, 13.01
- F603-12 Specification for High-Purity Dense Aluminum Oxide for Medical Application, 13.01
- F604 Withdrawn 2001; Specification for Silicone Elastomers Used in Medical Applications
- F605-88(2011) Practice for Determining Compatibility of One-Time Carbon Paper with Carbonless Copy Papers When Interleaved into the Same Manifold Set, 15.09 F606-11a Test Methods for Determining the Mechanical Properties of
- Externally and Internally Threaded Fasteners, Washers, Direct Tension Indicators, and Rivets, 01.08
- F606M-13 Test Methods for Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, and Rivets (Metric), 01.08
- F607-03(2008) Test Method for Adhesion of Gasket Materials to Metal Surfaces, 09.02
- F608-13 Test Method for Evaluation of Carpet Embedded Dirt Removal
- Effectiveness of Household/Commercial Vacuum Cleaners, 15.08
 F609-05(2013) Test Method for Using a Horizontal Pull Slipmeter (HPS), 15.07
 F610/F610M-10 Test Method for Evaluating the Quality of Molded Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings by the Heat Reversion Technique,
- Withdrawn 1994; Test Method for Wavefront Distortion of Nominally Plane Optical Elements Due to Refractive Index Inhomogeneity
- F612 Withdrawn 1993; Practice for Cleaning Surfaces of Polished Silicon Slices
- F613 Withdrawn 2001; Test Method for Measuring Diameter of Semiconductor Wafers
- F614 Withdrawn 1996; Test Method for Distortion of Optical Lenses Used in Photomask Fabrication
- F615 Withdrawn 1995; Replaced by F615M
- F615M-95(2013) Practice for Determining Safe Current Pulse-Operating Regions for Metallization on Semiconductor Components (Metric), 10.04
- F616M Withdrawn 2009; Test Method for Measuring MOSFET Drain Leakage Current [Metric] F617 Withdrawn 2006; Test Method for Measuring MOSFET Linear Threshold
- Voltage
- F618 Withdrawn 1985; Method for Measuring MOSFET Saturated Threshold Voltage
- F619-14 Practice for Extraction of Medical Plastics, 13.01
- F620-11 Specification for Titanium Alloy Forgings for Surgical Implants in the Alpha Plus Beta Condition, 13.01
 F621-12 Specification for Stainless Steel Forgings for Surgical Implants, 13.01
- F622 Withdrawn 2011; Specification for Preformed Cranioplasty Plates That Can Be Altered
- F623-99(2013) Performance Specification for Foley Catheter, 13.01
- F624-09 Guide for Evaluation of Thermoplastic Polyurethane Solids and Solutions for Biomedical Applications, **13.01 F625/F625M-94(2011)**^{c2} Practice for Classifying
- Practice for Classifying Water Bodies for Spill Control Systems, **11.05**
- F626-08(2013)
- Specification for Fence Fittings, **01.06**Practice for Testing Flake of Single-Strike Film Typewriter F627-99(2008) Ribbons, 15.09

F628 F721

- F628-12^{€1} Specification for Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe With a Cellular Core, 08.04
- Practice for Radiography of Cast Metallic Surgical Implants, 13.01 F630 Withdrawn 1988; Specification for Safety Consideration for Household Vacuum Cleaners
- F631-99(2008) Guide for Collecting Skimmer Performance Data in Controlled Environments, 11.05
- F632 Withdrawn 1995; Test Method for Measuring Small-Signal Common
- Emitter Current Gain of Transistors at High Frequencies Withdrawn 1988; Practice for Use of the High-Speed Printer as a Test F633 Instrument for Carbon Paper; Replaced by F1175
- F634 Withdrawn 1986; Practice for Measurement of the Coating Transfer Resistance of Mechanical Carbonless CB Paper
- Withdrawn 1996; Guide for Selection of Tests for Material Properties of Liquid Thermoset Encapsulating Compounds for Electronic and Microelectronic Encapsulation
- Withdrawn 1996; Guide for Selection of Tests for Material Properties of Transfer Molding Compounds for Electronic and Microelectronic Encapsulation
- Withdrawn 2006; Specification for Format, Physical Properties, and Test Methods for 19 and 35 mm Testable Tape Carrier for Perimeter Tape Carrier-Bonded Semiconductor Devices
- Withdrawn 2006; Specification for Fine Aluminum—1 % Magnesium Wire for Semiconductor Lead-Bonding
- F639-09 Specification for Polyethylene Plastics for Medical Applications, 13.01
- Test Methods for Determining Radiopacity for Medical Use, 13.01 Specification for Implantable Epoxy Electronic Encapsulants, 13.01 F640-12
- F642 Withdrawn 1995; Specification for Stainless Steel Flexible Wire for Surgical Fixations for Soft Tissue
- Withdrawn 1993; Specification for Wrought Cobalt-Chromium Alloy F643 Flexible Wire for Surgical Fixations for Soft Tissue; Replaced by F1091 Withdrawn 1993; Specification for Wrought Cobalt-Chromium Alloy
- F644 Flexible Wire for Surgical Fixations for Bone; Replaced by F1091
- F645-13 Guide for Selection, Design, and Installation of Thermoplastic Water-Pressure Piping Systems, 08.04 Not Assigned
- F647-94(2006) Practice for Evaluating and Specifying Implantable Shunt Assemblies for Neurosurgical Application, 13.01
- Specification for Ultra-High-Molecular-Weight Polyethylene Powder and Fabricated Form for Surgical Implants, 13.01
- F649 Withdrawn 2007; Practice for Secondary Calibration of Airborne Particle Counter Using Comparison Procedures
- Withdrawn 1990; Practice for Determining Relative Bias of Two Particle F650 Counters Using Comparison Procedures
- Withdrawn 1988; Method for Particle Counter Single-Point Calibration by F651 the Median Method
- Withdrawn 1992; Methods for Measuring Mica Stampings or Substitutes F652 Used in Electron Devices and Lamps
- Withdrawn 2002; Test Method for Evaluation of Electrostatic Masters F654-07(2012) Specification for Residential Chain Link Fence Gates, 01.06 Specification for Test Carpets and Pads for Vacuum Cleaner Testing F655-13
- 15.08 F656-10 Specification for Primers for Use in Solvent Cement Joints of Poly(Vinyl Chloride) (PVC) Plastic Pipe and Fittings, 08.04
- F657 Withdrawn 2003; Test Method for Measuring Warp and Total Thickness Variation on Silicon Wafers by Noncontact Scanning
 F658 Withdrawn 2007; Practice for Calibration of a Liquid-Borne Particle
- Counter Using an Optical System Based Upon Light Extinction
- F659-10 Specification for Ski and Snowboard Goggles, 15.07 F660-83(2013) Practice for Comparing Particle Size in the Use of Alternative Types of Particle Counters, 11.01
- Withdrawn 2000; Practice for Particle Count and Size Distribution Measurement in Batch Samples for Filter Evaluation Using an Optical
- Particle Counter F662 Withdrawn 2002; Test Method for Measurement of Particle Count and Size Distribution in Batch Samples for Filter Evaluation Using an Electrical Resistance Particle Counter
- Withdrawn 1994; Practice for Manual Analysis of Interferometric Data by Least-Squares Fitting to a Plane Reference Surface
- F664 Withdrawn 1994; Practice for Manual Analysis of Interferometric Data by Least-Squares Fitting Spherical Reference Surface & Computer-Aided Analysis by Least-Squares Fitting to Both Plane/Spherical Reference Surfaces
- F665-09 Classification for Vinyl Chloride Plastics Used in Biomedical Application, 13.01
- F666 Withdrawn 1993; Specification for Stainless Steel Flexible Wire for
- Surgical Fixation for Bone; Replaced by F1350
 F667-12 Specification for 3 through 24 in. Corrugated Polyethylene Pipe and Fittings, 08.04

 F668-11 Specification for Polyvinyl Chloride (PVC), Polyolefin and Other
- Polymer-Coated Steel Chain Link Fence Fabric, **01.06**
- F669 Withdrawn 1995; Specification for Strength Requirements of Metal Posts and Rails for Industrial Chain Link Fence; Replaced by F1043
- F670-02(2012) Specification for Tanks, 5 and 10-Gal (20 and 40-L) Lube Oil Dispensing, 01.07
- Withdrawn 2003; Test Method for Measuring Flat Length on Wafers of Silicon and Other Electronic Materials
- Withdrawn 2003; Test Method for Measuring Resistivity Profiles Perpendicular to the Surface of a Silicon Wafer Using a Spreading Resistance Probe

F673 Withdrawn 2003; Test Methods for Measuring Resistivity of Semiconductor Slices or Sheet Resistance of Semiconductor Films with a Noncontact Eddy-Current Gage

- F674 Withdrawn 2003; Practice for Preparing Silicon for Spreading Resistance Measurements
- F675 Withdrawn 1995; Test Method for Measuring Nonequilibrium Transient Photocurrents in p-n Junctions
- F676 Withdrawn 2009; Test Method for Measuring Unsaturated TTL Sink Current
- Withdrawn 2013; Test Method for Fluid and Grease Resistance of Thermoset Encapsulating Compounds Used in Electronic and Microelectronic Applications
- F678 Withdrawn 1989; Specification for Polyethylene Gas Pressure Pipe
- Tubing and Fittings; Replaced by D2513

 F679-13 Specification for Poly(Vinyl Chloride) (PVC) Large-Diameter Plastic Gravity Sewer Pipe and Fittings, 08.04
 F680-80(2012) Test Methods for Nails, 01.08
- F681-82(2008) Practice for Use of Branch Connections, 01.07
- F682-82a(2008) Specification for Wrought Carbon Steel Sleeve-Type Pipe Couplings, 01.07
- F683-10 Practice for Selection and Application of Thermal Insulation for Piping and Machinery, 01.07
- F684 Not Assigned
 F685-96(2011) Practice for Determining Toner Usage, Efficiency, and Dusting Nonheat Fixing Copiers Using Single-Component Toner Systems, 15.09
- F686-94(2011) Practice for Evaluation of Image Quality Produced by Carbonless Copy Paper with an Electric or Electronic Typewriter, 15.09
- F687 Withdrawn 1988; Practice for On-Site Calibration of Liquid-Borne Automatic Particle Counters With Adjustable Individual Size Thresholds
- F688-10 Specification for Wrought Cobalt-35Nickel-20Chromium-10Molybdenum Alloy Plate, Sheet, and Foil for Surgical Implants (UNS R30035), 13 01
- F689-97(2011) Practice for Determination of the Temperature of Above-Ground Plastic Gas Pressure Pipe Within Metallic Casings, 08.04
- Withdrawn 2012; Practice for Underground Installation of Thermoplastic Pressure Piping Irrigation Systems
- Withdrawn 1996; Practice for Preparing Photoplates for Measuring F691 Flatness Deviation
- Withdrawn 2008; Test Method for Measuring Adhesion Strength of F692 Solderable Films to Substrates
- F693-01(2012) Practice for Sealing Seams of Resilient Sheet Flooring Products by Use of Liquid Seam Sealers, 15.04
- F694 Withdrawn 2008; Test Method for Heel-Attaching Strength of Women's Shoes; Replaced by F2232
- F695-01(2009) Practice for Ranking of Test Data Obtained for Measurement of Slip Resistance of Footwear Sole, Heel, and Related Materials, 15.07
- F696-06(2011) Specification for Leather Protectors for Rubber Insulating Gloves and Mittens, 10.03
- F697-00(2006) Practice for Care and Use of Athletic Mouth Protectors, 15.07 Withdrawn 2009; Specification for Physical Information to be Provided for Amusement Rides and Devices
- F699 Withdrawn 2005; Practice for Accelerated Conditioning of Polybutylene Pipe and Tubing for Subsequent Quality Control Testing
 F700-93(2008) Practice for Care and Handling of Intracranial Aneurysm Clips
- and Instruments, 13.01
- F701-81(2008) Practice for Care and Handling of Neurosurgical Implants and Instruments, 13.01
- F702-10 Specification for Polysulfone Resin for Medical Applications, 13.01 F703-07 Specification for Implantable Breast Prostheses, 13.01
- F704-81(2009) Practice for Selecting Bolting Lengths for Piping System
- Flanged Joints, 01.07 F705 Not Assigned
- F706-96(2011) Practice for Determination of Fusion Temperature of Dry Electrostatic Heat-Fixing Toners, 15.09
- F707/F707M-94(2011) Specification for Modular Gauge Boards, 01.07 F708-92(2008) Practice for Design and Installation of Rigid Pipe Hangers, 01.07
- Withdrawn 1993; Specification for Gasket—Asbestos Metallic Cloth Material
- F710-11 Practice for Preparing Concrete Floors to Receive Resilient Flooring, 15.04
- F711-02(2013) Specification for Fiberglass-Reinforced Plastic (FRP) Rod and Tube Used in Live Line Tools, 10.03 F712-06(2011) Test Methods and Specifications for Electrically Insulating
- Plastic Guard Equipment for Protection of Workers, 10.03 F713 Not Assigned
- F714-13 Specification for Polyethylene (PE) Plastic Pipe (DR-PR) Based on Outside Diameter, 08.04
- F715-07(2012) Test Methods for Coated Fabrics Used for Oil Spill Control and Storage, **11.05**
- F716-09 Test Methods for Sorbent Performance of Absorbents, 11.05
- F717-10 Specification for Football Helmets, 15.07
 F718-07(2011)^{c1} Specification for Shipbuilders and Marine Paints and Coatings Product/Procedure Data Sheet, 01.07
- F719-81(2012) Practice for Testing Biomaterials in Rabbits for Primary Skin Irritation, 13.01
- F720-13 Practice for Testing Guinea Pigs for Contact Allergens: Guinea Pig Maximization Test, 13.01
- F721-81(2008) Specification for Gage Piping Assemblies, 01.07

F722 F819

- F722-82(2008) Specification for Welded Joints for Shipboard Piping Systems, 01.07
- F723 Withdrawn 2003; Practice for Conversion Between Resistivity and Dopant Density for Boron-Doped, Phosphorus-Doped, and Arsenic-Doped
- F724-94a(2010)^{c1} Test Method for Outdoor Evaluation of Tire Sidewall
- Component Cracking Resistance, 09.02
 F725-03(2013) Practice for Drafting Impact Test Requirements In Thermoplastic Pipe And Fittings Standards, 08.04
- F726-12 Test Method for Sorbent Performance of Adsorbents, 11.05 F727 Withdrawn 1996; Test Method for Measuring Transmittance of See-Through Photoplate
- F728 Withdrawn 2003; Practice for Preparing an Optical Microscope for Dimensional Measurements
- F729 Withdrawn 1992; Test Methods for Temperature Coefficient of Resistance of Film Resistors
- F730 Withdrawn 1993; Test Methods for Hermeticity of Electron Devices by a Weight-Gain Test
- F731 Not Assigned
- F732-00(2011) Test Method for Wear Testing of Polymeric Materials Used in Total Joint Prostheses, 13.01

 F733-09 Practice for Optical Distortion and Deviation of Transparent Parts
- Using the Double-Exposure Method, 15.03
- F734-95(2011) Test Method for Shear Strength of Fusion Bonded Polycarbonate Aerospace Glazing Material, 15.03
- F735-11 Test Method for Abrasion Resistance of Transparent Plastics and Coatings Using the Oscillating Sand Method, 15.03
- F736-95(2011) Test Method for Impact Resistance of Monolithic Polycarbonate Sheet by Means of a Falling Weight, 15.03
- Withdrawn 2002; Performance Specification for Ice Hockey Skate Blades F738M-02(2008) Specification for Stainless Steel Metric Bolts, Screws, and Studs, **01.08**
- F739-12 Test Method for Permeation of Liquids and Gases through Protective Clothing Materials under Conditions of Continuous Contact, 11.03
- F740 Withdrawn 2002; Definition of Terms Relating to Filtration
- F741 Withdrawn 1994; Test Method for Determining the Crystallographic Axes and Contrast Ratio of a Pockels Cell Electro-Optic Crystal Operating in the Longitudinal Mode
- F742 Withdrawn 1994; Practice for Evaluating an Interferometer F743 Withdrawn 1995; Test Method for Measuring Contrast Ratio of a Pair of
- Linear Polarizers for Visible Radiation

 F744M-10 Test Method for Measuring Dose Rate Threshold for Upset of
- Digital Integrated Circuits (Metric), 10.04 Withdrawn 2012; Specification for 18Chromium-12.5Nickel-2.5Molybdenum Stainless Steel for Cast and Solution-Annealed Surgical Implant Applications
- F746-04(2009)^{€1} Test Method for Pitting or Crevice Corrosion of Metallic Surgical Implant Materials, 13.01
- Terminology Relating to Amusement Rides and Devices, 15.07 F748-06(2010) Practice for Selecting Generic Biological Test Methods for Materials and Devices, 13.01
- F749-13 Practice for Evaluating Material Extracts by Intracutaneous Injection in the Rabbit, 13.01
- F750-87(2012) Practice for Evaluating Material Extracts by Systemic Injection in the Mouse, 13.01
- F751 Withdrawn 2003; Test Method for Measuring Particle Size of Wide-Size Range Dry Toners
- F752 Withdrawn 1994; Test Method for Effective Series Resistance (ESR) and Capacitance of Multilayer Ceramic Capacitors at High Frequencies F753 Withdrawn 1998; Classification of Brassieres
- F754-08 Specification for Implantable Polytetrafluoroethylene (PTFE) Sheet Tube, and Rod Shapes Fabricated from Granular Molding Powders, 13.01 F755-99(2011) Specification for Selection of Porous Polyethylene for Use in Surgical Implants, 13.01
- F756-13 Practice for Assessment of Hemolytic Properties of Materials, 13.01 F757 Withdrawn 2006; Test Method for Determining Energy Consumption of Copier and Copier-Duplicating Equipment; Replaced by F2495
- F758-95(2007)^{€1} Specification for Smooth-Wall Poly(Vinyl Chloride) (PVC) Plastic Underdrain Systems for Highway, Airport, and Similar Drainage, 08.04
- F759 Withdrawn 1995; Specification for Hot Chocolate Beverage Dispensers F760-93(2012) Specification for Food Service Equipment Manuals, 15.12 F761 Withdrawn 2003; Specification for Strength Requirements of Tubular
- Steel Posts and Rails for Residential Chain-Link Fence
- F762/F762M-08 Test Method for Determining Change in Groove (or Void) Depth With Distance Traveled for Passenger Car Tires, 09.02
- F763-04(2010) Practice for Short-Term Screening of Implant Materials, 13.01
 F764 Withdrawn 2003; Practice for Compatibility of Materials with High-Energy
 Propellants (Impact Sensitivity Threshold Technique)
 F765-93(2012)^{c1} Specification for Wildcats, Ship Anchor Chain, 01.07
 F766/F766M-82(2010)^{c1} Test Method for Melting Point of Waxes, 15.09
- F767-98(2013) Test Method for Image Stability of Chemical Carbonless Paper to Light, 15.09
- F768 Withdrawn 1994; Test Method for Specular Reflectance and Transmittance Measurements of Optically Flat-Coated and Non-Coated Specimens
- F769 Withdrawn 2006; Test Method for Measuring Transistor and Diode Leakage Currents
- F770-14 Practice for Ownership, Operation, Maintenance, and Inspection of Amusement Rides and Devices, 15.07
- F771-99(2005) Specification for Polyethylene (PE) Thermoplastic High-

Pressure Irrigation Pipeline Systems, 08.04

- F772 Withdrawn 1996; Test Method for Noise Quality of Film-Type Resistors F773M-10 Practice for Measuring Dose Rate Response of Linear Integrated Circuits (Metric), 10.04
- F774 Withdrawn 1989; Guide for Analysis of Latchup Susceptibility in Bipolar Integrated Circuits
- F775 Withdrawn 1991; Test Method for Wafer and Slice Flatness by Interferometric, Noncontact Technique
- F776 Withdrawn 1996; Test Method for Resistance of Materials to Horizontal
- Flame Propagation (for Aerospace Vehicles, Standard Conditions)
 Withdrawn 1997; Test Method for Resistance of Electrical Wire Insulation Materials to Flame at 60°; Replaced by D3032
- F778-88(2014) Methods for Gas Flow Resistance Testing of Filtration Media, 11.07
- F779-12 Test Method for Torsion Characteristic of Alpine Skis, 15.07
- F780-93a(2012) Test Method for Linear Deformation and Breaking Strength of Alpine Skis 15.07
- Withdrawn 2004: Specification for Perfluoro (Alkoxyalkane) Copolymer (PFA) Plastic-Lined Ferrous Metal Pipe and Fittings
- F782-01(2012) Specification for Doors, Furniture, Marine, 01.07
- F783-88(2013) Specification for Staple, Handgrab, Handle, and Stirrup Rung, 01.07
- F784 Withdrawn 1996; Test Method for Calibrating Radioisotope Hermetic Test Apparatus
- Withdrawn 1996; Test Method for Hermeticity of Sealed Devices by a F785 Radioisotope Test
- Withdrawn 1998; Specification for Metallic Bone Plates; Replaced by
- F787 Withdrawn 1998; Specification for Metallic Nail-Plate Appliances
- F788-13 Specification for Surface Discontinuities of Bolts, Screws, and Studs, Inch and Metric Series, 01.08
- F789 Withdrawn 2004: Specification for Type PS-46 and Type PS-115 Poly(Vinyl Chloride) (PVC) Plastic Gravity Flow Sewer Pipe and Fittings
- F790-08(2013) Guide for Testing Materials for Aerospace Plastic Transparent Enclosures, 15.03
 F791-96(2013) Test Method for Stress Crazing of Transparent Plastics, 15.03
- F792-08 Practice for Evaluating the Imaging Performance of Security X-Ray Systems. 15.08
- F793-10a Classification of Wall Covering by Use Characteristics, 15.11 F794-03(2009) Specification for Poly(Vinyl Chloride) (PVC) Profile Gravity Sewer Pipe and Fittings Based on Controlled Inside Diameter, 08.04
- F795 Withdrawn 2002; Practice for Determining the Performance of a Filter Medium Employing a Single-Pass, Constant-Rate, Liquid Test
- F796 Withdrawn 2002; Practice for Determining the Performance of a Filter Medium Employing a Single-Pass, Constant-Pressure, Liquid Test
- F797 Withdrawn 2002; Practice for Determining the Performance of a Filter Medium Employing a Multipass, Constant-Rate, Liquid Test Withdrawn 2008; Practice for Determining Gettering Rate, Sorption
- Capacity, and Gas Content of Nonevaporable Getters in the Molecular Flow Region
- F799-11 Specification for Cobalt-28Chromium-6Molybdenum Alloy Forgings for Surgical Implants (UNS R31537, R31538, R31539), **13.01**F800 Withdrawn 1992; Specification for Corrugated Poly(Vinyl Chloride)
- Tubing and Compatible Fittings
- F801-96(2008) Test Method for Measuring Optical Angular Deviation of Transparent Parts, 15.03
 Withdrawn 2012; Guide for Selection of Certain Walkway Surfaces
- When Considering Footwear Traction, 15.07
- F803-14 Specification for Eye Protectors for Selected Sports, 15.07
- F804 Withdrawn 1997; Practice for Producing Spin Coating Resist Thickness Curves
- F805 Withdrawn 1996; Test Method for Photoplate Surface Flatness by Interferometric Non-Contact Technique F806-99a(2009) Test Method for Compressibility and Recovery of Laminated
- Composite Gasket Materials, 09.02 F807-83(2009) Practice for Determining Resolution Capability of Office
- Copiers, **15.09** Withdrawn 1998; Guide for Collecting Skimmer Performance Data in
- Uncontrolled Environments
- F809/F809M Withdrawn 2000; Specification for Large Diameter Polybutylene Plastic Pipe
- F810-12 Specification for Smoothwall Polyethylene (PE) Pipe for Use in Drainage and Waste Disposal Absorption Fields, 08.04
- F811-02(2010) Practice for Accelerometer Use in Vehicles for Tire Testing, 09.02
- F812-12 Specification for Surface Discontinuities of Nuts, Inch and Metric Series, 01.08
- F813-07(2012) Practice for Direct Contact Cell Culture Evaluation of Materials for Medical Devices, 13.01
- F814 Withdrawn 1995; Test Method for Specific Optical Density of Smoke Generated by Solid Materials for Aerospace Applications
- F815 Withdrawn 1998; Test Method for Detection of Epitaxial Spikes
- F816 Withdrawn 2009; Test Method for Combined Fine and Gross Leaks for Large Hybrid Microcircuit Packages Withdrawn 1996; Test Method for Characterization of Film Resistor
- Materials and Processes
- F818-93(2009) Terminology Relating to Spill Response Barriers, 11.05 F819-10 Terminology Relating to Electrical Protective Equipment for Workers, 10.03

F820 F914/F914M

- F820-11 Test Method for Measuring Air Performance Characteristics of Central Vacuum Cleaning Systems, **15.08 F821/F821M-01(2012)** Specification for Domestic Use Doors and Frames,
- Steel, Interior, Marine, 01.07
- F822-93(2010) Specification for Chest of Drawers (Chiffonier), Steel, Marine, 01.07
- F823-93(2010) Specification for Desk, Log, Marine, Steel, with Cabinet, 01.07
- F824-93(2010) Specification for Tables, Mess, Marine, Steel, 01.07 F825-93(2010) Specification for Drawers, Furniture, Marine, Steel, 01.07
- F826-94(2010) Specification for Tops, Furniture, Marine, Steel, 01.07 Not Assigned
- F828 Withdrawn 1995; Test Method for Radiant Heat Resistance of Aircraft Inflatable Evacuation Slide/Slide Raft Materials
- Withdrawn 1991; Test Method for Determining Protein Efficiency Ratio F829 for Meat and Meat Products
- F830 Withdrawn 1991; Practice for Preparation of Meat, Variety Meats, Meat Byproducts and Meat Food Products for Determination of Either Protein Efficiency Ratio or Net Protein Ratio (Rat Feeding Tests)
 F831 Withdrawn 1991; Test Method for Determining Net Protein Ratio for Meat
- and Meat Products
- F832-90(2008) Classification for Security Seals, 15.08
- F833-13b Consumer Safety Performance Specification for Carriages and Strollers, 15.11
- F834-84(2008) Consumer Safety Specification for Toy Chests, 15.11
- F835-12 Specification for Alloy Steel Socket Button and Flat Countersunk Head Cap Screws, 01.08
- F835M-11 Specification for Alloy Steel Socket Button and Flat Countersunk Head Cap Screws (Metric), 01.08
- F836M-02(2010) Specification for Style 1 Stainless Steel Metric Nuts (Metric), 01.08
- F837-08 Specification for Stainless Steel Socket Head Cap Screws, 01.08 F837M-02a(2010) Specification for Stainless Steel Socket Head Cap Screws Metric, 01.08
- F838-05(2013) Test Method for Determining Bacterial Retention of Membrane Filters Utilized for Liquid Filtration, 14.02

 F839-83(2006) Specification for Cautionary Labeling of Portable Gasoline
- Containers for Consumer Use, **15.11**
- F840 Withdrawn 2008; Specification for Ladders, Fixed, Vertical, Steel, Ship's; Replaced by F1166
- F841-84(2011) Specification for Thrusters, Tunnel, Permanently Installed in Marine Vessels, 01.07
- F842-14 Test Methods for Measuring the Forced Entry Resistance of Sliding Door Assemblies, Excluding Glazing Impact, 04.12
- F843-98(2008) Test Method for Assessing the Color Strength and Dispersibility of Alkali Blue Pigment in Hot Melt Carbon Copy Paper Ink, 15.09
- F844-07a Specification for Washers, Steel, Plain (Flat), Unhardened for
- General Use, 01.08 F845 Withdrawn 2003; Specification for Plastic Insert Fittings for Polybutylene (PB) Tubing
- F846 Withdrawn 2013; Guide for Testing Performance of Amusement Rides and Devices. 15.07
- F847 Withdrawn 2003; Test Methods for Measuring Crystallographic
 Orientation of Flats on Single Crystal Silicon Wafers by X-Ray Techniques
 F848 Withdrawn 1992; Test Method for Determining the Lattice Constant of
- Single Crystal Gadolinium Gallium Garnet F849 Withdrawn 1992; Test Method for Identification and Test of Structures
- and Contaminants Seen on Polished Gadolinium Gallium Garnet Surfaces Withdrawn 1992; Test Method for Crystallographic Perfection of
- Gadolinium Gallium Garnet by Preferential Etch Techniques F851-87(2013) Test Method for Self-Rising Seat Mechanisms, 15.11
- F852-08 Specification for Portable Gasoline Containers for Consumer Use, 15.11
- F853 Withdrawn 2014; Practice for Maintenance Procedures for Amusement Rides and Devices, 15.07
- F854-83(2008) Test Method for Cleanliness of Carbon Paper, 15.09 F855-09 Specifications for Temporary Protective Grounds to Be Used on De-energized Electric Power Lines and Equipment, 10.03
- F856-97(2008) Practice for Mechanical Symbols, Shipboard—Heating, Ventilation, and Air Conditioning (HVAC), 01.07
- F857-12 Specification for Hot Water and Chemical Sanitizing Commercial Dishwashing Machines, Stationary Rack Type, 15.12 F858-07(2013)^{c1} Specification for Hot Water Sanitizing Commercial
- Dishwashing Machines, Single Tank, Conveyor Rack Type, 15.12

 F859-09 Specification for Heat-Sanitizing Commercial Dishwashing Machines,
 Multiple Tank, Conveyor Rack Type, 15.12

 F860-07(2013) Specification for Hot Water Sanitizing Commercial Dishwashing
- Machines, Multiple Tank, Rackless Conveyor Type, 15.12
- F861-14 Specification for Commercial Dishwashing Racks, 15.12
- F862-11 Practice for pH and Chloride-ion Concentration of Aerospace Hydraulic Fluids, 15.03
- F863 Withdrawn 1996; Practice for Detection of Defects in Spin-Coated Resist Withdrawn 1996; Practice for Inspection of Hardsurface Glass Photoplates
- F865 Withdrawn 2001; Test Method for Gross Camber of Ceramic Substrates for Thick Film Applications
 F866 Withdrawn 1996; Test Method for Measuring the Package Attenuation
- Coefficient of a Sealed Device for Radioisotope Hermetic Test F867M Withdrawn 1998; Guide for Ionizing Radiation Effects (Total Dose
- Testing of Semiconductor Devices [Metric]); Replaced by F1893

- F868-02(2009) Classification for Laminated Composite Gasket Materials, 09.02
- Withdrawn 2013; Terminology Relating to Athletic Shoes and Biomechanics, 15.07
- F870-94(2010) Practice for Tread Footprints of Passenger Car Tires Groove Area Fraction and Dimensional Measurements, 09.02
- F871M Withdrawn 2001; Specification for Electrodeposited Coatings on
- Threaded Components [Metric]; Replaced by F1941M F872 Withdrawn 2002; Specification for Filter Units, Air Conditioning: Viscous-Impingement Type, Cleanable
- F873 Withdrawn 2010; Guide for Incinerating Oil Spill Wastes at Temporary Field Locations
- F874-98(2014) Test Method for Temperature Measurement and Profiling for Microwave Susceptors, 15.10
- F875-09 Test Method for Evaluation of Large Area Density and Background on Office Copiers, 15.09
- F876-13a Specification for Crosslinked Polyethylene (PEX) Tubing, 08.04 F877-11a Specification for Crosslinked Polyethylene (PEX) Hot- and Cold-Water Distribution Systems, 08.04
- F878 Withdrawn 2000; Specification for Polybutylene (PB) Thermoplastic Thin-Wall Drip Irrigation Tubing

 F879-12 Specification for Stainless Steel Socket Button and Flat Countersunk
- Head Cap Screws, 01.08
- F879M-02a(2008) Specification for Stainless Steel Socket Button and Flat Countersunk Head Cap Screws (Metric), 01.08
- F880-12 Specification for Stainless Steel Socket, Square Head, and Slotted Headless-Set Screws, 01.08
- F880M-02(2008) Specification for Stainless Steel Socket Set Screws (Metric), 01.08
- F881-94(2006) Specification for Silicone Elastomer Facial Implants, 13.01 F882 Withdrawn 2011; Performance and Safety Specification for Cryosurgical Medical Instruments
- F883-13 Performance Specification for Padlocks, 15.08
- F884-01(2011) Test Method for Motor Life Evaluation of a Built-In (Central Vacuum) Vacuum Cleaner, 15.08
- F885-84(2011) Specification for Envelope Dimensions for Bronze Globe Valves NPS, 01.07
- F886 Withdrawn 1995; Test Method for Apparent Nitrogen Digestibility for Meat and Meat Products
- F887-13 Specifications for Personal Climbing Equipment, 10.03
- F888-06(2011) Test Method for Measuring Maximum Function Volume of the Primary Dirt, 15.08
- F889 Withdrawn 1996; Test Method for Characterizing a Combination of Planar Surfaces to a Technical Level by a Vacuum Hold-Down Technique Withdrawn 1996; Practice for Determining Pinhole Density in Potoresist
- Films Used in Microelectronic Device Processing
- F891-10 Specification for Coextruded Poly(Vinyl Chloride) (PVC) Plastic Pipe With a Cellular Core, 08.04
- F892 Withdrawn 2001; Specification for Polyethylene (PE) Corrugated Pipe with a Smooth Interior and Fitting
- Withdrawn 2013; Guide for Auditing Amusement Rides and Devices; Replaced by F2974, 15.07
- F894-13 Specification for Polyethylene (PE) Large Diameter Profile Wall Sewer and Drain Pipe, 08.04
- F895-11 Test Method for Agar Diffusion Cell Culture Screening for Cytotoxicity, 13.01
- F896 Withdrawn 2001; Specification for Flexible Fiberoptic Bronchoscopes;
- Replaced by ISO 8600-1:1997

 F897-02(2013) Test Method for Measuring Fretting Corrosion of Osteosynthesis Plates and Screws, 13.01
- Withdrawn 1992; Practice for Permanent Marking of Orthopedic Implant Components
- F899-12b Specification for Wrought Stainless Steels for Surgical Instruments, 13.01
- F900-11 Specification for Industrial and Commercial Steel Swing Gates, 01.06 F901-01(2012) Specification for Aluminum Transmission Tower Bolts and Nuts,
- Withdrawn 2000; Practice for Calculating the Average Circular-Capillary-Equivalent Pore Diameter in Filter Media from Measurements of Porosity and Permeability
- F903-10 Test Method for Resistance of Materials Used in Protective Clothing
- to Penetration by Liquids, 11.03

 F904-98(2008) Test Method for Comparison of Bond Strength or Ply Adhesion of Similar Laminates Made from Flexible Materials, 15.10
- F905-04(2011) Practice for Qualification of Polyethylene Saddle-Fused Joints, 08.04
- F906-85(2007) Specification for Letters and Numerals for Ships, 01.07 Withdrawn 1997; Test Method for Measurement of Rotational Acceleration of a Wafer for Photoresist Spin Coating
- Withdrawn 1996; Practice for Evaluating Safelights for Photoresists Modules to Hail by Impact with Propelled Ice Balls
- F909-94a(2011) Terminology Relating to Printers, 15.09
- F910-04(2010) Specification for Face Guards for Youth Baseball, 15.07
- F911 Withdrawn 2002; Test Method for Flexibility of Running Shoes
- F912-11 Specification for Alloy Steel Socket Set Screws, 01.08
 F912M-11 Specification for Alloy Steel Socket Set Screws (Metric), 01.08
- F913-02(2008) Specification for Thermoplastic Elastomeric Seals (Gaskets) for Joining Plastic Pipe, 08.04
 F914/F914M-10 Test Method for Acoustic Emission for Aerial Personnel
- Devices Without Supplemental Load Handling Attachments, 10.03

F915 F1012

- F915 Withdrawn 1995; Specification for Bitts, Ship Mooring, Cast Steel (Double Barrel)
- Withdrawn 2002; Specification for Elevators, Shipboard, Electrome-F916 chanical Passenger, and Stores
- F917-14 Specification for Commercial Food Waste Disposers, 15.12
- F918-09 Specification for Noncarbonated Mechanically Refrigerated Beverage Dispenser (Visible Product), 15.12
- F919-10 Specification for Slicing Machines, Food, Electric, 15.12
- F920 Withdrawn 2007; Specification for Minimum Performance and Safety Requirements for Resuscitators Intended for Use With Humans
- F921-10(2011) Terminology Relating to Hemostatic Forceps, 13.01
 F922-01(2011) Test Method for Motor Life Evaluation of an Electric Motorized
- Nozzle, 15.08
- F923 Withdrawn 2006; Guide to Properties of High Visibility Materials Used to Improve Individual Safety
- F924-90(2009) Test Method for Resistance to Puncture of Cushioned Resilient Floor Coverings, 15.04
- F925-13 Test Method for Resistance to Chemicals of Resilient Flooring, 15.04 F926 Withdrawn 2014; Specification for Cautionary Labeling of Portable Kerosine and Diesel Containers for Consumer Use; Replaced by F839
- F927 Withdrawn 1999; Specification for Pediatric Tracheostomy Tubes; Replaced by F1627
- F928 Withdrawn 2003; Test Methods for Edge Contour of Circular Semiconductor Wafers and Rigid Disk Substrates
- Withdrawn 2002; Guide for Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response—Marine Mammals
- F930 Withdrawn 2001; Guide for Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response—Rocky Shores
- Withdrawn 2002; Guide for Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response—Seagrasses
- F932 Withdrawn 2002; Guide for Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response—Coral Reefs F933 Withdrawn 2001; Guide for Evaluation of Oil Water Separation Systems
- for Spilled Oil Recovery Applications

 F934-96(2013) Specification for Standard Colors for Polymer-Coated Chain
- Link Fence Materials, 01.06
- F935-00(2009) Test Method for Comparing Cover-Up Correction Media, 15.09
 F936 Withdrawn 1997; Specification for Chocks, Panama, Mooring Cast Steel
 F937 Withdrawn 1997; Specification for Chocks, Ship Mooring, Cast Steel
 F938 Withdrawn 1995; Specification for Bitts, Ship Mooring, Welded Steel (Double Barrel)
- F939-12 Practice for Selection of Release Torque Values for Alpine Ski Bindings, 15.07
- F940-99(2013) Practice for Quality Control Receipt Inspection Procedures for Protective Coatings (Paint), Used in Marine Construction and Shipbuilding, 01.07
- F941-99(2013) Practice for Inspection of Marine Surface Preparation and Coating Application, 01.07
- F942-02(2013) Guide for Selection of Test Methods for Interlayer Materials for Aerospace Transparent Enclosures, 15.03
- F943 Withdrawn 1997; Test Method for Measuring Halation of Transparent Parts
- F944 Withdrawn 2004; Specification for Properties of Adult Alpine Ski Boots F945-12 Test Method for Stress-Corrosion of Titanium Alloys by Aircraft Engine Cleaning Materials, 15.03
- F946-85(2010) Guide for Establishing Security Seal Control and Accountability Procedures, 15.08
- F947 Withdrawn 2005; Test Method for Determining Low-Level X-Radiation Sensitivity of Photographic Films

 F948-94(2011) Test Method for Time-to-Failure of Plastic Piping Systems and
- Components Under Constant Internal Pressure With Flow, 08.04

 F949-10 Specification for Poly(Vinyl Chloride) (PVC) Corrugated Sewer Pipe
 With a Smooth Interior and Fittings, 08.04

 F950 Withdrawn 2003; Test Method for Measuring the Depth of Crystal
- Damage of a Mechanically Worked Silicon Slice Surface by Angle Polishing and Defect Etching
- Withdrawn 2003; Test Method for Determination of Radial Interstitial Oxygen Variation in Silicon Wafers
- F952-12 Specification for Mixing Machines, Food, Electric, 15.12
- F953-14 Specification for Commercial Dishwashing Machines (Stationary Rack, Dump Type) Chemical Sanitizing, 15.12
 F954 Withdrawn 1996; Specification for Respiratory Home Care
- F955-07 Test Method for Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with Molten Substances, 11.03
 F956-91(2012) Specification for Bell, Cast, Sound Signalling, 01.07
 F957-91(2012) Specification for Gong, Sound Signaling, 01.07
 F958 Withdrawn 1993; Practice for Developing Guides for Using Consumer
- **Products**
- F959-13 Specification for Compressible-Washer-Type Direct Tension Indicators for Use with Structural Fasteners, 01.08
- F959M-13 Specification for Compressible-Washer-Type Direct Tension Indicators for Use With Structural Fasteners (Metric), 01.08
- F960 Withdrawn 2003; Specification for Medical and Surgical Suction and Drainage Systems; Replaced by F2221, F2222, F2265
 F961-08 Specification for 35Cobalt-35Nickel-20Chromium-10Molybdenum Alloy Forgings for Surgical Implants (UNS R30035), 13.01
- F962-04(2010) Specification for Oil Spill Response Boom Connection: Z-Connector, 11.05
- F963-11 Consumer Safety Specification for Toy Safety, 15.11

- F964-13 Specification for Rigid Poly (Vinyl Chloride) (PVC) Exterior Profiles Used for Fencing and Railing, 01.06
- Withdrawn 2008; Specification for Rigid Laryngoscopes for Tracheal Intubation-Hook-On Fittings for Laryngoscope Handles and Blades with
- F966 Withdrawn 2009; Consumer Safety Specification for Full-Size and Non-Full-Size Baby Crib Corner Post Extensions
- F967-03(2011) Practice for Security Engineering Symbols, 15.08
 F968 Withdrawn 2008; Specification for Electrically Insulating Plastic Guard
 Equpment for Protection of Workers; Replaced by F 712
- F969-11 Practice for Construction of Chain-Link Tennis Court Fence, 01.06
- F970-07(2011) Test Method for Static Load Limit, 15.04
 F971 Withdrawn 2002; Guide for Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response: Mangroves
- F972 Withdrawn 2001; Guide for Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response—Nearshore Subtidal
- F973 Withdrawn 2001; Guide for Ecological Considerations for the Use of
- Chemical Dispersants in Oil Spill Response: Tidal Flats

 F974-06(2011)^{c1} Practice for Determination of Color Response of Electrostatic

 Copying System, Black and White Output, 15.09

 F975 Withdrawn 2000; Specification for Auxiliary Single Stage Steam Turbines
- for Shipboard Use
- F976-08 Specification for Portable Kerosene and Diesel Containers for Consumer Use, 15.11
- F977-12 Consumer Safety Specification for Infant Walkers, 15.11
- F978 Withdrawn 2003; Test Method for Characterizing Semiconductor Deep Levels by Transient Capacitance Techniques
- F979 Withdrawn 2009; Test Method for Hermeticity of Hybrid Microcircuit Packages Prior to Lidding
- F980-10 Guide for Measurement of Rapid Annealing of Neutron-Induced
- Displacement Damage in Silicon Semiconductor Devices, 10.04

 F981-04(2010) Practice for Assessment of Compatibility of Biomaterials for Surgical Implants with Respect to Effect of Materials on Muscle and Bone, 13.01
- F982-86(2008) Specification for Disclosure of Characteristics of Surgically Implanted Clamps for Carotid Occlusion, 13.01
- F983-86(2013) Practice for Permanent Marking of Orthopaedic Implant Components, 13.01
- F984 Withdrawn 1999; Specification for Cutaneous Gas Monitoring Devices for Oxygen and Carbon Dioxide
- F985-00(2012) Specification for Panama Canal Pilot Platform, 01.07
- F986-86(2008) Specification for Suction Strainer Boxes, 01.07 F987-04(2010) Specification for Portable Intermediate Flush Deck Stanchion, 01.07
- Withdrawn 1992; Guide for Specifying Carbon-Fiber Randomly Reinforced Ultra-High-Molecular-Weight Polyethylene for Medical Devices F989 Withdrawn 1995; Test Methods for Spill Control Barrier Tension
- Members Withdrawn 2001; Guide for Ecological Considerations for Use of Chemical Dispersants in Oil Spill Response—Sandy Beaches
- F991M Withdrawn 2013; Specification for Docking/Drain Plug and Boss Assemblies [Metric]
- F992-86(2011)
- F993-86(2011)
- -86(2011) Specification for Valve Label Plates, 01.07
 -86(2011) Specification for Valve Locking Devices, 01.07
 -86(2011) Specification for Design and Installation of Overboard Discharge Hull Penetration Connections, 01.07 F994-86(2011)
- F995-09 Practice for Estimating Toner Usage in Copiers Utilizing Dry Two-Component Developer, 15.09
- F996-11 Test Method for Separating an Ionizing Radiation-Induced MOSFET Threshold Voltage Shift Into Components Due to Oxide Trapped Holes and Interface States Using the Subthreshold Current-Voltage Characteristics, 10.04
- 10.04
 10.04
 Specification for Polycarbonate Resin for Medical Applications, 13.01
 12 Specification for Centrifugal Pump, Shipboard Use, 01.07
 Withdrawn 2001; Guide for Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response—Gravel or Cobble Beaches F998-12
- F1000-13 Practice for Piping System Drawing Symbols, 01.07
- F1001-12 Guide for Selection of Chemicals to Evaluate Protective Clothing
- Materials, 11.03
- F1002-13 Performance Specification for Protective Clothing and the Materials from Which It Is Made for Use by Workers Exposed to Specific Molten Substances and Related Thermal Hazards, 11.03
 F1003-02(2012)^{c1} Specification for Searchlights on Motor Lifeboats, 01.07
 F1004-13 Consumer Safety Specification for Expansion Gates and Expandable Enclosures, 15.11
- F1005-91(2013) Practice for HVAC Duct Shapes; Identification and Description of Design Configuration, 01.07
- F1006-86(2008) Specification for Entrainment Separators for Use in Marine Piping Applications, 01.07
 F1007-86(2007) Specification for Pipeline Expansion Joints of the Packed Slip Type for Marine Application, 01.07
 F1008 Withdrawn 2001; Guide for Ecological Considerations for the Use of
- Chemical Dispersants in Oil Spill Response—Salt Marshes F1009 Withdrawn 2002; Guide for Ecological Considerations for the Use of
- Chemical Dispersants in Oil Spill Response—Offshore
 F1010 Withdrawn 2001; Guide for Ecological Considerations for the Use of Dispersants in Oil Spill Response—Bird Habitats
 F1011-07(2013) Guide for Developing a Hazardous Materials Training Curriculum for Initial Response Personnel, 11.05
- F1012 Withdrawn 2002; Guide for Ecological Considerations for the Use of

F1012 F1109

- Chemical Dispersants in Oil Spill Response—the Arctic
- F1013 Withdrawn 2002; Practice for Determining the Performance of a Liquid/Liquid Separator System Employing a Single-Pass, Constant-Rate, Non-Solids Test F1014-02(2012)^{€1} S_|
- Specification for Flashlights on Vessels, 01.07 F1015-03(2009) Test Method for Relative Abrasiveness of Synthetic Turf
- Playing Surfaces, 15.07 F1016-07(2013)¹¹ Practice for Linear Tire Treadwear Data Analysis, 09.02
 F1017 Withdrawn 2002; Test Method for Testing Lateral Toe Release of Adult
 Alpine Ski Bindings Under Impact Loading
- F1018-87a(2010) Specification for Steel Emergency Gear Stowage Locker, 01.07
- F1019M-00(2012) Specification for Steel Deck Gear Stowage Box Metric, 01.07
- F1020-86(2011) Specification for Line-Blind Valves for Marine Applications,
- F1021-95(2013) Specification for Feeders, Detergent, Rinse Agent, and Sanitizing Agent for Commercial Dishwashing and Glasswashing Machines, 15,12
- F1022 Withdrawn 2012; Specification for Chemical Sanitizing Commercial Dishwashing Machines, Recirculated Wash, Fresh Water Rinse Type
 F1023-12 Specification for Dispensers, Powdered Iced Tea, 15.12
- F1024 Withdrawn 2004; Specification for Dispensers, Rehydrated Mashed Potato
- F1025-94(2011) Guide for Selection and Use of Full-Encirclement-Type Band Clamps for Reinforcement or Repair of Punctures or Holes in Polyeth-
- ylene Gas Pressure Pipe, **08.04 F1026-86(2008)** Specification for General Workmanship and Performance Measurements of Hemostatic Forceps, 13.01
- F1027-86(2012) Practice for Assessment of Tissue and Cell Compatibility of Orofacial Prosthetic Materials and Devices, 13.01
 F1028 Withdrawn 1996; Specification for Tri-Fin Nails
 F1029 Withdrawn 2004; Guide for Selection of Physical Security Measures for
- a Facility
- F1030-86(2008) Practice for Selection of Valve Operators, 01.07 F1031-13 Practice for Training the Emergency Medical Technician (Basic), 13.02
- F1032 Withdrawn 1994; Guide for Measuring Time-Dependant Total-Dose Effects in Semiconductor Devices Exposed to Pulsed Ionizing Radiation
- F1033-00(2010) Test Method for Comparing Lift-Off Correction Media, 15.09 F1034 Withdrawn 2000; Guide for Classifying Industrial Robots
- F1035-03(2008) Practice for Use of Rubber-Cord Pie Disk to Demonstrate the Discernment Capability of a Tire X-ray Imaging System, 09.02 F1036 Not Assigned
- F1037-10 Test Method for Visual Rating of Appearance of Resilient Floors
 After In-Service Exposure to Foot Traffic, 15.04
- F1038-02(2011) Test Method for Motor Life Evaluation of a Canister, Hand-held, Stick, and Utility Type Vacuum Cleaner Without a Driven Agitator, 15.08
- F1039 Withdrawn 2002; Test Method for Measurement of Low Level X-Radiation Used in X-Ray Security Screening Systems
- F1040 Withdrawn 2012; Specification for Filter Units, Air Conditioning:
- Viscous-Impingement and Dry Types, Replaceable
 F1041-02(2008) Guide for Squeeze-Off of Polyolefin Gas Pressure Pipe and
- Tubing, 08.04

 F1042-67(2009) Practice for Estimating Toner and Dispersant Usage in Copiers Utilizing Liquid Developers, 15.09

 F1043-13 Specification for Strength and Protective Coatings on Steel
- Industrial Fence Framework, 01.06
- F1044-05(2011)^{c1} Test Method for Shear Testing of Calcium Phosphate Coatings and Metallic Coatings, 13.01
- F1045-07(2013) Performance Specification for Ice Hockey Helmets, 15.07
 F1046-01(2008) Guide for Preparing Artificially Worn Passenger and Light
 Truck Tires for Testing, 09.02
 F1047-10 Specification for Frying and Braising Pans, Tilting Type, 15.12
 F1048 Withdrawn 2003; Test Method for Measuring the Effective Surface
- Roughness of Optical Components by Total Integrated Scattering F1049 Withdrawn 2003; Practice for Shallow Etch Pit Detection on Silicon Wafers
- Waters

 F1050/F1050M-87(2010)^{c1} Test Method for Determining Winding Torque and Tension of Typewriter Ribbons, 15.09

 F1051-00(2009) Test Method for Comparing Multistrike Film Ribbons, 15.09

 F1052-14 Test Method for Pressure Testing Vapor Protective Suits, 11.03

 F1053/F1053/M Withdrawn 2003; Guide for Steel Hull Construction Tolerances [Metric]
- F1054 Withdrawn 2005; Specification for Conical Fittings
 F1055-13 Specification for Electrofusion Type Polyethylene Fittings for Outside
 Diameter Controlled Polyethylene and Crosslinked Polyethylene (PEX) Pipe and Tubing, **08.04 F1056-04(2011)** Specification for Socket Fusion Tools for Use in Socket
- Fusion Joining Polyethylene Pipe or Tubing and Fittings, **08.04**F1057-10 Practice for Estimating the Quality of Extruded Poly (Vinyl Chloride)
- (PVC) Pipe by the Heat Reversion Technique, 08.04
- F1058-08 Specification for Wrought 40Cobalt-20Chromium-16Iron-15Nickel-7Molybdenum Alloy Wire and Strip for Surgical Implant Applications (UNS R30003 and UNS R30008), 13.01

 F1059 Withdrawn 1996; Practice for Calculating the Contrast and Threshold Sensitivity of a Positive Photoresist

 F1060-08 Test Method for Thermal Protective Performance of Materials for
- Protective Clothing for Hot Surface Contact, 11.03

F1061-08(2013) Specification for Ski Binding Test Devices, 15.07

- F1062-97(2013) Test Method for Verification of Ski Binding Test Devices, 15.07
- F1063-09(2014) Practice for Functional Inspections and Adjustments of Alpine Ski/Binding/Boot Systems, 15.07
- F1064-11 Practice for Sampling and Inspection of Complete and Incomplete
- Alpine Ski/Binding/Boot Systems in Rental Applications, 15.07
 F1065 Withdrawn 1994; Practice for the Inspection of Incomplete Alpine
 Ski/Boot/Binding Systems in Rental Applications; Replaced by F1064
 F1066-04(2010)^{c1} Specification for Vinyl Composition Floor Tile, 15.04
- F1067 Withdrawn 2000; Test Method for Determining the Performance of a Petroleum Product Filter Cartridge Using a Single-Pass Constant Rate Procedure
- F1068-90(2012) Specification for Doors, Double, Gastight/Airtight, Individually Dogged, for Marine Use, 01.07
- F1069-87(2012) Specification for Doors, Watertight, Gastight/Airtight and Weathertight, Individually Dogged, for Marine Use, 01.07

- F1070-87(2012) Specification for Doors, Non-Tight, for Marine Use, 01.07
 F1071-94(2012) Specification for Expanded-Metal Bulkhead Panels, 01.07
 F1072-94(2012) Specification for Expanded-Metal Doors, 01.07
 F1073-87(2012) Specification for Door Fittings, for Watertight /Gastight /Airtight, Weathertight, and Non-Tight Doors, for Marine Use, 01.07
 F1074-87(2012) Specification for Cleats, Welded Horn Type, 01.07
- Specification for Dehumidifier, Shipboard, Mechanically F1075-97(2008) Refrigerated, Self-Contained, 01.07
- F1076-87(2010) Practice for Expanded Welded and Silver Brazed Socket Joints for Pipe and Tube, 01.07
- F1077-05 Guide for Selection of Committee F16 Fastener Specifications, 01.08
- F1078-10(2011) Terminology for Surgical Scissors--Inserted and Non-Inserted
- Blades, 13.01 F1079-87(2008)^{€1} Specification for Inserted and Noninserted Surgical Scissors, 13.01
- F1080-93(2013) Test Method for Determining the Consistency of Viscous Liquids Using a Consistometer, 15.03
- F1081-09 Specification for Competition Wrestling Mats, 15.07
- F1082 Withdrawn 2006; Practice for Tires—Determining Precision for Test Method Standards
- F1083-13 Specification for Pipe, Steel, Hot-Dipped Zinc-Coated (Galvanized) Welded, for Fence Structures, 01.06
 F1084-08(2013) Guide for Sampling Oil/Water Mixtures for Oil Spill Recovery
- Equipment, 11.05
- F1085-10 Specification for Mattress and Box Springs for Use in Berths in Marine Vessels, 01.07
- F1086-94(2008) Guide for Structures and Responsibilities of Emergency Medical Services Systems Organizations, 13.02
- F1087-02(2009) Test Method for Linear Dimensional Stability of a Gasket Material to Moisture, 09.02
- F1088-04a(2010) Specification for Beta-Tricalcium Phosphate for Surgical Implantation, 13.01
- F1089-10 Test Method for Corrosion of Surgical Instruments, 13.01
- F1090-06 Classification for Bank and Mercantile Vault Construction, 15.08
 F1091-12 Specification for Wrought Cobalt-20Chromium-15Tungsten-10Nickel
 Alloy Surgical Fixation Wire (UNS R30605), 13.01
 F1092-04(2010) Specification for Fiberglass (GRP) Pultruded Open-Weather
 Storm and Guard, Square Railing Systems, 01.07
 F1093-99(2012) Test Methods for Tensile Strength Characteristics of Oil Spill
- Response Boom, 11.05
- F1094-87(2012) Test Methods for Microbiological Monitoring of Water Used for Processing Electron and Microelectronic Devices by Direct Pressure Tap Sampling Valve and by the Presterilized Plastic Bag Method, 10.04
- F1095 Withdrawn 2001; Test Method for Rapid Enumeration of Bacteria in Electronics-Grade Purified Water Systems by Direct-Count Epifluorescence Microscopy
- F1096 Withdrawn 1992; Test Method for Measuring MOSFET Saturated Threshold Voltage
- F1097-91(2012) Specification for Mortar, Refractory (High-Temperature,
- F1097-91(2012) Specification for Moriar, Herractory (High-Temperature, Air-Setting), 01.07
 F1098-87(2010) Specification for Envelope Dimensions for Butterfly Valves—NPS 2 to 24, 01.07
 F1099M-98(2011) Specification for Rat Guards, Ship's [Metric], 01.07
 F1100 Withdrawn 2004; Specification for Ventilators Intended for Use in Critical Care; Replaced by F2198
- F1101 Withdrawn 2012; Specification for Ventilators Intended for Use During
- Anesthesia
 F1102 Withdrawn 2000; Guide for Preparation of Use and Care Booklets for
- Residential Resilient Nontextile Floor Coverings F1103 Withdrawn 1998; Test Method for Materials Response to Flame—45° (for Aerospace Vehicles)
- F1104-02(2013) Test Method for Preparing Aircraft Cleaning Compounds, Liquid Type, Water Base, for Storage Stability Testing, 15.03 F1105-09 Practice for Preparing Aircraft Cleaning Compounds, Liquid-Type,
- Temperature-Sensitive, or Solvent-Based, for Storage Stability Testing,
- F1106-87(2012) Specification for Warping Heads, Rope Handling (Gypsy Head, Capstan Head), 01.07
- F1107-04(2010) Terminology Relating to Snowboarding, 15.07 F1108-04(2009) Specification for Titanium-6Aluminum-4Vanadium Alloy Castings for Surgical Implants (UNS R56406), 13.01
- Withdrawn 1993; Specification for Porous Composites of Polytetrafluo-

F1109 F1202

roethylene and Carbon for Surgical Implant Applications

F1110-09 Test Method for Sandwich Corrosion Test, 15.03

F1111-08b(2013) Test Method for Corrosion of Low-Embrittling Cadmium Plate by Aircraft Maintenance Chemicals, 15.03

F1112-06a(2010) Test Method for Static Testing of Tubeless Pneumatic Tires for Rate of Loss of Inflation Pressure, 09.02

F1113-87(2011) Test Method for Electrochemical Measurement of Diffusible

Hydrogen in Steels (Barnacle Electrode), 15.03

F1114-11 Specification for Heat Sanitizing Commercial Pot, Pan, and Utensil Stationary Rack Type Water-Driven Rotary Spray, 15.12

F1115-95(2008)^{c1} Test Method for Determining the Carbon Dioxide Loss of

Beverage Containers, 15.10

F1116-03(2008) Test Method for Determining Dielectric Strength of Dielectric Footwear, 10.03

F1117-03(2013) Specification for Dielectric Footwear, 10.03

F1118 Withdrawn 2007; Specification for National Air Medical Transport Units Resources Catalog

F1119 Withdrawn 2000; Specification for Rotary Wing Basic Life Support Transport Units

F1120-87(2010) Specification for Circular Metallic Bellows Type Expansion
 Joints for Piping Applications, 01.07
 F1121-87(2010) Specification for International Shore Connections for Marine
 Fire Applications, 01.07

F1122-04(2010) Specification for Quick Disconnect Couplings (6 in. NPS and Smaller), 01.07

F1123-87(2010) Specification for Non-Metallic Expansion Joints, 01.07 F1124 Withdrawn 2000; Specification for Rotary Wing Advanced Life Support Transport Units

F1125-87(2011) Terminology of Image Quality in Impact Printing Systems, 15.09

F1126-12 Specification for Food Cutters (Electric), 15.12 F1127-07(2013) Guide for Containment of Hazardous Material Spills by

Emergency Response Personnel, 11.05
F1128 Withdrawn 1996; Test Method for Abrasion Resistance of Transparent

Plastics and Coatings Using Salt Impingement Method
F1129/F1129M-12 Guide for Using Aqueous Foams to Control the Vapor Hazard from Immiscible Volatile Liquids, 11.05

F1130-99(2009) Practice for Inspecting the Coating System of a Ship, 01.07 F1131 Withdrawn 1993; Practice for Inspecting the Coating System of a Ship's Tanks and Voids; Replaced by F1130

Tanks and Volus, Replaced by F1130

F1132 Withdrawn 1993; Practice for Inspecting the Coating System of a Ship's Deck And Deck Machinery; Replaced by F1130

F1133 Withdrawn 1993; Practice for Inspecting the Coating System of a Ship's Underwater Hull and Boottop During Drydocking; Replaced by F1130

F1134-12 Specification for Insulation Resistance Monitor for Shipboard

Electrical Motors and Generators, 01.07

F1135 Withdrawn 2009; Specification for Cadmium or Zinc Chromate Organic Corrosion Protective Coating for Fasteners

F1136M Withdrawn 2011; Specification for Zinc/Aluminum Corrosion Protective Coatings for Fasteners (Metric); Replaced by F1136

F1136/F1136M-11 Specification for Zinc/Aluminum Corrosion Protective Coatings for Fasteners, 01.08
F1137-11^{c1} Specification for Phosphate/Oil Corrosion Protective Coatings for

Fasteners, 01.08

F1138-98(2007) Specification for Spray Shields for Mechanical Joints, 01.07 F1139-88(2010) Specification for Steam Traps and Drains, 01.07 F1140/F1140M-13 Test Methods for Internal Pressurization Failure Resistance

of Unrestrained Packages, 15.10

F1141-10 Specification for Wall Covering, 15.11

F1142-98(2012) Specification for Manhole Cover Assembly, Bolted,

Semi-Flush, Oiltight and Watertight, 01.07

F1143-98(2012) Specification for Manhole Cover Assembly, Bolted, Raised, Oiltight and Watertight, 01.07
 F1144-98(2012) Specification for Manhole Cover Assembly, Bolted,

Semi-Flush, Oiltight and Watertight, Hinged, 01.07
F1145-05(2011) Specification for Turnbuckles, Swaged, Welded, Forged,

F1146 Withdrawn 2000; Specification for Rotary Wing Specialized Medical Transport Units

F1147-05(2011) Test Method for Tension Testing of Calcium Phosphate and

Metallic Coatings, 13.01

F1148-12 Consumer Safety Performance Specification for Home Playground Equipment, 15.11

F1149-93(2013) Practice for Qualifications, Responsibilities, and Authority of Individuals and Institutions Providing Medical Direction of Emergency Medical Services, 13.02

F1150-11 Specification for Commercial Food Waste Pulper and Waterpress Assembly, 15.12

F1151-88(2008) Test Method for Determining Variations in Hardness of Film Ribbon Pancakes, 15.09

Withdrawn 2003; Test Method for Dimensions of Notches on Silicon F1152 Wafers

F1153 Withdrawn 2003; Test Method for Characterization of Metal-Oxide Silicon (MOS) Structures by Capacitance-Voltage Measurements
F1154-11 Practices for Qualitatively Evaluating the Comfort, Fit, Function, and

Durability of Protective Ensembles and Ensemble Components, 11.03 F1155-10 Practice for Selection and Application of Piping System Materials,

01.07 F1156 Withdrawn 2001; Terminology Relating to Product Counterfeit Protection Systems

F1157-04(2010) Practice for Classifying the Relative Performance of the Physical Properties of Security Seals, 15.08

F1158-94(2008) Guide for Inspection and Evaluation of Tampering of Security Seals, **15.08**

F1159-11 Practice for Design and Manufacture of Patron Directed, Artificial Climbing Walls, Dry Slide, Coin Operated and Purposeful Water Immersion Amusement Rides and Devices and Air-Supported Structures,

F1160-14 Test Method for Shear and Bending Fatigue Testing of Calcium Phosphate and Metallic Medical and Composite Calcium Phosphate/

Metallic Coatings, 13.01

Withdrawn 2000; Specification for Minimum Performance and Safety Requirements for Components and Systems of Anesthesia Gas Machines; Replaced by F1850

F1162 Withdrawn 2011; Specification for Pole Vault Landing Systems F1162/F1162M-12 Specification for Pole Vault Landing Systems, 15.07

F1163-13 Specification for Protective Headgear Used in Horse Sports and Horseback Riding, 15.07
F1164-97(2009)⁴¹ Test Method for Evaluation of Transparent Plastics Exposed

to Accelerated Weathering Combined with Biaxial Stress, 15.03
F1165-10 Test Method for Measuring Angular Displacement of Multiple Images in Transparent Parts, 15.03

F1166-07(2013) Practice for Human Engineering Design for Marine Systems, Equipment, and Facilities, 01.07

F1167 Withdrawn 1993; Terminology Relating to Aseptic Packaging F1168 Withdrawn 2000; Guide for Use in the Establishment of Thermal Processes for Foods Packaged in Flexible Containers

F1169-13 Consumer Safety Specification for Full-Size Baby Cribs, 15.11 F1170 Withdrawn 2002; Practice for Determining the Performance of a Filter Medium Using Water and Siliceous Particles

F1171 Not Assigned

F1172-88(2010) Specification for Fuel Oil Meters of the Volumetric Positive Displacement Type, 01.07

F1173-01(2012) Specification for Thermosetting Resin Fiberglass Pipe Systems to Be Used for Marine Applications, **01.07**

F1174-12 Practice for Using a Personal Computer Printer as a Test Instrument, 15.09

F1175-88(2011) Practice for Using the Computer Impact Print-Out Unit as a Test Instrument for Manifold Comparison, 15.09

F1176 Withdrawn 2010; Practice for Design and Installation of Underground Thermoplastic Irrigation Systems With Maximum Working Pressure of 125

F1177-02(2009) Terminology Relating to Emergency Medical Services, 13.02 F1178-11 Specification for Performance of Enameling System, Baking, Metal Joiner Work and Furniture, 01.07

F1179-88(2007) Practice for Inspection Procedure for Use of Anaerobic Thread Locking Compounds with Studs, 01.07

F1180 Not Assigned

F1181-09 Test Method for Measuring Binocular Disparity in Transparent Parts, 15.03

F1182-07(2013) Specification for Anodes, Sacrificial Zinc Alloy, 01.07 F1183-96(2011) Specification for Aluminum Alloy Chain Link Fence Fabric, 01.06

F1184-05(2010) Specification for Industrial and Commercial Horizontal Slide Gates. 01.06

F1185-03(2014) Specification for Composition of Hydroxylapatite for Surgical Implants, 13.01

F1186-03(2013) Classification System for Chemicals According to Functional Groups, **11.03**

F1187 Withdrawn 2000; Specification for Fixed Wing Basic Life Support Transport Units

F1188 Withdrawn 2003; Test Method for Interstitial Atomic Oxygen Content of Silicon by Infrared Absorption with Short Baseline F1189 Withdrawn 1993; Test Method for Using Computer-Assisted Infrared

Spectrophotometry to Measure the Interstitial Oxygen Content of Silicon Slices Polished on Both Sides

F1190-11 Guide for Neutron Irradiation of Unbiased Electronic Components, 10.04

F1191 Withdrawn 1993; Guide for Radiation Testing of Semiconductor Memories

F1192-11 Guide for the Measurement of Single Event Phenomena (SEP)
Induced by Heavy Ion Irradiation of Semiconductor Devices, 10.04
F1193-14 Practice for Quality, Manufacture, and Construction of Amusement

Rides and Devices, 15.07

F1194-99(2010) Guide for Documenting the Results of Chemical Permeation Testing of Materials Used in Protective Clothing, 11.03

F1195 Withdrawn 2008; Specification for Rigid Laryngoscopes for Tracheal

Intubation—Hook on Fittings for Fiberilluminated Blades and Handles
F1196-00(2013) Specification for Sliding Watertight Door Assemblies, 01.07
F1197-00(2012) Specification for Sliding Watertight Door Control Systems, 01.07

F1198-92(2012)^{c1} Guide for Shipboard Fire Detection Systems, 01.07 F1199-88(2010) Specification for Cast (All Temperatures and Pressures) and Welded Pipe Line Strainers (150 psig and 150°F Maximum), 01.07

welded Pipe Line Strainers (150 psig and 150°F Maximum), 01.07
F1200-88(2010) Specification for Fabricated (Welded) Pipe Line Strainers (Above 150 psig and 150°F), 01.07
F1201-88(2010) Specification for Fluid Conditioner Fittings in Piping Applications Above 0°F, 01.07
F1202-11 Specification for Washing Machines, Heat Sanitizing, Commercial, Pot, Pan, and Utensil Vertically Oscillating Arm Type, 15.12

F1203 F1294

- F1203-11 Specification for Washing MachinesPot, Pan, and Utensil, Heat Sanitizing, Commercial Rotary Conveyor Type, 15.12
- Withdrawn 2002; Specification for Anesthesia Reservoir Bags; Replaced by ISO 5362
- F1205 Withdrawn 2008; Specification for Anesthesia Breathing Tubes
 F1206-94(2011) 1 Test Method for Evaluating Color Image Output from Color Printers and Copiers, 15.09
- F1207M-12 Specification for Electrical Insulation Monitors for Monitoring
- Ground Resistance in Active Electrical Systems Metric, 01.07
 F1208 Withdrawn 2014; Specification for Minimum Performance and Safety Requirements for Anesthesia Breathing Systems
- F1209-14 Guide for Ecological Considerations for the Use of Oil Spill Dispersants in Freshwater and Other Inland Environments, Ponds and Sloughs, 11.05
- F1210-14 Guide for Ecological Considerations for the Use of Oil Spill Dispersants in Freshwater and Other Inland Environments, Lakes and Large Water Bodies, 11.05
- F1211 Withdrawn 2007; Specification for Semiconductor Device Passivation Opening Layouts
- F1212 Withdrawn 2008; Test Method for Thermal Stability Testing of Gallium Arsenide Wafers F1213 Withdrawn 1999; Test Method for Determining the Particle Contamina-
- tion and Media Migration Characteristics of Liquid Filters by Optical Microscopy
- F1214 Withdrawn 1999; Test Method for Water Solubility in Liquid Petroleum Products by Karl Fischer Reagent
- F1215 Withdrawn 1999; Test Method for Determining the Initial Efficiency of a Flatsheet Filter Medium in an Airflow Using Latex Spheres
- F1216-09 Practice for Rehabilitation of Existing Pipelines and Conduits by the

- Inversion and Curing of a Resin-Impregnated Tube, **08.04**F1217-11 Specification for Cooker, Steam, **15.12**F1218-89(2014) Specification for Bronchoscopes (Rigid), **13.02**F1219 Withdrawn 2006; Guide for Training the Emergency Medical Technician (Basic) to Perform Patient Initial and Detailed Assessment
- F1220-95(2014) Guide for Emergency Medical Services System (EMSS) Telecommunications, 13.02
- F1221-89(2014) Guide for Interagency Information Exchange, 13.02
- F1222 Withdrawn 2000; Classification for Hardware for Wood Fencing F1223-14 Test Method for Determination of Total Knee Replacement
- Constraint, 13.01 F1224 Withdrawn 2012; Guide for Providing System Evaluation for Emergency
- Medical Services F1225-99(2008) Test Method for Measuring the Ribbon Exit Force for Film and Fabric Cartridges, 15.09
- F1226 Withdrawn 2002; Test Method for Calibration of Liquid-Borne Particle
- Counters for Submicrometer Particle Sizing Withdrawn 2000; Test Method for Total Mass Loss of Materials and F1227 Condensation of Outgassed Volatiles on Microelectronics-Related
- F1228 Withdrawn 2001; Test Method for Oxidizable (Organic) Carbon on Wafer Surfaces (By Persulfate
- F1229-01(2012) Guide for Qualification and Training of EMS Air Medical
- Patient Care Providers, 13.02

 F1230 Withdrawn 1997; Specification for Minimum Performance Requirements for Emergency Medical Service (EMS) Ground Vehicles

 F1231-14 Guide for Ecological Considerations for the Use of Oil Spill
- Dispersants in Freshwater and Other Inland Environments, Rivers and Creeks, 11.05
- F1232-98(2008) Practice for Generating a Test Pattern for Single-Pass Film Ribbons, 15.09
- F1233-08(2013) Test Method for Security Glazing Materials And Systems, 15.08
- F1234 Withdrawn 1995; Specification for Protective Coatings on Steel Framework for Fences; Replaced by F1043
 F1235-14 Consumer Safety Specification for Portable Hook-On Chairs, 15.11
 F1236-96(2012) Guide for Visual Inspection of Electrical Protective Rubber Products, 10.03
- F1237-09 Specification for Commercial Dishwashing Machines, Multiple-Tank,
- Continuous Oval-Conveyor Type, Heat Sanitizing, 15.12
 F1238-95(2011) Specification for Refractory Silicide Sputtering Targets for
- Microelectronic Applications, 10.04

 9 Withdrawn 2003; Test Method for Oxygen Precipitation Characteristics of Silicon Wafers by Measurement of Interstitial Oxygen Reduction F1239
- F1240-01(2009) Guide for Ranking Footwear Bottom Materials on Contaminated Walkway Surfaces According to Slip Resistance Test Results, 15.07
- Withdrawn 2003; Terminology of Silicon Technology
- F1241 Withdrawn 2002; Specification for Cuffed and Uncuffed Tracheal Tubes; Replaced by ANS/ISO 5361 F1243 Withdrawn 2002; Specification for Tracheal Tube Connectors; Replaced
- by ANS/ISO 5361
- F1244-08(2013) Specification for Berths, Marine, 01.07
 F1245-89(2012) Specification for Faucets, Single and Double, Compression and Self-Closing Type, Shipboard, 01.07
- F1246 Withdrawn 2014; Specification for Electrically Powered Home Care Ventilators, Part 1—Positive-Pressure Ventilators and Ventilator Circuits
- F1247-89(2011) Specification for Intrusion Resistant Generic Vault Structures, 15.08
- F1248 Withdrawn 2007; Test Method for Determination of Environmental Stress Crack Resistance (ESCR) of Polyethylene Pipe

- F1249-13 Test Method for Water Vapor Transmission Rate Through Plastic Film and Sheeting Using a Modulated Infrared Sensor, 15.10
- F1250-13 Specification for Stationary Upright and Recumbent Exercise Bicycles and Upper Body Ergometers, 15.07
- F1251 Withdrawn 2012; Terminology Relating to Polymeric Biomaterials in Medical and Surgical Devices
- F1252-10 Test Method for Measuring Optical Reflectivity of Transparent Materials, 15.03
- F1253 Withdrawn 1999; Guide for Training the Emergency Medical Technician (Basic) to Perform Patient Secondary Assessment
- F1254 Withdrawn 2007; Practice for Performance of Prehospital Manual Defibrillation
- F1255-90(2008) Practice for Performance of Prehospital Automated Defibrillation, 13.02
- F1256-13 Guide for Selection and Practice of Emergency Medical Services Instructor for Emergency Medical Technician (EMT) Training Programs, 13.02
- F1257-13 Guide for Selection and Practice of Emergency Medical Services
- Instructor for Advanced Emergency Medical Technician, 13.02

 F1258-95(2014) Practice for Emergency Medical Dispatch, 13.02

 F1259M Withdrawn 2009; Guide for Design of Flat, Straight-Line Test
 Structures for Detecting Metallization Open-Circuit or Resistance-Increase
 Failure Due to Electromigration [Metric]

 F1260M Withdrawn 2009; Test Method for Estimating Electromigration Median
- Time-To-Failure and Sigma of Integrated Circuit Metallizations [Metric]
- F1261M Withdrawn 2009; Test Method for Determining the Average Electrical Width of a Straight, Thin-Film Metal Line (Metric)
- F1262M-95(2008) Guide for Transient Radiation Upset Threshold Testing of Digital Integrated Circuits (Metric), 10.04
- F1263-11 Guide for Analysis of Overtest Data in Radiation Testing of
- Electronic Parts, 10.04

 F1264-03(2012) Specification and Test Methods for Intramedullary Fixation
 Devices, 13.01
- F1265-03a(2013) Test Method for Resistance to Impact for Resilient Floor Tile, 15.04
- F1266-89(2008) Performance Specification for Cerebral Stereotactic Instruments, 13.01
- F1267-12 Specification for Metal, Expanded, Steel, 01.03
- F1268-90(2012) Guide for Establishing and Operating a Public Information, Education, and Relations Program for Emergency Medical Service Systems, 13.02
- F1269-13 Test Methods for Destructive Shear Testing of Ball Bonds, 10.04 F1270-97(2013) Practice for Preparing and Locating Emergency Muster Lists, 01.07
- F1271-90(2012) Specification for Spill Valves for Use in Marine Tank Liquid Overpressure Protections Applications, 01.07
- F1272 Not Assigned
- F1273-91(2013) Specification for Tank Vent Flame Arresters, 01.07
- F1274 Withdrawn 2000; Specification for Fixed Wing Advanced Life Support Transport Units
- F1275-14 Test Method for Performance of Griddles, 15.12
- F1276-99(2009) Test Method for Creep Relaxation of Laminated Composite Gasket Materials, 09.02
- F1277-02(2009) Test Method for Determination of Leachable Chloride in Packing and Gasketing Materials by Ion-Selective Electrode Technique, 09.02
- F1278-96(2008) Guide for Use and Handling of Flexible Retort Food Pouches in the Processing Environment, 15.10
- F1279-08(2014) Guide for Ecological Considerations for the Restriction of the Use of Surface Washing Agents: Permeable Land Surfaces, 11.05
- F1280-14 Guide for Ecological Considerations for the Use of Surface Washing Agents: Impermeable Surfaces, 11.05
- F1281-11 Specification for Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene (PEX-AL-PEX) Pressure Pipe, 08.04
- F1282-10 Specification for Polyethylene/Aluminum/Polyethylene (PE-AL-PE)
 Composite Pressure Pipe, 08.04
- F1283 Withdrawn 2000; Specification for Fixed Wing Specialized Medical Transport Units
- Test Method for Evaluating Carpet Embedded Dirt Removal Effectiveness of Residential Central Vacuum Cleaning Systems, 15.08
- F1285-13 Guide for Training the Emergency Medical Technician to Perform
- Patient Examination Techniques, 13.02

 F1286-90(2009) Guide for Development and Operation of Level 1 Pediatric Trauma Facilities, 13.02
- F1287-90(2012) Guide for Scope of Performance of First Responders Who Provide Emergency Medical Care, 13.02
- F1288-90(2009) Guide for Planning for and Response to a Multiple Casualty Incident, 13.02
- F1289 Withdrawn 2000; Practice for Development of Literature Pertaining to the Selection of Residential Resilient Floor Coverings
- F1290-98a(2011) Practice for Electrofusion Joining Polyolefin Pipe and Fittings, 08.04
- F1291-10 Test Method for Measuring the Thermal Insulation of Clothing Using a Heated Manikin, 11.03
- F1292-13 Specification for Impact Attenuation of Surfacing Materials Within
- the Use Zone of Playground Equipment, 15.07

 F1293 Withdrawn 2000; Test Method for Evaluation of Coated Transparent Plastics Subjected to Cyclic Flexural/Thermal Fatigue

 F1294-97a(2009) Terminology Relating to Automatic Identification Hard Copy
- Printing Systems, 15.09

F1295 F1388

- F1295-11 Specification for Wrought Titanium-6Aluminum-7Niobium Alloy for Surgical Implant Applications (UNS R56700), 13.01
- F1296-08 Guide for Evaluating Chemical Protective Clothing, 11.03
- F1297-90(2012) Guide for Location and Instruction Symbols for Evacuation and Lifesaving Equipment, 01.07
- F1298-90(2012) Specification for Flexible, Expansion-Type Ball Joints for Marine Applications, 01.07
- F1299 Withdrawn 1997; Specification for Food Service Equipment Hoods for Cooking Appliances
- F1300 Not Assigned F1301-90(2011)^{c1} Pra Practice for Labeling Chemical Protective Clothing, 11.03 F1302 Withdrawn 1991; Practice for Abbreviated Marking of Plastic Consumer Products
- F1303-04(2014) Specification for Sheet Vinyl Floor Covering with Backing, 15.04
- F1304-08(2013) Test Method for Deflection of Resilient Floor Tile, 15.04 F1305 Withdrawn 2011; Guide for Classification of Amusement Ride and Device Related Injuries and Illnesses

 F1306-90(2008)^{c1} Test Method for Slow Rate Penetration Resistance of
- Flexible Barrier Films and Laminates, 15.10

 F1307-02(2007) Test Method for Oxygen Transmission Rate Through Dry
- Packages Using a Coulometric Sensor, 15.10
- F1308-98(2014) Test Method for Quantitating Volatile Extractables in Microwave Susceptors Used for Food Products, 15.10
- F1309-98(2012) Practice for Installation Procedures for Fitting Chocks to Marine Machinery Foundations, 01.07
- F1310 Withdrawn 1996; Specification for 65-Gallon Dispensing Tank
- F1311-90(2012) Specification for Large-Diameter Fabricated Carbon Steel Flanges, 01.07
- F1312-90(2013) Specification for Brick, Insulating, High Temperature, Fire Clay, **01.07**
- F1313-90(2011) Specification for Volatile N-Nitrosamine Levels in Rubber Nipples on Pacifiers, 15.11
 F1314-13a⁻¹ Specification for Wrought Nitrogen Strengthened 22 Chromium–13 Nickel–5 Manganese–2.5 Molybdenum Stainless Steel Alloy Bar and Wire for Surgical Implants (UNS S20910), 13.01
 F1315-50(2014) Technology for Despite of a Short Gacket Material, 19.02
- F1315-00(2014) Test Method for Density of a Sheet Gasket Material, 09.02 F1316-90(2013) Test Method for Measuring the Transmissivity of Transparent Parts, 15.03
- F1317-98(2012) Test Method for Calibration of Microwave Ovens, 15.10 Test Method for Determination of Productivity Using F1318-90(2009) Electrostatic Copy Machines with Various Configurations, 15.09
- F1319-94(2011) Test Method for Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Crockmeter Method), 15.09
- F1320-01(2011) Test Method for Evaluating Thermal Paper Employing a Facsimile Thermal Printer as a Test Instrument, 15.09
- F1321-13^{c1} Guide for Conducting a Stability Test (Lightweight Survey and Inclining Experiment) to Determine the Light Ship Displacement and Centers of Gravity of a Vessel, 01.07
 F1322-90(2009) Guide for Selection of Shipboard Incinerators, 01.07

- F1323-08 Specification for Shipboard Incinerators, 01.07
 F1324 Not Assigned
 F1325-91(2008)¹¹ Specification for Stainless Steel Suture Needle Holders-General Workmanship Requirements and Corresponding Test Methods,
- F1326-02(2011) Test Method for Measuring Maximum Dry Volume of Utility Vacuum Ćleaners, 15.08
- F1327 Withdrawn 2007; Terminology Relating to Barrier Materials for Medical Packaging; Replaced by F17
- F1328 Withdrawn 2006; Guide for Training Emergency Medical Technician
 (Basic) to Prepare Patients for Medical Transportation
 F1329 Withdrawn 2006; Guide for Training the Emergency Medical Technician
 (Basic) in Basic Anatomy and Physiology
 F1330-91(2012) Guide for Metallic Abrasive Blasting to Descale the Interior of
- Pipe, **01.07**
- F1331-91(2012) Practice for Installation Procedures of Vinyl Deck Coverings on Portable Plates in Electrical and Electronic Spaces, 01.07
- F1332-99(2011) Practice for Use of SI (Metric) Units in Maritime Applications (Committee F25 Supplement to IEEE/ASTM SI 10), 01.07
- F1333-91(2013) Specification for Construction of Fire and Foam Station Cabinets, 01.07
- F1334-14 Test Method for Determining A-Weighted Sound Power Level of
- Vacuum Cleaners, 15.08
 F1335 Withdrawn 2011; Specification for Pressure-Rated Composite Pipe and Fittings for Elevated Temperature Service
 F1336-07 Specification for Poly(Vinyl Chloride) (PVC) Gasketed Sewer
- Fittings, 08.04
- F1337-10 Practice for Human Systems Integration Program Requirements for Ships and Marine Systems, Equipment, and Facilities, 01.07
 F1338-91(2013) Guide for Main Propulsion Medium Speed Marine Diesel
- Engines Covering Performance and Minimum Scope of Assembly, 01.07 F1339-92(2008) Guide for Organization and Operation of Emergency Medical
- Services Systems, 13.02
 F1340 Withdrawn 1997; Test Method for Determining the Mean Interface Trap
 Density of MOSFETs by Charge-Pumping
 F1341 Withdrawn 2006; Specification for Unalloyed Titanium Wire UNS
- R50250, UNS R50400, UNS R50550, UNS R50700, for Surgical Implant **Applications**

- F1342/F1342M-05(2013)^{€1} Test Method for Protective Clothing Material Resistance to Puncture, 11.03
- F1343 Withdrawn 2011; Specification for Anesthetic Gas Scavenging Systems—Transfer and Receiving Systems
 F1344-12^{c1} Specification for Rubber Floor Tile, 15.04
- F1345-10a Specification for Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Chain-Link Fence Fabric, 01.06
- F1346-91(2010) Performance Specification for Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas and Hot Tubs, 15.11
- F1347-91(2012) Specification for Manually Operated Fueling Hose Reels, 01.07
- F1348/F1348M-91(2013) Specification for Pneumatic Rotary Descaling Machines, 01.07
- F1349-08(2014) Test Method for Nonvolatile Ultraviolet (UV) Absorbing Extractables from Microwave Susceptors, 15.10
- F1350-08 Specification for Wrought 18Chromium-14Nickel-2.5Molybdenum Stainless Steel Surgical Fixation Wire (UNS S31673), 13.01
- Paper on Images Produced by Business Imaging Systems, 15.09
 F1352-08(2013) Guide for Fixed Blade Broadhead Performance and Safety Standards, 15.07
- F1353 Withdrawn 1995; Specification for Frozen Finely Ground Chicken F1354 Withdrawn 1995; Specification for Frozen Precooked Imitation Crab **Products**
- F1355-06(2014) Guide for Irradiation of Fresh Agricultural Produce as a Phytosanitary Treatment, 12.02
- F1356-08 Practice for Irradiation of Fresh and Frozen Red Meat and Poultry to Control Pathogens and Other Microorganisms, 12.02
- F1357-09 Specification for Articulating Total Wrist Implants, 13.01
 F1358-08 Test Method for Effects of Flame Impingement on Materials Used in Protective Clothing Not Designated Primarily for Flame Resistance, 11.03
 F1359/F1359M-13 Test Method for Liquid Penetration Resistance of Protective
- Clothing or Protective Ensembles Under a Shower Spray While on a Mannequin, 11.03
- F1360-06(2012) Specification for Ovens, Microwave, Electric, 15.12 F1361-07(2013) Test Method for Performance of Open Deep Fat Fryers, 15.12
- F1362-13 Test Method for Shear Strength and Shear Modulus of Aerospace Glazing Interlayer Materials, 15.03
- F1363-07(2011) Guide for Reduction of Risk of Injury for Archery Overdraws, 15 07
- F1364-03(2010) Practice for Use of a Calibration Device to Demonstrate the Inspection Capability of an Interferometric Laser Imaging Nondestructive Tire Inspection System, 09.02

 F1365-91(2013) Test Method for Water Infiltration Resistance of Plastic
- Underground Conduit Joints Which Use Flexible Elastomeric Seals, 08.04
- F1366 Withdrawn 2003; Test Method for Measuring Oxygen Concentration in Heavily Doped Silicon Substrates by Secondary Ion Mass Spectrometry
- F1367-98(2011) Specification for Chromium Sputtering Targets for Thin Film Applications, 10.04 F1368 Withdrawn 2000; Test Method for Determining the Sieving Performance
- of a Fluid Filter Medium Employing An Aqueous Suspension of Microspheres and a Spectrophotometer Withdrawn 2002; Specification for Heaters, Convection, Steam and Hot F1369 Water
- F1370-92(2011) Specification for Pressure-Reducing Valves for Water Systems, Shipboard, 01.07
 F1371-13 Specification for Vegetable Peeling Machines, Electric, 15.12
 F1372-93(2012) Test Method for Scanning Electron Microscope (SEM)
- Analysis of Metallic Surface Condition for Gas Distribution System
- Components, 10.04

 F1373-93(2012) Test Method for Determination of Cycle Life of Automatic Valves for Gas Distribution System Components, 10.04

 F1374-92(2012) Test Method for Ionic/Organic Extractables of Internal Surfaces-IC/GC/FTIR for Gas Distribution System Components, 10.04
- F1375-92(2012) Test Method for Energy Dispersive X-Ray Spectrometer (EDX) Analysis of Metallic Surface Condition for Gas Distribution System Components, 10.04
- F1376-92(2012) Guide for Metallurgical Analysis for Gas Distribution System Components, 10.04
- F1377-13 Specification for Cobalt-28Chromium-6Molybdenum Powder for Coating of Orthopedic Implants (UNS R30075), 13.01
 F1378-12 Specification for Shoulder Prostheses, 13.01

- F1379-95(2013) Terminology Relating to Barbed Tape, 01.06
 F1380 Withdrawn 2008; Specification for Metal Insert Fittings for Polybutylene (PB) Tubing
- F1381 Withdrawn 2008; Guide for Planning and Developing 9-1-1 Enhanced Telephone Systems
- F1382 Withdrawn 2002; Specification for Search and Rescue Computer Software Information Exchange

 F1383-12 Test Method for Permeation of Liquids and Gases through
- Protective Clothing Materials under Conditions of Intermittent Contact, 11.03
- F1384 Withdrawn 2002; Test Method for Fire Tests of Marine Joiner Doors
- F1385-07(2012) Practice for Platforms in Cargo Tanks, 01.07
 F1386-92(2010) Guide for Construction of Sounding Tube and Striker Plate for Tank Sounding, 01.07
- F1387-99(2012) Specification for Performance of Piping and Tubing Mechanically Attached Fittings, 01.07
- Withdrawn 2003; Test Method for Generation Lifetime and Generation

F1388 F1482

- Velocity of Silicon Material by Capacitance-Time Measurements of Metal-Oxide-Silicon (MOS) Capacitors
- Withdrawn 2003; Test Methods for Photoluminescence Analysis of Single Crystal Silicon for III-V Impurities
- F1390 Withdrawn 2003; Test Method for Measuring Warp on Silicon Wafers by Automated Noncontact Scanning
- F1391 Withdrawn 2003; Test Method for Substitutional Atomic Carbon Content
- of Silicon by Infrared Absorption F1392 Withdrawn 2003; Test Method for Determining Net Carrier Density Profiles in Silicon Wafers by Capacitance-Voltage Measurements With a Mercury Probe
- F1393 Withdrawn 2003; Test Method for Determining Net Carrier Density in Silicon Wafers by Miller Feedback Profiler Measurements With a Mercury
- F1394-92(2012) Test Method for Determination of Particle Contribution from Gas Distribution System Valves, 10.04
- F1395 Not Assigned
- F1396-93(2012) Test Method for Determination Distribution System Components, 10.04 Test Method for Determination of Oxygen Contribution by Gas
- F1397-93(2012) Test Method for Determination of Moisture Contribution by
- Gas Distribution System Components, 10.04
 F1398-93(2012) Test Method for Determination of Total Hydrocarbon Contribution by Gas Distribution System Components, 10.04
- F1399 Not Assigned
- F1400 Not Assigned
- F1401 Not Assigned
- Not Assigned
- F1404-92(2007) Test Method for Crystallographic Perfection of Gallium Arsenide by Molten Potassium Hydroxide (KOH) Etch Technique, 10.04
- F1405-08(2013) Test Method for Determining the Dynamic Thermal Response of Direct Thermal Imaging Products—Atlantek Method, 15.09
 F1406 Withdrawn 1995; Specification for Breaded, Cooked, Frozen Chicken
- Patties and Nuggets
- F1407-12 Test Method for Resistance of Chemical Protective Clothing Materials to Liquid Permeation—Permeation Cup Method, 11.03
- F1408-97(2013) Practice for Subcutaneous Screening Test for Implant Materials, 13.01
- F1409-00(2010) Test Method for Straight Line Movement of Vacuum Cleaners While Cleaning Carpets, 15.08
- F1410-98(2011) Test Method for Measuring Maximum Functional Wet Volume of Utility Vacuum Cleaners, 15.08
- F1411-11 Practice for Presenting Selected Information on Vacuum Cleaners
- for Consumer Use, 15.08
 F1412-09 Specification for Polyolefin Pipe and Fittings for Corrosive Waste Drainage Systems, 08.04
- F1413-07(2013) Guide for Oil Spill Dispersant Application Equipment: Boom and Nozzle Systems, 11.05
- F1414-13 Test Method for Measurement of Cut Resistance to Chain Saw in
- Lower Body (Legs) Protective Clothing, 11.03
 F1415 Withdrawn 2005; Specification for Pulse Oximeters
- F1416-96(2014) Guide for Selection of Time-Temperature Indicators, 15.10 F1417-11a Practice for Installation Acceptance of Plastic Non-pressure Sewer Lines Using Low-Pressure Air, 08.04
- F1418 Withdrawn 2007; Guide for Training the Emergency Medical Technician (Basic) in Roles and Responsibilities
- F1419 Withdrawn 2006; Guide for Training the Emergency Medical Technician (Basic) To Manage Shock
- F1420 Withdrawn 2007; Training the Emergency Medical Technician (Basic) to Perform Patient Management Techniques
- F1421 Withdrawn 2007; Guide for Training the Emergency Medical Technician (Basic) To Manage Obstetrical Emergencies
- F1422-08(2014) Guide for Using the Incident Command System Framework in Managing Search and Rescue Operations, 13.02
 F1423-09 Practice for Determination of the Quality of Monochrome Images
- Produced from Non-Impact Personal Computer Printers, 15.09
- F1424-92(2011) Test Method for Estimating Toner Usage in Full-Color Copiers Utilizing Dry Mono- or Dual-Component Toners, 15.09
 F1425-06(2011) Test Method for Determining the Tribocharge of Two-
- Component Developer Materials, 15.09

- Component Developer Materials, 15.09
 F1426-11 Practice for Identifying Tire Tread Surface Irregular Wear Patterns
 Resulting from Tire Use, 09.02
 F1427-13 Consumer Safety Specification for Bunk Beds, 15.11
 F1428-92(2011) Specification for Aluminum Particle-Filled Basecoat/Organic or
 Inorganic Topcoat, Corrosion Protective Coatings for Fasteners, 01.08
 F1429-99(2009) Test Method for Assembly Force of Plastic Underground
 Conduit Insight That Les Flexible Floatbergins Scale Legated in the Poll
- Conduit Joints That Use Flexible Elastomeric Seals Located in the Bell,
- F1430/F1430M-10 Test Method for Acoustic Emission Testing of Insulated and Non-Insulated Aerial Personnel Devices with Supplemental Load Handling Attachments. 10.03
- F1431-92(2010) Specification for Water Trap for Diesel Exhaust, 01.07 F1432 Not Assigned
- F1433-97(2010) Specification for Mechanically Refrigerated Shipboard Air Conditioner, 01.07
- F1434-97(2013) Practice for Estimating the Performance of a Fuser Oil in an Electrostatic Copier or Printer, 15.09
- F1435-08(2013) Specification for Designation of the Balance Point Location for
- Archery Arrows, 15.07
 F1436-11 Guide for Center Serving Diameter Dimensions for Archery Bow Strings, 15.07

F1437 Withdrawn 2010; Practice for Inclined Cargo Tank Ladders

- F1438-93(2012) Test Method for Determination of Surface Roughness by Scanning Tunneling Microscopy for Gas Distribution System Components, 10.04
- F1439-03(2013) Guide for Performance of Lifetime Bioassay for the Tumorigenic Potential of Implant Materials, 13.01
- F1440 Withdrawn 2012; Practice for Cyclic Fatigue Testing of Metallic
- Stemmed Hip Arthroplasty Femoral Components Without Torsion F1441-03(2009) Specification for Soft-Tissue Expander Devices, 13.01
- F1442-92(2009) Practice for Using a Copier or Printer as a Test Instrument for Evaluating Paper Performance, 15.09
- F1443-93(2009) Practice for Using 0.008-in. (0.203-mm) Aperture Reflectometers as Test Instruments for Measuring Visual Image Quality of Business Copy Images, 15.09
- F1444-00(2009) Test Method for Determining Dynamic Thermal Response of Direct Thermal Paper-Label Printer Method, 15.09
- F1445-00(2009) Test Method for Determining Static Thermal Sensitivity of Direct Thermal Media, 15.09
 F1446-13 Test Methods for Equipment and Procedures Used in Evaluating the
- Performance Characteristics of Protective Headgear, 15.07
- F1447-12 Specification for Helmets Used in Recreational Bicycling or Roller
- Skating, 15.07

 F1448-12 Guide for Selection of Security Technology for Protection Against Counterfeiting, Alteration, Diversion, Duplication, Simulation, and Substitution (CADDSS) of Products or Documents, 15.08
- F1449-08 Guide for Industrial Laundering of Flame, Thermal, and Arc Resistant Clothing, 11.03
- F1450-12a Test Methods for Hollow Metal Swinging Door Assemblies for Detention and Correctional Facilities, 15.08
- F1451 Withdrawn 2003; Test Method for Measuring Sori on Silicon Wafers by Automated Noncontact Scanning
- F1452 Withdrawn 2006; Specification for Minimum Performance and Safety Requirements for Anesthetic Gas Monitors
 F1453-92(2012) Guide for Training and Evaluation of First Responders Who
- Provide Emergency Medical Care, 13.02
- F1454-99(2008) Practice for Comparing Correctable Film Ribbons, 15.09
 F1455-92(2011) Guide for Selection of Structural Details for Ship Construction, 01.07
- F1456 Withdrawn 2006; Specification for Minimum Performance and Safety Requirements for Capnometers
- F1457-94b(2011) Terminology Relating to Laser Printers, 15.09
 F1458-04(2008) Test Method for Measurement of Cut Resistance to Chain Saw of Foot Protective Devices, 11.03
- F1459-06(2012) Test Method for Determination of the Susceptibility of Metallic Materials to Hydrogen Gas Embrittlement (HGE), 15.03
- F1460-07(2013) Practice for Calibrating Oil Spill Dispersant Application Equipment Boom and Nozzle Systems, 11.05
- F1461-12 Practice for Chemical Protective Clothing Program, 11.03 F1462 Withdrawn 2002; Specification for Oxygen Analyzers; Replaced by ANS/ISO 7767-1997
- F1463 Withdrawn 2006; Specification for Alarm Signals in Medical Equipment
- Used in Anesthesia and Respiratory Care
 F1464 Withdrawn 2014; Specification for Oxygen Concentrators for Domiciliary
- F1465 Withdrawn 2011; Guide for Selection of Security Control Systems
- F1466-99(2010) Specification for Iron-Nickel-Cobalt Alloys for Metal-to-Ceramic Sealing Applications, 10.04
 F1467-11 Guide for Use of an X-Ray Tester (≈10 keV Photons) in Ionizing
- Radiation Effects Testing of Semiconductor Devices and Microcircuits, 10.04
- F1468-04a(2010) Practice for Evaluation of Metallic Weapons Detectors for Controlled Access Search and Screening, 15.08
- F1469-11 Guide for Conducting a Repeatability and Reproducibility Study on Test Equipment for Nondestructive Testing, 01.08
- F1470-12 Practice for Fastener Sampling for Specified Mechanical Properties and Performance Inspection, 01.08
- F1471-09 Test Method for Air Cleaning Performance of a High-Efficiency Particulate Air Filter System, 11.07
- F1472-08^{c1} Specification for Wrought Titanium-6Aluminum-4Vanadium Alloy for Surgical Implant Applications (UNS R56400), 13.01 Test Method for Notch Tensile Test to Measure the Resistance to
- Slow Crack Growth of Polyethylene Pipes and Resins, 08.04 F1474 Withdrawn 2003; Test Method for Slow Crack Growth Resistance of Notched Polyethylene Plastic Pipe
- F1475 Withdrawn 1998; Specification for Dispensing Tanks, 250 Liter Maximum
- F1476-07(2013) Specification for Performance of Gasketed Mechanical Couplings for Use in Piping Applications, 01.07
- F1477 Not Assigned F1478-06(2011) Test Method for Determination of Abrasion Resistance of
- Images Produced from Copiers and Printers (Taber Method), 15.09 F1479 Withdrawn 2007; Terminology Relating to Microwave Food Packaging; Replaced by F17
- F1480 Withdrawn 2000; Guide for Preparing a Chart for Presenting Residential Resilient Floor Covering Information to the Consumer F1481 Withdrawn 2010; Guide for Ecological Considerations for the Use of Bioremediation in Oil Spill Response—Sand and Gravel Beaches
- F1482-04(2009)⁶¹ Practice for Installation and Preparation of Panel Type Underlayments to Receive Resilient Flooring, 15.04

F1483 F1573

- F1483-12 Specification for Oriented Poly(Vinyl Chloride), PVCO, Pressure Pipe, 08.04
 F1484-12 Test Methods for Performance of Steam Cookers, 15.12
- F1485 Not Assigned
 F1486-96(2013) Practice for Determination of Abrasion and Smudge
- Resistance of Images Produced from Office Products (GA-CAT Method),
- F1487-11 Consumer Safety Performance Specification for Playground Equipment for Public Use, 15.11
 F1488-09^{c1} Specification for Coextruded Composite Pipe, 08.04
- F1489 Withdrawn 2003; Guide for Performance of Patient Assessment by the Emergency Medical Technician (Paramedic)
- F1490 Withdrawn 2010; Terminology Relating to Search and Rescue F1491 Withdrawn 2007; Specification for an Avalanche Beacon Frequency F1492-08 Specification for Helmets Used in Skateboarding and Trick Roller
- Skating, 15.07
 F1493-93(2008) Guide for Financing and Financial Accountability of Medical Transportation Systems, 13.02

 F1494-13 Terminology Relating to Protective Clothing, 11.03

 F1495-14a Specification for Combination Oven Electric or Gas Fired, 15.12

- F1496-13 Test Method for Performance of Convection Ovens, 15.12
- F1497 Withdrawn 2008; Test Method for Determining Laser Resistance of the Shaft of Tracheal Tubes
- F1498-08(2012)^{€1} Specification for Taper Pipe Threads 60° for Thermoplastic Pipe and Fittings, 08.04
- F1499-12 Specification for Coextruded Composite Drain, Waste, and Vent Pipe (DWV), 08.04
- F1500-98(2014) Test Method for Quantitating Non-UV-Absorbing Nonvolatile Extractables from Microwave Susceptors Utilizing Solvents as Food Simulants, 15.10
- F1501 Withdrawn 2000; Test Method for Tension Testing of Calcium Phosphate Coatings; Replaced by F1147
- F1502-05(2010) Test Method for Static Measurements on Tires for Passenger
- Cars, Light Trucks, and Medium Duty Vehicles, **09.02 F1503-02(2012)** Practice for Machine/Process Capability Study Procedure, 01.08
- F1504-10 Specification for Folded Poly(Vinyl Chloride) (PVC) Pipe for Existing Sewer and Conduit Rehabilitation, 08.04
- F1505-10 Specification for Insulated and Insulating Hand Tools, 10.03 F1506-10a Performance Specification for Flame Resistant and Arc Rated
- Textile Materials for Wearing Apparel for Use by Electrical Workers Exposed to Momentary Electric Arc and Related Thermal Hazards, 10.03
- F1507-99(2011) Specification for Surge Suppressors for Shipboard Use, 01.07 F1508-96(2010) Specification for Angle Style, Pressure Relief Valves for Steam, Gas, and Liquid Services, 01.07
- F1509-94(2009) Test Methods for Determining Acceptability of Ribbon Welds in Fabric Cartridges, 15.09
- F1510-07(2013) Specification for Rotary Positive Displacement Pumps, Ships Use, 01.07
- F1511-13 Specification for Mechanical Seals for Shipboard Pump Applications, 01.07
- F1512-94(2011) Practice for Ultrasonic C-Scan Bond Evaluation of Sputtering, 10.04
- F1513-99(2011) Specification for Pure Aluminum (Unalloyed) Source Material for Electronic Thin Film Applications, 10.04
- F1514-03(2013) Test Method for Measuring Heat Stability of Resilient Flooring by Color Change, 15.04
- F1515-03(2008) Test Method for Measuring Light Stability of Resilient Flooring by Color Change, 15.04
- F1516-13 Practice for Sealing Seams of Resilient Flooring Products by the Heat Weld Method (when Recommended), 15.04
- F1517-14 Guide for Scope of Performance of Emergency Medical Services Ambulance Operators, 13.02
 F1518 Withdrawn 2009; Practice for Cleaning and Disinfection of Flexible
- Fiberoptic and Video Endoscopes Used in the Examination of the Hollow Viscera
- F1519-98(2014) Test Method for Qualitative Analysis of Volatile Extractables in Microwave Susceptors Used to Heat Food Products, 15.10
- F1520-94(2008) Test Method for Determining the Drive Torque for Film and Fabric Ribbon Cartridges, 15.09
- F1521-12 Test Methods for Performance of Range Tops, 15.12 F1522 Withdrawn 2007; Guide for Use of the Steam Stripping Process in Mitigating Chemical Spills
- F1523-94(2013) Guide for Selection of Booms in Accordance With Water Body Classifications, 11.05
 F1524-95(2013) Guide for Use of Advanced Oxidation Process for the
- Mitigation of Chemical Spills, 11.05
- F1525/F1525M-09 Guide for Use of Membrane Technology in Mitigating Hazardous Chemical Spills, 11.05
- F1526 Withdrawn 2003; Test Method for Measuring Surface Metal Contamination on Silicon Wafers by Total Reflection X-Ray Fluorescence Spectroscopy
- F1527 Withdrawn 2003; Guide for Application of Certified Reference Materials and Reference Wafers for Calibration and Control of Instruments for Measuring Resistivity of Silicon F1528 Withdrawn 2003; Test Method for Measuring Boron Contamination in
- Heavily Doped N-Type Silicon Substrates by Secondary Ion Mass Spectrometry
- Withdrawn 2003; Test Method for Sheet Resistance Uniformity

- Evaluation by In-Line Four-Point Probe with the Dual-Configuration Procedure
- F1530 Withdrawn 2003; Test Method for Measuring Flatness, Thickness, and Thickness Variation on Silicon Wafers by Automated Noncontact Scanning F1531 Withdrawn 2003; Test Method for Comparing Printer or Copier Cartridges
- F1532 Withdrawn 2001; Guide for Qualification, Selection, Training, Utilization, and Supervision of Security Screening Personnel
- F1533-01(2009) Specification for Deformed Polyethylene (PE) Liner, 08.04 F1534-10 Test Method for Determining Changes in Fire-Test-Response Characteristics of Cushioning Materials After Water Leaching, 15.08
- F1535 Withdrawn 2003; Test Method for Carrier Recombination Lifetime in Silicon Wafers by Noncontact Measurement of Photoconductivity Decay by Microwave Reflectance
- F1536-95(2010) Test Method for Determining Strength and Setting Time of Synthetic Water-Activated Polyurethane Fiberglass Orthopaedic Casting Tape, 13.01
- F1537-11 Specification for Wrought Cobalt-28Chromium-6Molybdenum Alloys for Surgical Implants (UNS R31537, UNS R31538, and UNS R31539), 13.01
- F1538-03(2009) Specification for Glass and Glass Ceramic Biomaterials for Implantation, 13.01
- F1539 Withdrawn 2000; Test Method for Constant Amplitude Bending Fatigue Tests of Metallic Bone Staples; Replaced by F564
- F1540 Withdrawn 2000; Test Method for Pull-Out Fixation Strength of Metallic Bone Staples; Replaced by F564
 F1541-02(2011) 1 Specification and Test Methods for External Skeletal
- Fixation Devices, 13.01
- F1542 Withdrawn 2009; Specification for Requirements and Disclosure of Self-Closing Aneurysm Clips
- F1543-96(2007) Specification for Shock Attenuation Properties of Fencing Surfaces, 15.07
- F1544-11 Specification for Determining the Rating Velocities of a Compound Archery Bow, 15.07
- F1545-97(2009) Specification for Plastic-Lined Ferrous Metal Pipe, Fittings, and Flanges, 08.04
 F1546-96(2012)^{c1} Specification for Fire Hose Nozzles, 01.07
 F1547-09 Guide Listing Relevant Standards and Publications for Commercial
- Shipbuilding, 01.07
 F1548-01(2012) Specification for Performance of Fittings for Use with
- Gasketed Mechanical Couplings Used in Piping Applications, 01.07
- F1549-94(2011) Terminology Relating to Underwater Search, Rescue, and Recovery Activities, 13.02
- F1550-10 Test Method for Determination of Fire-Test-Response Characteristics of Components or Composites of Mattresses or Furniture for Use in Correctional Facilities after Exposure to Vandalism, by Employing a Bench Scale Oxygen Consumption Calorimeter, 15.08
- F1551-09 Test Methods for Comprehensive Characterization of Synthetic Turf Playing Surfaces and Materials, 15.07
- F1552-94(2009) Practice for Training Instructor Qualification and Certification Eligibility of Emergency Medical Dispatchers, 13.02
- F1553-11 Guide for Specifying Chain Link Fence, 01.06 F1554-07a⁻¹ Specification for Anchor Bolts, Steel, 36, 55, and 105-ksi Yield
- Strength, 01.08
- F1555-94(2007) Guide for Characteristics for Extremity Splints, 13.02
- F1556-94(2007) Guide for Spinal Immobilization and Extrication (SPINE) Device Characteristics, 13.02
- F1557-94(2007) Guide for Full Body Spinal Immobilization Devices (FBSID) Characteristics, 13.02
- F1558-94(2007) Guide for Characteristics for Adjunct Cervical Spine Immobilization Devices (ACSID), 13.02
- F1559-94(2007) Guide for Characteristics for Cervical Spine Immobilization Collar(s) (CSIC), 13.02
- F1560-00(2014) Practice for Emergency Medical Dispatch Management, 13.02 F1561-03(2008) Performance Requirements for Plastic Chairs for Outdoor
- Use, 15.11
 F1562-14 Guide for Use-Oriented Foreign Language Instruction, 15.11
- F1563-01(2011) Specification for Tools to Squeeze-off Polyethylene (PE) Gas Pipe or Tubing, 08.04
- F1564-13 Specification for Structure-Mounted Insulating Work Platforms for Electrical Workers, 10.03
- F1565-00(2013) Specification for Pressure-Reducing Valves for Steam Service, 01.07
- F1566-09 Test Methods for Evaluation of Innersprings, Boxsprings, Mattresses or Mattress Sets, **15.11 F1567-94(2013)** Specification for Fabricated or Cast Automatic Self-Cleaning.
- Fuel Oil and Lubricating Oil Strainers, 01.07
 F1568-12 Specification for Food Processors, Electric, 15.12
- F1569 Withdrawn 2003; Guide for Generation of Consensus Reference Materials for Semiconductor Technology
- F1570 Withdrawn 2007; Test Method for Determining the Tactile Ratio of a Membrane Switch
- F1571-95(2008) Test Method for Determination of Abrasion and Smudge Resistance of Images Produced from Business Copy Products (Sutherland Method), **15.09**
- F1572-08 Test Methods for Tire Performance Testing on Snow and Ice Surfaces 09.02
- F1573 Withdrawn 2009; Specification for Anesthetic Equipment—Oropharyngeal and Nasopharyngeal Airways

F1574 F1664

- F1574-03a(2009) Test Method for Compressive Strength of Gaskets at Elevated Temperatures, 09.02
- F1575-03(2008) Test Method for Determining Bending Yield Moment of Nails, 01.08
- F1576 Withdrawn 1998; Guide for Selection of Security Control Systems, Part II—Defining the Central Control System; Replaced by F1465
- F1578-07 Test Method for Contact Closure Cycling of a Membrane Switch, 10.04 F1577-05(2012) Test Methods for Detention Locks for Swinging Doors, 15.08
- F1579 Withdrawn 2011; Specification for Polyaryletherketone (PAEK) Polymers for Surgical Implant Applications

 F1580-12 Specification for Titanium and Titanium-6 Aluminum-4 Vanadium
- Alloy Powders for Coatings of Surgical Implants, 13.01
- F1581-08(2012) Specification for Composition of Anorganic Bone for Surgical Implants, 13.01
- F1582-98(2011) Terminology Relating to Spinal Implants, 13.01 F1583-95(2012) Practice for Communications Procedures—Phonetics, 13.02
- F1584 Withdrawn 2012; Practice for Marking Buildings During Disaster Search Operations
- F1585 Withdrawn 2006; Guide for Integrity Testing of Porous Barrier Medical Packages
 F1586-13^{c1} Specification for Wrought Nitrogen Strengthened 21Chromium—
- 1 ONickel—3Manganese—2.5Molybdenum Stainless Steel Alloy Bar for Surgical Implants (UNS S31675), 13.01
- F1587-12a Specification for Head and Face Protective Equipment for Ice Hockey Goaltenders, 15.07
- F1588-96(2011) Test Method for Constant Tensile Load Joint Test (CTLJT), 08.04
- F1589 Withdrawn 2003; Test Method for Determination of the Critical Pressure for Rapid Crack Propagation in Plastic Pipe

- F1590 Withdrawn 2003; Specification for Tracheostomy Tube Connectors; Replaced by F2288, F2289
 F1591-95(2012) Practice for Visual Signals Between Persons on the Ground and in Aircraft During Ground Emergencies, 13.02
 F1592-12 Test Methods for Detention Hollow Metal Vision Systems, 15.08
- Test Method for Trace Metallic Impurities in Electronic Grade F1593-08 Aluminum by High Mass-Resolution Glow-Discharge Mass Spectrometer,
- F1594-95(2011) Specification for Pure Aluminum (Unalloyed) Source Material for Vacuum Coating Applications, 10.04
- F1595-00(2012) Practice for Viewing Conditions for Visual Inspection of Membrane Switches, 10.04
- F1596-07 Test Method for Exposure of Membrane Switches to Temperature and Relative Humidity, 10.04
 F1597 Withdrawn 2008; Test Method for Determining the Actuation Force and
- Contact Force of a Membrane Switch; Replaced by F2592
- F1598-95(2007) Test Method for Determining the Effects of Chemical/Solvent Exposure to a Membrane Switch/Graphic Overlay (Spot Test Method), 10.04
- F1599-95(2009) Guide for Collecting Performance Data on Temporary Storage Devices, 11.05
- F1600 Withdrawn 2014; Terminology Relating to Bioremediation
- F1601-01(2011) Test Method for Motor Life Evaluation of an Electric Motorized Nozzle for Central Vacuum Cleaning Systems, 15.08
 F1602-12 Specification for Kettles, Steam-Jacketed, 20 to 200 gal (75.7 to 757 L), Floor or Wall Mounted, Direct Steam, Gas and Electric Heated, 15.12
 F1603-12 Specification for Kettles, Steam-Jacketed, 32 oz to 20 gal (1 to 75.7
- L), Tilting, Table Mounted, Direct Steam, Gas and Electric Heated, 15.12
- F1604-09 Specification for Freezers, Ice Cream, Soft Serve, Shake, 15.12 Test Method for Performance of Double-Sided Griddles, 15.12
- F1606-05 Practice for Rehabilitation of Existing Sewers and Conduits with Deformed Polyethylene (PE) Liner, 08.04
- Detormed Polyethylene (PE) Liner, **U8.**04

 F1607-95(2013) Guide for Reporting of Test Performance Data for Oil Spill Response Pumps, 11.05

 F1608-00(2009) Test Method for Microbial Ranking of Porous Packaging
- Materials (Exposure Chamber Method), 15.10
- F1609-08(2014) Specification for Calcium Phosphate Coatings for Implantable Materials, 13.01
- F1610 Withdrawn 2000; Test method for Soft Tissue Fixation Strength of Metallic Bone Staples; Replaced by F564
- F1611-00(2013) Specification for Intramedullary Reamers, 13.01
 F1612 Withdrawn 2011; Practice for Cyclic Fatigue Testing of Metallic
 Stemmed Hip Arthroplasty Femoral Components with Torsion
 F1613-95(2008) Specification for Surgical Tissue/Dressing/Pick-Up Forceps
- (Thumb Type), **13.01**
- 4 Withdrawn 2014; Test Method for Shock Attenuating Properties of Materials Systems for Athletic Footwear; Replaced by F1976, **15.07**
- F1615-95(2009) Specification for Cautionary Labeling for Five-Gallon
 Open-Head Plastic Containers, 15.11
 F1616-95(2009) Guide for Scope of Performance of First Responders Who
- Practice in the Wilderness or Delayed or Prolonged Transport Settings, 13.02
- F1617 Withdrawn 2003; Test Method for Measuring Surface Sodium, Aluminum, Potassium, and Iron on Silicon and EPI Substrates by Secondary Ion Mass Spectrometry
 F1618 Withdrawn 2003; Practice for Determination of Uniformity of Thin Films
- on Silicon Wafers
- F1619 Withdrawn 2003; Test Method for Measurement of Interstitial Oxygen Content of Silicon Wafers by Infrared Absorption Spectroscopy with p-Polarized Radiation Incident at the Brewster Angle

- F1620 Withdrawn 2003; Practice for Calibrating a Scanning Surface Inspection System Using Monodisperse Polystyrene Latex Spheres Deposited on Polished or Epitaxial Wafer Surfaces
- F1621 Withdrawn 2003; Practice for Determining the Positional Accuracy Capabilities of a Scanning Surface Inspection System
- F1622 Withdrawn 2001; Test Method for Measuring the Torsional Properties in
- Metallic Bone Screws; Replaced by F543

 F1623-96(2013) Terminology Relating to Thermal Imaging Products, 15.09

 F1624-12 Test Method for Measurement of Hydrogen Embrittlement Threshold in Steel by the Incremental Step Loading Technique, 15.03

 F1625-00(2012) Specification and Test Method for Rear-Mounted Bicycle Child
- Carriers, 15.07
- F1626 Withdrawn 2007; Practice for Preparing Shipboard Fire Control Plans F1627 Withdrawn 2003; Specification for Tracheostomy Tubes-Pediatric Tracheostomy Tubes; Replaced by F2289
- F1628 Withdrawn 2008; Specification for Labeling and Marking of Cuffed and Uncuffed Tracheal Tubes and Related Treatments Intended for Use During Laser Surgery
- F1629-95(2007) Guide for Establishing Operating Emergency Medical Services and Management Information Systems, or Both, 13.02
- F1630 Withdrawn 2003; Test Method for Low Temperature FT-IR Analysis of Single Crystal Silicon for III-V Impurities F1631 Withdrawn 2003; Test Method for Impact Attenuation Properties of
- Body Padding and Protective Wear for the Sport of Fencing
- F1632-03(2010) Test Method for Particle Size Analysis and Sand Shape Grading of Golf Course Putting Green and Sports Field Rootzone Mixes,
- F1633-97(2008) Guide for Techniques in Land Search, 13.02
- F1634-95(2008) Practice for In-Vitro Environmental Conditioning of Polymer Matrix Composite Materials and Implant Devices, 13.01
- F1635-11 Test Method for in vitro Degradation Testing of Hydrolytically Degradable Polymer Resins and Fabricated Forms for Surgical Implants, 13.01
- F1636 Withdrawn 2001: Specification for Bores and Cones for Modular Femoral Heads
- F1637-13 Practice for Safe Walking Surfaces, 15.07
- F1638-95(2008)^{c1} Terminology for Surgical Tissue/Dressing/Pick-Up Forceps (Thumb-Type), 13.01 F1639 Withdrawn 2012; Test Method for Performance of Combination Ovens;
- Replaced by F2861
- F1640-09 Guide for Selection and Use of Packaging Materials for Foods to Be Irradiated, 12.02
- F1641 Withdrawn 2004; Test Method for Measuring Penetration Resistance of Security Glazing Using a Pendulum Impactor
 F1642-12 Test Method for Glazing and Glazing Systems Subject to Airblast
- Loadings, 15.08
- F1643-05(2012) Test Methods for Detention Sliding Door Locking Device Assembly, 15.08
- F1644 Withdrawn 2010; Guide for Health and Safety Training of Oil Spill Responders
- F1645/F1645M-12 Test Method for Water Migration in Honeycomb Core Materials, 15.03
- F1646-13 Terminology Relating to Safety and Traction for Footwear, 15.07 F1647-11 Test Methods for Organic Matter Content of Athletic Field Rootzone Mixes, 15.07
- F1648-95(2013) Test Methods for Archery Bowstring Component—Serving String Material, 15.07
 F1649-13 Test Methods for Evaluating Wet Braking Traction Performance of
- Passenger Car Tires on Vehicles Equipped with Anti-Lock Braking Systems, **09.02**
- F1650-98(2014)^{c1} Practice for Evaluating Tire Traction Performance Data Under Varying Test Conditions, 09.02
- F1651-95(2009) Guide for Training the Emergency Medical Technician (Paramedic), 13.02
 F1652-95(2007) Guide for Providing Essential Data Needed in Advance for Prehospital Emergency Medical Services, 13.02
 F1653-95(2012) Guide for Scope of Performance of Triage in a Prehospital
- Environment, 13.02
- F1654-95(2012) Guide for Training and Evaluation of Individuals Who are
- Responsible for or Perform Triage in a Prehospital Environment, 13.02
 F1655-95(2013) Guide for Training First Responders Who Practice in
 Wilderness, Delayed, or Prolonged Transport Settings, 13.02
 F1656 Withdrawn 2010; Guide for Health and Safety Training of Oil Spill
- Responders in the United States
 F1657/F1657M-96(2012)^{c1} Practice for Emergency Joining of Booms with
- Incompatible Connectors, 11.05
 F1658 Withdrawn 2000; Test Method for Shear Testing of Calcium Phosphate
- Coatings; Replaced by F1044
 F1659 Withdrawn 2005; Test Method for Bending and Shear Fatigue Testing
 of Calcium Phosphate Coatings on Solid Metallic Substrates
 F1660 Withdrawn 2000; Test Method for Elastic Static Bending of Metallic Bone Staples; Replaced by F564
- F1661-09 Test Method for Determining the Contact Bounce Time of a Membrane Switch, 10.04
- F1662-10 Test Method for Verifying the Specified Dielectric Withstand Voltage and Determining the Dielectric Breakdown Voltage of a Membrane Switch, 10.04
- F1663-09 Test Method for Determining the Capacitance of a Membrane Switch, 10.04
- F1664-08(2013) Specification for Poly(Vinyl Chloride) (PVC) and Other

F1664 F1752

- Conforming Organic Polymer-Coated Steel Tension Wire Used with Chain-Link Fence, 01.06
- F1665-08(2013) Specification for Poly(Vinyl Chloride) (PVC) and Other Conforming Organic Polymer-Coated Steel Barbed Wire Used With Chain-Link Fence, 01.06
- F1666 Withdrawn 2003; Specification for Adult Tracheostomy Tubes F1667-11a⁻¹ Specification for Driven Fasteners: Nails, Spikes, and S Specification for Driven Fasteners: Nails, Spikes, and Staples, 01.08
- F1668-08 Guide for Construction Procedures for Buried Plastic Pipe, 08.04 F1669M-12 Specification for Insulation Monitors for Shipboard Electrical
- Systems Metric, 01.07
 F1670/F1670M-08(2014)^{c1} Test Method for Resistance of Materials Used in Protective Clothing to Penetration by Synthetic Blood, 11.03
- F1671/F1671M-13 Test Method for Resistance of Materials Used in Protective Clothing to Penetration by Blood-Borne Pathogens Using Phi-X174 Bacteriophage Penetration as a Test System, 11.03
- F1672-14 Specification for Resurfacing Patellar Prosthesis, 13.01
- F1673-10 Specification for Polyvinylidene Fluoride (PVDF) Corrosive Waste Drainage Systems, 08.04
- F1674-11 Test Method for Joint Restraint Products for Use with PVC Pipe, 08.04
- F1675-13 Practice for Life-Cycle Cost Analysis of Plastic Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits, 08.04
- F1676 Withdrawn 2010; Specification for Basic Tumbling Mats
- F1677 Withdrawn 2006; Test Method for Using a Portable Inclineable Articulated Strut Slip Tester (PIAST)
- F1678 Withdrawn 2005; Test Method for Using a Portable Articulated Strut Slip Tester (PAST)
- F1679 Withdrawn 2006; Test Method for Using a Variable Incidence Tribometer (VIT)
- F1680-07a Test Method for Determining Circuit Resistance of a Membrane
- Switch, 10.04
 F1681-14 Test Method for Determining Current Carrying Capacity of a
- Membrane Switch Circuit, 10.04
 F1682 Withdrawn 2008; Test Method for Determining Travel of a Membrane
- Switch; Replaced by F2592 F1683-09 Practice for Creasing or Bending a Membrane Switch, Membrane
- Switch Flex Tail Assembly or Membrane Switch Component, 10.04 F1684-06(2011) Specification for Iron-Nickel and Iron-Nickel-Cobalt Alloys for
- Low Thermal Expansion Applications, 10.04 F1685-00(2013) Specification for Pressure-Reducing Manifolds for Air or
- Nitrogen Systems, **01.07 F1686-09**^{c1} Guide for Survey Guide for Surveys to Document and Assess Oiling Conditions on Shorelines, 11.05
- F1687-09 Guide for Terminology and Indices to Describe Oiling Conditions on Shorelines, 11.05
- F1688 Withdrawn 1999; Guide for Estimating Oil Spill Recovery System Effectiveness; Superseded by F 1780
- F1689-05(2012) Test Method for Determining the Insulation Resistance of a Membrane Switch, 10.04
- F1690 Withdrawn 2013; Specification for Humidifiers for Medical Use—Part 1:
- General Requirements for Active Humidification Systems
 F1691 Withdrawn 2001; Test Method for Determining the Axial Pull-Out
 Strength of Medical Bone Screws; Replaced by F543
 F1692-01(2011) Test Method for Life Evaluation of a Turbine-Powered Nozzle
 for Household Central Vacuum Cleaning Systems, 15.08
 F1693-13 Guide for Consideration of Bioremediation as an Oil Spill Response
- Method on Land, 11.05
- F1694-14 Guide for Composing Walkway Surface Investigation, Evaluation and Incident Report Forms for Slips, Stumbles, Trips, and Falls, 15.07
- F1695-03(2008) Test Method for Performance of Underfired Broilers, 15.12
- F1696-07 Test Method for Energy Performance of Single-Rack, Door-Type Commercial Dishwashing Machines, 15.12
 F1697-09 Specification for Poly(Vinyl Chloride) (PVC) Profile Strip for Machine Spiral-Wound Liner Pipe Rehabilitation of Existing Sewers and Conduit, 08.04
- F1698-02(2008) Practice for Installation of Poly(Vinyl Chloride)(PVC) Profile Strip Liner and Cementitious Grout for Rehabilitation of Existing Man-Entry Sewers and Conduits, 08.04
- F1699-96(2008) Classification for Passive Fiber Optic Seals, 15.08
 F1700-13a Specification for Solid Vinyl Floor Tile, 15.04
 F1701-12 Specification for Unused Rope with Special Electrical Properties,
- 10.03
- F1702-10 Test Method for Measuring Impact-Attenuation Characteristics of Natural Playing Surface Systems Using a Lightweight Portable Apparatus,
- F1703-13 Guide for Skating and Ice Hockey Playing Facilities, 15.07
 F1704-12 Test Method for Capture and Containment Performance of
 Commercial Kitchen Exhaust Ventilation Systems, 15.12
- F1705-96(2012) Guide for Training Emergency Medical Services Ambulance Operations, 13.02
- Withdrawn 2008; Practice for Determining Energy Consumption of Nonimpact Personal Computer Printers; Replaced by F2494
- F1707 Withdrawn 2008; Practice for Determining Energy Consumption of Facsimile Machines; Replaced by F2495 F1708 Withdrawn 2003; Practice for Evaluation of Granular Polysilicon by
- Melter-Zoner Spectroscopies

 F1709-97(2008) Specification for High Purity Titanium Sputtering Targets for Electronic Thin Film Applications, 10.04
- F1710-08 Test Method for Trace Metallic Impurities in Electronic Grade

- Titanium by High Mass-Resolution Glow Discharge Mass Spectrometer, 10.04
- F1711-96(2008) Practice for Measuring Sheet Resistance of Thin Film Conductors for Flat Panel Display Manufacturing Using a Four-Point Probe Method, 10.04
- F1712-11 Specification for Steel Chain-Link Fencing Materials Used for High Security Applications, 01.06
- F1713-08(2013) Specification for Wrought Titanium-13Niobium-13Zirconium Alloy for Surgical Implant Applications (UNS R58130), 13.01
 F1714-96(2013) Guide for Gravimetric Wear Assessment of Prosthetic Hip Designs in Simulator Devices, 13.01
 F1715 Withdrawn 2006; Guide for Wear Assessment of Prosthetic Knee
- Designs in Simulator Devices
- F1716-96(2008) Guide for Transition and Performance of Marine Software Systems Maintenance, 01.07
- F1717-14 Test Methods for Spinal Implant Constructs in a Vertebrectomy Model, 13.01
- F1718-01(2013) Specification for Rotary Positive Displacement Distillate Fuel Pumps, 01.07
- F1719-96(2008) Specification for Image-Interactive Stereotactic and Localization Systems, 13.01
 F1720-06(2011) Test Method for Measuring Thermal Insulation of Sleeping
- Bags Using a Heated Manikin, 15.07
- F1721-04(2009) Practices for Determining Stability of Direct Thermal Imaging Products, 15.09
- F1722-09 Test Method for Determining Mass and Moment of Inertia of Alpine Skis, 15.07
- F1723 Withdrawn 2003; Practice for Evaluation of Polycrystalline Silicon Rods by Float-Zone Crystal Growth and Spectroscopy
- F1724 Withdrawn 2003; Test Method for Measuring Surface Metal Contamination of Polycrystalline Silicon by Acid Extraction-Atomic Absorption Spectroscopy
- F1725 Withdrawn 2003; Guide for Analysis of Crystallographic Perfection of Silicon Ingots
- F1726 Withdrawn 2003; Guide for Analysis of Crystallographic Perfection of Silicon Wafers
- F1727 Withdrawn 2003; Practice for Detection of Oxidation Induced Defects in Polished Silicon Wafers
- F1728-96(2014) Practice for Multiple Persons Cold Water Survival/Rescue Technique: Huddle Position, 13.02
- F1729-96(2014) Practice for Single Person Cold Water Survival/Rescue Technique: HELP Position, 13.02
- F1730-96(2014) Guide for Throwing a Water Rescue Throwbag, 13.02 F1731-96(2013) Practice for Body Measurements and Sizing of Fire and Rescue Services Uniforms and Other Thermal Hazard Protective Clothing,
- 11.03 F1732-12 Specification for Poly(Vinyl Chloride) (PVC) Sewer and Drain Pipe Containing Recycled PVC Material, 08.04
- F1733-13 Specification for Butt Heat Fusion Polyamide(PA) Plastic Fitting for Polyamide(PA) Plastic Pipe and Tubing, 08.04
- F1734-03(2009) Practice for Qualification of a Combination of Squeeze Tool, Pipe, and Squeeze-Off Procedures to Avoid Long-Term Damage in Polyethylene (PE) Gas Pipe, 08.04
 F1735-09 Specification for Poly (Vinyl Chloride)
- Liners for Rehabilitation of Existing Man-Entry Sewers and Conduits, 08.04
- F1736-09 Guide for Irradiation of Finfish and Aquatic Invertebrates Used as Food to Control Pathogens and Spoilage Microorganisms, 12.02
- F1737/F1737M-10 Guide for Use of Oil Spill Dispersant Application Equipment During Spill Response: Boom and Nozzle Systems, 11.05
 F1738-10 Test Method for Determination of Deposition of Aerially Applied Oil
- Spill Dispersants, 11.05
 F1739-96(2012) Guide for Performance of a Water Rescuer-Level I, 13.02
 F1740-96(2012) Guide for Inspection of Nylon, Polyester, or Nylon/Polyester Blend, or Both Kernmantle Rope, 13.02
 F1741-08 Practice for Installation of Machine Spiral Wound Poly (Vinyl
- Chloride) (PVC) Liner Pipe for Rehabilitation of Existing Sewers and Conduits, 08.04
- F1742-03(2011) Specification for PVC Insulating Sheeting, 10.03
- F1743-08 Practice for Rehabilitation of Existing Pipelines and Conduits by Pulled-in-Place Installation of Cured-in-Place Thermosetting Resin Pipe (CIPP), **08.04 F1744-96(2008)**^{c1} Guide for Care and Handling of Stainless Steel Surgical
- Instruments, 13.01
- F1745 Withdrawn 1999; Test Method for External Fixator Connectors; Replaced by F1541
- F1746 Withdrawn 1999; Test Method for Determining In-Plane Compressive Properties of Circular Ring or Ring Segment Bridge Elements; Replaced by F1541 F1747 Withdrawn 1999; Test Method for External Fixator Joints; Replaced by
- F1541
- F1748 Withdrawn 1999; Test Method for External Fixator Subassemblies; Replaced by F1541
- F1749-09 Specification for Fitness Equipment and Fitness Facility Safety Signage and Labels, 15.07
- F1750-11 Specification for Paintball Marker Threaded-Propellant Source Interface, 15.07 F1751 Withdrawn 2003; Specification for Helmets Used in Recreational Roller
- . Skating
- F1752-96(2010) Test Method for Archery Bow ComponentCord Material, 15.07

F1753 F1852

- F1753-96(2010) Specification for Classification and Marking of Single-Lens Scopes for Use with Archery Bows, 15.07
- Withdrawn 2012; Guide for Marine Vessel Structural Inspection Considerations
- F1755M-96(2012)^{€1} Specification for Solid State Bargraph Meters for Shipboard Use Metric, 01.07
- F1756-97a(2008) Guide for Implementation of a Fleet Management System Network, 01.07
- F1757-96(2008) Guide for Digital Communication Protocols for Computerized Systems. 01.07
- F1758-05(2012) Test Methods for Detention Hinges Used on Detention-Grade Swinging Doors, 15.08
- F1759-97(2010) Practice for Design of High-Density Polyethylene (HDPE) Manholes for Subsurface Applications, 08.04
- F1760-01(2011) Specification for Coextruded Poly(Vinyl Chloride) (PVC) Non-Pressure Plastic Pipe Having Reprocessed-Recycled Content, 08.04
- F1761-00(2011) Test Method for Pass Through Flux of Circular Magnetic Sputtering Targets, 10.04
 F1762-14 Test Method for Determining the Effects of Atmospheric Pressure
- Variation on a Membrane Switch, 10.04
- F1763 Withdrawn 2003; Test Methods for Measuring Contrast of a Linear Polarizer
- F1764-97(2012) Guide for Selection of Hardline Communication Systems for Confined-Space Rescue, 13.02
- F1765-97a(2014) Guide for Ice Staff Self-Rescue Technique, 13.02 F1766-97a(2014) Guide for Ice Awls Self-Rescue Technique, 13.02
- F1767-14 Guide for Forms Used for Search and Rescue, 13.02
- F1768-97(2014) Guide for Using Whistle Signals During Rope Rescue Operations, 13.02
- F1769 Withdrawn 2004; Test Method for Measurement of Diffusivity, Solubility, and Permeability of Organic Vapor Barriers Using a Flame Ionization Detector
- F1770 Withdrawn 2004; Test Method for Evaluation of Solubility, Diffusivity, and Permeability of Flexible Barrier Materials to Water Vapor
- F1771 Withdrawn 2003; Test Method for Evaluating Gate Oxide Integrity by Voltage Ramp Technique
- F1772-12 Specification for Harnesses for Rescue, Safety, and Sport Activities, 13.02
- F1773-09 Terminology Relating to Climbing, Mountaineering, Search and Rescue Equipment and Practices, 13.02
- F1774-13 Specification for Climbing and Mountaineering Carabiners, 13.02 F1775 Withdrawn 2009; Specification for Labeling of Climbing and
- Mountaineering Equipment

 F1776-14 Specification for Eye Protective Devices for Paintball Sports, 15.07
 F1777-12 Practice for Paintball Field Operation, 15.07
 F1778-97(2008) Guide for Selection of Skimmers for Oil-Spill Response, 11.05
- F1779-08(2014) Practice for Reporting Visual Observations of Oil on Water, 11.05
- F1780-97(2010) Guide for Estimating Oil Spill Recovery System Effectiveness, 11.05 F1781-03(2009) Specification for Elastomeric Flexible Hinge Finger Total Joint
- Implants, 13.01
- F1782-97(2008) Practice for Amount of Ink Deposit on Fabric Type Ribbons, 15.09
- Guide for Performance of an Ice Rescuer—Level II, 13.02 Test Method for Performance of a Pasta Cooker, 15.12 Test Method for Performance of Steam Kettles, 15.12 F1783-97(2013) F1784-97(2008)
- F1785-97(2008)
- Test Method for Performance of Braising Pans, 15.12 F1786-97(2010)
- F1787-98(2008) Test Method for Performance of Rotisserie Ovens, 15.12
- Guide for In-Situ Burning of Oil Spills on Water: Environmental and F1788-14 Operational Considerations, 11.05
- F1789-12a Terminology for F16 Mechanical Fasteners, 01.08 F1791-00(2013) Specification for Filters Used in Air or Nitrogen Systems, 01.07
- F1792-97(2010) Specification for Special Requirements for Valves Used in Gaseous Oxygen Service, 01.07
- F1793-97(2010) Specification for Automatic Shut-Off Valves (Also Known as Excess Flow Valves, EFV) for Air or Nitrogen Service, 01.07
- F1794-97(2010) Specification for Hand-Operated, Globe-Style Valves for Gas
- (Except Oxygen Gas) and Hydraulic Systems, 01.07
 F1795-00(2013) Specification for Pressure-Reducing Valves for Air or Nitrogen Systems, 01.07
 F1796-09 Specification for High Voltage Detectors—Part 1 Capacitive Type to be Used for Voltages Exceeding 600 Volts AC, 10.03
 F1797-09^{c1} Test Method for Acoustic Emission Testing of Insulated and New Journal of Pressided Princer Postricks 10.03

- Non-Insulated Digger Derricks, 10.03
 F1798-13 Test Method for Evaluating the Static and Fatigue Properties of Interconnection Mechanisms and Subassemblies Used in Spinal Arthrodesis Implants, 13.01
 F1799-97(2009) Guide for Shipboard Generated Waste Management Audits,
- 01.07
- F1800-12 Practice for Cyclic Fatigue Testing of Metal Tibial Tray Components of Total Knee Joint Replacements, 13.01
- F1801-97(2009)^{€1} Practice for Corrosion Fatigue Testing of Metallic Implant Materials, 13.01
- F1802-04(2010) Test Method for Performance Testing of Excess Flow Valves, 08.04
- F1803-06 Specification for Poly (Vinyl Chloride)(PVC) Closed Profile Gravity Pipe and Fittings Based on Controlled Inside Diameter, 08.04
- F1804-08(2012) Practice for Determining Allowable Tensile Load for

- Polyethylene (PE) Gas Pipe During Pull-In Installation, 08.04
- F1805-12 Test Method for Single Wheel Driving Traction in a Straight Line on Snow- and Ice-Covered Surfaces, 09.02
- F1806-97(2008) Practice for Tire Testing Operations-Basic Concepts and Terminology for Reference Tire Use, 09.02
- F1807-13a Specification for Metal Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Polyethylene of Raised Temperature (PE-RT) Tubing, **08.04**
- F1808-03(2013) Guide for Weight Control Technical Requirements for Surface
- Ships, 01.07
 F1809 Withdrawn 2003; Guide for Selection and Use of Etching Solutions to
- Delineate Structural Defects in Silicon
 F1810 Withdrawn 2003; Test Method for Counting Preferentially Etched or Decorated Surface Defects in Silicon Wafers
- F1811 Withdrawn 2003; Practice for Estimating the Power Spectral Density Function and Related Finish Parameters from Surface Profile Data
- F1812-09 Test Method for Determining the Effectiveness of Membrane Switch ESD Shielding, 10.04
- F1813-13 Specification for Wrought Titanium-12Molybdenum-6Zirconium-2Iron Alloy for Surgical Implant (UNS R58120), 13.01
 F1814-97a(2009) Guide for Evaluating Modular Hip and Knee Joint Components, 13.01
- F1815-11 Test Methods for Saturated Hydraulic Conductivity, Water Retention, Porosity, and Bulk Density of Athletic Field Rootzones, 15.07
- F1816-97(2009) Safety Specification for Drawstrings on Childrens Upper Outerwear, 15.11
- F1817-09 Test Method for Performance of Conveyor Ovens, 15.12
- F1818-13 Specification for Foot Protection for Chain Saw Users, 11.03
- F1819-07(2013) Test Method for Resistance of Materials Used in Protective Clothing to Penetration by Synthetic Blood Using a Mechanical Pressure
- Technique, 11.03

 F1820-13 Test Method for Determining the Forces for Disassembly of Modular
- Acetabular Devices, 13.01

 F1821-13 Consumer Safety Specification for Toddler Beds, 15.11

 F1822 Withdrawn 2006; Consumer Safety Specification for Non-Full-Size Baby Cribs; Replaced by F406
- F1823-97(2012) Guide for Water Rescue Personal Flotation Device (PFD),
- F1824-97(2013) Guide for Performance of a Water Rescuer-Level II, 13.02
- F1825-03(2013) Specification for Clampstick Type Live Line Tools, 10.03
- Specification for Live Line and Measuring Telescoping Tools, F1826-00(2011) 10.03
- F1827-13 Terminology Relating to Food Service Equipment, 15.12 F1828-97(2006) Specification for Ureteral Stents, 13.01
- Test Method for Static Evaluation of Glenoid Locking F1829-98(2009) Mechanism in Shear, 13.01
- F1830-97(2013) Practice for Selection of Blood for in vitro Evaluation of Blood Pumps, **13.01**
- F1831-97(2006) Specification for Cranial Traction Tongs and Halo External Spinal Immobilization Devices, 13.01
- Spirial immobilization Devices, 13.01

 F1832-07(2011) Test Method for Determining the Force-Draw and Let-Down Curves for Archery Bows, 15.07

 F1833-97(2011) Test Method for Comparison of Rearfoot Motion Control Properties of Running Shoes, 15.07

 F1834 Withdrawn 2010; Guide for Consideration of Anaerobic Bioremediation as a Chemical Pollutant Mitigation Method on Land

 F1835-97(2012)^{c1} Guide for Cable Splicing Installations, 01.07

 F1836M-09(2013) Specification for Stuffing Tupes, Nylon, and Packing

- F1836M-09(2013) Specification for Stuffing Tubes, Nylon, and Packing Assemblies (Metric), 01.07
 F1837M-97(2012)^{c1} Specification for Heat-Shrink Cable Entry Seals (Metric),
- 01.07
- F1838-98(2008) Performance Requirements for Child's Plastic Chairs for
- Outdoor Use, 15.11

 F1839-08(2012) Specification for Rigid Polyurethane Foam for Use as a Standard Material for Testing Orthopaedic Devices and Instruments, 13.01

 F1840-10^{c1} Terminology for Surgical Suture Needles, 13.01
- F1841-97(2013) Practice for Assessment of Hemolysis in Continuous Flow Blood Pumps, 13.01
- F1842-09 Test Method for Determining Ink or Coating Adhesion on Plastic
- Substrates for Membrane Switch Applications, 10.04

 F1843-09 Practice for Sample Preparation of Transparent Plastic Films used on Membrane Switch Overlays for Specular Gloss Measurements, 10.04

 F1844-97(2008) Practice for Measuring Sheet Resistance of Thin Film Conductors For Flat Panel Display Manufacturing Using a Noncontact
- Eddy Current Gage, 10.04

 F1845-08 Test Method for Trace Metallic Impurities in Electronic Grade
- Aluminum-Copper, Aluminum-Silicon, and Aluminum-Copper-Silicon Alloys by High-Mass-Resolution Glow Discharge Mass Spectrometer, 10.04
- F1846-98(2014) Practice for Symbols and Markings for Use With Land Search
- Maps, 13.02

 F1847-14 Guide for Minimum Training of Search Dog Crews or Teams, 13.02

 F1848-14 Classification System for Canine Search Resources, 13.02
- F1849-07(2012) Specification for Helmets Used in Short Track Speed Ice Skating (Not to Include Hockey), 15.07

- F1850 Withdrawn 2014; Specification for Particular Requirements for Anesthesia Workstations and Their Components
 F1851-98(2009) Practice for Bar Code Verification, 15.09
 F1852-11 Specification for "Twist Off" Type Tension Control Structural Bolt/Nut/Washer Assemblies, Steel, Heat Treated, 120/105 ksi Minimum Tensile Strength, 01.08

F1853 F1948

- F1853-11 Test Method for Measuring Sleeping Bag Packing Volume, 15.07 F1854-09 Test Method for Stereological Evaluation of Porous Coatings on Medical Implants, 13.01
- F1855-00(2011) Specification for Polyoxymethylene (Acetal) for Medical Applications, 13.01
- F1856-04(2009) Practice for Determining Toner Usage for Printer Cartridges, 15.09
- F1857-01(2011) Terminology Relating to Ink Jet Printers and Images Made Therefrom, 15.09
- F1858-98(2008) Performance Requirements for Multipositional Plastic Chairs with Adjustable Backs or Reclining Mechanisms for Outdoor Use, 15.11
 F1859-12 Specification for Rubber Sheet Floor Covering Without Backing,
- 15.04
- F1860-12 Specification for Rubber Sheet Floor Covering With Backing, 15.04 F1861-08(2012)^{c1} Specification for Resilient Wall Base, 15.04
- F1862/F1862M-13 Test Method for Resistance of Medical Face Masks to Penetration by Synthetic Blood (Horizontal Projection of Fixed Volume at a Known Velocity), 11.03
- F1863-10 Test Method for Measuring the Night Vision Goggle-Weighted
- Transmissivity of Transparent Parts, 15.03

 F1864-05(2010) Test Method for Dust Erosion Resistance of Optical and Infrared Transparent Materials and Coatings, 15.03
- F1865-09 Specification for Mechanical Cold Expansion Insert Fitting With Compression Sleeve for Cross-linked Polyethylene (PEX) Tubing, 08.04
- F1866-13 Specification for Poly (Vinyl Chloride) (PVC) Plastic Schedule 40 Drainage and DWV Fabricated Fittings, 08.04
- F1867-06(2012) Practice for Installation of Folded/Formed Poly (Vinyl Chloride) (PVC) Pipe Type A for Existing Sewer and Conduit Rehabilitation, **08.04**
- F1868-14 Test Method for Thermal and Evaporative Resistance of Clothing Materials Using a Sweating Hot Plate, 11.03
 F1869-11 Test Method for Measuring Moisture Vapor Emission Rate of Concrete Subfloor Using Anhydrous Calcium Chloride, 15.04
 F1870-11 Guide for Selection of Fire Test Methods for the Assessment of

- Upholstered Furnishings in Detention and Correctional Facilities, 15.08
 F1871-11 Specification for Folded/Formed Poly (Vinyl Chloride) Pipe Type A for Existing Sewer and Conduit Rehabilitation, 08.04
- F1872-12 Guide for Use of Chemical Shoreline Cleaning Agents: Environmental and Operational Considerations, 11.05
- F1873 Withdrawn 2007; Specification for High-Purity Dense Yttria Tetragonal Zirconium Oxide Polycrystal (Y-TZP) for Surgical Implant Applications
- F1874-98(2011) Test Method for Bend Testing of Needles Used in Surgical Sutures, 13.01
- F1875-98(2009) Practice for Fretting Corrosion Testing of Modular Implant Interfaces: Hip Femoral Head-Bore and Cone Taper Interface, 13.01
- F1876 Withdrawn 2012; Specification for Polyetherketoneetherketoneketone (PEKEKK) Resins for Surgical Implant Applications
- F1877-05(2010) Practice for Characterization of Particles, 13.01 F1878-98(2009) Guide for Escort Vessel Evaluation and Selection, 01.07 F1879 Withdrawn 2014; Guide for Demonstrating Obedience and Agility in Search and Rescue Dogs
- F1880-09(2013) Test Method for the Determination of Percent of Let-Off for Archery Bows, 15.07
- F1881 Withdrawn 2014; Test Method for Measuring Baseball Bat Performance Factor; Replaced by F1890, 15.07
 F1882-06 Specification for Residential Basketball Systems, 15.07
- F1883-03(2013) Practice for Selection of Wire and Cable Size in AWG or Metric Units, 01.07
- F1884-04(2011) Test Methods for Determining Residual Solvents in Packaging Materials, 15.10
- F1885-04(2010) Guide for Irradiation of Dried Spices, Herbs, and Vegetable Seasonings to Control Pathogens and Other Microorganisms, 12.02
- F1886/F1886M-09(2013) Test Method for Determining Integrity of Seals for Flexible Packaging by Visual Inspection, 15.10
 F1887-14 Test Method for Measuring the Coefficient of Restitution (COR) of Baseballs and Softballs, 15.07
- F1888-09(2014) Test Method for Compression-Displacement of Baseballs and Softballs, 15.07
- F1889-05(2010) Guide for Straightness Measurement of Arrow Shafts, 15.07
- F1890-11 Test Method for Measuring Softball Bat Performance Factor, 15.07
 F1891-12 Specification for Arc and Flame Resistant Rainwear, 10.03
 F1892-12 Guide for Ionizing Radiation (Total Dose) Effects Testing of Semiconductor Devices, 10.04
- F1893-11 Guide for Measurement of Ionizing Dose-Rate Survivability and
- Burnout of Semiconductor Devices, 10.04
- F1894-98(2011) Test Method for Quantifying Tungsten Silicide Semiconductor Process Films for Composition and Thickness, 10.04
 F1895-14 Test Method for Submersion of a Membrane Switch, 10.04
 F1896-10 Test Method for Determining the Electrical Resistivity of a Printed Conductive Material, 10.04
- F1897-14 Specification for Leg Protection for Chain Saw Users, 11.03 F1898-08 Specification for Helmets for Non-Motorized Wheeled Vehicle Used
- by Infants and Toddlers, 15.07 F1899-14 Specification for Food Waste Pulper Without Waterpress Assembly, 15.12
- F1900-98(2012) Test Method for Water Resistance of Footwear Using a Walking Step Simulator, 15.07

 F1901-10 Specification for Polyethylene (PE) Pipe and Fittings for Roof Drain
- Systems, 08.04
- F1902 Not Assigned

- F1903-10 Practice for Testing For Biological Responses to Particles, 13.01
- F1904-14 Practice for Testing the Biological Responses to Particles, 13.01 F1905 Withdrawn 2011; Practice for Selecting Tests for Determining the Propensity of Materials to Cause Immunotoxicity
- F1906 Withdrawn 2011; Practice for Evaluation of Immune Responses In Biocompatibility Testing Using ELISA Tests, Lymphocyte Proliferation, and Cell Migration
- F1907 Not Assigned
 F1908-08(2013) Guide for Fences for Residential Outdoor Swimming Pools, Hot Tubs, and Spas, 01.06
- F1909-98(2012) Specification for Preformed Open–Cell Sponge Rubber Pail and Drum Gaskets, 09.02
- F1910-98(2013) Specification for Long Barbed Tape Obstacles, 01.06
- F1911-05(2010)
- F1912-98(2009)
- Practice for Installation of Barbed Tape, 01.06
 Specification for Safety of Bean Bag Chairs, 15.11
 Specification for Vinyl Sheet Floor Covering Without Backing, F1913-04(2010) 15.04
- F1914-07(2011) Test Methods for Short-Term Indentation and Residual Indentation of Resilient Floor Covering, 15.04
- F1915-05(2012) Test Methods for Glazing for Detention Facilities, 15.08 F1916 Withdrawn 2008; Specifications for Selecting Chain Link Barrier Systems With Coated Chain Link Fence Fabric and Round Posts for Detention Applications
- F1917-12 Consumer Safety Performance Specification for Infant Bedding and Related Accessories, 15.11
- F1918-12 Safety Performance Specification for Soft Contained Play Equipment, 15.11
- F1919-14 Specification for Griddles, Single-Sided and Double-Sided, Gas and Electric, 15.12
- F1920-11 Test Method for Performance of Rack Conveyor, Commercial
- Dishwashing Machines, **15.12** F1921/F1921M-12^{c1} Test Methods for Hot Seal Strength (Hot Tack) of Thermoplastic Polymers and Blends Comprising the Sealing Surfaces of Flexible Webs, 15.10
- F1922-98(2014) Test Method for Tires, Pneumatic, Vehicular, Highway, 09.02 F1923-98(2014) Test Method for Tires, Pneumatic, Low Speed, Off Highway, 09.02
- F1924-12 Specification for Plastic Mechanical Fittings for Use on Outside Diameter Controlled Polyethylene Gas Distribution Pipe and Tubing, **08.04 F1925-09** Specification for Semi-Crystalline Poly(lactide) Polymer and
- Copolymer Resins for Surgical Implants, 13.01
- F1926/F1926M-14 Test Method for Dissolution Testing of Calcium Phosphate Granules, Fabricated Forms, and Coatings, 13.01
- F1927-07 Test Method for Determination of Oxygen Gas Transmission Rate, Permeability and Permeance at Controlled Relative Humidity Through Barrier Materials Using a Coulometric Detector, 15.10
- F1928-98(2010) Safety Guide for Consumer Recreational Use of Fun-Karts, 15.11
- F1929-12 Test Method for Detecting Seal Leaks in Porous Medical Packaging by Dye Penetration, 15.10
- F1930-13 Test Method for Evaluation of Flame Resistant Clothing for Protection Against Fire Simulations Using an Instrumented Manikin, 11.03
 F1931 Withdrawn 2011; Test Method for Characterization of Gymnastic
- Landing Mats and Floor Exercise Surfaces
 F1932/F1932M-98(2011)^{c1} Test Method for Measuring Sleeping Bag Loft, 15.07
- F1933-98(2011) Specification for Illustrating the Footprint of a Backpacking or Mountaineering Tent, 15.07
- F1934-98(2011) Test Method for Weighing a Backpacking or Mountaineering Tent, 15.07
- F1935-01(2011) Test Method for Measuring the Headroom of a Backpacking
- or Mountaineering Tent, 15.07 F1936-10 Specification for Impact Attenuation of Turf Playing Systems as Measured in the Field, 15.07
- F1937-04(2010) Specification for Body Protectors Used in Horse Sports and Horseback Riding, 15.07
 F1938-98(2009) Guide for Safer Use of Movable Soccer Goals, 15.11
- F1939-08 Test Method for Radiant Heat Resistance of Flame Resistant Clothing Materials with Continuous Heating, 11.03
- F1940-07a Test Method for Process Control Verification to Prevent Hydrogen Embrittlement in Plated or Coated Fasteners, 01.08
- F1941-10 Specification for Electrodeposited Coatings on Threaded Fasteners (Unified Inch Screw Threads (UN/UNR)), 01.08
- F1941M-07 Specification for Electrodeposited Coatings on Threaded Fasteners (Metric), 01.08
- F1942-98(2010) Practice for Creating Test Targets for Determining the Ink Yield of the Imaging Supplies Used in Ink Jet Printers, 15.09
- F1943-98(2008) Test Method for Determining the Dynamic Thermal Response of Thermal Mass Transfer Ribbon ProductsAtlantek Method, 15.09 F1944-98(2008) Practice for Determining the Quality of the Text, Line- and
- Solid-Fill Output Produced by Ink Jet Printers, 15.09 F1945-05(2011) Practice for Determining the Lightfastness of Ink Jet Prints
- Exposed to Indoor Fluorescent Lighting, 15.09
 F1946/F1946M-10 Practice for Accelerated Testing of the Lightfastness of Ink Jet Prints Exposed to Indoor Fluorescent Lighting and WindowFiltered Daylight, 15.09
- F1947-10 Practice for Installation of Folded Poly (Vinyl Chloride) (PVC) Pipe into Existing Sewers and Conduits, 08.04
- F1948-12 Specification for Metallic Mechanical Fittings for Use on Outside

F1948 F2041

- Diameter Controlled Thermoplastic Gas Distribution Pipe and Tubing,
- F1949-99(2013) Specification for Medical Oxygen Delivery Systems for EMS Ground Vehicles, 13.02
- F1950 Withdrawn 2008; Specification for Physical Information to be Transferred With Used Amusement Rides and Devices
- F1951-14 Specification for Determination of Accessibility of Surface Systems Under and Around Playground Equipment, 15.07
- F1952-10 Specification for Helmets Used for Downhill Mountain Bicycle Racing, 15.07
 F1953-10 Guide for Construction and Maintenance of Grass Tennis Courts,
- 15.07
- F1954 Not Assigned
 F1955 Withdrawn 2014; Test Method for Flammability of Sleeping Bags, 15.07 F1956-13 Specification for Rescue Carabiners, 13.02
- F1957-99(2011) Test Method for Composite Foam Hardness-Durometer Hardness, 15.07
- F1958/F1958M-12 Test Method for Determining the Ignitability of Non-flame-Resistant Materials for Clothing by Electric Arc Exposure Method Using
- Mannequins, 10.03 F1959/F1959M-13 Test Method for Determining the Arc Rating of Materials for Clothing, 10.03
- F1960-12 Specification for Cold Expansion Fittings with PEX Reinforcing Rings for Use with Cross-linked Polyethylene (PEX) Tubing, 08.04
- F1961-09 Specification for Metal Mechanical Cold Flare Compression Fittings with Disc Spring for Crosslinked Polyethylene (PEX) Tubing, 08.04
- F1962-11 Guide for Use of Maxi-Horizontal Directional Drilling for Placement of Polyethylene Pipe or Conduit Under Obstacles, Including River Crossings, 08.04
- F1963-05(2011) Specification for Deep-Fat Fryers, Gas or Electric, Open, 15.12
- F1964-11 Test Method for Performance of Pressure Fryers, 15.12
- F1965-99(2010) Test Method for Performance of Deck Ovens, 15.12 F1966-12 Specification for Dough Divider and Rounding Machines, 15.12 F1967-13 Consumer Safety Specification for Infant Bath Seats, 15.11
- F1968 Not Assigned
- F1969 Not Assigned
 F1970-12^{c1} Specification for Special Engineered Fittings, Appurtenances or Valves for use in Poly (Vinyl Chloride) (PVC) or Chlorinated Poly (Vinyl Chloride) (CPVC) Systems, 08.04
- F1971-12 Test Method for Electrical Resistance of Tires Under Load On the Test Bench, 09.02
- F1972-13 Guide for Terminology Relating to Candles and Associated Accessory Items. 15.11
- F1973-13^{€1} Specification for Factory Assembled Anodeless Risers and Transition Fittings in Polyethylene (PE) and Polyamide 11 (PA11) and Polyamide 12 (PA12) Fuel Gas Distribution Systems, 08.04
- F1974-09 Specification for Metal Insert Fittings for Polyethylene/Aluminum/ Polyethylene and Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene Composite Pressure Pipe, 08.04
- F1975-09 Specification for Nonpowered Bicycle Trailers Designed for Human Passengers, 15.07
- F1976-13 Test Method for Impact Attenuation of Athletic Shoe Cushioning Systems and Materials, 15.07
 F1977-04(2010) Test Method for Determining Initial, Fractional, Filtration Efficiency of a Vacuum Cleaner System, 15.08
 F1978-12 Test Method for Measuring Abrasion Resistance of Metallic Thermal
- Spray Coatings by Using the Taber Abraser, 13.01
- F1979-10(2014) Specification for Paintballs Used in the Sport of Paintball,
- F1980-07(2011) Guide for Accelerated Aging of Sterile Barrier Systems for Medical Devices, 15.10
- F1981 Withdrawn 2007; Specification for Suction Catheters for Use in the Respiratory Tract
- F1982 Withdrawn 2003; Test Methods for Analyzing Organic Contaminants on Silicon Wafer Surfaces by Thermal Desorption Gas Chromatography
- F1983-99(2008) Practice for Assessment of Compatibility of Absorbable Resorbable Biomaterials for Implant Applications, 13.01
- F1984-99(2013) Practice for Testing for Whole Complement Activation in Serum by Solid Materials, 13.01
- F1985-99(2011) Specification for Pneumatic-Operated, Globe-Style, Control Valves, 01.07
- F1986-01(2011) Specification for Multilayer Pipe Type 2, Compression Fittings, and Compression Joints for Hot and Cold Drinking-Water Systems, 08.04
 F1987-01(2011) Specification for Multilayer Pipe Type 2, Compression Fittings,
- and Compression Joints for Hydronic Heating Systems, **08.04 F1988-99(2008)** Performance Requirements for Plastic Chaise Lounges, With or Without Moving Arms, With Adjustable Backs, for Outdoor Use, **15.11 F1989-05(2013)** Specification for Cooking Fire Suppression Blankets, **15.11 F1990-07(2013)** Guide for In-Situ Burning of Spilled Oil: Ignition Devices,
- 11.05
- F1991-99(2010) Test Method for Performance of Chinese (Wok) Ranges,
- F1992-99(2007) Practice for Reprocessing of Reusable, Heat-Stable Endoscopic Accessory Instruments (EAI) Used with Flexible Endoscopes, 13.01
- F1993 Withdrawn 2014; Classification System of Human Search and Rescue Resources
- F1994-99(2011) Test Method for Shipboard Fixed Foam Firefighting Systems, 01.07

- F1995-13 Test Method for Determining the Shear Strength of the Bond between a Surface Mount Device (SMD) and Substrate in a Membrane Switch, 10.04
- F1996-06 Test Method for Silver Migration for Membrane Switch Circuitry, 10.04
- F1997 Withdrawn 2008; Test Method for Determining the Sensitivity (Teasing) of a Tactile Membrane Switch; Replaced by F2592
- F1998 Not Assigned F1999-00(2006) Practice for Installation of Rigid Poly(Vinyl Chloride) (PVC)
- Fence Systems, 01.06
- F2000-10 Guide for Fences for Baseball and Softball Fields, 01.06
 F2001-01(2006) Guide for Vessel-Related Technical Information for Use in Developing an Electronic Database and Ship Safety Record, 01.07
- F2002 Withdrawn 2003; Terminology Relating to Anesthesia and Respiratory Equipment; Replaced by ISO 4135
- F2003-02(2008) Practice for Accelerated Aging of Ultra-High Molecular Weight Polyethylene after Gamma Irradiation in Air, 13.01
- F2004-05(2010) Test Method for Transformation Temperature of Nickel-Titanium Alloys by Thermal Analysis, 13.01
- F2005-05(2010) Terminology for Nickel-Titanium Shape Memory Alloys, 13.01 F2006-10 Safety Specification for Window Fall Prevention Devices for
- Non-Emergency Escape (Egress) and Rescue (Ingress) Windows, 15.11

 F2007-12 Practice for Design, Manufacture, and Operation of Concession Go-Karts and Facilities, 15.07
- F2008-00(2012)⁶¹ Guide for Qualitative Observations of Skimmer Performance, **11.05**
- F2009-00(2011) Test Method for Determining the Axial Disassembly Force of Taper Connections of Modular Prostheses, 13.01
- F2010/F2010M-10 Test Method for Evaluation of Glove Effects on Wearer Hand Dexterity Using a Modified Pegboard Test, 11.03
- F2011-02(2010) Specification for Safety and Performance of Fun-Karts, 15.11 F2012-13 Consumer Safety Performance Specification for Stationary Activity Centers, 15.11
- F2013-10 Test Method for Determination of Residual Acetaldehyde in Polyethylene Terephthalate Bottle Polymer Using an Automated Static Head-Space Sampling Device and a Capillary GC with a Flame Ionization Detector, 15.10
- F2014-00(2013) Specification for Non-Reinforced Extruded Tee Connections for Piping Applications, 01.07
- F2015-00(2013) Specification for Lap Joint Flange Pipe End Applications, 01.07
- F2016-00(2012) Practice for Establishing Shipbuilding Quality Requirements for Hull Structure, Outfitting, and Coatings, 01.07
 F2017-00(2006) Guide for Database Structure of Electronic Data Interchange Between Ship Owner and Shipyard for Contract Administration, 01.07
 F2018-00(2010) Test Method for Time-to-Failure of Plastics Using Plane Strain
- Tensile Specimens, 08.04
- F2019-11 Practice for Rehabilitation of Existing Pipelines and Conduits by the Pulled in Place Installation of Glass Reinforced Plastic (GRP) Cured-in-Place Thermosetting Resin Pipe (CIPP), 08.04
- F2020-02a(2009) Practice for Design, Construction, and Procurement of Emergency Medical Services Systems (EMSS) Ambulances, 13.02
- F2021-11 Guide for Design and Installation of Plastic Siphonic Roof Drainage Systems. 08.04
- F2022-01(2013) Test Method for Performance of Booster Heaters, 15.12
 F2023-13 Test Method for Evaluating the Oxidative Resistance of Crosslinked
 Polyethylene (PEX) Tubing and Systems to Hot Chlorinated Water, 08.04
 F2024-10 Practice for X-ray Diffraction Determination of Phase Content of
- Plasma-Sprayed Hydroxyapatite Coatings, 13.01
- F2025-06(2012) Practice for Gravimetric Measurement of Polymeric Components for Wear Assessment, 13.01
- F2026-14 Specification for Polyetheretherketone (PEEK) Polymers for Surgical Implant Applications, 13.01
- F2027-08 Guide for Characterization and Testing of Raw or Starting
 Biomaterials for Tissue-Engineered Medical Products, 13.01
 F2028-14 Test Methods for Dynamic Evaluation of Glenoid Loosening or
- Disassociation, 13.01
- F2029-08 Practices for Making Heatseals for Determination of Heatsealability of Flexible Webs as Measured by Seal Strength, 15.10
- F2030-11 Specification for Paintball Cylinder Burst Disk Assemblies, 15.07 F2031-05(2010) Test Method for Measurement of Arrow Shaft Static Spine (Stiffness), 15.07
 F2032-06(2011) Specification for Helmets Used for BMX Cycling, 15.07
- F2033-12 Specification for Total Hip Joint Prosthesis and Hip Endoprosthesis Bearing Surfaces Made of Metallic, Ceramic, and Polymeric Materials, 13.01
- F2034-08(2013) Specification for Sheet Linoleum Floor Covering, 15.04 Practice for Measuring the Dark Stability of Ink Jet Prints, F2035-00(2011) 15.09
- F2036-05(2011) Test Method for Evaluation of Larger Area Density and Background on Electrophotographic Printers, **15.09**
- F2037-00(2011) Practice for Predicting the Lifetime of Ink Jet Prints Stored in Dark Keeping Conditions in Typical Office Environments, 15.09
- F2038-00(2011) Guide for Silicone Elastomers, Gels, and Foams Used in Medical Applications Part I—Formulations and Uncured Materials, 13.01
 F2039-00(2012) Guide for Basic Elements of Shipboard Occupational Health and Safety Program, 01.07
- F2040-11 Specification for Helmets Used for Recreational Snow Sports, 15.07 F2041 Withdrawn 2008; Specification for Paintball Marker Warnings; Replaced by F2272

F2042 F2145

- F2042-00(2011) Guide for Silicone Elastomers, Gels, and Foams Used in Medical Applications Part II—Crosslinking and Fabrication, 13.01
- F2043-13 Classification for Bicycle Usage, 15.07
 F2044-09(2013) Specification for Liquid Level Indicating Equipment, Electrical,
- F2045-00(2011) Specification for Indicators, Sight, Liquid Level, Direct and Indirect Reading, Tubular Glass/Plastic, 01.07
- F2046-00(2011) Specification for Tachometers, Various, 01.07 F2047-00(2012) Practice for Workers Compensation Coverage of Emergency
- Services Volunteers, 13.02

 F2048-00(2009) Practice for Reporting Slip Resistance Test Results, 15.07

 F2049-11 Safety Performance Specification for Fences/Barriers for Public, Commercial, and Multi-Family Residential Use Outdoor Play Areas, 01.06
- F2050-13a Consumer Safety Specification for Hand-Held Infant Carriers, 15.11 F2051-00(2006) Specification for Implantable Saline Filled Breast Prosthesis,
- F2052-14 Test Method for Measurement of Magnetically Induced Displacement Force on Medical Devices in the Magnetic Resonance Environment, 13.01
- F2053-00(2011) Guide for Documenting the Results of Airborne Particle Penetration Testing of Protective Clothing Materials, 11.03
 F2054/F2054M-13 Test Method for Burst Testing of Flexible Package Seals Using Internal Air Pressurization Within Restraining Plates, 15.10
- F2055-10 Test Method for Size and Squareness of Resilient Floor Tile by Dial Gage Method, 15.04
- F2056-09 Safety and Performance Specification for Soccer Goals, 15.11
- F2057-09b Safety Specification for Chests, Door Chests, and Dressers, 15.11 F2058-07 Specification for Candle Fire Safety Labeling, 15.11 F2059-06(2012)^{c1} Test Method for Laboratory Oil Spill Dispersant Effective-
- F209-06(2012)* lest Method for Laboratory Oil Spill Dispersant Ellectiveness Using the Swirling Flask, 11.05
 F2060-00(2011) Guide for Maintaining Cool Season Turfgrasses on Athletic Fields, 15.07
 F2061-12 Practice for Chemical Protective Clothing: Wearing, Care, and
- Maintenance Instructions, 11.03

 F2062-00(2011) Specification for Square Drive Interconnections on Surgical
- Instruments, 13.01
- F2063-12 Specification for Wrought Nickel-Titanium Shape Memory Alloys for Medical Devices and Surgical Implants, 13.01
- F2064-00(2006)^{c1} Guide for Characterization and Testing of Alginates as Starting Materials Intended for Use in Biomedical and Tissue-Engineered
- Starting Materials Intended for Use in Biomedical and Tissue-Engineer
 Medical Products Application, 13.01

 F2065-00(2010) Practice for Testing for Alternative Pathway Complement
 Activation in Serum by Solid Materials, 13.01

 F2066-13^{c1} Specification for Wrought Titanium-15 Molybdenum Alloy for
 Surgical Implant Applications (UNS R58150), 13.01

 F2067-13 Practice for Development and Use of Oil-Spill Trajectory Models,
- 11.05
- F2068-09 Specification for Femoral ProsthesesMetallic Implants, 13.01 F2069 Withdrawn 2009; Practice for Evaluation of Explosives Vapor Detectors F2070-00(2011) Specification for Transducers, Pressure and Differential, Pressure, Electrical and Fiber-Optic, 01.07
- F2071-00(2011) Specification for Switch, Position Proximity (Noncontact) or Limit (Mechanical Contact), Fiber-Optic, 01.07
 F2072-14 Test Method for Hosedown of a Membrane Switch, 10.04
 F2073-01(2006) Test Method for Non-Destructive Short Circuit Testing of a Membrane Switch, 10.04
 F2074 Withdrawn 2003; Guide for Measuring Diameter of Silicon and Other Semiconductor Wefere
 - Semiconductor Wafers
- F2075-10a Specification for Engineered Wood Fiber for Use as a Playground Safety Surface Under and Around Playground Equipment, 15.07
- F2076-01(2014) Practice for Communicating an EMS Patient Report to
- Receiving Medical Facilities, 13.02

 F2077-11 Test Methods For Intervertebral Body Fusion Devices, 13.01

 F2078-08a Terminology Relating to Hydrogen Embrittlement Testing, 15.03

 F2079-09(2013) Test Method for Measuring Intrinsic Elastic Recoil of Balloon-Expandable Stents, 13.01
- F2080-12 Specification for Cold-Expansion Fittings With Metal Compression-
- Sleeves for Cross-Linked Polyethylene (PEX) Pipe, 08.04
 F2081-06(2013) Guide for Characterization and Presentation of the
- F2081-06(2013) Guide for Characterization and Presentation of the Dimensional Attributes of Vascular Stents, 13.01

 F2082-06 Test Method for Determination of Transformation Temperature of Nickel-Titanium Shape Memory Alloys by Bend and Free Recovery, 13.01

 F2083-12 Specification for Knee Replacement Prosthesis, 13.01

 F2084/F2084M-01(2012)^{c1} Guide for Collecting Containment Boom Performance Data in Controlled Environments, 11.05

 F2085-12 Consumer Sefety Specification for Bottship Red Reile 15.11
- F2085-12 Consumer Safety Specification for Portable Bed Rails, 15.11 F2086 Withdrawn 2007; Test Method for Pass Through Flux of Circular
- Magnetic Sputtering Targets, Method 2

 F2087-13 Specification for Packing, Fiberglass, Braided, Rope, and Wick, 01.07
- F2088-13 Consumer Safety Specification for Infant Swings, 15.11
 F2089-01(2007) Guide for Language Interpretation Services, 15.11
 F2090-10 Specification for Window Fall Prevention Devices With Emergency Escape (Egress) Release Mechanisms, 15.11

- F2091-01(2012) Specification for Acetabular Prostheses, 13.01
 F2092-14 Specification for Convection Oven Gas or Electric, 15.12
 F2093-11 Test Method for Performance of Rack Ovens, 15.12
 F2094/F2094M-13 Specification for Silicon Nitride Bearing Balls, 01.08
 F2095-07(2013) Test Methods for Pressure Decay Leak Test for Flexible Packages With and Without Restraining Plates, 15.10

- F2096-11 Test Method for Detecting Gross Leaks in Packaging by Internal Pressurization (Bubble Test), 15.10
- F2097-10 Guide for Design and Evaluation of Primary Flexible Packaging for Medical Products, 15.10
- F2098-08 Specification for Stainless Steel Clamps for Securing SDR9 Cross-linked Polyethylene (PEX) Tubing to Metal Insert and Plastic Insert Fittings, 08.04
- F2099-01(2014) Guide for Use of Universal Transverse Mercator (UTM) Grids When Preparing and Using a Field Map for Land Search, 13.02
 F2100-11 Specification for Performance of Materials Used in Medical Face
- Masks, 11.03

 F2101-14 Test Method for Evaluating the Bacterial Filtration Efficiency (BFE) of Medical Face Mask Materials, Using a Biological Aerosol of, 11.03
- F2102-13 Guide for Evaluating the Extent of Oxidation in Polyethylene Fabricated Forms Intended for Surgical Implants, 13.01
- F2103-11 Guide for Characterization and Testing of Chitosan Salts as Starting Materials Intended for Use in Biomedical and Tissue-Engineered Medical Product Applications, 13.01
- F2105-11 Test Method for Measuring Air Performance Characteristics of Vacuum Cleaner Motor/Fan Systems, 15.08
 F2106-12 Test Methods for Evaluating Design and Performance Characteristics of Motorized Treadmills, 15.07
- F2107-08 Guide for Construction and Maintenance of Skinned Areas on Baseball and Softball Fields, 15.07
- F2108-06(2011) Practice for Inspection of Transparent Parts by Prism, 15.03 F2109-01(2011) Test Method to Determine Color Change and Staining Caused by Aircraft Maintenance Chemicals upon Aircraft Cabin Interior Hard Surfaces, 15.03
- F2111-01a(2011) Practice for Measuring Intergranular Attack or End Grain
- Pitting on Metals Caused by Aircraft Chemical Processes, 15.03

 F2112-02(2011) Terminology for Membrane Switches, 10.04

 F2113-01(2011) Guide for Analysis and Reporting the Impurity Content and Grade of High Purity Metallic Sputtering Targets for Electronic Thin Film Applications, 10.04
- F2114 Withdrawn 2009; Guide for ASTM Standard Test Methods, Standard Practices, and Typical Values of a Membrane Switch
- F2115-12 Specification for Motorized Treadmills, 15.07
- F2116-01(2007) Specification for Low Stretch and Static Kernmantle Life Safety Rope, 13.02
 F2117-10 Test Method for Vertical Rebound Characteristics of Sports
- Surface/Ball Systems; Acoustical Measurement, 15.07

 F2118-10 Test Method for Constant Amplitude of Force Controlled Fatigue
 Testing of Acrylic Bone Cement Materials, 13.01

 F2119-07(2013) Test Method for Evaluation of MR Image Artifacts from
- Passive Implants, 13.01

 F2120-06(2010) Practice for Testing Treestand Load Capacity, 15.07

 F2121-13 Practice for Treestand Labels, 15.07

- F2122-13 Practice for Treestand Safety Devices, 15.07
- Practice for Treestand Instructions, 15.07
- F2124-13 Practice for Testing Treestand Ladder, Tripod Stand and Climbing Stick Load Capacity, 15.07
- F2125-09(2013) Test Method for Treestand Static Stability and Adherence, 15.07
- F2126-06(2010) Test Method for Treestand Static Load Capacity, 15.07
 F2127 Withdrawn 2006; Test Method for Treestand Adherence; Replaced by F2125
- F2128-13 Test Method for Treestand Repetitive Loading Capability, 15.07
 F2129-08 Test Method for Conducting Cyclic Potentiodynamic Polarization
 Measurements to Determine the Corrosion Susceptibility of Small Implant
- **F2130-11** Test Method for Measuring Repellency, Retention, and Penetration of Liquid Pesticide Formulation Through Protective Clothing Materials, 11 03
- F2131-02(2012) Test Method for *In Vitro* Biological Activity of Recombinant Human Bone Morphogenetic Protein-2 (rhBMP-2) Using the W-20 Mouse Stromal Cell Line, 13.01
- F2132-01(2008)^{c1} Specification for Puncture Resistance of Materials Used in Containers for Discarded Medical Needles and Other Sharps, 13.01
- F2133 Withdrawn 2013; Test Methods for Determining Effects of Large Hydrocarbon Pool Fires on Insulated Marine Bulkheads and Decks,
- F2135-01(2012) Specification for Molded Drain, Waste, and Vent (DWV)
 Short-Pattern Plastic Fittings, 08.04
 F2136-08 Test Method for Notched, Constant Ligament-Stress (NCLS) Test to
- Determine Slow-Crack-Growth Resistance of HDPE Resins or HDPE Corrugated Pipe, 08.04
- F2137-13 Practice for Measuring the Dynamic Characteristics of Amusement Rides and Devices, 15.07
- F2138-12 Specification for Excess Flow Valves for Natural Gas Service, 08.04
 F2139-05 Withdrawn 2003; Test Method for Measuring Nitrogen Concentration in Silicon Substrates by Secondary Ion Mass Spectrometry
 F2140-11 Test Method for Performance of Hot Food Holding Cabinets, 15.12
- F2141-07(2013) Test Method for Performance of Self-Serve Hot Deli Cases, 15.12
- F2142-01(2013) Test Method for Performance of Drawer Warmers, 15.12 F2143-04(2010) Test Method for Performance of Refrigerated Buffet and
- Preparation Tables, **15.12 F2144-09** Test Method for Performance of Large Open Vat Fryers, **15.12 F2145-13** Specification for Polyamide 11 (PA 11) and Polyamide 12 (PA12) Mechanical Fittings for Use on Outside Diameter Controlled Polyamide 11

F2145 F2255

- and Polyamide 12 Pipe and Tubing, 08.04
- F2146-13 Specification for Wrought Titanium-3Aluminum-2.5Vanadium Alloy Seamless Tubing for Surgical Implant Applications (UNS R56320), 13.01
- F2147-01(2010) Practice for Guinea Pig: Split Adjuvant and Closed Patch Testing for Contact Allergens, 13.01

 F2148-13 Practice for Evaluation of Delayed Contact Hypersensitivity Using
- the Murine Local Lymph Node Assay (LLNA), 13.01
- F2149-01(2007) Test Method for Automated Analyses of Cells—the Electrical Sensing Zone Method of Enumerating and Sizing Single Cell Suspensions, **13.01**
- F2150-13 Guide for Characterization and Testing of Biomaterial Scaffolds Used in Tissue-Engineered Medical Products, 13.01
- F2151 Withdrawn 2007; Practice for Assessment of White Blood Cell Morphology After Contact with Materials
- F2152-07(2013) Guide for In-Situ Burning of Spilled Oil: Fire-Resistant Boom,
- F2153-07(2012) Test Method for Measurement of Backpack Capacity, 15.07 F2154-13 Specification for Sound-Absorbing Board, Fibrous Glass, Perforated Fibrous Glass Cloth Faced. 01.07
- F2155-01(2009) Specification for Performance of Hasps and Other Attachment Devices for Padlocks or Seals, 15.08
- F2156-11 Test Method for Measuring Optical Distortion in Transparent Parts
- Using Grid Line Slope, 15.03
 F2157-09 Specification for Synthetic Surfaced Running Tracks, 15.07 F2158-08(2013) Specification for Residential Central-Vacuum Tube and
- Fittings, 15.08 F2159-11 Specifica 9-11 Specification for Plastic Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Polyeth-
- ylene of Raised Temperature (PE-RT) Tubing, 08.04 F2160-10 Specification for Solid Wall High Density Polyethylene (HDPE)
- Conduit Based on Controlled Outside Diameter (OD), 08.04 F2161-10 Guide for Instrument and Precision Bearing Lubricants—Part 1 Oils, 01.08
- F2162-01(2008) Specification for Bearing, Roller, Needle: Drawn Outer Ring, Full Complement, Without Inner Ring, Open and Closed End, Standard Type, **01.08**
- F2163-01(2008) Specification for Ring, Bearing, Inner: for Needle Roller Bearing With Drawn Outer Ring, 01.08
- F2164-13 Practice for Field Leak Testing of Polyethylene (PE) and Crosslinked Polyethylene (PEX) Pressure Piping Systems Using Hydrostatic Pressure, 08.04
- F2165-13 Specification for Flexible Pre-Insulated Piping, 08.04
 F2166 Withdrawn 2003; Practices for Monitoring Non-Contact Dielectric Characterization Systems Through Use of Special Reference Wafers
 F2167-14 Consumer Safety Specification for Infant Bouncer Seats, 15.11
- F2168-13 Specification for Packing Material, Graphitic, Corrugated Ribbon or Textured Tape, and Die-Formed Ring, 01.07
- F2169-12 Specification for Resilient Stair Treads, 15.04
- Test Method for Determining Relative Humidity in Concrete Floor Slabs Using in situ Probes, 15.04

 F2171-02(2009) Guide for Defining the Performance of First Aid Providers in
- Occupational Settings, 13.02
- F2174-02(2008) Practice for Verifying Acoustic Emission Sensor Response, 10.03
- F2175-07 Specification for Portable and Permanent Emergency Escape Ladders for Residential Use, 15.11

 F2176-02(2009) Specification for Mechanical Couplings Used on Polyethylene
- Conduit, Duct and Innerduct, 08.04
- F2178-12 Test Method for Determining the Arc Rating and Standard Specification for Eye or Face Protective Products, 10.03
- F2179-14 Specification for Annealed Soda-Lime-Silicate Glass Containers
- That Are Produced for Use as Candle Containers, **15.11 F2180-02(2011)**^{c1} Specification for Metallic Implantable Strands and Cables, 13.01
- F2181-09 Specification for Wrought Seamless Stainless Steel Tubing for Surgical Implants, 13.01
- F2182-11a Test Method for Measurement of Radio Frequency Induced Heating On or Near Passive Implants During Magnetic Resonance Imaging, **13.01**
- F2183-02(2008) Test Method for Small Punch Testing of Ultra-High Molecular
- Weight Polyethylene Used in Surgical Implants, 13.01

 F2184-10(2014) Guide for Installation of Paintball Barrier Netting, 15.07

 F2187-02(2011) Test Method for Determining the Effect of Random Frequency Vibration on a Membrane Switch or Membrane Switch Assembly, 10.04
- F2188-02(2011) Test Method for Determining the Effect of Variable Frequency
- Vibration on a Membrane Switch or Membrane Switch Assembly, 10.04 F2191-02(2008) Specification for Packing Material, Graphitic or Carbon
- Braided Yarn, 01.07

 F2192-05(2011) Test Method for Determining and Reporting the Berthing Energy and Reaction of Marine Fenders, 01.07
- F2193-02(2007) Specifications and Test Methods for Components Used in the Surgical Fixation of the Spinal Skeletal System, 13.01
- F2194-13a Consumer Safety Specification for Bassinets and Cradles, 15.11 F2195-13 Specification for Linoleum Floor Tile, 15.04
- F2199-09(2014) Test Method for Determining Dimensional Stability of Resilient Floor Tile after Exposure to Heat, 15.04
 F2200-13 Specification for Automated Vehicular Gate Construction, 01.06
 F2201-10 Consumer Safety Specification for Utility Lighters, 15.11
 F2202-02(2007) Specification for Slow Cook/Hold Ovens and Hot Food
- Holding Cabinets, 15.12

F2203-13 Test Method for Linear Measurement Using Precision Steel Rule, 15.10

- F2204-09 Guide for Describing Shoreline Response Techniques, 11.05 F2205-07(2013) Guide for Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response: Tropical Environments, 11.05
- F2206-11 Specification for Fabricated Fittings of Butt-Fused Polyethylene (PE) Plastic Pipe, Fittings, Sheet Stock, Plate Stock, or Block Stock, 08.04
- F2207-06(2013) Specification for Cured-in-Place Pipe Lining System for Rehabilitation of Metallic Gas Pipe, 08.04
- F2208-08(2014) Safety Specification for Residential Pool Alarms, 15.11 F2209-10 Guide for Training of Level I Land Search Team Member, 13.02 F2210-02(2010) Guide for Processing Cells, Tissues, and Organs for Use in
- Tissue Engineered Medical Products, 13.01 F2211-13 Classification for Tissue Engineered Medical Products (TEMPs), 13.01
- F2212-11 Guide for Characterization of Type I Collagen as Starting Material for Surgical Implants and Substrates for Tissue Engineered Medical Products (TEMPs), 13.01
- F2213-06(2011) Test Method for Measurement of Magnetically Induced Torque on Medical Devices in the Magnetic Resonance Environment, 13.01

 F2214-02(2008) Test Method for *In Situ* Determination of Network Parameters
- of Crosslinked Ultra High Molecular Weight Polyethylene (UHMWPE), 13.01
- F2215-08 Specification for Balls, Bearings, Ferrous and Nonferrous for Use in Bearings, Valves, and Bearing Applications, 01.08
- F2216-12 Specification for Selectorized Strength Equipment, 15.07
- F2217/F2217M-13 Practice for Coating/Adhesive Weight Determination, 15.10 F2218-02(2008) Guide for Hardware Implementation for Computerized Systems, **01.07**
- F2219-14 Test Methods for Measuring High-Speed Bat Performance, 15.07
- F2220-12 Specification for Headforms, 15.07
 F2223-10 Guide for ASTM Standards on Playground Surfacing, 15.07
- F2224-09(2014) Specification for High Purity Calcium Sulfate Hemihydrate or Dihydrate for Surgical Implants, 13.01
 F2225-13 Safety Specification for Consumer Trampoline Enclosures, 15.07
 F2226-03(2009)^{c1} Practice for Determining the Adhesion of Prints and
- Laminating Films, 15.09
- F2227-13 Test Method for Non-Destructive Detection of Leaks in Non-sealed and Empty Packaging Trays by CO2 Tracer Gas Method, 15.10
- F2228-13 Test Method for Non-Destructive Detection of Leaks in Packaging Which Incorporates Porous Barrier Material by CO2 Tracer Gas Method, 15.10
- F2229-12 Specification for Wrought, Nitrogen Strengthened 23Manganese-21Chromium-1Molybdenum Low-Nickel Stainless Steel Alloy Bar and Wire for Surgical Implants (UNS S29108), 13.01

 F2230-08 Guide for In-situ Burning of Oil Spills on Water: Ice Conditions,
- 11.05
- F2231-02(2013) Test Method for Charpy Impact Test on Thin Specimens of Polyethylene Used in Pressurized Pipes, 08.04
- F2232-14 Test Method for Determining the Longitudinal Load Required to Detach High Heels from Footwear, 15.07
- F2233-03(2009) Guide for Safety, Access Rights, Construction, Liability, and Risk Management for Optical Fiber Networks in Existing Sewers, 04.12
- F2234-08 Specification for Spill Resistant Fueling Systems for Portable Fuel Containers for Consumer Use. 15.11
- F2236-14 Consumer Safety Specification for Soft Infant and Toddler Carriers, 15.11
- F2237-03(2008) Test Method for Performance of Upright Overfired Broilers, 15.12
- F2238-09 Test Method for Performance of Rapid Cook Ovens, 15.12 F2239-10 Test Method for Performance of Conveyor Broilers, 15.12
- F2240-08(2013) Specification for Manufacturer Quality Assurance Program for Powered Parachute Aircraft, 15.11
- F2241-13 Specification for Continued Airworthiness System for Powered Parachute Aircraft, 15.11

 F2242-05(2013) Specification for Production Acceptance Testing System for
- Powered Parachute Aircraft, 15.11
- F2243-11(2013) Specification for Required Product Information to be Provided with Powered Parachute Aircraft, 15.11
- F2244-13 Specification for Design and Performance Requirements for Powered Parachute Aircraft, 15.11
- F2245-13b Specification for Design and Performance of a Light Sport Airplane, 15.11
- F2246-06(2013) Specification for Bearing, Roller, Needle: Thick Outer Ring With Rollers and Cage, 01.08
- F2247-11 Test Method for Metal Doors Used in Blast Resistant Applications (Equivalent Static Load Method), 15.08 F2248-12 Practice for Specifying an Equivalent 3-Second Duration Design
- Loading for Blast Resistant Glazing Fabricated with Laminated Glass, 15.08 F2249-03(2009) Specification for In-Service Test Methods for Temporary
- Grounding Jumper Assemblies Used on De-Energized Electric Power Lines and Equipment, 10.03 F2250-13 Practice for Evaluation of Chemical Resistance of Printed Inks and
- Coatings on Flexible Packaging Materials, 15.10
- F2251-13 Test Method for Thickness Measurement of Flexible Packaging Material, 15.10
- F2252/F2252M-13^{c1} Practice for Evaluating Ink or Coating Adhesion to Fezible Packaging Materials Using Tape, 15.10

 F2255-05(2010) Test Method for Strength Properties of Tissue Adhesives in

F2255 F2361

- Lap-Shear by Tension Loading, 13.01
- F2256-05(2010) Test Method for Strength Properties of Tissue Adhesives in T-Peel by Tension Loading, 13.01
- F2257-09 Specification for Wrought Seamless or Welded and Drawn 18 Chromium-14Nickel-2.5Molybdenum Stainless Steel Small Diameter Tubing for Surgical Implants (UNS S31673), 13.01
- F2258-05(2010) Test Method for Strength Properties of Tissue Adhesives in Tension, 13.01

 F2259-10(2012)*1 Test Method for Determining the Chemical Composition and
- Sequence in Alginate by Proton Nuclear Magnetic Resonance (¹H NMR) Spectroscopy, 13.01
 F2260-03(2012)⁻¹ Test Method for Determining Degree of Deacetylation in
- Chitosan Salts by Proton Nuclear Magnetic Resonance (¹H NMR) Spectroscopy, 13.01

 F2261-06(2011) Test Method for Pressure Rating Poly(Vinyl Chloride) (PVC)
- Plastic Pipe Fittings, Schedule 40 and 80 Socket-Type, 08.04
- F2262-09 Specification for Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene Tubing OD Controlled SDR9, 08.04
- F2263-07(2011) Test Method for Evaluating the Oxidative Resistance of Polyethylene (PE) Pipe to Chlorinated Water, 08.04
 F2264-14 Consumer Safety Specification for Non-Powered Scooters, 15.11
 F2266-03(2008)^{€1} Specification for Masses Used in Testing Rescue Systems
- and Components, 13.02

 F2267-04(2011) Test Method for Measuring Load Induced Subsidence of Intervertebral Body Fusion Device Under Static Axial Compression, 13.01 F2268-03(2010) Specification for Bicycle Serial Numbers, 15.07
- 9-11 Guide for Maintaining Warm Season Turfgrasses on Athletic Fields, 15.07
- F2270-12 Guide for Construction and Maintenance of Warning Track Areas on Athletic Fields, 15.07
- Specification for Paintball Marker Barrel Blocking Devices, 15.07 Specification for Paintball Markers, 15.07 F2271-11
- F2272-13
- F2273-11
- Test Methods for Bicycle Forks, **15.07** Specification for Condition 3 Bicycle Forks, **15.07** F2274-11
- F2275-10 Practice for Treestand Manufacturer Quality Assurance Program, 15.07
- F2276-10 Specification for Fitness Equipment, 15.07
- Test Methods for Evaluating Design and Performance Characteris-
- tics of Selectorized Strength Equipment, 15.07
 F2278-10a(2014) Test Method for Evaluating Paintball Barrier Netting, 15.07 F2279-10 Practice for Quality Assurance in the Manufacture of Fixed Wing Light Sport Aircraft, 15.11
- F2280-12 Specification for "Twist Off" Type Tension Control Structural Bolt/Nut/Washer Assemblies, Steel, Heat Treated, 150 ksi Minimum Tensile Strength, 01.08
- F2281-04(2012) Specification for Stainless Steel and Nickel Alloy Bolts, Hex Cap Screws, and Studs, for Heat Resistance and High Temperature
- Applications, 01.08

 F2282-03(2009)^{c1} Specification for Quality Assurance Requirements for Carbon and Alloy Steel Wire, Rods, and Bars for Mechanical Fasteners, 01.08
- F2283-12 Specification for Shipboard Oil Pollution Abatement System, 01.07 F2285-04(2010) Consumer Safety Performance Specification for Diaper Changing Tables for Commercial Use, 15.11
- F2286-05(2013) Design and Performance Specification for Removable Mesh Fencing for Swimming Pools, Hot Tubs, and Spas, 15.11
 F2291-14 Practice for Design of Amusement Rides and Devices, 15.07
- F2292-03(2008) Practice for Determining the Waterfastness of Images Produced by Ink Jet Printers Utilizing Four Different Test Methods - Drip, Spray, Submersion and Rub, 15.09
- F2293-03(2008) Practice for Determining the Stain Resistance of Images
- Produced by Ink Jet Printers, 15.09

 F2294-03(2009) Practice for Determining the Writeability of Print Media, 15.09

 F2295-10 Practice for Continued Operational Safety Monitoring of a Light Sport Aircraft, 15.11

 F2296-04(2012) Practice for Determining the Adhesion of Lamination Films to
- Prints Utilizing Mechanical Stress: Four Different Test Methods—Score/ Tape, Cross Hatch, X-Cut, and Crease-Folding, 15.09

 F2298-03(2009)^{€1} Test Methods for Water Vapor Diffusion Resistance and Air
- Flow Resistance of Clothing Materials Using the Dynamic Moisture Permeation Cell, **11.03**
- F2299/F2299M-03(2010) Test Method for Determining the Initial Efficiency of Materials Used in Medical Face Masks to Penetration by Particulates
- Using Latex Spheres, 11.03

 F2300-10 Test Method for Measuring the Performance of Personal Cooling
- Systems Using Physiological Testing, 11.03

 F2302-08 Performance Specification for Labeling Protective Clothing as Heat and Flame Resistant, 11.03
- F2303-03(2009) Practice for Selection of Gravity Sewers Suitable for Installation of Optical Fiber Cable and Conduits, 04.12
- F2304-10 Practice for Sealing of Sewers Using Chemical Grouting, 04.12
 F2306/F2306M-13 Specification for 12 to 60 in. [300 to 1500 mm] Annular Corrugated Profile-Wall Polyethylene (PE) Pipe and Fittings for
- Gravity-Flow Storm Sewer and Subsurface Drainage Applications, 08.04 F2307 Withdrawn 2011; Specification for Series 10 Poly(Vinyl Chloride) (PVC) Closed Profile Gravity Pipe and Fittings Based on Controlled Inside Diameter
- F2311-08
- Guide for Classification of Therapeutic Skin Substitutes, 13.01
 Terminology Relating to Tissue Engineered Medical Products, 13.01 F2312-11
- Specification for Poly(glycolide) and Poly(glycolide-co-lactide) F2313-10

- Resins for Surgical Implants with Mole Fractions Greater Than or Equal to 70 % Glycolide, 13.01
- F2315-11 Guide for Immobilization or Encapsulation of Living Cells or Tissue
- in Alginate Gels, 13.01

 F2316-12 Specification for Airframe Emergency Parachutes, 15.11

 F2317/F2317M-10 Specification for Design of Weight-Shift-Control Aircraft,
- 15.11
- F2318 Withdrawn 2013; Specification for Rotary Wing Basic Life Support, Advanced Life Support, and Specialized Medical Support Air Ambulances F2319 Withdrawn 2013; Specification for Fixed Wing Basic Life Support,
- Advanced Life Support, and Specialized Medical Support Air Ambulances

 F2320-11 Specification for Rubber Insulating Sheeting, 10.03
- F2321-05(2013) Specification for Flexible Insulated Temporary By-Pass Jumpers, 10.03
- F2322-12 Test Methods for Physical Assault on Vertical Fixed Barriers for Detention and Correctional Facilities, 15.08
- F2324-13 Test Method for Prerinse Spray Valves, 15.12
- F2325-03(2009) Classification for Multi-Layer Steel (MLS) and Other Metal Layer Gaskets for Transportation Applications, 09.02
- F2326-04(2009) Test Method for Collection and Analysis of Visible Emissions from Candles as They Burn, 15.11
 F2327-08 Guide for Selection of Airborne Remote Sensing Systems for
- Detection and Monitoring of Oil on Water, 11.05

 F2328-05(2011) Test Method for Determining Decarburization and Carburization in Hardened and Tempered Threaded Steel Bolts, Screws and Studs, 01.08
- F2328M-07(2013) Test Method for Determining Decarburization and Carburization in Hardened and Tempered Threaded Steel Bolts, Screws and Studs (Metric), 01.08
- F2329-13 Specification for Zinc Coating, Hot-Dip, Requirements for Application to Carbon and Alloy Steel Bolts, Screws, Washers, Nuts, and Special
- Threaded Fasteners, 01.08

 F2330 Withdrawn 2010; Test Method for Evaluating the Oxidative Resistance of Multilayer Polyolefin Tubing to Hot Chlorinated Water

 F2331-11 Test Method for Determining Chemical Compatibility of Substances
- in Contact with Thermoplastic Pipe and Fittings Materials, 08.04
- F2332-06(2013) Specification for Annular Ball Bearings for Instruments and Precision Rotating Components, 01.08
- F2333-04(2011) Test Method for Traction Characteristics of the Athletic
- Shoe–Sports Surface Interface, 15.07
 F2334-09 Guide for Above Ground Public Use Skatepark Facilities, 15.07
- F2336 Withdrawn 2014; Guide for Roller Hockey Playing Facilities, 15.07 F2337-11 Test Method for Treestand Fall Arrest System, 15.07 F2338-09(2013) Test Method for Nondestructive Detection of Leaks in
- Packages by Vacuum Decay Method, 15.10

 F2339-06(2009) Practice for Design and Manufacture of Reciprocating Spark Ignition Engines for Light Sport Aircraft, 15.11
- F2340-05(2010) Specification for Developing and Validating Prediction Equation(s) or Model(s) Used in Connection with Livestock, Meat, and Poultry Evaluation Device(s) or System(s) to Determine Value, 15.12
- F2341-05(2010) Practice for User Requirements for Livestock, Meat, and
- Poultry Evaluation Devices or Systems, 15.12

 F2342/F2342M-09 Specification for Design and Construction of Composition or Quality Constituent Measuring Devices or Systems, 15.12

 F2343-09 Test Method for Livestock, Meat, and Poultry Evaluation Devices,
- 15.12
- F2345-03(2013) Test Methods for Determination of Static and Cyclic Fatigue Strength of Ceramic Modular Femoral Heads, 13.01
- F2346-05(2011) Test Methods for Static and Dynamic Characterization of Spinal Artificial Discs, 13.01
- F2347-11 Guide for Characterization and Testing of Hyaluronan as Starting Materials Intended for Use in Biomedical and Tissue Engineered Medical Product Applications, 13.01
- F2348-04(2010) Performance Specification for Privacy Padlocks, 15.08
 F2349-04(2010) Practice for Operation and Maintenance of Integrated Natural
 Gas Pipelines and Optical Fiber Systems, 04.12
- F2350-04(2010) Practice for Selection of Natural Gas Pipelines Suitable for Installation of Optical Fiber Systems, 04.12
- F2352-11 Specification for Design and Performance of Light Sport Gyroplane Aircraft, 15.11
- F2353-05(2013) Specification for Manufacturer Quality Assurance Program for Lighter-Than-Air Light Sport Aircraft, 15.11
 F2354-05b(2013) Specification for Continued Airworthiness System for Lighter-Than-Air Light Sport Aircraft, 15.11
 F2355-13 Specification for Design and Performance Requirements for Lighter-Than-Air Light Sport Aircraft 45.11
- Lighter-Than-Air Light Sport Aircraft, 15.11
- F2356-05a(2013) Specification for Production Acceptance Testing System for Lighter-Than-Air Light Sport Aircraft, 15.11
- F2357-10 Test Method for Determining the Abrasion Resistance of Inks and Coatings on Membrane Switches Using the Norman Tool RCA Abrader, 10.04
- F2358 Withdrawn 2011; Guide for Measuring Characteristics of Sapphire Substrates
- F2359-04(2011) Test Method for Determining Color of a Membrane Switch Backlit with Diffuse Light Source, 10.04
- F2360-08 Test Method for Determining Luminance of a Membrane Switch Backlit with Diffuse Light Source, 10.04
 F2361-03(2013) Guide for Ordering Low Voltage (1000 VAC or Less) Alternating Current Electric Motors for Shipboard Service—Up to and Including Motors of 500 Horsepower, 01.07

F2362 F2461

- F2362-03(2013) Specification for Temperature Monitoring Equipment, 01.07 F2363/F2363M-12 Specification for Sewage and Graywater Flow Through Treatment Systems, 01.07
- F2366-12 Practice for Determining the Relative Lightfastness of Ink Jet Prints Exposed to Window Filtered Daylight Using a Xenon Arc Light Apparatus, 15.09
- F2367-04a(2010) Specification for Labeling for Upright Brooms for Consumer and Institutional Use, 15.11
- F2368-04(2010) Specification for Labeling for Wet Mops for Consumer and Institutional Use, 15.11
- F2369-04(2010) Safety Specification for Non-Integral Firearm Locking Devices, 15.11
- F2370-10 Test Method for Measuring the Evaporative Resistance of Clothing Using a Sweating Manikin, 11.03 F2371-10 Test Method for Measuring the Heat Removal Rate of Personal
- Cooling Systems Using a Sweating Heated Manikin, 11.03 F2372-11a Consumer Safety Performance Specification for Shopping Carts,
- 15.11 F2373-11 Consumer Safety Performance Specification for Public Use Play
- Equipment for Children 6 Months through 23 Months, **15.11 F2374-10** Practice for Design, Manufacture, Operation, and Maintenance of Inflatable Amusement Devices, **15.07**
- F2375-09 Practice for Design, Manufacture, Installation and Testing of Climbing Nets and Netting/Mesh used in Amusement Rides, Devices, Play
- Areas and Attractions, 15.07 F2376-13 Practice for Classification, Design, Manufacture, Construction, and Operation of Water Slide Systems, 15.07
- F2378-05(2011) Test Method for Sealability of Sheet, Composite, and Solid Form-in-Place Gasket Materials, 09.02
- F2379-04(2010) Test Method for Energy Performance of Powered Open
- Warewashing Sinks, 15.12

 F2380-04(2010) Test Method for Performance of Conveyor Toasters, 15.12

 F2381-10 Test Method for Evaluating Trans-Vinylene Yield in Irradiated Ultra-High Molecular Weight Polyethylene Fabricated Forms Intended for Surgical Implants by Infrared Spectroscopy, 13.01
- F2382-04(2010) Test Method for Assessment of Intravascular Medical Device Materials on Partial Thromboplastin Time (PTT), 13.01
- F2383-11 Guide for Assessment of Adventitious Agents in Tissue Engineered Medical Products (TEMPs), 13.01
- F2384-10 Specification for Wrought Zirconium-2.5Niobium Alloy for Surgical Implant Applications (UNS R60901), 13.01
- **F2385-04(2010)** Test Method for Determining Femoral Head Penetration into Acetabular Components of Total Hip Replacement Using Clinical Radiographs, 13.01
- F2386 Withdrawn 2013; Guide for reservation of Tissue Engineered Medical Products (TEMPs)
- F2387-04(2012) Specification for Manufactured Safety Vacuum Release Systems (SVRS) for Swimming Pools, Spas and Hot Tubs, 15.11
- F2388-09 Consumer Safety Specification for Baby Changing Tables for Domestic Use, 15.11
- F2389-10 Specification for Pressure-rated Polypropylene (PP) Piping Systems, 08.04
- F2390-12 Specification for Poly(Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent (DWV) Pipe and Fittings Having Post-Industrial Recycle Content, 08 04
- F2391-05(2011) Test Method for Measuring Package and Seal Integrity Using Helium as the Tracer Gas, 15.10
- F2392-04(2010) Test Method for Burst Strength of Surgical Sealants, 13.01 F2393-12 Specification for High-Purity Dense Magnesia Partially Stabilized Zirconia (Mg-PSZ) for Surgical Implant Applications, 13.01
- F2394-07(2013) Guide for Measuring Securement of Balloon Expandable
- Vascular Stent Mounted on Delivery System, **13.01**F2395 Withdrawn 2014; Terminology for Unmanned Aircraft Systems
 F2396-11 Guide for Construction of High Performance Sand-Based Rootzones
- for Athletic Fields, 15.07

 F2397-09 Specification for Protective Headgear Used in Martial Arts, 15.07 Test Method for Measuring Moment of Inertia and Center of
- Percussion of a Baseball or Softball Bat, 15.07 F2400-06(2011) Specification for Helmets Used in Pole Vaulting, 15.07 F2401-04(2010) Practice for Security Checkpoint Metal Detector Screening of Persons with Medical Devices, 15.08
- F2403-09 Specification for Inch Series Machine Screws, Carbon Steel, 60 000 psi Tensile Strength, 01.08 5-04(2011) Test Method for Trace Metallic Impurities in High Purity
- F2405-04(2011) Copper by High-Mass-Resolution Glow Discharge Mass Spectrometer,
- F2406-04(2012) Practice for Determining Yield of Solid Ink Sticks, 15.09
 F2407-06(2013)^{c1} Specification for Surgical Gowns Intended for Use in
- Healthcare Facilities, 11.03

 F2408-11 Specification for Ornamental Fences Employing Galvanized Steel Tubular Pickets, 01.06
- F2409-10 Guide for Fences for Non-Residential Outdoor Swimming Pools, Hot Tubs, and Spas, 01.06
- F2411 Withdrawn 2014; Specification for Design and Performance of an Airborne Sense-and-Avoid System
- F2412-11 Test Methods for Foot Protection, 15.07
 F2413-11 Specification for Performance Requirements for Protective (Safety) Toe Cap Footwear, 15.07
- F2414-04(2009) Practice for Sealing Sewer Manholes Using Chemical Grouting, 04.12

F2415-09 Practice for Continued Airworthiness System for Light Sport Gyroplane Aircraft, 15.11

- F2416-06(2011) Specification for Protective Headgear Used in Electric Personal Assistive Mobility Devices, 15.07
- F2417-11 Specification for Fire Safety for Candles, 15.11
- F2418-13 Specification for Polypropylene (PP) Corrugated Wall Stormwater Collection Chambers, 08.04
- F2419-11 Practice for Installation of Thick Poured Gypsum Concrete Underlayments and Preparation of the Surface to Receive Resilient Flooring, **15.04**
- F2420-05(2011) Test Method for Determining Relative Humidity on the Surface of Concrete Floor Slabs Using Relative Humidity Probe Measurement and Insulated Hood. 15.04
- F2421-05(2011) Test Method for Measurement of Resilient Floor Plank by Dial Gage, 15.04
- F2423-11 Guide for Functional, Kinematic, and Wear Assessment of Total Disc Prostheses, 13.01
- F2425-05a(2009) Specification for Continued Airworthiness System for Weight-Shift-Control Aircraft, 15.11
- F2426-13 Guide on Wing Interface Documentation for Powered Parachute Aircraft, 15.11
- F2427-05a(2013) Specification for Required Product Information to be Provided with Lighter-Than-Air Light Sport Aircraft, 15.11
- F2428-04(2011) Guide for Selection and Use for Pelvic Ring Circumferential Compression Stabilization Devices (PRCCSD), 13.02
- F2429-05(2010) Terminology Relating to Aerospace Transparent Materials and Enclosures, 15.03
- F2430-04(2012) Specification for Bearing, Roller, Needle: Assembly (Thick Outer Race), 01.08
- F2431-04(2012) Specification for Ring Bearing, Inner: For Needle Roller Bearing with Thick Outer Ring, 01.08
- F2432-12 Specification for Ice Making Machines, Icemaker-Dispensers, and
- Ice Dispensing Equipment, 15.12
 F2433-05(2013) Test Method for Determining Thermoplastic Pipe Wall Stiffness, 08.04
- F2434-09 Specification for Metal Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Cross-linked Polyethylene (PEX-AL-PEX) Tubing, 08.04
- F2435-12 Specification for Steel Reinforced Polyethylene (PE) Corrugated Pipe, **08.04**
- F2436-05(2011) Test Method for Measuring the Performance of Synthetic Rope Rescue Belay Systems Using a Drop Test, 13.02
- F2437-12 Specification for Carbon and Alloy Steel Compressible-Washer-Type Direct Tension Indicators for Use with Cap Screws, Bolts, Anchors, and Studs, 01.08
- F2438-04(2010) Specification for Oil Spill Response Boom Connection: Slide Connector, 11.05
- F2439-06(2011) Specification for Headgear Used in Soccer, 15.07
- Specification for Indoor Wall/Feature Padding, 15.07
- F2441-12 Practice for Labeling of Backpacking and Mountaineering Tents and Bivouac Sacks, 15.07
 F2442-07 Guide for Layout of Ice Arena, 15.07
 F2443-04(2012) Specification for Roller, Bearing, Needle, Ferrous, Solid,
- Spherical End, 01.08
- F2444-04(2012) Practice for Damage Prevention of Bearings, and Bearing Components Through Proper Handling Techniques, 01.08
- F2446-04(2010) Classification for Hierarchy of Equipment Identifiers and Boundaries for Reliability, Availability, and Maintainability (RAM) Performance Data Exchange, 01.07
- F2447-05(2009) Practice for Production Acceptance Test Procedures for Weight-Shift-Control Aircraft, 15.11
- F2448-04(2009) Practice for Manufacturer Quality Assurance System for Weight-Shift-Control Aircraft, 15.11
- F2449-09 Specification for Manufacturer Quality Assurance Program for Light Sport Gyroplane Aircraft, 15.11
- F2450-10 Guide for Assessing Microstructure of Polymeric Scaffolds for Use in Tissue-Engineered Medical Products, 13.01
- F2451-05(2010) Guide for in vivo Assessment of Implantable Devices Intended to Repair or Regenerate Articular Cartilage, 13.01
- F2452-04(2012) Practice for Determining the Adhesion of Print Media Utilizing Mechanical Stress: Two Different Test Methods—Score/Tape and Cross Hatch 15.09
- F2453/F2453M-05(2011)^{c1} Specification for Welded Wire Mesh Fence Fabric (Metallic-Coated or Polymer Coated) for Meshes of 6 in., 01.06
 F2454-05(2010) Practice for Sealing Lateral Connections and lines from the
- mainline Sewer Systems by the Lateral Packer Method, Using Chemical Grouting, **04.12**
- F2456-04(2009) Specification for Youth-Resistant Firearms Containers (YRFCs), 15.11
- F2457-05(2009) Specification for Required Product Information to be Provided with, 15.11
- F2458-05(2010) Test Method for Wound Closure Strength of Tissue Adhesives and Sealants, 13.01
- F2459-12 Test Method for Extracting Residue from Metallic Medical Components and Quantifying via Gravimetric Analysis, 13.01
- F2460-11 Practice for Special Requirements for Bumper Boats, 15.07
 F2461-09 Practice for Manufacture, Construction, Operation, and Maintenance of Aquatic Play Equipment, 15.07

F2462 F2577

- F2462-05(2010) Practice for Operation and Maintenance of Sewers with Optical Fiber Systems, **04.12 F2463-12b**⁻¹ Terminology for Livestock, Meat, and Poultry Evaluation
- Systems, 15.12
- F2464-12 Guide for Cleaning of Various Oiled Shorelines and Habitats, 11.05 F2465/F2465M-05(2011)^{c1} Guide for Oil Spill Dispersant Application
- Equipment: Single-point Spray Systems, 11.05
 F2466-10 Practice for Determining Silicone Volatiles in Silicone Rubber for
- Transportation Applications, 09.02

 F2467-06(2013) Practice for Measuring Static Sealing Pressure Using Pressure-Indicating Film (PIF) in Transportation Applications, **99.02 F2468-05(2011)** Classification for Specifying Silicone Adhesives and Sealants
- for Transportation Applications, 09.02
- F2469-10 Test Method for Measuring Optical Angular Deviation of Transparent Parts Using the Double-Exposure Method, 15.03
- F2471-13 Practice for Installation of Thick Poured Lightweight Cellular Concrete Underlayments and Preparation of the Surface to Receive Resilient Flooring, 15.04
- F2472-05(2010) Test Method for Performance of Staff-Serve Hot Deli Cases, 15.12
- F2473-12 Test Method for Performance of Water-Bath Rethermalizers, 15.12
 F2474-09 Test Method for Heat Gain to Space Performance of Commercial Kitchen Ventilation/Appliance Systems, 15.12
- F2475-11 Guide for Biocompatibility Evaluation of Medical Device Packaging Materials, 15.10
- F2476-13 Test Method for Non-Destructive Detection of Leaks in Packaging Which Incorporates Porous Barrier Material by CO2 Tracer Gas Method, 15.10
- F2477-07(2013) Test Methods for in vitro Pulsatile Durability Testing of
- Vascular Stents, 13.01
 F2479-12 Guide for Specification, Purchase, Installation and Maintenance of Poured-In-Place Playground Surfacing, 15.07
- F2480-06(2012) Guide for In-ground Concrete Skatepark, 15.07 F2482-08 Specification for Load-Indicating Externally Threaded Fasteners, 01.08
- F2483-12 Practice for Maintenance and the Development of Maintenance Manuals for Light Sport Aircraft, 15.11
- F2487-13 Practice for Infiltration and Exfiltration Acceptance Testing of Installed Corrugated High Density Polyethylene and Polypropylene Pipelines, 08.04
- F2488-05(2013) Terminology for Rolling Element Bearings, 01.08 F2489-06 Guide for Instrument and Precision Bearing Lubricants—Part 2
- Greases, 01.08

 F2490-05(2013) Guide for Aircraft Electrical Load and Power Source Capacity
 Analysis, 15.11

 F2491-05(2010)^{c1} Guide for Determining Load Ratios for Technical Rescue
- Systems and Equipment, 13.02
- F2493-08 Specification for P225/60R16 97S Radial Standard Reference Test Tire, 09.02
- F2494-05(2011) Test Method for Determining Energy Consumption of Copiers and Similar Office Imaging Equipment, 15.09
- F2495-05(2011) Test Method for Determining Energy Consumption of MFDs with Copying Capability and Similar Office Imaging Equipment, 15.09
 F2496-05(2011)^{c1} Practice for Determining the Scratch Hardness and Scrape
- Adhesion of Prints and Coatings, **15.09**F2497-05(2011)^{c1} Practice for Abrasion and Scuff Resistance of Inkjet Media by the Sutherland Rub Tester, **15.09**
- F2498-05(2011) Practice for Determining the Drying Time of Inkjet Media and Inks Using a Smudge Method, 15.09
- F2500-07 Practice for Unmanned Aircraft System (UAS) Visual Range Flight Operations, 15.11
- F2501-06 Practices for Unmanned Aircraft System Airworthiness, 15.11
- F2502-11 Specification and Test Methods for Absorbable Plates and Screws for Internal Fixation Implants, 13.02 F2503-13 Practice for Marking Medical Devices and Other Items for Safety in the Magnetic Resonance Environment, 13.02
- F2504-05(2014) Practice for Describing System Output of Implantable Middle
- Ear Hearing Devices, 13.02
 F2505 Withdrawn 2014; Practice for Application of Federal Aviation Administration (FAA) Federal Aviation Regulations Part 21 Requirements
- to Unmanned Aircraft Systems (UAS) F2506-13 Specification for Design and Testing of Light Sport Aircraft Propellers, 15.11
- F2507-05(2010) Specification for Recreational Airpark Design, 15.11 F2508-13 Practice for Validation, Calibration, and Certification of Walkway
- Tribometers Using Reference Surfaces, 15.07
 F2509-12 Specification for Field-assembled Anodeless Riser Kits for Use on Outside Diameter Controlled Polyethylene Gas Distribution Pipe and
- Tubing, 08.04
 F2510/F2510M-07(2013) Specification for Resilient Connectors Between Reinforced Concrete Manhole Structures and Corrugated High Density Polyethylene Drainage Pipes, 08.04
- F2511-05(2013) Specification for Rollers, Bearing, Needle, Ferrous, Solid, 01.08
- F2512-07 Practice for Quality Assurance in the Manufacture of Light Unmanned Aircraft System, 15.11
- F2514-08(2014) Guide for Finite Element Analysis (FEA) of Metallic Vascular Stents Subjected to Uniform Radial Loading, 13.02
 F2516-07^{c2} Test Method for Tension Testing of Nickel-Titanium Superelastic
- Materials, 13.02

F2517-09 Specification for Determination of Child Resistance of Portable Fuel Containers for Consumer Use, 15.11

- F2518-06 Guide for Use of a Residential Swimming Pool, Spa, and Hot Tub Safety Audit to Prevent Unintentional Drowning, 15.11
 F2519-05(2011)^{c1} Test Method for Grease Particle Capture Efficiency of
- Commercial Kitchen Filters and Extractors, 15.12
- F2520-05(2012) Specification for Reach-in Refrigerators, Freezers
- Combination Refrigerator/Freezers, and Thaw Cabinets, 15.12
 F2521-09(2014) Specification for Heavy-Duty Ranges, Gas and Electric, 15.12
 F2522-12 Test Method for Determining the Protective Performance of a Shield Attached on Live Line Tools or on Racking Rods for Electric Arc Hazards, 10.03
- F2523-13 Practice for Blowout Resistance of Room-Temperature Vulcanized
- Elastomers, **09.02 F2524-06(2013)** Practice for Determination of Volatile Content for Formed-in-Place Gaskets (FIPG) Silicone Adhesives and Sealants for Transportation Applications, 09.02
- F2527-10 Specification for Wrought Seamless and Welded and Drawn Cobalt Alloy Small Diameter Tubing for Surgical Implants (UNS R30003, UNS R30008, UNS R30035, UNS R30605, and UNS R31537), **13.02**
- F2528-06(2014) Test Methods for Enteral Feeding Devices with a Retention Balloon, 13.02
- F2529-13 Guide for in vivo Evaluation of Osteoinductive Potential for Materials Containing Demineralized Bone (DBM), 13.02
- F2530-13 Specification for Protective Headgear with Faceguard Used in Bull
- Riding, 15.07

 F2531-13 Test Method for Load Capacity of Treestand Seats, 15.07

 F2532-13 Guide for Determining Net Environmental Benefit of Dispersant Use, 11.05
- F2533-07(2013) Guide for In-Situ Burning of Oil in Ships or Other Vessels, 11.05
- F2534-12 Guide for Visually Estimating Oil Spill Thickness on Water, 11.05 F2536-06b(2011) Guide for Installing Plastic DWV Piping Suspended from On-Grade Slabs, 08.04
- F2537-06(2011) Practice for Calibration of Linear Displacement Sensor Systems Used to Measure Micromotion, 13.02
- F2538-07a(2010) Practice for Design and Manufacture of Reciprocating Compression Ignition Engines for Light Sport Aircraft, 15.11
- F2541-06 Guide for Unmanned Undersea Vehicle (UUV) Autonomy and Control Architecture, 15.11
- F2542-05(2012) Test Methods for Physical Assault on Ventilation Grilles for
- Detention and Correctional Facilities, 15.08

 F2544-11 Test Method for Determining A-Weighted Sound Power Level of Central Vacuum Power Units, 15.08
- F2545-07 Guide for Unmanned Undersea Vehicle (UUV) Physical Payload Interface, 15.11
- F2546-07(2012) Test Method for Snowboard Step-in Bindings, 15.07 F2547-06(2013) Test Method for Determining the Attenuation Properties in a Primary X-ray Beam of Materials Used to Protect Against Radiation Generated During the Use of X-ray Equipment, 11.03
- F2548-12 Specification for Expanded Metal Fence Systems for Security Purposes, 01.06
- F2549-14a Consumer Safety Specification for Frame Child Carriers, 15.11
 F2550-13 Practice for Locating Leaks in Sewer Pipes By Measuring the Variation of Electric Current Flow Through the Pipe Wall, 04.12
 F2551-09 Practice for Installing a Protective Cementitious Liner System in Sanitary Sewer Manholes, 04.12
- Specification for Warnings on Refillable CO, 15.07
- F2554-10 Practice for Measurement of Positional Accuracy of Computer Assisted Surgical Systems, 13.02
- F2555-06(2011) Practice for Determining Page Yield of Ink Jet Printer
- Cartridges--Continuous Printing Method, 15.09
 F2559/F2559M-06(2010)^{c1} Guide for Writing a Specification for Sterilizable
- Peel Pouches, 15.10

 F2561-11 Practice for Rehabilitation of a Sewer Service Lateral and Its Connection to the Main Using a One Piece Main and Lateral Cured-in-Place Liner, 08.04
- F2562/F2562M-08 Specification for Steel Reinforced Thermoplastic Ribbed Pipe and Fittings for Non-Pressure Drainage and Sewerage, 08.04
- F2563-06(2010) Practice for Kit Assembly Instructions of Aircraft Intended Primarily for Recreation, 15.11
- F2564-13 Specification for Design and Performance of a Light Sport Glider, 15.11
- F2565-13 Guide for Extensively Irradiation-Crosslinked Ultra-High Molecular Weight Polyethylene Fabricated Forms for Surgical Implant Applications,
- F2567-06(2010) Practice for Testing for Classical Pathway Complement Activation in Serum by Solid Materials, 13.02
 F2568-06(2012) Test Method for Measurement of Sleeping Bags, 15.07
 F2569-11 Test Method for Evaluating the Force Reduction Properties of Surfaces for Athletic Use, 15.07
- F2571-09 Test Methods for Evaluating Design and Performance Characteristics of Fitness Equipment, 15.07
- F2573-06(2014) Specification for Low Velocity Resilient Material Projectile, 15.07
- F2574-06(2014) Specification for Low Velocity Projectile Marker, 15.07
- F2575-14 Guide for Quality Assurance in Translation, 15.11
 F2576-13 Terminology Relating to Declarable Substances in Materials, 10.04
 F2577-06 Guide for Assessment of Materials and Products for Declarable Substances, 10.04

F2579 F2687

- F2579-10 Specification for Amorphous Poly(lactide) and Poly(lactide-coglycolide) Resins for Surgical Implants, 13.02
- F2580-13 Practice for Evaluation of Modular Connection of Proximally Fixed Femoral Hip Prosthesis, 13.02
- F2581-12 Specification for Wrought Nitrogen Strengthened 11Manganese-17Chromium-3Molybdenum Low-Nickel Stainless Steel Alloy Bar and Wire for Surgical Implants (UNS S29225), 13.02
- F2582-14 Test Method for Impingement of Acetabular Prostheses, 13.02
 F2584-06 Practice for Maintenance and Development of Maintenance Manuals for Light Unmanned Aircraft System (UAS), 15.11
- F2585-08 Specification for Design and Performance of Pneumatic-Hydraulic Unmanned Aircraft System (UAS) Launch System, 15.11
- F2588-12 Test Method for Man-In-Simulant Test (MIST) for Protective Ensembles, 11.03
- F2589-11 Specification for Ornamental Fences Employing Steel Tubular Pickets, **01.06**
- F2590-06(2013) Specification for Bearing, Roller, Thrust, Two Channeled Race Surface, Rigid or Flat Seat Type, 01.08
- F2591-06(2013) Specification for Bearing, Roller, Tapered, Single Row of Rollers (Metric Series), 01.08
- F2592-10 Test Method for Measuring the Force-Displacement of a Membrane Switch, 10.04
- F2594-07 Guide for Unmanned Undersea Vehicle (UUV) Communications, 15.11
- F2595-07 Guide for Unmanned Undersea Vehicle (UUV) Sensor Data Formats, 15.11
- F2598-09 Consumer Safety Specification for Clothing Storage Chests, 15.11 F2599-11 Practice for The Sectional Repair of Damaged Pipe By Means of An Inverted Cured-In-Place Liner, 08.04
- F2600-09 Specification for Electrofusion Type Polyamide-11 Fittings for Outside Diameter Controlled Polyamide-11 Pipe and Tubing, 08.04
 F2601-13 Specification for Fire Safety for Candle Accessories, 15.11
 F2602-13 Test Method for Determining the Molar Mass of Chitosan and Chitosan Salts by Size Exclusion Chromatography with Multi-angle Light Scattering Detection (SEC-MALS), 13.02
- F2603-06(2012) Guide for Interpreting Images of Polymeric Tissue Scaffolds,
- 13.02
 F2605-08^{c1} Test Method for Determining the Molar Mass of Sodium Alginate by Size Exclusion Chromatography with Multi-angle Light Scattering
- Detection (SEC-MALS), 13.02 F2606-08(2014) Guide for Three-Point Bending of Balloon Expandable Vascular Stents and Stent Systems, 13.02
- F2607-08 Test Method for Measuring the Hard Surface Floor-Cleaning Ability of Household/Commercial Vacuum Cleaners, 15.08
- **F2608-07** Test Method for Determining the Change in Room Air Particulate Counts as a Result of the Vacuum Cleaning Process, 15.08
- F2609-11 Test Method for Litter-Cleaning Effectiveness of Vacuum Cleaners, 15.08
- F2611-11 Guide for Design and Construction of Chain Link Security Fencing, 01.06
- F2612 Withdrawn 2014; Practice for Design and Manufacture of Turbine Engines for Unmanned Aircraft System
- F2613-13 Consumer Safety Specification for Children's Chairs and Stools, 15.11
- F2614-09(2014) Specification for Condition 3 Bicycle Frames, 15.07
 F2617-08^{c1} Test Method for Identification and Quantification of Chromium,
 Bromine, Cadmium, Mercury, and Lead in Polymeric Material Using
- Brongy Dispersive X-ray Spectrometry, 10.04
 8-09 Specification for Chlorinated Poly (Vinyl Chloride) (CPVC) Pipe and Fittings for Chemical Waste Drainage Systems, 08.04
- F2619/F2619M-11 Specification for High-Density Polyethylene (PE) Line Pipe, 08.04
- F2620-12 Practice for Heat Fusion Joining of Polyethylene Pipe and Fittings,
- 08.04
 F2621-12 Practice for Determining Response Characteristics and Design Integrity of Arc Rated Finished Products in an Electric Arc Exposure,
- F2622-08(2013) Test Method for Oxygen Gas Transmission Rate Through Plastic Film and Sheeting Using Various Sensors, 15.10
- F2623-08 Specification for Polyethylene of Raised Temperature (PE-RT) SDR 9 Tubing, **08.04**
- F2624-12 Test Method for Static, Dynamic, and Wear Assessment of Extra-Discal Single Level Spinal Constructs, 13.02
 F2625-10 Test Method for Measurement of Enthalpy of Fusion, Percent
- Crystallinity, and Melting Point of Ultra-High-Molecular Weight Polyethylene by Means of Differential Scanning Calorimetry, 13.02
- F2626-12 Terminology for Light Sport Aircraft, 15.11
 F2630-07 Guide for Self-Closing/Self-Latching General-Purpose Gates, 01.06
 F2631-07 Practice for Installation of Chain-Link Fence for Outdoor Sports
 Fields, Sports Courts and Other Recreation Facilities, 01.06
 F2632-07(2013)^{c1} Practice for Determining the Toner Usage for Color Printer
- Cartridges, 15.09
- F2633-13 Specification for Wrought Seamless Nickel-Titanium Shape Memory Alloy Tube for Medical Devices and Surgical Implants, 13.02
- F2634-10 Test Method for Laboratory Testing of Polyethylene (PE) Butt Fusion
- Joints using Tensile-Impact Method, **08.04**F2635 Withdrawn 2014; Classification for Unmanned Aircraft Pilot Certification
 F2636 Withdrawn 2014; Practice for Commercial Unmanned Aircraft System (UAS) Pilot Practical Test Standards for Unmanned Aircraft Single-Engine Land (SEL) Remote Control and Autonomous/Semiautonomous

- F2638-12 Test Method for Using Aerosol Filtration for Measuring the Performance of Porous Packaging Materials as a Surrogate Microbial Barrier, 15.10
- F2639-07^{€1} Practice for Design, Alteration, and Certification of Airplane Electrical Wiring Systems, 15.11
- F2640-14 Consumer Safety Specification for Booster Seats, 15.11
- F2641-08 Consumer Safety Specification for Recreational Powered Scooters and Pocket Bikes, 15.11
- F2642-08 Consumer Safety Specification for Safety Instructions and Labeling for Recreational Powered Scooters and Pocket Bikes, 15.11
- F2643-09 Specification for Powered Pot, Pan and Utensil Washing Sinks, 15.12
- F2644-07(2013) Test Method for Performance of Commercial Patio Heaters, 15.12
- F2645-07(2011) Specification for Bun Slicing Machines, 15.12
- F2646-07(2011) Specification for Bread Slicing Machines, 15.12
- F2647-07(2013) Guide for Approved Methods of Installing a CVS (Central Vacuum System), 15.08
 F2648/F2648M-13 Specification for 2 to 60 inch [50 to 1500 mm] Annular
- Corrugated Profile Wall Polyethylene (PE) Pipe and Fittings for Land Drainage Applications, 08.04
- F2649-08a Specification for Corrugated High Density Polyethylene (HDPE) Grease Interceptor Tanks, 08.04
- F2650-13 Terminology Relating to Impact Testing of Sports Surfaces and Equipment, 15.07
- F2651-10 Terminology Relating to Soil and Turfgrass Characteristics of Natural Playing Surfaces, 15.07
- F2653-11 Specification for Paintball Valve Male Threaded Connection for Use with Approved Cylinders, 15.07
- F2654-14 Specification for Low Energy Air Gun (LEAG) Warnings, 15.07
- F2656-07 Test Method for Vehicle Crash Testing of Perimeter Barriers, 15.08 F2657-07(2012) Test Method for Outdoor Weathering Exposure of Crosslinked
- Polyethylene (PEX) Tubing, **08.04 F2658-07(2013)** Specification for Type PSM Poly(Vinyl Chloride) (PVC) SDR
- 51 and SDR 64 Sewer Pipe and Fittings, 08.04

 F2659-10 Guide for Preliminary Evaluation of Concrete, Gypsum Cement and Other Floor Slabs and Screeds Using a Non-Destructive Electronic Moisture Meter, 15.04
- F2660-12 Test Method for Qualifying Coatings for Use on A490 Structural Bolts Relative to Hydrogen Embrittlement, 01.08
- F2661-07 Test Method for Determining the Tribological Behavior and the Relative Lifetime of a Fluid Lubricant using the Spiral Orbit Tribometer,
- F2662-08(2014) Guide for Minimum Training of Dispatchers and Telecommunicators of SAR Incidents, 13.02
- F2663-07a Test Method for Bead Unseating of Tubeless Tires for Motor Vehicles with GVWR of 4536 kg (10 000 lb) or Less, 09.02
- F2664-11 Guide for Assessing the Attachment of Cells to Biomaterial Surfaces by Physical Methods, 13.02
- F2665-09 Specification for Total Ankle Replacement Prosthesis, 13.02
- F2666-07 Specification for Aboveground Portable Pools for Residential Use, 15.11
- F2667 Withdrawn 2014; Practice for Design and Manufacture of Reciprocating Compression Ignition Engines for Unmanned Aircraft Systems

 F2668-07(2011) Practice for Determining the Physiological Responses of the
- Wearer to Protective Clothing Ensembles, 11.03
- F2669-12 Performance Specification for Protective Clothing Worn by Operators Applying Pesticides, 11.03
- F2670-13 Consumer Safety Specification for Infant Bath Tubs, 15.11 F2673-08 Safety Specification for Special Tip-Resistant Movable Soccer
- Goals, 15.11
- F2674 Withdrawn 2011; Specification for Zinc Coating, Hot-Dip, Requirements for Application to Carbon and Alloy Steel Bolts, Screws, Washers, Nuts, and Special Threaded Fasteners [Metric]; Replaced by F2329
- F2675/F2675M-13 Test Method for Determining Arc Ratings of Hand Protective Products Developed and Used for Electrical Arc Flash Protection, 10.03
- F2676-09 Test Method for Determining the Protective Performance of an Arc Protective Blanket for Electric Arc Hazards, 10.03
- F2677-08a(2013) Specification for Electrically Insulating Aprons, 10.03
 F2678-10 Practice for Preparing Panel Underlayments, Thick Poured Gypsum Concrete Underlayments, Thick Poured Lightweight Cellular Concrete
- Underlayments, and Concrete Subfloors with Underlayment Patching Compounds to Receive Resilient Flooring, 15.04

 F2679-13 Specification for 6 mm Projectiles Used with Low Energy Air Guns,
- 15.07 F2680-09(2014) Specification for Manually Operated Front Wheel Retention
- Systems for Bicycles, 15.07 F2681-08(2014) Specification for Body Protectors Used in Equine Racing,
- F2682-07(2012)^{€1} Guide for Determining the Buoyancy to Weight Ratio of Oil Spill Containment Boom, 11.05
- F2683-11 Guide for Selection of Booms for Oil-Spill Response, 11.05 F2684/F2684M-07(2012)^{c1} Test Method for Portable High Anchor Devices, 13.02
- F2685-14 Guide for Training of a Land Search Team Leader (STL), 13.02
- Specification for Glass Fiber Reinforced Thermoplastic Pipe, 08.04 F2686-10 F2687-13 Practice for Life Cycle Cost Analysis of Commercial Food Service
 - Equipment, 15.12

F2688 F2799

- F2688-08 Guide for System-Based, Customer-Centered Quality Plan for Manufacturers, 01.08
- Withdrawn 2014; Practice for Design and Manufacture of Reciprocating Spark Ignition Engines for Unmanned Aircraft Systems
- F2690 Withdrawn 2014; Guide for Suggested Procedures for Applying for a Flight Authority for an Unmanned Aircraft System: Part I and Part II
- F2694-07(2013) Practice for Functional and Wear Evaluation of Motion-
- Preserving Lumbar Total Facet Prostheses, 13.02

 F2695-12 Specification for Ultra-High Molecular Weight Polyethylene Powder Blended With Alpha-Tocopherol (Vitamin E) and Fabricated Forms for Surgical Implant Applications, 13.02

 F2696-14 Practice for Inspection of Aircraft Electrical Wiring Systems, 15.11
 F2698-08(2013) Guide for Fences for Above-Ground and In-ground Skate
- Park Facilities, 01.06
- F2699-08(2013) Guide for Fences for Commercial and Public Outdoor Water Spray/Play Areas, 01.06
- F2700-08(2013) Test Method for Unsteady-State Heat Transfer Evaluation of Flame Resistant Materials for Clothing with Continuous Heating, 11.03
- F2701-08 Test Method for Evaluating Heat Transfer through Materials for
- Protective Clothing Upon Contact with a Hot Liquid Splash, 11.03

 F2702-08 Test Method for Radiant Heat Performance of Flame Resistant
 Clothing Materials with Burn Injury Prediction, 11.03

 F2703-08(2013) Test Method for Unsteady-State Heat Transfer Evaluation of
- Flame Resistant Materials for Clothing with Burn Injury Prediction, 11.03
- F2704-10 Specification for Air-Fed Protective Ensembles, 11.03
 F2706-08 Test Methods for Occipital-Cervical and Occipital-Cervical-Thoracic
- Spinal Implant Constructs in a Vertebrectomy Model, 13.02
- F2707-10 Safety Performance Specification for Safe Design and Installation of Field Fabricated Suction-Limiting Vent Systems for Suction Entrapment
 Prevention in Swimming Pools, Spas, Hot Tubs, and Wading Pools, 15.11

 F2709-08 Test Method for Determining Nameplate Recovery Rate of
 Stationary Oil Skimmer Systems, 11.05

 F2710-13 Consumer Safety Performance Specification for Commercial Cribs,
- 15.11
- F2711-08(2012) Test Methods for Bicycle Frames, 15.07
- F2713-13 Specification for Eye Protectors for Field Hockey, 15.07
- F2714-08(2013) Test Method for Oxygen Headspace Analysis of Packages Using Fluorescent Decay, 15.10
- F2715-09 Specification for Temporary Protective Equipotential Bond Mat To Be Used on De-Energized Equipment, 10.03
- F2716-08 Practice for Comparison of Nonmetallic Flat Gaskets in High Pressure Saturated Steam, 09.02
- F2717-14 Guide for Development of an Independent Third-Party Verification of Reference Materials, 15.12
- F2718-09 Specification for Polyethylene (PE) and Cement Materials for an Encapsulated Cement Mortar Formed in Place Liner System (FIPLS) for the Rehabilitation of Water Pipelines, 08.04
- F2719-09 Practice for Installation of Polyethylene (PE) and Encapsulated Cement Mortar Formed in Place Lining System (FIPLS) for the Rehabilitation of Water Pipelines, 08.04
- F2720/F2720M-09 Specification for Glass Fiber Reinforced Polyethylene (PE-GF) Spiral Wound Large Diameter Pipe, 08.04
- F2721-09 Guide for Pre-clinical in vivo Evaluation in Critical Size Segmental Bone Defects, 13.02
- F2722-08 Test Method for Evaluating Mobile Bearing Knee Tibial Baseplate Rotational Stops, 13.02
- F2723-13a Test Method for Evaluating Mobile Bearing Knee Tibial
 Baseplate/Bearing Resistance to Dynamic Disassociation, 13.02

 F2724-08(2014) Test Method for Evaluating Mobile Bearing Knee Dislocation,
- F2725-11 Guide for European Union' Registration, Evaluation, and Authorization of Chemicals (REACH) Supply Chain for Information Exchange, 10.04
- Guide for Manufacturers for Labeling Headgear Products, 15.07 F2727-09 F2729-12 Consumer Safety Specification for Constant Air Inflatable Play Devices for Home Use, 15.11
- F2730/F2730M-13 Specification for Silicon Nitride Cylindrical Bearing Rollers, 01.08
- F2731-11 Test Method for Measuring the Transmitted and Stored Energy of Firefighter Protective Clothing Systems, 11.03
- F2732-11 Practice for Determining the Temperature Ratings for Cold Weather Protective Clothing, 11.03

 F2733-09 Specification for Flame Resistant Rainwear for Protection Against
- Flame Hazards, 11.03
- F2734-08 Practice for Testing the Shelf Life of Ink Jet Printer Cartridges, 15.09 5-09 Specification for Plastic Insert Fittings For SDR9 Cross-linked Polyethylene (PEX) and Polyethylene of Raised Temperature (PE-RT) Tubing, **08.04**
- F2736-13 Specification for 6 to 30 in. (152 To 762 mm) Polypropylene (PP)
 Corrugated Single Wall Pipe And Double Wall Pipe, **08.04**F2737-11 Specification for Corrugated High Density Polyethylene (HDPE)
- Water Quality Units, 08.04
- F2739-08 Guide for Quantitating Cell Viability Within Biomaterial Scaffolds, 13.02
- F2743-11 Guide for Coating Inspection and Acute Particulate Characterization
- of Coated Drug-Eluting Vascular Stent Systems, 13.02
 F2745-11 Specification for Required Product Information to be Provided with
- an Airplane, **15.11 F2746-12** Specification for Pilot's Operating Handbook (POH) for Light Sport Airplane, 15.11

- F2747-10 Guide for Construction of Sand-based Rootzones for Golf Putting Greens and Tees, 15.07
- F2748-14 Specification for Low Energy Air Guns, 15.07
- F2749-09 Test Method for Determining the Effects of Creasing a Membrane Switch or Assembly, 10.04
- F2750-09 Test Method for Determining the Effects of Bending a Membrane Switch or Assembly, 10.04
- F2751-09 Guide for Training of Support Level Land Rescue Team Member (LRT-Support) Member, 13.02
- F2752-09(2014) Guide for Training for Level I Rope Rescue (R1) Rescuer Endorsement, 13.02
- F2753-10 Practice to Evaluate the Effect of Dynamic Rolling Load over
- Resilient Floor Covering System, 15.04

 F2754/F2754M-09(2013) Test Method for Measurement of Camber, Cast, Helix and Direction of Helix of Coiled Wire, 13.02
- F2755-14 Safety Specification for Cautionary Labeling of Inflatable Air Mattresses, 15.11
- F2756-11 Test Method for Determining Energy Consumption of Vacuum Cleaners. 15.08
- F2757-09 Guide for Home Laundering Care and Maintenance of Flame, Thermal and Arc Resistant Clothing, 11.03
 F2759-11 Guide for Assessment of the Ultra High Molecular Weight
- Polyethylene (UHMWPE) Used in Orthopedic and Spinal Devices, 13.02
- F2760-09 Practice for Testing Ink Jet Cartridge Latency (Start-Up), 15.09
 F2762-11^{c1} Specification for 12 to 30 in. (300 to 750 mm) Annular Corrugated
- Profile-Wall Polyethylene (PE) Pipe and Fittings for Sanitary Sewer Applications, 08.04
- F2763-11 Specification for 30 to 60 in. 750 to 1500 mm Triple Profile-Wall
- Polyethylene (PE) Pipe and Fittings for Sanitary Sewer Applications, **08.04 F2764/F2764M-11a**^{c1} Specification for 30 to 60 in. 750 to 1500 mm

 Polypropylene (PP) Triple Wall Pipe and Fittings for Non-Pressure Sanitary Sewer Applications, **08.04 F2765-09** Specification for Total Lead Content in Synthetic Turf Fibers, **15.07**
- F2766-11 Test Method for Boat Barriers, 15.08
 F2767-12 Specification for Electrofusion Type Polyamide-12 Fittings for
- Outside Diameter Controlled Polyamide-12 Pipe and Tubing for Gas Distribution, 08.04
- F2768-09 Specification for Modified Stub ACME Thread Joint with Elastomeric Seal in Plastic Piping Components, 08.04
- F2769-10 Specification for Polyethylene of Raised Temperature (PE-RT) Plastic Hot and Cold-Water Tubing and Distribution Systems, 08.04
- F2771-10 Test Method for Determining the Luminance Curve of an Electroluminescent Lamp at Ambient Conditions, 10.04

 F2772-11 Specification for Athletic Performance Properties of Indoor Sports
- Floor Systems, 15.07
- F2773-13 Practice for Transfilling Compressed Air or Nitrogen and Safe Handling of Small Paintball Cylinders, 15.07 F2774-09(2014) Practice for Manufacturing Quality Control of Consumer
- Trampoline Bed Material, 15.07 F2777-10 Test Method for Evaluating Knee Bearing (Tibial Insert) Endurance
- and Deformation Under High Flexion, 13.02 F2778-09 Test Method for Measurement of Percent Crystallinity of
- Polyetheretherketone (PEEK) Polymers by Means of Specular Reflectance Fourier Transform Infrared Spectroscopy (R-FTIR), 13.02 F2779-10 Practice for Commercial Radial Truck-Bus Tires to Establish
- Equivalent Test Severity Between a 1.707-m (67.23-in.) Diameter Roadwheel and a Flat Surface, **09.02**
- F2780-09 Guide for Design and Construction of Expanded Metal Security Fences and Barriers, 01.06
- F2781-10 Practice for Testing Forced Entry, Ballistic and Low Impact Resistance of Security Fence Systems, 01.06
- F2783-14 Practice for Design, Manufacture, Operation, Maintenance, and Inspection of Amusement Rides and Devices, in Canada, 15.07
 F2785-12 Specification for Polyamide 12 Gas Pressure Pipe, Tubing, and
- Fittings, 08.04

 F2786-10 Practice for Field Leak Testing of Polyethylene (PE) Pressure Piping
- Systems Using Gaseous Media Under Pressure (Pneumatic Leak Testing), 08.04
- F2787-13 Practice for Structural Design of Thermoplastic Corrugated Wall Stormwater Collection Chambers, 08.04
- Specification for Metric-sized Crosslinked Polyethylene (PEX) Pipe, F2788-11 08.04
- F2789-10 Guide for Mechanical and Functional Characterization of Nucleus Devices, 13.02
- F2790-10 Practice for Static and Dynamic Characterization of Motion Preserving Lumbar Total Facet Prostheses, 13.02
 F2791-09 Guide for Assessment of Surface Texture of Non-Porous
- Biomaterials in Two Dimensions, 13.02

 F2792-12a Terminology for Additive Manufacturing Technologies, 10.04
 F2793-14 Specification for Bicycle Grips, 15.07
- F2794-09(2014) Guide for Level 1 (Basic) Mounted Search and Rescue (MSAR) Responder, 13.02
- F2795-11 Test Method for Performance of Self-Contained Soft Serve and Shake Machines, 15.12
- F2796-09(2014) Specification for Hot Food Holding Tables, 15.12 F2797-10 Test Method for Evaluating Edge Cleaning Effectiveness of Vacuum Cleaners, **15.08**
- F2798-09 Specification for Sealless Lube Oil Pump with Oil Through Motor for Marine Applications, 01.07
- F2799-14 Practice for Maintenance of Aircraft Electrical Wiring Systems, 15.11

F2800 F2905/F2905M

- F2800-11 Specification for Recirculating Hood System for Cooking Appliances, 15.12
- F2801-11 Practice for Paintball Player Safety Briefing, 15.07
- Specification for Condition 1 Bicycle Frames, 15.07 F2802-09 F2803-09 Test Method for Evaluating Rim Slip Performance of Tires and
- Wheels, 09.02
- F2805-11 Specification for Multilayer Thermoplastic And Flexible Steel Pipe And Connections, **08.04 F2806-10^{c1}** Specification for Specification for Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe
- (Metric SDR-PR), 08.04
- F2807-13 Specification for Multilayer Polyethylene-Polyamide (PE-PA) Pipe for Pressure Piping Applications, **08.04**
- F2808-10 Test Method for Performing Behind-the-Knee (BTK) Test for Evaluating Skin Irritation Response to Products and Materials That Come Into Repeated or Extended Contact with Skin, 13.02
- F2809-10 Terminology Relating to Medical and Surgical Materials and Devices, 13.02
- F2810-10 Specification for Elliptical Trainers, 15.07
- F2811-10 Test Methods for Evaluating Design and Performance Characteristics of Elliptical Trainers, 15.07
- F2812-12 Specification for Goggle- and Spectacle-Type Eye Protectors for Selected Motor Sports, 15.07
- F2813-12 Specification for Glass Used as a Horizontal Surface in Desks and Tables, 15.11
- F2814-09 Guide for Design and Construction of Ornamental Steel Picket Fence Systems for Security Purposes, 01.06
- F2815-10(2014) Practice for Chemical Permeation through Protective Clothing Materials: Testing Data Analysis by Use of a Computer Program, 11.03
- F2817-13 Specification for Poly (Vinyl Chloride) (PVC) Gas Pressure Pipe and Fittings For Maintenance or Repair, 08.04
- F2818-10 Specification for Specification for Crosslinked Polyethylene (PEX)
- Material Gas Pressure Pipe and Tubing, 08.04

 F2819-10 Test Methods for Measurement of Straightness of Bar, Rod, Tubing and Wire to be used for Medical Devices, 13.02
- F2820-12 Specification for Polyetherketoneketone (PEKK) Polymers for Surgical Implant Applications, 13.02
- F2821-10 Test Methods for Basket Type Rescue Litters, 13.02
- F2822-10 Specification for Fixed Anchorages Installed on Structures used for Rope Rescue Training, 13.02
- F2823-10 Guide for In-Situ Burning of Oil Spills in Marshes, 11.05
 F2824-10^{c1} Test Method for Mechanical Seal Strength Testing for Round Cups and Bowl Containers with Flexible Peelable Lids, 15.10
 F2825-10^{c1} Practice for Climatic Stressing of Packaging Systems for Single
- Practice for Climatic Stressing of Packaging Systems for Single Parcel Delivery, 15.10
- F2826-14 Test Method for Evaluating the Sustained Air Performance and Exhaust Emission Efficiencies of Central Vacuum Cleaning Units, 15.08
- F2828-12 Test Method for Assessing Carpet Cleaning Effectiveness in Terms of Visual Appearance Change When Cleaned with a Wet Extraction Cleaning System, 15.08
- F2829-10 Specification for Metric-Sized Crosslinked Polyethylene (PEX) Pipe Systems, 08.04
- F2830-11 Specification for Manufacture and Joining of Polyethylene (PE) Gas Pressure Pipe With a Peelable Polypropylene (PP) Outer Layer, 08.04

 F2831-12 Practice for Internal Non Structural Epoxy Barrier Coating Material
- Used In Rehabilitation of Metallic Pressurized Piping Systems, 08.04
- F2832-11 Guide for Accelerated Corrosion Testing for Mechanical Fasteners, 01.08
- F2833-11 Specification for Corrosion Protective Fastener Coatings with Zinc Rich Base Coat and Aluminum Organic/Inorganic Type, 01.08
- F2834-10a Specification for Induction Cooktops, Counter Top, Drop-in Mounted, or Floor Standing, 15.12
- F2835-10 Specification for Underfired Broilers, 15.12
- F2837-11 Test Method for Hot Compression Properties of Gasket Materials, 09.02
- F2838-10 Practice for Accelerated Laboratory Aging of Radial Passenger Car and Light Truck Tires through Load Range E for the Laboratory Generation of Belt Separation, 09.02
- F2839-11 Practice for Compliance Audits to ASTM Standards on Light Sport Aircraft, 15.11
- F2840-11 Practice for Design and Manufacture of Electric Propulsion Units for Light Sport Aircraft, 15.11
- F2842-11 Specification for Reins Used in Thoroughbred and Quarter Horse
- Racing, 15.07

 F2843-10a Specification for Condition 0 Bicycle Frames, 15.07

 F2844-11 Test Method for Displacement Compression of Softball and Baseball Bat Barrels, 15.07
- F2845-14 Test Method for Measuring the Dynamic Stiffness (DS) and Cylindrical Coefficient of Restitution (CCOR) of Baseballs and Softballs, 15.07
- F2847-10 Practice for Reporting and Assessment of Residues on Single Use Implants, 13.02
- F2848-10 Specification for Medical-Grade Ultra-High Molecular Weight Polyethylene Yarns, 13.02
- F2849-10 Practice for Handling of Unmanned Aircraft Systems at Divert Airfields, 15.11
- F2851-10 Practice for UAS Registration and Marking (Excluding Small Unmanned Aircraft Systems), 15.11

 F2852-10 Practice for Training a Land Search Tracker, 13.02

 F2853-10^{c1} Test Method for Determination of Lead in Paint Layers and Similar
- Coatings or in Substrates and Homogenous Materials by Energy

- Dispersive X-Ray Fluorescence Spectrometry Using Multiple Monochromatic Excitation Beams, 10.04
- F2854-10 Specification for Push-Fit Crosslinked Polyethylene (PEX) Mechanical Fittings for Crosslinked Polyethylene (PEX) Tubing, 08.04
- F2855-12 Specification for Chlorinated Poly(Vinyl Chloride)/Aluminum/ Chlorinated Poly(Vinyl Chloride) (CPVC-AL-CPVC) Composite Pressure Tubing, **08.04**
- F2856-12 Practice for Transfilling and Safe Handling of Small CO, 15.07
 F2861-14 Test Method for Enhanced Performance of Combination Oven in
- Various Modes, 15.12
- F2863-11 Specification for Central Vacuum Hose Inlet Valve Socket
- Dimensions, **15.08 F2865-13** Guide for Classifying the Degrees of Ingress of Dust and Water into a Membrane Switch, 10.04
- F2866-11 Test Method for Flammability of a Membrane Switch in Defined Assembly, 10.04
- F2867-13 Terminology Relating to Thoroughbred Horse Racing Surfaces, 15.07
- F2868-10 Specification for Condition 2 Bicycle Frames, 15.07
- F2869-10 Practice for Radial Light Truck Tires to Establish Equivalent Test Severity Between a 1.707-m (67.23-in.) Diameter Rotating Roadwheel and a Flat Surface, 09.02
- F2870-11 Specification for 315/70R22.5 154/150L Radial Truck Standard Reference Test Tire, 09.02
- F2871-11 Specification for 245/70R19.5 136/134M Radial Truck Standard Reference Test Tire, 09.02
- F2872-11 Specification for 225/75R16C 116/114S M+S Radial Light Truck Standard Reference Test Tire, 09.02
- F2873-13 Practice for the Installation of Self-Leveling Underlayment and the
- Preparation of Surface to Receive Resilient Flooring, 15.04

 F2874-12 Specification for One Time Use Portable Emergency Fuel Containers (PEFC) for Use by Consumers, 15.11

 F2875-10 Guide for Laboratory Requirements Necessary to Test Commercial Cooking and Warming Appliances to ASTM Test Methods, 15.12

 F2876-10 Practice for Thermal Rating and Installation of Internal Combustion
- Engine Packages for use in Hazardous Locations in Marine Applications,
- F2877/F2877M-13^{c1} Test Method for Shock Testing of Structural Insulation of A-Class Divisions Constructed of Steel or Aluminum, 01.07
- F2878-10 Test Method for Protective Clothing Material Resistance to Hypodermic Needle Puncture, 11.03
- F2880-11a Specification for Lap-Joint Type Flange Adapters for Polyethylene Pressure Pipe in Nominal Pipe Sizes, 08.04
 F2881-11 Specification for 12 to 60 in. (300 to 1500 mm) Polypropylene (PP)
- Dual Wall Pipe and Fittings for Non-Pressure Storm Sewer Applications, 08.04
- F2882-12 Specification for Screws, Alloy Steel, Heat Treated, 170 ksi Minimum Tensile Strength, 01.08
- F2882M-12 Specification for Screws, Alloy Steel, Heat Treated, 1170 MPa Minimum Tensile Strength Metric, 01.08
- F2883-11 Guide for Characterization of Ceramic and Mineral Based Scaffolds used for Tissue-Engineered Medical Products (TEMPs) and as Device for Surgical Implant Applications, 13.02
- F2884-12 Guide for Pre-clinical in vivo Evaluation of Spinal Fusion, 13.02
- F2885-11 Specification for Metal Injection Molded Titanium-6Aluminum-4Vanadium Components for Surgical Implant Applications, 13.02
 F2886-10 Specification for Metal Injection Molded Cobalt-28Chromium-
- 6Molybdenum Components for Surgical Implant Applications, 13.02

 F2887-12 Specification for Total Elbow Prostheses, 13.02
- F2888-13 Test Method for Platelet Leukocyte Count-An, 13.02
- F2889-11 Practice for Assessing Language Proficiency, 15.11
- F2890-12 Guide for Hazard Awareness for Search and Rescue Personnel, 13.02
- F2891-10 Specification for Commercial Bulk Milk Dispensers, Mechanically Refrigerated, 15.12
- Specification for Performance Requirements for Soft Toe Protective F2892-11 Footwear (Non-Safety / Non-Protective Toe), 15.07 F2894-14 Test Method for Evaluation of Materials, Protective Clothing and
- Equipment for Heat Resistance Using a Hot Air Circulating Oven, 11.03
- F2895-10 Practice for Digital Radiography of Cast Metallic Implants, 13.02
 F2896-11 Specification for Reinforced Polyethylene Composite Pipe For The Transport Of Oil And Gas And Hazardous Liquids, 08.04
 F2897-11a⁻¹ Specification for Tracking and Traceability Encoding System of
- Natural Gas Distribution Components (Pipe, Tubing, Fittings, Valves, and Appurtenances), 08.04
- F2898-11 Test Method for Permeability of Synthetic Turf Sports Field Base Stone and Surface System by Non-confined Area Flood Test Method, 15.07
- F2899-11 Specification for Condition 1 Bicycle Forks, 15.07 F2900-11 Guide for Characterization of Hydrogels used in Regenerative Medicine, 13.02
- F2901-13 Guide for Selecting Tests to Evaluate Potential Neurotoxicity of Medical Devices, 13.02
- F2902-12 Guide for Assessment of Absorbable Polymeric Implants, 13.02
- F2903-11 Guide for Tissue Engineered Medical Products (TEMPs) for Reinforcement of Tendon and Ligament Surgical Repair, 13.02
- F2904-11 Specification for Warnings on Paintball Marker Accessories Used In the Sport of Paintball, 15.07
- F2905/F2905M-13 Specification for Black Crosslinked Polyethylene (PEX) Line Pipe, Fittings and Joints For Oil and Gas Producing Applications, 08.04

F2906 F3013

- F2906-13 Consumer Safety Specification for Bedside Sleepers, 15.11
- F2907-14b Consumer Safety Specification for Sling Carriers, 15.11
- F2908-14 Specification for Aircraft Flight Manual (AFM) for a Small Unmanned Aircraft System (sUAS), 15.11
- F2909-14 Practice for Maintenance and Continued Airworthiness of Small Unmanned Aircraft Systems (sUAS), 15.11
- F2910-14 Specification for Design and Construction of a Small Unmanned
- Aircraft System (sUAS), 15.11

 F2911-14^{c1} Practice for Production Acceptance of Small Unmanned Aircraft System (sUAS), 15.11
- F2912-11 Specification for Glazing and Glazing Systems Subject to Airblast Loadings, 15.08

 F2913-11 Test Method for Measuring the Coefficient of Friction for Evaluation
- of Slip Performance of Footwear and Test Surfaces/Flooring Using a Whole Shoe Tester, 15.07
- F2914-12 Guide for Identification of Shelf-life Test Attributes for Endovascular Devices, 13.02
- F2915-13 Specification for Additive Manufacturing File Format (AMF) Version 1.2, 10.04
- F2916-11 Practice for Environmental Impact Analysis of Commercial Food
- Service Equipment, **15.12 F2917-12** Specification for Bicycle Trailer Cycles Designed for Human Passengers, 15.07
- F2918-11 Test Method for Weighing a Bicycle, 15.07 F2919/F2919M-12 Specification for Welded Wire Mesh Fence Fabric (Metallic-Coated or Polymer Coated) with Variable Mesh Patterns or Meshes Greater than 6 in., 01.06
- F2921-13 Terminology for Additive Manufacturing—Coordinate Systems and
- Test Methodologies, 10.04
 F2922-13^{c1} Specification for Polyethylene (PE) Corrugated Wall Stormwater Collection Chambers, 08.04
- F2923-11 Specification for Consumer Product Safety for Children's Jewelry, 15.11
- F2924-12a Specification for Additive Manufacturing Titanium-6 Aluminum-4 Vanadium with Powder Bed Fusion, 10.04
- F2925-11 Specification for Tenderness Marketing Claims Associated with Meat
- Cuts Derived from Beef, 15.12 F2926-12 Guide for Selection and Operation of Vessel-mounted Camera
- Systems, 11.05 F2927-12 Test Method for Door Systems Subject to Airblast Loadings, 15.08
- F2928-13 Practice for Specimens and Testing Conditions for Testing Polyethylene (PE) Pipe Butt Fusions Using Tensile and Hydrostatic Test Methods, 08.04
- F2929-13 Specification for Crosslinked Polyethylene (PEX) Tubing of 0.070 in. Wall and Fittings for Radiant Heating Systems up to 75 psig, 08.04

 F2930-14a Guide for Compliance with Light Sport Aircraft Standards, 15.11
- F2931-14 Guide for Analytical Testing of Substances of Very High Concern in Materials and Products, 10.04

 F2933-13 Consumer Safety Specification for Crib Mattresses, 15.11
- F2934-12 Specification for Circular Metallic Bellows Type Expansion Joint for F2934-12 Specification for Circular Metallic Bellows Type Expansion for HVAC Piping Applications, 01.07
 F2935-12 Specification for Chocks, Panama, Mooring Cast Steel, 01.07
 F2939-13 Specification for Chocks, Ship Mooring, Cast Steel, 01.07
 F2939-13 Practice for Air Soft Field Operation, 15.07
 F2941-13 Practice for Air Soft Player Safety Briefing, 15.07
 Coulde for air with Avial Bonding and Torsional Durability Testi

- Guide for in vitro Axial, Bending, and Torsional Durability Testing of F2942-13 Vascular Stents, 13.02
- F2943-14 Guide for Presentation of End User Labeling Information for Musculoskeletal Implants, 13.02
- F2944-12 Test Method for Automated Colony Forming Unit (CFU) Assays— Image Acquisition and Analysis Method for Enumerating and Characterizing Cells and Colonies in Culture, 13.02
- F2945-12a Specification for Polyamide 11 Gas Pressure Pipe, Tubing, and Fittings, 08.04
 F2946-12 Specification for PVC Hub and Elastomeric Seal (Gasket) Tee
- Connection for Joining Plastic Pipe to Insitu Pipelines and Manholes,
- $08.04 \\ \text{F2947-12}^{\epsilon 1}$ Specification for 150 to 1500 mm 6 to 60 in. Annular Corrugated Profile-Wall Polyethylene (PE) Pipe and Fittings for Sanitary Sewer Applications, 08.04
- F2948-13 Guide for Walkway Auditor Qualifications, 15.07 F2949-12^{c2} Specification for Pole Vault Box Collars, 15.07
- Safety and Performance Specification for Soccer Goals, 15.11 F2950-14
- Consumer Safety Specification for Baby Monitors, 15.11 F2951-13
- Guide for Determining the Mean Darcy Permeability Coefficient for a Porous Tissue Scaffold, 13.02
- F2953-12 Specification for Phenolic Raw Materials for the Use in Bearing
- Cages, 01.08
 F2954-12 Guide for Training for Level II Rope Rescue (R2) Rescuer Endorsement, 13.02
- F2955-12 Guide for Training for Level III Rope Rescue (R3) Rescuer Endorsement, 13.02
- F2957-13 Specification for Ornamental Aluminum Fence Systems, 01.06 F2958-14 Guide for Helicopter Inland Search and Rescue (SAR) Technician, 13.02
- F2959-14 Practice for Special Requirements for Aerial Adventure Courses, 15.07
- F2960-14 Practice for Permanent Amusement Railway Ride Tracks and Related Devices, 15.07

- F2961-14 Test Method for Characterizing Gripping Performance of Gloves Using a Torque Meter, 11.03
- F2962-13 Practice for Conformity Assessment of Protective Clothing Worn by Operators Applying Pesticides, 11.03
- F2964-12 Test Method for Determining the Uniformity of the Luminance of an Electroluminescent Lamp or Other Diffuse Lighting Device, 10.04
- F2965-13 Guide for Selection of Walkway Surfaces and Treatments When Considering Aggressive Contaminant Conditions in Commercial and Industrial (Not Including Construction) Environments, 15.07
- F2966-13 Guide for Snow and Ice Control for Walkway Surfaces, 15.07 F2969-12 Specification for Acrylonitrile-Butadiene-Styrene (ABS) IPS
- Dimensioned Pressure Pipe, 08.04 F2970-13 Practice for Design, Manufacture, Installation, Operation,
- Maintenance, Inspection and Major Modification of Trampoline Courts, 15.07
- F2971-13 Practice for Reporting Data for Test Specimens Prepared by Additive Manufacturing, 10.04
- F2972-12 Specification for Light Sport Aircraft Manufacturer's Quality Assurance System, 15.11
- F2974-13 Guide for Auditing Amusement Rides and Devices, 15.07
 F2975-12 Test Method for Measuring the Field Performance of Commercial Kitchen Ventilation Systems, 15.12
- F2976-13 Practice for Determining the Field Performance of Commercial Kitchen Demand Control Ventilation Systems, 15.12
- F2977-13 Test Method for Small Punch Testing of Polymeric Biomaterials Used in Surgical Implants, 13.02
- F2978-13 Guide to Optimize Scan Sequences for Clinical Diagnostic Evaluation of Metal-on-Metal Hip Arthroplasty Devices using Magnetic Resonance Imaging, 13.02
- F2979-14 Guide for Characterization of Wear from the Articulating Surfaces in Retrieved Metal-on-Metal and other Hard-on-Hard Hip Prostheses, 13.02
- F2980-13 Test Method for Analysis of Heavy Metals in Glass by Field Portable X-Ray Fluorescence (XRF), 10.04
- F2982-13 Specification for Polyester Composition Floor Tile, 15.04
- F2983-13 Guide for Manufacturers for Labeling and Care Instructions for Wrestling Mats, 15.07
- F2984-13 Specification for Segmental Panel System for the Grout-in-Place-Liner (GIPL) Rehabilitation Method of Existing Man-Entry Size Sewers, Culverts, and Conduits, 08.04
- F2986-12 Specification for Corrugated Polyethylene Pipe and Fittings for Mine Leachate Applications, 08.04
- F2987-12 Specification for Corrugated Polyethylene Pipe and Fittings for Mine Heap Leach Aeration Applications, 08.04
- F2988-12 Specification for Commercial Coffee Brewers, 15.12
- F2989-13 Specification for Metal Injection Molded Unalloyed Titanium Components for Surgical Implant Applications, 13.02
- F2990-12 Test Method for Commercial Coffee Brewers, 15.12
- F2991-13 Guide for Doubler Plate Repairs for Non-Classed Ship Structures, 01.07
- F2993-13 Guide for Monitoring Weather Conditions for Safe Parasail Operation, 15.07
- F2994-13 Practice for Utilization of Mobile, Automated Cured-In-Place Pipe (CIPP) Impregnation Systems, 08.04
- F2995-13 Guide for Shipping Possible Infectious Materials, Tissues, and Fluids, 13.02
- F2996-13 Practice for Finite Element Analysis (FEA) of Non-Modular Metallic Orthopaedic Hip Femoral Stems, 13.02
- F2997-13 Practice for Quantification of Calcium Deposits in Osteogenic Culture of Progenitor Cells Using Fluorescent Image Analysis, 13.02
- F2998-14 Guide for Using Fluorescence Microscopy to Quantify the Spread Area of Fixed Cells, 13.02
- F2999-13 Consumer Safety Specification for Adult Jewelry, 15.11
 F3000/F3000M-13 Specification for Polymer Privacy Insert Slats for Chain Link
 Fabric and Privacy Chain Link Fabric Manufactured Containing Pre-Installed Privacy Slats, 01.06
- F3001-13 Specification for Additive Manufacturing Titanium-6 Aluminum-4 Vanadium ELI (Extra Low Interstitial) with Powder Bed Fusion, 10.04
- F3002-14a Specification for Design of the Command and Control System for Small Unmanned Aircraft Systems (sUAS), 15.11
- F3003-14 Specification for Quality Assurance of a Small Unmanned Aircraft
- System (sUAS), 15.11
 F3004-13^{c1} Test Method for Evaluation of Seal Quality and Integrity Using Airborne Ultrasound, 15.10
- F3005-14a Specification for Batteries for Use in Small Unmanned Aircraft
- Systems (sUAS), 15.11
 F3006-13 Specification for Ball Drop Impact Resistance of Laminated Architectural Flat Glazing, 15.08
- F3007-13 Test Method for Ball Drop Impact Resistance of Laminated Architectural Flat Glass, 15.08
- F3008-13 Specification for Cork Floor Tile, 15.04
- F3009-14 Specification for Polyolefin Composition Floor Tile, 15.04
- F3010-13 Practice for Two-Component Resin Based Membrane-Forming Moisture Mitigation Systems for Use Under Resilient Floor Coverings, 15.04
- F3011-13 Specification for Performance of Angle of Attack System, 15.11
 F3012-14 Specification for Loose-Fill Rubber for Use as a Playground Safety Surface under and around Playground Equipment, 15.07
- F3013-13 Test Method for Density of Topsoil and Blended Soils In-place by the Core Displacement Method, 15.07

F3014 F3103

- F3014-14 Test Method for Penetration Testing of Needles Used in Surgical Sutures, 13.02
- F3015-13 Test Method for Accelerated Laboratory Roadwheel Generation of Belt Separation in Radial Passenger Car and Light Truck Tires through Load Range E, 09.02
- F3021-13 Specification for Universal Design of Fitness Equipment for Inclusive
- Use by Persons with Functional Limitations and Impairments, 15.07
 F3022-13 Test Method for Evaluating the Universal Design of Fitness
 Equipment for Inclusive Use by Persons with Functional Limitations and Impairments, 15.07
- F3023-13 Test Methods for Evaluating Design and Performance Characteristics of Stationary Upright and Recumbent Exercise Bicycles and Upper Body Ergometers, 15.07
- F3024-13 Guide for Training for Land Search and Rescue Strike Team/Task Force Leader, 13.02
- F3026-14 Guide for Helicopter Inland Search and Rescue (SAR) Crew Chief, 13.02
- F3027-13 Guide for Training of Personnel Operating in Mountainous Terrain (Mountain Endorsement), 13.02
- F3028-13 Guide for Training of Search and Rescue Personnel Operating in the Alpine Environment (Alpine Endorsement), 13.02
- F3029 Withdrawn 2013; Guide for Level I GPS Wilderness Navigator (GPS-IW) Endorsement
- F3030-13 Test Method for Snowboards with a Channel-Mounting System and Removable Inserts, 15.07
- F3034-13 Specification for Billets made by Winding Molten Extruded Stress-Rated High Density Polyethylene (HDPE), 08.04
- F3035-13 Practice for Production Acceptance in the Manufacture of a Fixed Wing Light Sport Aircraft, 15.11
- F3036-13 Guide for Testing Absorbable Stents, 13.02
 F3038-14 Test Method for Timed Evaluation of Forced-Entry-Resistant Systems, 15.08
- F3039-13 Test Method for Detecting Leaks in Nonporous Packaging or Flexible Barrier Materials by Dye Penetration, 15.10
- F3040/F3040M-13 Test Method for Mechanical Static Load Testing of Non-Structural Marine Joiner Bulkheads, 01.07
- F3041-14 Specification for Bonded Rubber Crumb Floor Coverings, 15.04
- F3042-13 Specification for Nonferrous Hex Socket, Slotted Headless, and Square Head Set Screws, 01.08
- F3044-14 Test Method for Standard Test Method for Evaluating the Potential

- for Galvanic Corrosion for Medical Implants, 13.02
- F3046-13 Specification for Wrought Titanium-3Aluminum-2.5Vanadium Alloy for Surgical Implant Applications (UNS R56320), 13.02
- F3048-13^{c1} Guide for Swiftwater/Flood Search and Rescue Operations, 13.02
- F3051-14 Test Method for Performance of Cook-and-Hold Ovens, 15.12 F3055-14 Specification for Additive Manufacturing Nickel Alloy (UNS N07718) with Powder Bed Fusion 10.04
- F3056-14 Specification for Additive Manufacturing Nickel Alloy (UNS N06625) with Powder Bed Fusion, 10.04
- F3057-14 Test Method for Electromagnetic Shielding Effectiveness of Glazings, 15.08
- F3068-14 Guide for Contents and Use of a Position Task Book (PTB), 13.02
- F3069-14 Guide for Requirements for Bodies that Operate Certification Programs in the Field of Search and Rescue, 13.02
- F3071-14 Guide for Basic Wilderness GPS/GNSS Use (GPS/GNSS-IW) Endorsement, 13.02
- F3072-14 Guide for Intermediate Wilderness GPS/GNSS Use (GPS/GNSS-IIW) Endorsement, 13.02
- F3077-14 Specification for Eye Protectors for Women's Lacrosse, 15.07
- F3080-14 Practice for Laser Technologies for Measurement of Cross-Sectional Shape of Pipeline and Conduit by Non-Rotating Laser Projector and CCTV Camera System, **04.12**
- F3084-14 Consumer Safety Specification for Infant and Infant/Toddler Rockers, 15.11
- F3085-14 Specification for Air Soft Gun Barrel Blocking Devices, 15.07
- F3088-14 Test Method for Use of a Centrifugation Method to Quantify/Study Cell-Material Adhesive Interactions, 13.02
- F3089-14 Guide for Characterization and Standardization of Polymerizable Collagen-Based Products and Associated Collagen-Cell Interactions, 13 02
- F3092-14 Terminology Relating to Optical Fiber Sensing Systems, 04.12
 F3094-14 Test Method for Determining Protection Provided by X-ray Shielding
 Garments Used in Medical X-ray Fluoroscopy from Sources of Scattered X-Rays, 11.03
- Practice for Laser Technologies for Direct Measurement of Cross F3095-14 Sectional Shape of Pipeline and Conduit by Rotating Laser Diodes and CCTV Camera System, 04.12
- F3099-14 Practices for Parasalling, 15.07
 F3103-14 Specification for Testing Off-Road Motorcycle and ATV Helmets, 15.07

G. CORROSION, DETERIORATION, AND DEGRADATION OF MATERIALS

- G1-03(2011) Practice for Preparing, Cleaning, and Evaluating Corrosion Test Specimens, 03.02
- G2M Withdrawn 2004; Test Method for Corrosion Testing of Products of Zirconium, Hafnium, and Their Alloys in Water at 633°K or in Steam at 673°K [Metric]
 G2/G2M-06(2011)^{c1}
- 2M-06(2011)^{c1} Test Method for Corrosion Testing of Products of Zirconium, Hafnium, and Their Alloys in Water at 680°F (360°C) or in Steam at 750°F (400°C), **02.04**
- G3-13 Practice for Conventions Applicable to Electrochemical Measurements
- in Corrosion Testing, 03.02

 G4-01(2008) Guide for Conducting Corrosion Tests in Field Applications, 03.02

 G5-13^{c2} Reference Test Method for Making Potentiodynamic Anodic Polarization Measurements, 03.02
- G6-07(2013) Test Method for Abrasion Resistance of Pipeline Coatings, 06.02
 G7/G7M-13 Practice for Atmospheric Environmental Exposure Testing of Nonmetallic Materials, 14.04
- G8-96(2010) Test Methods for Cathodic Disbonding of Pipeline Coatings, 06.02
- G9-07(2013)^{€1} Test Method for Water Penetration into Pipeline Coatings, 06.02
- G10-10 Test Method for Specific Bendability of Pipeline Coatings, 06.02 G11-04(2012) Test Method for Effects of Outdoor Weathering on Pipeline
- Coatings, 06.02
 G12-07(2013) Test Method for Nondestructive Measurement of Film Thickness of Pipeline Coatings on Steel, **06.02**Withdrawn 2003; Test Method for Impact Resistance of Pipeline
- Coatings(Limestone Drop Test)
- G13/G13M-13 Test Method for Impact Resistance of Pipeline Coatings, 06.02
 G14-04(2010):1 Test Method for Impact Resistance of Pipeline Coatings
 (Falling Weight Test), 06.02
 G15 Withdrawn 2010; Terminology Relating to Corrosion and Corrosion
- Testina
- G16-13 Guide for Applying Statistics to Analysis of Corrosion Data, 03.02 G17-07(2013) Test Method for Penetration Resistance of Pipeline Coatings (Blunt Rod), **06.02**
- G18-07(2013) Test Method for Joints, Fittings, and Patches in Coated Pipelines, 06.02
- Withdrawn 2010; Test Method for Disbonding Characteristics of Pipeline G19 Coatings by Direct Soil Burial
- G20-10 Test Method for Chemical Resistance of Pipeline Coatings, 06.02 G21-13 Practice for Determining Resistance of Synthetic Polymeric Materials
- to Fungi, 14.04 Withdrawn 2002; Practice for Determining Resistance of Plastics to Bacteria
- Withdrawn 2000; Practice for Operating Light-Exposure Apparatus (Carbon-Arc Type) With and Without Water for Exposure of Nonmetallic Materials; Replaced by G152, G153 G23
- G24-13 Practice for Conducting Exposures to Daylight Filtered Through Glass, 14.04
- Withdrawn 1980; Recommended Practice for Operating Enclosed Carbon Arc Type Apparatus for Light Exposure of Nonmetallic Materials; Replaced by G23
- Withdrawn 2000; Practice for Operating Light-Exposure Apparatus (Xenon-Arc Type) With and Without Water for Exposure of Nonmetallic Materials; Replaced by G155 G26
- Withdrawn 1980; Recommended Practice for Operating Xenon Arc Type Apparatus for Light Exposure of Nonmetallic Materials; Replaced by G26
- G28-02(2008) Test Methods for Detecting Susceptibility to Intergranular Corrosion in Wrought, Nickel-Rich, Chromium-Bearing Alloys, 03.02
- G29-96(2010) Practice for Determining Algal Resistance of Plastic Films 14 04
- G30-97(2009) Practice for Making and Using U-Bend Stress-Corrosion Test Specimens, 03.02
- G31-12a Guide for Laboratory Immersion Corrosion Testing of Metals, 03.02 G32-10 Test Method for Cavitation Erosion Using Vibratory Apparatus, 03.02 G33-99(2010) Practice for Recording Data from Atmospheric Corrosion Tests of Metallic-Coated Steel Specimens, 03.02
- G34-01(2013) Test Method for Exfoliation Corrosion Susceptibility in 2XXX and 7XXX Series Aluminum Alloys (EXCO Test), 03.02
 G35-98(2010) Practice for Determining the Susceptibility of Stainless Steels and Related Nickel-Chromium-Iron Alloys to Stress-Corrosion Cracking in Polythionic Acids, 03.02
- G36-94(2013) Practice for Evaluating Stress-Corrosion-Cracking Resistance of Metals and Alloys in a Boiling Magnesium Chloride Solution, 03.02
- G37-98(2011) Practice for Use of Mattson's Solution of pH 7.2 to Evaluate the Stress-Corrosion Cracking Susceptibility of Copper-Zinc Alloys, 03.02
 G38-01(2013) Practice for Making and Using C-Ring Stress-Corrosion Test Specimens, 03.02
- G39-99(2011) Practice for Preparation and Use of Bent-Beam Stress-Corrosion Test Specimens, 03.02
- G40-13 Terminology Relating to Wear and Erosion, 03.02
- G41-90(2013) Practice for Determining Cracking Susceptibility of Metals Exposed Under Stress to a Hot Salt Environment, 03.02
- G42-11 Test Method for Cathodic Disbonding of Pipeline Coatings Subjected to Elevated Temperatures, 06.02

 G43 Withdrawn 1987; Method of Acidified Synthetic Sea Water (Fog) Testing; Replaced by G85
- G44-99(2013) Practice for Exposure of Metals and Alloys by Alternate

- Immersion in Neutral 3.5 % Sodium Chloride Solution, 03.02 G45 Withdrawn 1981; Recommended Practice for Specifying Limits for Fading and Discoloration of Nonmetallic Materials
- G46-94(2013) Guide for Examination and Evaluation of Pitting Corrosion, 03.02
- G47-98(2011) Test Method for Determining Susceptibility to Stress-Corrosion Cracking of 2XXX and 7XXX Aluminum Alloy Products, 03.02
- Test Methods for Pitting and Crevice Corrosion Resistance of G48-11 Stainless Steels and Related Alloys by Use of Ferric Chloride Solution, 03.02
- G49-85(2011) Practice for Preparation and Use of Direct Tension Stress-Corrosion Test Specimens, 03.02
- G50-10 Practice for Conducting Atmospheric Corrosion Tests on Metals, 03.02
 G51-95(2012) Test Method for Measuring pH of Soil for Use in Corrosion
 Testing, 03.02
 G52-00(2011) Practice for Exposing and Evaluating Metals and Alloys in
- Surface Seawater, 03.02
- Withdrawn 2000; Practice for Operating Light- and Water-Exposure Apparatus (Fluorescent UV-Condensation Type) for Exposure of Nonmetallic Materials; Replaced by G154
- Withdrawn 2002; Practice for Simple Static Oxidation Testing
- G55-07(2013) Test Method for Evaluating Pipeline Coating Patch Materials, 06.02
- G56-10 Test Method for Abrasiveness of Ink-Impregnated Fabric Printer Ribbons and Other Web Materials, 03.02
- G57-06(2012) Test Method for Field Measurement of Soil Resistivity Using the Wenner Four-Electrode Method, 03.02
- G58-85(2011) Practice for Preparation of Stress-Corrosion Test Specimens for
- Weldments, 03.02 G59-97(2014) Test Method for Conducting Potentiodynamic Polarization Resistance Measurements, 03.02
- G60-01(2013) Practice for Conducting Cyclic Humidity Exposures, 03.02
 G61-86(2014) Test Method for Conducting Cyclic Potentiodynamic Polarization
 Measurements for Localized Corrosion Susceptibility of Iron-, Nickel-, or Cobalt-Based Alloys, 03.02
- G62-07(2013) Test Methods for Holiday Detection in Pipeline Coatings, 06.02 G63-99(2007) Guide for Evaluating Nonmetallic Materials for Oxygen Service, 14.04
- G64-99(2013) Classification of Resistance to Stress-Corrosion Cracking of Heat-Treatable Aluminum Alloys, 03.02
- G65-04(2010) Test Method for Measuring Abrasion Using the Dry Sand/ Rubber Wheel Apparatus, 03.02
- G66-99(2013) Test Method for Visual Assessment of Exfoliation Corrosion Susceptibility of 5XXX Series Aluminum Alloys (ASSET Test), 03.02
- G67-13 Test Method for Determining the Susceptibility to Intergranular Corrosion of 5XXX Series Aluminum Alloys by Mass Loss After Exposure
- to Nitric Acid (NAMLT Test), 03.02 Withdrawn 1992; Practice for Liquid Sodium Corrosion Testing of Metals and Alloys
- G69-12 Test Method for Measurement of Corrosion Potentials of Aluminum Alloys, 03.02
- G70 Withdrawn 2013; Test Method for Ring Bendability of Pipeline Coatings (Squeeze Test)
- G71-81(2014) Guide for Conducting and Evaluating Galvanic Corrosion Tests
- in Electrolytes, 03.02

 G72/G72M-09 Test Method for Autogenous Ignition Temperature of Liquids and Solids in a High-Pressure Oxygen-Enriched Environment, 14.04
- G73-10 Test Method for Liquid Impingement Erosion Using Rotating Apparatus, 03.02
- G74-13 Test Method for Ignition Sensitivity of Nonmetallic Materials and Components by Gaseous Fluid Impact, 14.04 G75-07(2013) Test Method for Determination of Slurry Abrasivity (Miller
- Number) and Slurry Abrasion Response of Materials (SAR Number), 03.02
- G76-13 Test Method for Conducting Erosion Tests by Solid Particle Impingement Using Gas Jets, 03.02
- G77-05(2010) Test Method for Ranking Resistance of Materials to Sliding Wear Using Block-on-Ring Wear Test, 03.02
 G78-01(2012) Guide for Crevice Corrosion Testing of Iron-Base and Nickel-Base Stainless Alloys in Seawater and Other Chloride-Containing Aqueous Environments, 03.02
- Withdrawn 2005; Practice for Evaluation of Metals Exposed to Carburization Environments
- Withdrawn 2013; Test Method for Specific Cathodic Disbonding of Pipeline Coatings; Replaced by Test Methods G8
- G81-97a(2013) Test Method for Jaw Crusher Gouging Abrasion Test, 03.02
 G82-98(2014) Guide for Development and Use of a Galvanic Series for
 Predicting Galvanic Corrosion Performance, 03.02
- G83 Withdrawn 2005; Test Method for Wear Testing with a Crossed-Cylinder Apparatus
- G84-89(2012) Practice for Measurement of Time-of-Wetness on Surfaces
- Exposed to Wetting Conditions as in Atmospheric Corrosion Testing, 03.02 G85-11 Practice for Modified Salt Spray (Fog) Testing, 03.02
- G86-98a(2011) Test Method for Determining Ignition Sensitivity of Materials to Mechanical Impact in Ambient Liquid Oxygen and Pressurized Liquid and Gaseous Oxygen Environments, 14.04
 G87-02(2013) Practice for Conducting Moist SO, 03.02
- G88-13 Guide for Designing Systems for Oxygen Service, 14.04

G89 G177

- G89 Withdrawn 1992; Methods for Cathodic Disbonding of Pipeline Coatings Subjected to Cyclic Temperatures
- G90-10 Practice for Performing Accelerated Outdoor Weathering of Nonmetallic Materials Using Concentrated Natural Sunlight, 14.04 G91-11 Practice for Monitoring Atmospheric SO2 Deposition Rate for

Atmospheric Corrosivity Evaluation, 03.02

- G92-86(2010) Practice for Characterization of Atmospheric Test Sites, 03.02 Practice for Cleaning Methods and Cleanliness Levels for G93-03(2011) Material and Equipment Used in Oxygen-Enriched Environments, 14.04
- G94-05(2014) Guide for Evaluating Metals for Oxygen Service, 14.04
 G95-07(2013) Test Method for Cathodic Disbondment Test of Pipeline
- Coatings (Attached Cell Method), 06.02

 G96-90(2013) Guide for Online Monitoring of Corrosion in Plant Equipment
- (Electrical and Electrochemical Methods), 03.02
- G97-97(2013) Test Method for Laboratory Evaluation of Magnesium Sacrificial Anode Test Specimens for Underground Applications, 03.02
- G98-02(2009) Test Method for Galling Resistance of Materials, 03.02 G99-05(2010) Test Method for Wear Testing with a Pin-on-Disk Apparatus, 03.02
- G100-89(2010)^{€1} Test Method for Conducting Cyclic Galvanostaircase Polarization, 03.02
- G101-04(2010) Guide for Estimating the Atmospheric Corrosion Resistance of Low-Alloy Steels, 03.02
- G102-89(2010) Practice for Calculation of Corrosion Rates and Related Information from Electrochemical Measurements, 03.02
- G103-97(2011) Practice for Evaluating Stress-Corrosion Cracking Resistance of Low Copper 7XXX Series Al-Zn-Mg-Cu Alloys in Boiling 6 % Sodium Chloride Solution, 03.02
- G104 Withdrawn 1998; Test Method for Assessing Galvanic Corrosion Caused by the Atmosphere; Replaced by G116 and G149
- G105-02(2007) Test Method for Conducting Wet Sand/Rubber Wheel Abrasion Tests, 03.02
- G106-89(2010) Practice for Verification of Algorithm and Equipment for Electrochemical Impedance Measurements, 03.02
- G107-95(2008) Guide for Formats for Collection and Compilation of Corrosion Data for Metals for Computerized Database Input, 03.02
- G108-94(2010) Test Method for Electrochemical Reactivation (EPR) for
- Detecting Sensitization of AISI Type 304 and 304L Stainless Steels, 03.02 G109-07(2013) Test Method for Determining Effects of Chemical Admixtures on Corrosion of Embedded Steel Reinforcement in Concrete Exposed to Chloride Environments, 03.02
- G110-92(2009) Practice for Evaluating Intergranular Corrosion Resistance of Heat Treatable Aluminum Alloys by Immersion in Sodium Chloride + Hydrogen Peroxide Solution, 03.02
- G111-97(2013) Guide for Corrosion Tests in High Temperature or High Pressure Environment, or Both, 03.02
- G112-92(2009) Guide for Conducting Exfoliation Corrosion Tests in Aluminum Alloys, **03.02 G113-14** Terminol
- Terminology Relating to Natural and Artificial Weathering Tests of Nonmetallic Materials, 14.04
- G114-07 Practices for Evaluating the Age Resistance of Polymeric Materials Used in Oxygen Service, 14.04
- G115-10(2013) Guide for Measuring and Reporting Friction Coefficients, 03.02 G116-99(2010) Practice for Conducting Wire-on-Bolt Test for Atmospheric Galvanic Corrosion, 03.02
- G117-13 Guide for Calculating and Reporting Measures of Precision Using Data from Interlaboratory Wear or Erosion Tests, 03.02
- G118-02(2007) Guide for Recommended Format of Wear Test Data Suitable for Databases, 03.02
- G119-09 Guide for Determining Synergism Between Wear and Corrosion, 03.02
- G120-01(2008) Practice for Determination of Soluble Residual Contamination
- by Soxhlet Extraction, 14.04
 G121-98(2010)^{c1} Practice for Preparation of Contaminated Test Coupons for the Evaluation of Cleaning Agents, 14.04
 G122-96(2008) Test Method for Evaluating the Effectiveness of Cleaning
- Agents, 14.04
- G123-00(2011) Test Method for Evaluating Stress-Corrosion Cracking of Stainless Alloys with Different Nickel Content in Boiling Acidified Sodium Chloride Solution, 03.02
- G124-10 Test Method for Determining the Combustion Behavior of Metallic Materials in Oxygen-Enriched Atmospheres, 14.04
 G125-00(2008) Test Method for Measuring Liquid and Solid Material Fire
- Limits in Gaseous Oxidants, 14.04
- G126-00(2008) Terminology Relating to the Compatibility and Sensitivity of Materials in Oxygen Enriched Atmospheres, 14.04
 G127-95(2008) Guide for Selection of Cleaning Agents for Oxygen Systems,
- 14.04
- G128-02(2008) Guide for Control of Hazards and Risks in Oxygen Enriched Systems, 14.04
- G129-00(2013) Practice for Slow Strain Rate Testing to Evaluate the Susceptibility of Metallic Materials to Environmentally Assisted Cracking,
- G130-12 Test Method for Calibration of Narrow- and Broad-Band Ultraviolet Radiometers Using a Spectroradiometer, 14.04
- G131-96(2008) Practice for Cleaning of Materials and Components by Ultrasonic Techniques, 14.04
- Test Method for Pin Abrasion Testing, **03.02** G132-96(2013)
- G133-05(2010) Test Method for Linearly Reciprocating Ball-on-Flat Sliding Wear, 03.02

G134-95(2010)^{c1} Test Method for Erosion of Solid Materials by Cavitating Liquid Jet, 03.02

- G135-95(2013) Guide for Computerized Exchange of Corrosion Data for Metals, **03.02**
- G136-03(2009) Practice for Determination of Soluble Residual Contaminants in Materials by Ultrasonic Extraction, 14.04
- G137-97(2009) Test Method for Ranking Resistance of Plastic Materials to
- Sliding Wear Using a Block-On-Ring Configuration, 03.02
 G138-12 Test Method for Calibration of a Spectroradiometer Using a Standard Source of Irradiance, 14.04
- G139-05(2011) Test Method for Determining Stress-Corrosion Cracking Resistance of Heat-Treatable Aluminum Alloy Products Using Breaking Load Method, 03.02
- G140-02(2008) Test Method for Determining Atmospheric Chloride Deposition Rate by Wet Candle Method, 03.02
- G141-09(2013) Guide for Addressing Variability in Exposure Testing of Nonmetallic Materials, 14.04
- G142-98(2011) Test Method for Determination of Susceptibility of Metals to Embrittlement in Hydrogen Containing Environments at High Pressure,
- High Temperature, or Both, 03.02 G143-03(2013) Test Method for Measurement of Web/Roller Friction Characteristics, 03.02
- G144-01(2014) Test Method for Determination of Residual Contamination of Materials and Components by Total Carbon Analysis Using a High Temperature Combustion Analyzer, 14.04
- G145-08 Guide for Studying Fire Incidents in Oxygen Systems, 14.04 G146-01(2013) Practice for Evaluation of Disbonding of Bimetallic Stainless
- Alloy/Steel Plate for Use in High-Pressure, High-Temperature Refinery Hydrogen Service, 03.02
- G147-09 Practice for Conditioning and Handling of Nonmetallic Materials for Natural and Artificial Weathering Tests, 14.04
- G148-97(2011) Practice for Evaluation of Hydrogen Uptake, Permeation, and Transport in Metals by an Electrochemical Technique, 03.02
- G149 Withdrawn 2004; Practice for Conducting the Washer Test for Atmospheric Galvanic Corrosion
- G150-13 Test Method for Electrochemical Critical Pitting Temperature Testing of Stainless Steels, 03.02
- G151-10 Practice for Exposing Nonmetallic Materials in Accelerated Test Devices that Use Laboratory Light Sources, 14.04
- G152-13 Practice for Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, 14.04
- G153-13 Practice for Operating Enclosed Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials, 14.04
- G154-12a Practice for Operating Fluorescent Ultraviolet (UV) Lamp Apparatus for Exposure of Nonmetallic Materials, 14.04
 G155-13 Practice for Operating Xenon Arc Light Apparatus for Exposure of
- Non-Metallic Materials, 14.04
- G156-09 Practice for Selecting and Characterizing Weathering Reference Materials, 14.04
- G157-98(2013) Guide for Evaluating Corrosion Properties of Wrought Ironand Nickel-Based Corrosion Resistant Alloys for Chemical Process Industries, 03.02
- G158-98(2010) Guide for Three Methods of Assessing Buried Steel Tanks. 03.02
- G159 Withdrawn 2005; Test Method for Evaluation of Stress Crack Resistance of Polyolefin Geomembranes Using Notched Constant Tensile Load Test; Replaced by G175
- G160-12 Practice for Evaluating Microbial Susceptibility of Nonmetallic Materials By Laboratory Soil Burial, 14.04
- G161-00(2013) Guide for Corrosion-Related Failure Analysis, 03.02
- G162-99(2010) Practice for Conducting and Evaluating Laboratory Corrosion Tests in Soils, 03.02
- G163-10 Guide for Digital Data Acquisition in Wear and Friction Measurements, 03.02
- G164-99(2013) Test Method for Determination of Surface Lubrication on Flexible Webs, 03.02 G165-99(2012) Practice for Determining Rail-to-Earth Resistance, 03.02
- G166-00(2011) Guide for Statistical Analysis of Service Life Data, 14.04
- G167-05(2010) Test Method for Calibration of a Pyranometer Using a
- Pyrheliometer, 14.04 G168-00(2013) Practice for Making and Using Precracked Double Beam Stress Corrosion Specimens, 03.02
 G169-01(2013) Guide for Application of Basic Statistical Methods to
- Weathering Tests, 14.04
 G170-06(2012) Guide for Evaluating and Qualifying Oilfield and Refinery Corrosion Inhibitors in the Laboratory, **03.02 G171-03(2009)**^{c2} Test Method for Scratch Hardness of Materials Using a
- Diamond Stylus, 03.02 G172-02(2010)^{c1} Guide for
- Guide for Statistical Analysis of Accelerated Service Life Data. 14.04
- G173-03(2012) Tables for Reference Solar Spectral Irradiances: Direct Normal
- and Hemispherical on 37° Tilted Surface, 14.04

 G174-04(2009)^{c1} Test Method for Measuring Abrasion Resistance of Materials by Abrasive Loop Contact, 03.02
- G175-13 Test Method for Evaluating the Ignition Sensitivity and Fault Tolerance of Oxygen Pressure Regulators Used for Medical and
- Emergency Applications, 14.04

 G176-03(2009) Test Method for Ranking Resistance of Plastics to Sliding Wear Using Block-on-Ring Wear Test—Cumulative Wear Method, 03.02

 G177-03(2012) Tables for Reference Solar Ultraviolet Spectral Distributions:

G177 G210

- Hemispherical on 37° Tilted Surface, 14.04
- G178-09 Practice for Determining the Activation Spectrum of a Material (Wavelength Sensitivity to an Exposure Source) Using the Sharp Cut-On Filter or Spectrographic Technique, 14.04 G179-04(2011) Specification for Metal Black Panel and White Panel
- Temperature Devices for Natural Weathering Tests, 14.04
- G180-13 Test Method for Corrosion Inhibiting Admixtures for Steel in Concrete by Polarization Resistance in Cementitious Slurries. 03.02
- G181-11 Test Method for Conducting Friction Tests of Piston Ring and Cylinder Liner Materials Under Lubricated Conditions, 03.02
- G182-13 Test Method for Determination of the Breakaway Friction Characteristics of Rolling Element Bearings, 03.02
- G183-05(2010) Practice for Field Use of Pyranometers, Pyrheliometers and UV Radiometers, 14.04
- G184-06(2012) Practice for Evaluating and Qualifying Oil Field and Refinery Corrosion Inhibitors Using Rotating Cage, 03.02
 G185-06(2012) Practice for Evaluating and Qualifying Oil Field and Refinery Corrosion Inhibitors
- G186-05(2011) Test Method for Determining Whether Gas-Leak-Detector Fluid Solutions Can Cause Stress Corrosion Cracking of Brass Alloys, 03.02
- G187-12a Test Method for Measurement of Soil Resistivity Using the Two-Electrode Soil Box Method, 03.02

 G188-05(2011) Specification for Leak Detector Solutions Intended for Use on
- Brasses and Other Copper Alloys, 03.02
- G189-07(2013) Guide for Laboratory Simulation of Corrosion Under Insulation,
- G190-06 Guide for Developing and Selecting Wear Tests, 03.02
- G192-08 Test Method for Determining the Crevice Repassivation Potential of Corrosion-Resistant Alloys Using a Potentiodynamic-Galvanostatic-Potentiostatic Technique, 03.02
- G193-12d Terminology and Acronyms Relating to Corrosion, 03.02

- G194-08(2013) Test Method for Measuring Rolling Friction Characteristics of a Spherical Shape on a Flat Horizontal Plane, 03.02
- G195-13a Guide for Conducting Wear Tests Using a Rotary Platform Abraser, 03.02
- G196-08 Test Method for Galling Resistance of Material Couples, 03.02
- G197-08(2012) Table for Reference Solar Spectral Distributions: Direct and Diffuse on 20° Tilted and Vertical Surfaces, 14.04
- G198-11 Test Method for Determining the Relative Corrosion Performance of Driven Fasteners in Contact with Treated Wood, 03.02
- G199-09(2014) Guide for Electrochemical Noise Measurement, 03.02
- G200-09(2014) Test Method for Measurement of Oxidation-Reduction Potential (ORP) of Soil, **03.02**
- G201-09 Practice for Conducting Exposures in Outdoor Glass-Covered Exposure Apparatus with Air Circulation, 14.04
- G202-12 Test Method for Using Atmospheric Pressure Rotating Cage, 03.02 G203-10 Guide for Determining Friction Energy Dissipation in Reciprocating
- Tribosystems, 03.02
- G204-10 Test Method for Damage to Contacting Solid Surfaces under Fretting Conditions, 03.02
- G205-10 Guide for Determining Corrosivity of Crude Oils, 03.02
- G206-11 Guide for Measuring the Wear Volumes of Piston Ring Segments Run against Flat Coupons in Reciprocating Wear Tests, 03.02
- G207-11 Test Method for Indoor Transfer of Calibration from Reference to Field Pyranometers, 14.04
- G208-12 Practice for Evaluating and Qualifying Oilfield and Refinery Corrosion Inhibitors Using Jet Impingement Apparatus, 03.02
- G209-13 Practice for Detecting mu-phase in Wrought Nickel-Rich, Chromium, Molybdenum-Bearing Alloys, 03.02
- G210-13 Practice for Operating the Severe Wastewater Analysis Testing Apparatus, 03.02

P. PROPOSALS

- P101 Withdrawn 1988; Proposed Method of Measuring Energy-Conserving Quality of Engine Oils in Vehicles (D-2 Proposal)
- P102 Withdrawn 1988; Proposed Classification of Energy-Conserving Engine Oils (D-2 Proposal)
- P103 Withdrawn 1985; Proposed Precautionary Statements (D-2 Proposal) Withdrawn 1988; Proposed Specification for Gasohol (D-2 Proposal) Withdrawn 1987; Proposed Method for Laboratory Measurement of P104
- P105 Sound Reflection from Vertical Surfaces for Use in Open-Plan Spaces (E-33 Proposal)
- P106 Withdrawn 1988; Proposed Test Method for Apparent Viscosity of Engine Oils Between -30° C and -5° C Using the Cold Cranking Simulator (D-2 Proposal)
- P107 Withdrawn 1986; Proposed Test Method for Grindability of Subbituminous and Lignitic Coals Using the Hardgrove Machine (D-5 Proposal)
 P108 Withdrawn 1987; Proposed Test Method for Determining the Fire
- Performance of Public Ground Transportation Seat Assemblies (E-5 Proposal)
- Withdrawn 1988; Proposed Guide to Assist in the Defining, Procuring, Installing, and Implementing of a Computerized Hospital Pharmacy System (E-31 Proposal)
- Withdrawn 1988; Proposed Test Method for Determination of Pseudomonas Aeruginosa in Water by Membrane Filtration (D-19 Proposal
- Withdrawn 1987; Proposed Test Method for Interstitial Oxygen Content of Silicon Slices by Computer-Assisted Infrared Spectrophotometry (F-1
- P113 Withdrawn 1985; Proposed Test Method for Thallium in Water by Voltammetry (D-19 Proposal) Withdrawn 1985; Proposed Test Method for Copper in Water by
- Voltammetry (D-19 Proposal)
- P115 Not Assigned
- P116 Withdrawn 1986; Proposed Test Method for Cyclohexylamine (D-19 Proposal)
- Withdrawn 1985; Proposed Test Method for Nickel and Vanadium in Waterborne Oils (D-19 Proposal)
- P118 Not Assigned
- Withdrawn 1984; Proposed Test Method for Tarnish Resistance of Electrical Contacts to "Flowers of Sulfur" Atmospheres (B-4 Proposal) Withdrawn 1985; Proposed Method for Determination of Ethylene Oxide P119
- P120 in Workplace Atmospheres (Charcoal Tube Methodology) (D-22 Proposal); Redesignated D4413
- Withdrawn 1984; Proposed Method for Optical Emission Spectrometric Analysis of Refined Copper (E-2 Proposal)
- P122 Withdrawn 1985; Proposed Test Method for Moisture and Noncombus-
- tibles of RDF-3 Macrosamples (E-38 Proposal) P123 Withdrawn 1985; Proposed Test Method for Total Moisture in RDF-3 Samples (E-38 Proposal)
- P124 Withdrawn 1984; Proposed Specification for Pine Oil Disinfectant (D-12 Proposal)
- P125 Withdrawn 1987; Proposed Test Method for Static and Dynamic
- Coefficient of Friction of Polish-Coated Floor Surfaces, as Measured by the Horizontal Slip Tester (D-21 Proposal)

 Withdrawn 1987; Proposed Test Method for Static Coefficient of Friction of Polish-Coated Floor Surfaces, as Measured by NBS-Brungraber P126 Articulated Arm Tester (D-21 Proposal)
- Withdrawn 1987; Proposed Test Method for Dynamic Coefficient of Friction of Polish-Coated Floor Surfaces, as Measured by NBS-Sigler Pendulum Impact Tester (D-21 Proposal)
- Withdrawn 1987; Proposed Test Method for Static and Dynamic P128 Coefficient of Friction of Polish-Coated Floor Surfaces, as Measured by the Topaka Slip Tester (D-21 Proposal)
- Withdrawn 1984; Proposed Specification for Concrete Cleaner, Flush-Off Type (D-12 Proposal)
- Withdrawn 1986; Proposed Practice for Selection of Release Torque Value for Ski Bindings; Replaced by F939 (F-8 Proposal)
- Withdrawn 1987; Proposed Method for Selection of Release Torque

- Values of Ski Bindings (F-8 Proposal)

 P138 Redesignated E1065; Proposed Practice for Evaluating the Characterisitics of Ultrasonic Search Units (E-7 Proposal)

 P139 Withdrawn 1985; Proposed Method for Chemical Analysis of Magnesium–Analysis for Manganese and Zinc (E-3 Proposal)

 P140 Withdrawn 1985; Proposed Method of Testing Flat Disposable (Consumable) Hot Top Boards and Risers for Metallic Ingots and Castings (C-8 Proposal)
- P141 Withdrawn 1983; Proposed Test Method for Organic Halides in Water by Carbon Adsorption-Microcoulometric Detection (D-19 Proposal) P142 Withdrawn 1986; Proposed Practice for Calculating Heat Losses
- Through Furnace Walls (C-8 Proposal)
- P143 Withdrawn 1985; Proposed Methods of Testing Exothermic Refractory Covering Powders for Metallic Ingots and Castings (C-8 Proposal)
- Withdrawn 1986; Proposed Method for Eye Irritation in Albino Rabbits (E-5 Proposal)
 Withdrawn 1986; Proposed Practice for Detection and Evaluation of
- P145 Discontinuities by the Immersed Pulse-Echo Ultrasonic Method Using Longitudinal Waves (E-7 Proposal)
- Withdrawn 1986; Proposed Practice for Evaluating the Electronic Characteristics of Sections of Pulse-Echo Ultrasonic Inspection Instruments (E-7 Proposal)

- P147 Withdrawn 1986; Proposed Room Fire Test of Wall and Ceiling Materials and Assemblies (E-5 Proposal)
- P148 Withdrawn 1987; Proposed Test Method for Fluorides in Workplace Atmospheres (D-22 Proposal)
- P149 Withdrawn 1986; Proposed Test Method for Phosphate Esters in Water (D-19 Proposal)
- P150 Redesignated E997; Proposed Method for Structural Performance of Glass in Exterior Windows, Curtain Walls, and Doors Under the Influence of Uniform Static Loads, by Destructive Method (E-6 Proposal)
- Withdrawn 1987; Proposed Operational Guide for Direct Current Plasma Emission Spectrometry Analysis (E-3 Proposal); Replaced by E1097
- P153 Redesignated C1026; Proposed Method for Measuring Frost Resistance of Ceramic Tile (C-21 Proposal)
 P154 Redesignated C1027; Proposed Test Method to Determine Visible Abrasion Resistance of Glazed Ceramic Tile (C-21 Proposal)
 P155 Redesignated C1028; Proposed Method for Evaluating the Static
- Coefficient of Friction of Ceramic Tile, Terrazo, and Other Like Surfaces, by the Dynamometer Pull Meter Method (C-21 Proposal)
- Withdrawn 1989; Proposed Guide for Shredder Explosion Protection (E-38 Proposal)
- P159 Withdrawn 1986; Proposed Method for Rheological Measurements of Bitumens by Vacuum Capillary Viscometer (D-4 Proposal) P160 Withdrawn 1986; Proposed Test Method for Viscosity of Asphalt
- Emulsion Residues and Non-Newtonian Bitumens by Vacuum Capillary Viscometer ((D-4 Proposal)
- P161 Withdrawn 1986; Proposed Test Method for Benzidene and 3,3' Bidichlorobenzidene in Water by High Performance Liquid Chromatography (D-19 Proposal)
- Withdrawn 1986: Proposed Method of Quantification for Petroleum Oil in Water (D-19 Proposal)
- P163 Withdrawn 1986; Proposed Test Method for Hydrocarbons in Tissue Samples (D-19 Proposal)
- P164 Withdrawn 1985; Proposed Test Method for Simultaneous Detection and Enumeration of Total and Respiring Bacteria in Aquatic Systems Using Acridine Orange in Formazan Reduction Technique (D-19 Proposal)
- Withdrawn 1985; Proposed Test Method for Enumeration of Aquatic Bacteria by the Use of Acridine Orange Epifluorescence Direct Microscopic Counting (D-19 Proposal) P166 Withdrawn 1987; Proposed Practice for Sampling and Inspection of
- Complete Alpine Boot Binding Systems in Rental Applications (F-27 Proposal)
- Withdrawn 1987; Proposed Test Method for Boiling Range Distribution of
- Crude Petroleum by Gas Chromatography (D-2 Proposal)
 P168 Withdrawn 1988; Proposed Guide for Estimating the Incompatibility of Selected Hazardous Wastes Based on Binary Chemical Reactions (D-34 Proposal)
- Withdrawn 1989; Proposed Test Method for Determining a Correction Factor for Bitumen Retained by Aggregate Following a Bitumen Extraction Test (D-4 Proposal)
- Withdrawn 1988; Proposed Specification for Denatured Fuel Ethanol to be Blended With Gasolines for Use as an Automotive Spark-Ignition
- Engine Fuel (D-2 Proposal)

 P171 Withdrawn 1988; Proposed Guide for Preparation of Biological Samples for Inorganic Chemical Analysis (D-19 Proposal)

 P172 Withdrawn 1989; Proposed Specification for Electronic Grade Water
- (D-19 Proposal)
- Withdrawn 1988; Proposed Method for Comparison of Waterborne Petroleum Oils by Silhouette Profile Fluorescence Spectroscopy (D-19 Proposal)
- Withdrawn 1988; Proposed Test Method for Nitrite-Nitrate in Water (D-19 Proposal)
- P175 Not Assigned
- Withdrawn 1988; Proposed Specification for Automotive Spark-Ignition P176 Engine Fuel (D-2 Proposal)
- Withdrawn 1990; Proposed Test Method for On-Line Monoitoring of Electrical Conductivity to Determine Anions and Carbon Dioxide in High-Purity Water (D-19 Proposal); Replaced by D4519
- Withdrawn 1988; Proposed Test Method for Measurement of Yield Stress and Apparent Viscosity of Engine Oils at Low Temperature (D-2 Proposal)
- P179 Withdrawn 1988; Proposed Method for Comparison of Waterborne Petroleum Oils by Low-Temperature Luminescence (D-19 Proposal)
- Withdrawn 1988; Proposed Test Method for Heating Performance and Emissions of Residential Wood-Fired Closed Combustion-Chamber
- Heating Appliances (D-22 Proposal)

 P181 Withdrawn 1988; Proposed Test Method for Chlorine in Workplace
 Atmospheres (D-22 Proposal)

 P182 Withdrawn 1988; Proposed Method for Determination of Benzene
- Soluble Particulate Matter in Workplace Atmospheres (D-22 Proposal)
- Withdrawn 1988; Proposed Test Method for Determination of 2,4-Toluene Diisocyanate (2,4-TD) in Workplace Atmospheres (D-22 Proposal)
- P184 Withdrawn 1988; Proposed Method for Chemical Analysis of Ferrosilicon and Silicon Metal (E-3 Proposal)
 P185 Withdrawn 1988; Proposed Test Method for Determination of the Ignition
- Resistance of Stacking Chairs (E-5 Proposal)
 P186 Withdrawn 1989; Proposed Method for Random Vibration Testing of
- Shipping Containers (D-10 Proposal)

P187 P252

- P187 Withdrawn 1988; Proposed Method for Determination of Oxygen in Steel and in Iron, Nickel, and Cobalt Alloys (E-3 Proposal)
- P188 Withdrawn 1988; Proposed Method of Test for Short Rod Fracture Toughness of Cemented Carbides (B-9 Proposal)
- P189 Withdrawn 1988; Proposed Specification for Encapsulants for Friable
- Asbestos-Containing Building Materials (E-6 Proposal)
 P190 Withdrawn 1988; Proposed Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter (E-5 Proposal)
- Withdrawn 1988; Proposed Test Method for Determining Effects of Large Hydrocarbon Pool Fires on Structural Members and Assemblies (E-5 Proposal)
- Withdrawn 1988; Proposed Test Method for Degradation of Fine Aggregate Due to Attrition (C-9 Proposal) P192
- Withdrawn 1988; Proposed Specification for Ski Binding Test Devices P193 (F-27 Proposal)
- P194 Withdrawn 1988; Proposed Method of Verification of Ski Binding Test Devices (F-27 Proposal)
- Withdrawn 1989; Proposed Method for Chemical Analysis of Copper-Bismuth/Antimony/Arsenic/Tellurium/Lead/Iron/Selenium by Lanthanum Collection and Direct Current Argon Plasma Optical Émission Spectroscopy (E-1 Proposal) Withdrawn 1989; Proposed Method for Distillation of Heavy Oils and
- Crudes (Vacuum Potstill Method) (D-2 Proposal)

 Withdrawn 1988; Proposed Test Method for Interstitial Oxygen Content
- of Silicon Slices Polished on Both Sides by Computer-Assisted Infrared
- Spectrophotometry (E-1 Proposal)
 Withdrawn 1989; Proposed Test Method for Evaluating the Effectiveness P198
- of Materials for Curing Concrete (C-9 Proposal) P199 Withdrawn 1990; Proposed Terminology for Nondestructive Examinations (E-7 Proposal); Redesignated E1316
 P200 Withdrawn 1990; Proposed Test Method for Compression Testing of
- Cemented Carbides (B-9 Proposal)
- Withdrawn 1990; Proposed Test Method for Light Scattering Determination of Particle Size of Sediments in Aqueous Suspension (D-19 Proposal)
- P202 Withdrawn 1990; Proposed Test Method for Iodide in Water (D-19 Proposal)
- Withdrawn 1990; Proposed Methods for Determination of Selenium in Refined Copper by Direct Current Argon Plasma Spectroscopy (E-3 Proposal)
- Withdrawn 1990; Proposed Methods for Determination of Iron, Lead, Nickel, Silver, and Tin in Refined Copper by Direct Current Argon Plasma Optical Emission Spectroscopy (E-1 Proposal)
- Withdrawn 1990; Proposed Classification for Energy Conserving Engine P205 Oils (D-2 Proposal)
- Withdrawn 1989; Proposed Test Method for Determination of Tungsten P206 in Ferrotungsten by the Cinchonine Gravimetric Method (E-1 Proposal)
- Withdrawn 1989; Proposed Guide for Precision and Bias Statements in Test Method Standards (C-26 Proposal)
- Withdrawn 1989; Proposed Test Method for Workplace Sampling and Analysis of Welding Fumes for Chromium (D-22 Proposal)
- Withdrawn 1989; Proposed Test Method for Sampling and Analysis of Nitrogen Dioxide Content of the Atmosphere (Diffusion Tube Methodology) (D-22 Proposal)
- P210 Withdrawn 1991; Proposed Test Method for Evaluating Energy Conserving Gear Oils in Passenger Car and Light Truck Service (D-2 Proposal)
- Withdrawn 1990; Proposed Terminology Relating to Biomass Fuels P211 (E-48 Proposal)
- Withdrawn 1992; Proposed Test Method for Sequence VE Test
 Procedure (D-2 Proposal)
 Withdrawn 1991; Proposed Test Method for Photoluminescence Analysis P213 of Single Crystal Silicon for III-V Impurities; Replaced by F1392 (F-1 Proposal)
- P214 Withdrawn 1992; Proposed Test Method for Accelerated Detection of Potentially Deleterious Expansion of Mortar Bars Due to Alkali-Silicon Reaction (C-9 Proposal)
- Withdrawn 1993; Proposed Test Method for Polychlorinated Biphenyls (PCBs) in Water by Gas Chromatography/Mass Spectrometry (D-19 Proposal)
- Withdrawn 1993; Proposed Test Method for Formaldehyde in Water (D-19 Proposal)

P217 Withdrawn 1993; Proposed Test Method for Total Tetra Through Octachloro Dibenzo-p-Dioxins and Dibenzofurans in Water (D-19 Proposal)

- P218 Withdrawn 1993; Proposed Test Method for the Determination of Semi-Volatile Organic Compounds in Water by Gas Chromatography/ Mass Spectrometry (D-19 Proposal)
- Withdrawn 1993; Proposed Test Method for 2,3,7,8-Tetrachlorodibenzop-Dioxin (TCDD) and 2,3,7,8-Tetrachlorodibenzofurans (TCDF) in Water (D-19 Proposal)
- Withdrawn 1992; Proposed Test Method for Determination of Ethylene Oxide in Workplace Atmospheres (HBr) Derivatization Method (D-22 Proposal)
- Withdrawn 1993; Proposed Specification for Colored Rigid Poly(Vinyl Chloride) (PVC) Exterior-Profile Extrusions Used for Assembled Windows and Doors (D-20 Proposal)
- Withdrawn 1993; Proposed Test Method for Sulfur Dioxide in Workplace Atmospheres (D-22 Proposal)
- Withdrawn 1993; Proposed Specification for Colored Rigid Poly(Vinyl Chloride)(PVC) Siding (D-20 Proposal)
- Withdrawn 1992; Proposed Test Method for Determining the Net Carrier Density on Bulk and Epitaxial Silicon Wafers by Using a Mercury Probe F-1 Proposal)
- P225 Withdrawn 1992; Proposed Test Method for Substitutional Atomic Carbon Content of Silicon by Infrared Absorption; Replaced by F1391 (F-1 Proposal)
- P226 Withdrawn 1993: Proposed Test Methods for Bituminous Materials in Tension (D-4 Proposal)
- Withdrawn 1993; Proposed Practice for Evaluation Criteria of Hydraulic Cement Testing Laboratories (C-1 Proposal); Replaced by C1222
 Withdrawn 1994; Proposed Test Methods for pH Measurement of Water
- of Low Conductivity; Replaced by D5464 (D-19 Proposal)
- Withdrawn 1994; Proposed Test Method for Giardia Cysts and Cryptosporidium Oocysts in Low-Turbidity Water by a Fluorescent Antibody Procedure (D-19 Proposal)
- Withdrawn 1994; Proposed Test Method for Measurement of Occupational Exposure to Formaldehyde (Passive Sampler Methodology) (D-22 Proposal)
- Withdrawn 1993; Proposed Test Method for N-Methylcarbamoyloximes/ N-Methylcarbamates in Water by Direct Aqueous Injection Liquid Chromatography (HPLC) with Post Column Derivatization; Replaced by D5315 (D-19 Proposal)
- P232 Withdrawn 1995; Proposed Specification for Fuel Methanol (M85) for
- Automotive Spark-Ignition Engines (D-2 Proposal)
 P233 Withdrawn 1995; Proposed Test Method for Compaction and Strength Properties of Graded Aggregate Using the Gyratory Testing Machine (GTM) (D-4 Proposal)
- Withdrawn 1995; Proposed Test Method for Fluorometric Determination of Toxicity-Induced Enzymatic Inhibition in Daphnia Magna
- Withdrawn 1995; Proposed Test Method for Asbestos-Containing P236 Materials by Polarized Light Microscopy
- Withdrawn 1995; Proposed Test Method for Determination of Semi-Volatile Organic Compounds in Water by Gas Chromatography/ Mass Spectrometry (GC/MS) (D-19 Proposal)
- Withdrawn 1995; Proposed Test Method for Adherent Fines Test; Replaced by D5711 (D-4 Proposal
- P243 Withdrawn 1995; Proposed Test Method for Toughness and Tenacity of Bituminous Materials; Replaced by D5801 (D-4 Proposal)
- Withdrawn 1995; Proposed Practice for Rheological Measurements of Bitumens Using Dynamic Shear Rheometers (D-4 Proposal)
- Withdrawn 1996; Proposed Test Method for Determining the Flexural Creep Stiffness of AsphaltBinder Using the Bending Beam Rheometer (D-4 Proposal)
- Withdrawn 1996; Proposed Test Method for Determining the Rheological Properties of Asphalt Binder for Specification Purposes Using a Dynamic Shear Rheometer (DSR) (D-4 Proposal)
- Withdrawn 1997; Proposed Specification for Performance Graded Asphalt Binder (D-4 Proposal)
- Withdrawn 1997; Proposed Practice for Grading or Verifying the Performance Grade of an Asphalt Binder (D-4 Proposal)
- Withdrawn 1997; Proposed Test Method for Determining the Fracture Properties of Asphalt Binder in Direct Tension (DT) (D-4 Proposal)

PS. PROVISIONAL STANDARDS

- PS1 Withdrawn 1997; Provisional Specification for Poly(Vinyl Chloride)(PVC) Sewer and Drain Pipe Containing Recycled PVC Material; Replaced by F1732
- PS2 Withdrawn 1996; Provisional Standard Specification for Molding Plastics, Electrical. Thermoplastic
- PS3 Withdrawn 1998; Provisional Guide for Accelerated Site Characterization for Confirmed or Suspected Petroleum Releases; Replaced by E1912
- Withdrawn 1996; Provisional Standard Test Method for Static and PS5 Dynamic Spinal Implants Assembly in a Corpectomy Model
- PS6 Withdrawn 1997; Provisional Standard Practice for Establishing Secured Creditor Exemption Under CERCLA
- Withdrawn1996; Provisional Standard Specification for Iodotrifluoromethane, CF₃ Withdrawn 1998; Provisional Standard Specification for Poly(Vinyl
- PS8 Chloride)(PVC) Non-Pressure Plastic Pipe Having Reprocessed-Recycled Content; Replaced by F1760
- PS9 Withdrawn 1996; Provisional Standard Test Method for Determination of Free Formaldehyde in Emulsion Polymers by Liquid Chromatography; Replaced by D5910
- Withdrawn 2004; Provisional Specification for Manufactured Safety Vacuum Release Systems (SVRS) for Swimming Pools, Spas and Hot
- Tubs; Replaced by F2387 Withdrawn 1998; Provisional Practice for Environmental Regulatory Compliance Audits
- PS12 Withdrawn 1998; Provisional Guide for Study and Evaluation of an Organization's Environmental Management Systems
- PS13 Withdrawn 1997; Provisional Test Method for Performance Testing of Excess Flow Devices; Replaced by F1802
- PS14 Withdrawn 1998; Provisional Practice for Life Cycle Costing for Pollution Prevention
- PS15 Withdrawn 1996; Provisional Standard Specification for Molding Compounds, Thermosetting; Replaced by D5948
- PS16 Withdrawn 1996; Provisional Standard Specification for Liquid Coating Encapsulation Products for Leaded Paint in Buildings; Replaced by F1795
- PS18 Withdrawn 1995; Practice for Use of Qualitative Chemical Spot Test Kits for Detection of Lead in Dry Paint Films; Replaced by E1753 PS20 Withdrawn 1998; Provisional Specification for Corrugated Polyethylene
- (PE) Pipe and Fittings Made with Recycled (PE) Materials
 PS23 Withdrawn 1997; Provisional Guide for Use of Coal Combustion Fly Ash
- in Structural Fills; Replaced by E1861
- Withdrawn 1998; Provisional Guide for Development and Implementation of a Source Reduction Program
- PS27 Withdrawn 1997; Provisional Standard Specification for Engineering and Design Criteria for Rigid Wall Relocatable Structures; Replaced by E1925
- PS28 Withdrawn 1997; Provisional Test Method for Flow Consistency of Controlled Low Strength Material; Replaced by D6103 PS29 Withdrawn 1996; Provisional Test Method for Unit Weight, Yield, and Air
- Content (Gravimetric) of Controlled Low Strength Material; Replaced by
- Withdrawn 1996; Provisional Standard Practice for Sampling Freshly Mixed Controlled Low Strength Material; Replaced by D5971
- Withdrawn 1997; Provisional Test Method for Ball Drop on Controlled Low Strength Material to Determine Suitability for Load Application; Replaced by D 6024
- PS33 Withdrawn 1996; Provisional Guide for Selection and Use of Liquid Coating Encapsulation Products for Leaded Paint in Buildings; Replaced
- Withdrawn 1996; Provisional Specification for Molded Polyethylene PS34
- Shipping and Storage Drums; Replaced by D5998
 PS35 Withdrawn 1997; Provisional Practice for Sampling Plans and Tables for Inspection by Attributes
- PS36 Withdrawn 1998; Provisional Standard Practice for Accelerated Aging of Asphalt Binder Using a Pressurized Aging Vessel (PAV); Replaced by
- Withdrawn 1996; Provisional Practice for Conducting Environmental Baseline Surveys; Replaced by D6008
- PS38 Withdrawn 1997; Provisional Consumer Safety Specification for Toddler Beds; Replaced by F1821 PS39 Withdrawn 1996; Test Method for Determination of Volatile Organic
- Compound (VOC) Content of Electric Insulating Varnishes; Replaced by D6053
- PS40 Withdrawn 1996; Provisional Guide for Using Indoor Carbon Dioxide Concentrations to Evaluate Indoor Air Quality ad Ventilation; Replaced by
- Withdrawn 1996; Provisional Specification for Reinforced Liquid Coating Encapsulation Products for Leaded Paint in Buildings; Replaced by E1797 PS42 Withdrawn 1999; Provisional Test Method for Metal Removal Fluid
- Aerosol in Workplace Atmospheres: Replaced by D6649
- PS43 Withdrawn 1998; Provisional Guide for Safer Use of Movable Soccer Goals; Replaced by F1938
- Withdrawn 1997; Evaluating Quality Systems of Organizations Engaged in Conducting Hazard Assessments to Determine the Presence/Extent of Lead in Paint/Dust/Airborne Particulate, and Soil in Buildings/Related Structures; Replaced by E1864
- Withdrawn 1998; Provisional Practice for Collection of Surface Dust by Air Sampling Pump Vacuum Technique for Subsequent Lead Determination; Replaced by E1973
- Withdrawn 1997; Provisional Test Method for Screening, Quantification,

- and Characterization of Total Polychlorinated Biphenyls by Room Temperature Phosphorescence
- PS48 Withdrawn 1997; Provisional Test method for Oil and Grease (Solvent Extractable Substances) by Gravimetric Determination
- PS49 Withdrawn 1999; Provisional Practice for Application of Class PB
- Exterior Insulation and Finish Systems; Replaced by C1397
 PS50 Withdrawn 1998; Provisional Specification for Molded and Cast Nylon (PA) Rod, Tubes, Sheets, and Parts
- Withdrawn 1998; Provisional Test Methods for Determination of Trace Elements in Coal, Coke and Combustion Residues From Coal Utilization Processes by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Plasma Mass Spectrometry, and Graphite Furnace
- Atomic Absorption Spectrometry; Replaced by D6357
 PS53 Withdrawn 1999; Provisional Guide for Identification and Management of
 Lead Hazards in Facilities; Replaced by E2052
- PS54 Withdrawn 1998; Provisional Performance Requirements for Child's Plastic Chairs for Outdoor Use; Replaced by F1838
- PS55 Withdrawn 1998; Provisional Performance Requirements for Multipositional Plastic Chairs, with Adjustable Backs or Reclining Mechanisms, for Outdoor Use; Replaced by F1858
- PS56 Withdrawn 2000; Provisional Test Method for Sealability of Gasket Materials
- PS57 Withdrawn 1999; Provisional Test Method for Determining Ignitability of Clothing by the Electric Arc Exposure Method Using a Mannequin; Replaced by F1958
- Withdrawn 1999; Provisional Test Method for Determining Arc Thermal Performance (Value) of Textile Materials for Clothing by Electric Arc Exposure Method Using Instrumented Sensor Panels; Replaced by F1959
- Withdrawn 2005; Provisional Specification for Fire Safety for Candles Withdrawn 1998; Provisional Specification for Drawstrings on Children's
- Upper Outerwear; Replaced by F1816 Withdrawn 1998; Provisional Guide for Prevention and Control of
- Lead-Based Paint Hazards in Rental Housing Withdrawn 1999; Provisional Specification for Precast Reinforced
- Concrete Box Sections for Culverts, Storm Drains, and Sewers Withdrawn 1998; Provisional Test Method for Tires, Pneumatic,
- Vehicular, Highway; Replaced by F1922 Withdrawn 1998; Provisional Guide for Developing Appropriate PS64 Statistical Approaches for Ground-Water Detection Monitoring Programs; Replaced by D6312
- Withdrawn 1998; Provisional Specification for Shelter, Electrical Equipiment S-250/G; Replaced by E1974
- PS66 Withdrawn 1998; Provisional Specification for Shelter, Electrical,
- Fquipment S-280/G; Replaced by E1975

 Withdrawn 1998; Provisional Specification for Shelter, Tactical, Nonexpandable; Replaced by E1976

 Withdrawn 1998; Provisional Specification for Shelter, Tactical, Withdrawn 1998; Provisional Specification for Shelter, Tactical, PS67
- PS68 Expandable, One-Side; Replaced by E1977
- PS69 Withdrawn 1998; Provisional Specification for Shelter, Tactical, Expandable, Two-Side; Replaced by E1978
- PS70 Withdrawn 2000; Provisional Test Method for Determination of Fracture Toughness of Advanced Ceramics at Ambient Temperatures; Replaced by C1421
- Withdrawn 2001; Provisional Test Method for Evaluating the Tensile-Adhesion Performance of an Exterior Insulation and Finish System (EIFS); Replaced by E2134
- Withdrawn 2000; Provisional Test Method for Oil and Grease (Solvent Extractable Substances) in Water by Gravimetric Determination
- PS75 Withdrawn 2000; Provisional Standard Safety and Performance
- Specification for Soccer Goals; Replaced by F2056 Withdrawn 1998; Provisional Test Method for Human Repeat Insult Patch Testing of Medical Gloves; Replaced by D6355
- PS78 Withdrawn 2000; Provisional Guide for Selecting Surface Geophysical Methods: Replaced by D6429
- Withdrawn 1998; Provisional Test Method for Holding Strength of Prong-Ring Attached Snap Fasteners
- PS80 Withdrawn 2000; Provisional Performance Specification for Fun Karts; Replaced by F2011 PS81
- Withdrawn 2001; Provisional Test Method for Length Change of Mortar Bars Caused by Reaction Between Hydraulic Cement and Alkali-Reactive Aggregate
 Withdrawn 1999; Provisional Specification for Determination of
- Accessability of Surface Systems Under and Around Playground Equipment; Replaced by F1951
- Withdrawn 1998; Provisional Specification for Bean Bag Chairs; Replaced by F1912
- Withdrawn 1998; Provisional Guide fir Expedited Site Characterization of Hazardous Waste Contaminated Sites; Replaced by D6235
- PS86 Withdrawn 1998; Provisional Test Method for Tires, Pneumatic, Low Speed, Off Highway; Replaced by F1923
- Withdrawn 1998; Provisional Practice for Ultrasonic Extraction of Paint, Dust, Soil, and Air Samples for Subsequent Determination of Lead; Replaced by E1979
- Withdrawn 1999; Provisional Practice for Determination of Lead in Paint, PS88 Settled Dust, Soil and Air Particulate by Field-Portable Electroanalysis; Replaced by F2051
- PS90 Withdrawn 1998; Provisional Test Methods for Asphalt Content of Hot Mix Asphalt by the Ignition Method; Replaced by D6307

PS91 PS138

- PS91 Withdrawn 2003; Provisional Specification for Portable Gasoline and Kerosine Spill-Resistant Fueling Systems for Consumer Use; Replaced by
- PS93 Withdrawn 2001; Provisional Specification for Fabricated Shapes and Finished Parts Fabricated From Polyimide Resins
- PS94 Withdrawn 2001; Provisional Practice for Personal Sampling and Analysis of Endotoxin in Metal Removal Fluid Aerosols in Workplace Atmospheres; Replaced by E2144
- PS95 Withdrawn 2000; Provisional Practice for Quality Systems for Conducting In Situ Measurements of Lead Content in Paint or Other Coatings Using Field-Portable X-Ray Fluorescence (XRF) Devices; Replaced by E2119
- PS96 Withdrawn 1999; Provisional Performance Requirements for Plastic Chaise Lounges, With or Without Moving Arms, With Adjustable Backs, for Outdoor Use; Replaced by F1988
- Withdrawn 1998; Provisional Guide for Consumer Recreational Use of Fun Karts; Replaced by F1928
- PS100 Withdrawn 2000; Provisional Specification for Authentication of Healthcare Information Using Digital Signatures; Replaced by E2084
 PS101 Withdrawn 2000; Provisional Guide on Security Framework for
- Healthcare Information; Replaced by E2085
- PS102 Withdrawn 2000; Provisional Guide for Internet and Intranet Healthcare Security; Replaced by E2086
- PS103 Withdrawn 1998; Provisional Guide for User Authentication and Authorization; Replaced by E1985
- PS104 Withdrawn 2000; Provisional Guide for Risk Based Corrective Action; Replaced by E2081
- PS105 Withdrawn 2003; Provisional Specification for Dedicated Short-Range Communication (DSRC) Data Link Layer
- PS106 Withdrawn 2005; Provisional Standard Specifiation for Rods and Tubes of Polyethylene (PE)
- PS107 Withdrawn 1998; Provisional Guide for Information Access Privileges to
- Health Information, Replaced by E1986 PS108 Withdrawn 1998; Provisional Guide for Individual Rights Regarding
- Health Information; Replaced by E1987
 PS109 Withdrawn 1998; Provisional Guide for Training of Persons Who Have
 Access to Health Information; Replaced by E1988
- PS110 Withdrawn 2000; Provisional Safety Specification for Chests, Door Chests, and Dressers; Replaced by F2057
- PS111 Withdrawn 2000; Provisional Specification for Dedicated Short Range Communication (DSRC) Physical Layer Using Microwave in the 902 to 928 MHz Band; Replaced by E 2158
- PS112 Withdrawn 2000; Provisional Safety Specification for Window Fall Prevention Devices for Non-Emergency Escape Egress and Rescue Ingress Windows; Replaced by F2006

- PS114 Withdrawn 1999; Provisional Specification for Fire Suppression Towels; Replaced by F1989
- PS115 Withdrawn 2001; Provisional Specification for Audit and Disclosure Logs for Use in Health Information Systems; Replaced by E2147
- PS116 Withdrawn 2001; Provisional Practice for Performance Evaluation of the Portable X-Ray Fluorescence Spectrometer for the Measurement of Lead in Paint Films; Replaced by E2120 7 Withdrawn 2001; Provisional Specification for Portable Escape Ladder
- for Residential Use; Replaced by F2175
- Withdrawn 2002; Provisional Test Method for Water-Extractable Chloride in Aggregate (Soxhlet Method); Replaced by C1524
- PS119 Withdrawn 2003; Provisional Specification for Child-Resistant Portable Gasoline Containers for ConsumerUse
- PS120 Withdrawn 2001; Provisional Specification for Window Fall Prevention Devices With Emergency Escape (Egress) Release Mechanisms; Replaced by F2090
- Withdrawn 2002; Provisional Specification forBiodiesel Fuel (B100) Blend Stock for Distillate Fuels; Replaced by D6751
- PS124 Withdrawn 2002; Provisional Test Method for Measuring Maximum Spontaneous Heating Temperature of Art Materials; Replaced by D6801 PS125 Withdrawn 2003; Provisional Consumer Safety Performance
- Specification for Diaper Changing Tables for Commercial Use Withdrawn 2003; Provisional Test Method for Evaluating the Ignition Sensitivity and Fault Tolerance of Oxygen Regulators Used for Medical and Emergency Applications; Replaced by G175
- Withdrawn 2003; Provisional Specifications for Pool Alarms; Replaced
- PS129 Withdrawn; Provisional Test Method for Measurement of Permeability
- of Bituminous Paving Mixtures Using a Flexible Wall Permeameter PS130 Withdrawn 2003; Provisional Consumer Safety Specification for Non-Powered Scooters; Replaced by F2264
 PS131 Withdrawn 2003; Provisional Teset Method for Bulk Specific Gravity
- and Density of Compacted Bituminous Mixtures Using Automatic Vacuum Sealing Method; Replaced by D6752
- Withdrawn 2003; Provisional Test Method for Maximum Specific Gravity and Density of Bituminous Paving Mixtures Using Automatic
- Vacuum Sealing Method; Replaced by D6857 5 Withdrawn 2004; Provisional Specification for Labeling for Upright Brooms for Consumer and Institutional Use: Replaced by F2367
- PS136-02 Withdrawn 2003; Provisional Test Method for Quantitative Extraction and Recovery of Asphalt Binder from Asphalt Mixtures; Replaced by D6857
- Withdrawn 2004; Provisional Specification for Labeling for Wet Mops for Consumer and Institutional Use; Replaced by F2368
- PS138 Withdrawn 2004; Provisional Specification for Shelter, Electrical Equipment, Lightweight; Replaced by E2377